# FYH. MOUNTED BEARING UNITS

NIPPON PILLOW BLOCK CO., LTD.

CAT.NO.3320



fyhbearings.com

Decla

## Mounted Bearing Units (contents)



	Technical Section	Technical Section
	Pillow Block Units	
	4-Bolt Flange Units	
	Oval Flange Units	
	4-Bolt Flange Cartridge Units	0
BALL BEARING UNITS	Stamped Steel Flange Units	Ø
	Take-Up Units	LO
	Cartridge Units	0
	Hanger Units	$\bigcirc$
	Ball Bearing Inserts	ROA
	Parts and Accessories	Parts and Accessories
SPHERICAL ROLLER	Technical Section	Technical Section
BEARING UNITS	Spherical Roller Bearing Units	FILA
	Appendix Table	Appendix Table

#### Contents =

## **BALL BEARING UNITS**

9

10

11

12

13

14

#### **Technical Section**

#### **1 Structure and Features**

1.1	Structure	 5
1.2	Features	 5

#### 2 Selection Guide

2.1	Selection Guide	8
2.2	High / Low Temperature Series	10
2.3	Corrosion Resistant Series	12
2.4	Air Handing Series	13
2.5	Dust Resistant Units	15

#### 3 Models

3.1	Model List	18
3.2	Models and Features	20

#### 4 Rating Life of Bearings

4.1	Basic Rating Life and Basic Load Rating $\hfill$	33
4.2	Calculation of Rating Life	33
4.3	Grease Life	35

#### **5 Bearing Load**

6	Allov	vable Rotating Speed	
	5.5	Example of Applied Calculation	40
	5.4	Basic Static Load Rating and Static Equivalent Load	39
	5.3	Dynamic Equivalent Load	38
	5.2	Distribution of Bearing Load	38
	5.1	Loads Applied to Bearings	36

- 6.1 Allowable Rotating Speed ...... 46
- 6.2 Rotational Speed Adjustment Due to Shaft Fit ...... 47

#### 7 Operating Temperature and Bearing Specifications

7.1	Operating	Temperature	Range		47
-----	-----------	-------------	-------	--	----

7.2 Operating Temperature and Internal Clearance of Bearings ...... 47

#### 8 Strength of Housings

8.1	Strength of Cast Iron Housings	48
8.2	Strength of Ductile Cast Iron Housings	48
8.3	Strength of Stamped Steel Housings	54
8.4	Strength of Stainless Steel Housings	54
8.5	Strength of Die-cast Housings	54
8.6	Static Rupture Strength of Plastic Housings	55
Desig	gn of Shaft and Base	
9.1	Design of Shaft	56
9.2	Mounting Base Design	59
9.3	Dowel Pins for Accurate Unit Mounting	60
Nom	enclature	61
Accu	racy and Internal Clearance	
11.1	Accuracy of Bearings	63
11.2	Accuracy of Housings	65
11.3	Internal Bearing Clearance	67
Mate	rials	
12.1	Bearing Material	68
12.2	Housing Material	68
12.3	Materials of Parts and Accessories	69
Perfo	ormance	
13.1	Bearing Friction Torque	70
13.2	Bearing Temperature Increase	70
Hand	lling	
14.1	Installation	71
14.2	Test Run Inspection	75
14.3	Periodic Inspection	75
14.4	Supply of Grease	76
14.5	Replacing Bearings	78

## FYH

#### **Unit Dimensional Table**

15 Dime	nsional Tables for	
Ball	Bearing Units	79

#### 1 Pillow Block Units

Pillow Block Units	82
Thick Pillow Block Units	102
Tapped-Base Pillow Block Units	106
High-Base Pillow Block Units	114
Narrow Inner Ring Bearing Pillow Block Units	116
Light Pillow Block Units	120
Compact Pillow Block Units	122
Corrosion Resistant Series Pillow Block Units	124
Stamped Steel Pillow Block Units	136

#### 2 4-Bolt Flange Units

4-Bolt Flange Units	138
Square Piloted 4-Bolt Flange Units	160
Narrow Inner Ring Bearing 4-Bolt Flange Units	164
Corrosion Resistant Series 4-Bolt Flange Units	166

#### **3 Oval Flange Units**

2-Bolt Flange Units	174
Adjustable 2-Bolt Flange Units	194
3-Bolt Flange Units	196
Narrow Inner Ring Bearing 2-Bolt Flange Units	198
Light 3-Bolt Flange Units	200
Light 2-Bolt Flange Units	202
Compact 2-Bolt Flange Units	204
Corrosion Resistant Series 2-Bolt Flange Units	206
Corrosion Resistant Series 3-Bolt Flange Units	216

#### 4 4-Bolt Flange Cartridge Units

4-Bolt Flange Cartridge Units	218
Narrow Inner Ring Bearing 4-Bolt Flange Cartridge Units	232
Corrosion Resistant Series 4-Bolt Flange Cartridge Units	234

#### **5 Stamped Steel Flange Units**

Stamped Steel 3-Bolt Flange Cartridge Units	236
Stamped Steel 2-Bolt Flange Units	238

#### 6 Take-Up Units

Take-Up Units	240
Narrow Slot Take-Up Units	260
Corrosion Resistant Series Take-Up Units	262
Section Steel Frame Take-Up Units	266
Channel Steel Frame Take-Up Units	268
Steel Plate Frame Take-Up Units	274

#### 7 Other Units

Cartridge Units	278
Hanger Units	284

#### 8 Ball Bearing Inserts

Cylindrical bore (with set screws)	286
Stainless steel series Cylindrical bore (with set screws)	294
Cylindrical bore (with eccentric locking collar)	296
Cylindrical bore (with concentric locking collar)	302
Cylindrical bore (with concentric locking collar)	
Cylindrical O. D.	304
Tapered bore (with adapter)	306
Cylindrical bore (with set screws)	
Cylindrical O. D	312
Cylindrical bore (with eccentric locking collar)	
Cylindrical O. D	314
Cylindrical bore	316
9 Bearing Adapter	318

#### Parts and Accessories

#### **16 Parts and Accessories**

16.1	Part No. of Steel Plate Covers	322
16.2	Part No. of Cast Iron Covers	323

## SPHERICAL ROLLER BEARING UNITS

#### Spherical Roller Bearing Units (contents) ..... 325

#### **1 Structure and Features**

	1.1	Structure	326
	1.2	Features	326
_			
2	Mode	ls	
	2.1	Model List	329
	2.2	Models and Features	330
3	Nome	nclature	332
	<b>F</b> m min	e suis a la fermentie a	220
4	Engin	eering Information	33Z
5	Instal	lation Guide	
5		lation Guide Precautions	334
5	5.1		
5	5.1 5.2	Precautions	334
5	5.1 5.2 5.3	Precautions	334 335
-	5.1 5.2 5.3 5.4	Precautions Preparation Installation Lubrication	334 335
-	5.1 5.2 5.3 5.4	Precautions Preparation Installation	334 335

#### Appendix Table

Appen	dix Table (contents)	357
1	Simplified Chart of Ball Bearing Unit Combinations	358
2	Tightening Torques of Housings and Cast Iron Cover Mounting Bolts	360
3	Tightening Torques of Inner Rings and Eccentric Locking Collar Set Screws	360
4	Tightening Torques of Adapter Lock Nuts (reference)	361
5	Machining Dimensions of Holes of Housing Dowel Pins	362
6	Dimensional Tolerances of Shafts	364
7	Dimensional Tolerances of Housing Bores	366
8	Basic Tolerance Values	368
9	SI Unit Conversion Charts	369
10	Inch-meter Conversion Chart	370
11	Hardness Conversion Chart	371
12	Viscosity Conversion Chart	372
13	Mechanical Properties of Metal Materials (reference)	373
14	Hexagon Socket Head Cap Screws (abstract from JIS B 1176)	374
15	Hexagon Head Bolts (abstract from JIS B 1180)	376
16	Hexagon Head Nuts (abstract from JIS B 1181)	378
17	Ball Bearing Units Interchange Guide	379
18	Spherical Roller Bearing Units Interchange Guide	381

★The contents of this catalogue are subject to change without prior notice. Every possible effort has been made to ensure that the data listed in this catalog is correct. However, we can not assume responsibility for any errors or omissions.

All rights reserved.

#### **1 Structure and Features**

FYH Ball Bearing Units are manufactured to exacting standards comprising of grease sealed deep groove ball bearings and housings in various forms.

Self-aligning units allow for easy installation and are supplied with grease fittings in order to facilitate quick and convenient re-lubrication.

#### 1.1 Structure

FYH Ball Bearing Units are constructed of high carbon chromium bearing steel and have precision honed raceways and riveted steel cages (**Fig. 1.1**).



Fig. 1.1 Structure of ball bearing units (representative example)

#### **1.2 Features**

FYH Ball Bearing Units have many features and are available in various models. A wide selection of mounted units is offered to fit virtually any application.

#### 1 Supreme load capacity and accuracy

FYH Ball Bearing Units feature an internal structure identical to single row deep groove ball bearings and can bear significant radial load, as well as a great deal of axial load in both directions. The hardened steel balls exhibit a high degree of "roundness" and the races are highly polished to accommodate a smooth ride at a wide range of speeds.

#### 2 Rational self-aligning mechanism and optimal fit

FYH Ball Bearing Units have the special ability to self-align inside the housing because of the spherical shape of the outer diameter of the bearing insert and the concave shape of the inner diameter of the housing into which it fits. This design allows the bearing unit to self-adjust for shaft deviation and reduce abnormal bearing load. Therefore, the original rated life of the bearing can be guaranteed. Since the spherical outside surface of the bearing is precision ground and the spherical bore of the housing is machined by a boring machine with great accuracy, optimal fitting of the bearing and the housing can be obtained, as well as superior aligning performance. The allowable aligning angle of standard ball bearing units is 3°, while units with covers is 1°.



Fig. 1.2 Allowable aligning angle of ball bearing units

#### 3 Superior sealing performance

FYH Ball Bearing Units efficiently prevent grease from leaking out of the interior of the bearing, and perform extremely well at keeping contaminates, such as dust and water, from entering. This is achieved by installing the seal to the outer ring of the bearing and installing the slinger to the inner ring of the bearing.

The FloBack seal to be used in the standard FYH Ball Bearing units will contribute to the long life of the bearing. It consists of a double-lip seal which is stamped into place in the outer ring of the bearing to reduce the possibility of being pushed out from over-lubrication. The first seal makes contact with the inside of the slinger which provides the first line of defense against contamination. The next seal makes contact with the inner ring to provide another level of contamination resistance. An additional level of protection exists in the extra non-contact inward facing lip which allows grease to flow back towards the balls and raceways during operation thereby improving lubrication performance and extending bearing life.

Allowable rotating speed is the same as the previous seal design while providing more than four times better protection.

#### **4** Simple lubrication

FYH Ball Bearing Units are tapped to accept a grease fitting which is also supplied with every mounted unit. Bearings are pre-lubricated at the factory and do not require additional grease upon installation. When operating in excessively moist, dusty, or hot environments, it is recommended that grease be supplied at regular intervals. If appropriately maintained, the rated life of the bearing can be extended.

FYH Lithium Bearing Grease to be sealed in early bearing grease use are manufactured to accommodate a wide range of operating conditions.

FYH Lithium Bearing Grease can be mixed with of former FYH Bearing grease as it will improve performance, corrosion resistance, loading capability, and promote longer bearing life.

The grease fittings that are supplied with FYH mounted units include 1/4-28 for smaller units and 1/8 PT for larger units. Additional styles are available upon request. FYH Lithium Bearing Grease is also available in automatic lubricators.



Fig. 1.3 Sealing mechanism of ball bearing units





## FYH

#### 5 Highly rigid and rugged cast iron housings

FYH Ball Bearing Unit housings are designed so that they are optimized for reduction of deformation due to centralization of stress and load. Only the best material is selected to be cast by a highly advanced technique or press working technique, depending on the housing. Since any abnormal load on the bearing is eliminated by the housing, the life of the bearing can be extended. A Granular material baking finish coating (powder coating) helps resist corrosion and protect the surface of the housing for an extended period of time.

FYH original solid base pillow block housings seat better and produce a more stable mounting configuration that significantly reduces vibration.

The support ribs have been eliminated to make more room for mounting bolts and washers, yet these housings are more than 30% stronger than before while also reducing housing weight. The new housing downward destruction strength means that the inserts break before the housings.





#### 6 Simple installation and handling

FYH Ball Bearing Units interchange with many different models and can be bolted to machinery without any modification. The exact amount of clearance is allowed between the bore and the shaft to allow a perfect fit. Therefore, FYH Ball Bearing Units do not require any additional lubrication or seal installation. As a result, handling and downtime can be drastically reduced. Four different locking mechanisms are available:

(1) Set Screw

- (2) Eccentric Locking Collar
- (3) Tapered Adapter
- (4) Concentric Collar

Mounting the bearing to the shaft can be executed easily and securely by adopting any of these methods.

#### 7 Series and models

FYH Ball Bearing Units are available in various series and models. Reliability of machinery or equipment, used together with these units, can be improved by selecting and using units optimal for the application and operating conditions.



High / Low Temperature Series







Nickel plated Units

**Stainless Units** 

**Plastic Units** 

Corrosion Resistant Series

Air Handling Series

S3 & S5 Bearing Units NU-LOC Units



Dust Resistant Units

Triple lip seal inserts Felt seal inserts

Oirt Resistant Units

Tight Triple lip seal inserts Units with Covers

 Tougher casting Series Ductile iron housing

Compact and lightweight Series Small die cast Units Lightweight casting Units Stamped Units 2 Selection Guide

#### 2 Selection Guide

#### 2.1 Selection Guide

1. Select the housing style that best suits your application.



P - PILLOW BLOCK PA - TAPPED-BASE PH - HIGH-BASE LP - LIGHT IP - THICK PP - STAMPED STEEL F - 4-BOLT FLANGE FS - SQUARE PILOTED FL - 2-BOLT FLANGE LF - LIGHT PFL - STAMPED STEEL FA - ADJUSTABLE FB - 3-BOLT FLANGE FC - 4-BOLT FLANGE CARTRIDGE T - TAKE-UP C - CARTRIDGE H - HANGER

### 2. Select the shaft size and duty that is needed for your application.



SU - FROM 10 MM TO 30 MM BORE SA & SB - FROM 12 MM & 1/2" TO 40 MM & 1-9/16" BORE UC - FROM 12 MM & 1/2" TO 140 MM BORE NA - FROM 12 MM & 1/2" TO 75 MM & 3" BORE NC - FROM 20 MM & 3/4" TO 60 MM & 2-7/16" BORE UK - FROM 20 MM & 3/4" TO 120 MM BORE



FYH

3. Do you need to customize the bearing for your application? Select STANDARD as the default.



TEMP - D2K2 -58°F TO 248°F (-50°C TO 120°C), D1K2 -40°F TO 356°F (-40°C TO 180°C), D9K2 -4°F TO 446°F (-20°C TO 230°C) WASH DOWN - STAINLESS STEEL UNITS, PLASTIC HOUSING UNITS, AIR HANDLING - S3 AIR HANDLING FIT UNITS, S5 NON CONTACT SEAL DUST - L3 TRIPLE LIP SEAL, COVERS DIRT - LT3 TIGHT TRIPLE LIP SEAL, COVERS

### 4. Select the locking style type for your insert.



UC - SETSCREW LOCK NA - ECCENTRIC COLLAR LOCK NC - CONCENTRIC COLLAR LOCK UK - ADAPTER SLEEVE LOCK





Selection application is available for download in the mobile device.





#### 2 Selection Guide



#### 2.2 High / Low Temperature Series

(suffix codes - High temperature: D1K2 & D9K2, Low temperature: D2K2)

For applications that require bearing units to be used at a higher or lower temperature range than our standard models FYH offers several options. For high temperature units that require lubrication please specify D1K2 as a suffix to the standard part number. For high temperature units that do not require lubrication specify D9K2.

The D9K2 insert uses a fluoro-grease that allows for excellent heat resistance and operation with minimal maintenance.

Specifications for the high temperature and low temperature units are shown in **Table 2.1**.



#### Table 2.1 Specifications of High / Low Temperature Series

Specifications of High / Low Temperature Series								
Category	Suffix		ating ure range	5			ng internal Parance	
	code (°C) (°F)		material	UC type	UK type			
Standard	-	-20 to 100	-4 to 212	FYH Lithium Bearing Grease (lithium complex)	Nitrile	CN	C3	
Cold resistant	D2K2	-50 to 120	-58 to 248	SH33M (lithium)	Silicone	CN	C3	
Heat resistant	D1K2	-40 to 180	-40 to 356	U-RET EDM-1 (diurea)	Silicone	C4	C5	
Heat resistant	D9K2	-20 to 230	-4 to 446	Demnum L-200 (fluorinated grease)	Silicone	C4	C5	

Specifications of Extreme High Temperature Series								
Category	Suffix		rating ure range			Bearing internal clearance		
	code	(°C)	(°F)			UC type	UK type	
Heat resistant	D9P4S6Y2	-20 to 260	-4 to 500	Demnum L-200 (fluorinated grease)	-	C4	-	
Extreme heat resistant	S6Y3	300 to 450	572 to 842	Solid graphite lubricant	-	Special	-	

	Grease schedule of ball bearing units						
Operating temperature °C			Grease Intervals		Destinguard	Crosses supplied	
Over	Incl.	Substantially clean	Excessive dust	Excessive dust and moisture	Bearing used	Grease supplied	
50 70	50 70 100	(3 months) not necessary 1 year 6 months	(2 months) 1 year 4 months 2 months	(1 month) 4 months 1 month 2 weeks	(Low temperature D2K2) <sup>1)</sup> Standard bearing	SH33M FYH Lithium - Bearing Grease	
100 120 150	120 150 180	2 months 2 weeks 1 week	2 weeks 5 days 2 days	5 days 2 days 1 day	High temperature D1K2	U-RET EDM-1	

Note 1) Greasing intervals in parentheses are applicable to low temperature grease (D2K2). Remark Greasing intervals shown in this table are applicable to a unit operated for 8 to 10 hours per day. If the time of operation is greater than this range, then a more frequent greasing interval must be specified. For example, if the unit is operated 16 to 20 hours per day, then the greasing interval must be twice as frequent.



#### 2.2.1 Rotational speed adjustment due to shaft fit

A marginal degree of clearance is typically used to facilitate easy installation of a bearing to a shaft.

The amount of clearance between the bearing and shaft must be factored in to determine the maximum allowable rotational speed, and as rotational speed is increased, the amount of clearance must be decreased.

**Table 2.3** shows the factor that must be used to correct the allowable rotational speed. The maximum rotational speed is determined by multiplying the speed found in **Table 6.1** by the factors below.

Table 2.3Fitting factor of ball bearing units  $f_{\rm c}$ (recommended)

	Fitting factor $f_{ m c}$								
Type of ball bearing units	Shaft tolerance range class								
	h5, j5	j6	h6	h7	h8	h9			
Heat resistant type (Suffix code: D1K2)	-	-	-	1	1	0.7			
Cold resistant type (Suffix code: D2K2)	_	_	_	1	1	0.7			

### 2.2.2 Correction of basic load rating due to

#### temperature

If a ball bearing unit is used at a relatively high temperature the physical composition of the bearing material is changed leading to decreased hardness. This decreased hardness leads to the basic dynamic load rating being reduced. Once the structure of the bearing material has been changed, it will remain this way for the life of the unit, even when it returns to room temperature.

When using a ball bearing unit at 150 °C or more, the basic load rating must be corrected by multiplying the basic dynamic load rating shown in the dimensional table by the temperature factor shown in **Table 2.4**.

Table 2.4	<b>Temperature factor</b>
-----------	---------------------------

Bearing temperature, °C	125	150	175	200	250
Temperature factor	1	1	0.95	0.9	0.75

#### 2.2.3 Operating temperature range

The operating temperature of a ball bearing unit depends on the type of grease, the material of the seal, and the internal clearance of the bearing. FYH Ball Bearing Units are available in high temperature (D1K2, D9K2) and low temperature (D2K2) series, in addition to the standard models, to allow selection of the correct bearing for your operational temperature (see **Table 2.1**). The correct unit must be chosen for the desired temperature range, and it is equally important to use the appropriate grease according to the specified schedule.

## 2.2.4 Operating temperature and internal clearance of bearings

When bearings are operated in a high ambient temperature environment, or when the operating temperature is high because of rotational speed, differential expansion rates occur within the bearing components. This causes higher friction, grease breakdown, and eventual seizure.

If the temperature difference between the inner and outer ring is known, or can be approximated, then the following **Formula (2.1)** may be applied.

Under these conditions, decrease in the internal clearance must be calculated, and the internal clearance of bearing needs to be selected properly.

$S_{t1} = \alpha \cdot D_e \cdot$	$\Delta_{\rm t}$	(2.1)

#### Whereas,

- $S_{\rm t1}$ : Decrease in the internal clearance of bearings depending on the difference in the temperatures of the bearing inner ring and the bearing outer ring can be found by formula, mm
- $\alpha :$  Line expansion factor of bearing steel,  $12.5 \times 10^{-6}$
- $D_{e}$ : Raceway dia. of bearing outer ring, mm Diameter series 2, X ......  $D_{e} = 0.92 D$ Diameter series 3.....  $D_{e} = 0.9 D$
- D: Nominal bearing outer dia., mm
- $\varDelta_t\!\!:$  Difference in temperatures of bearing inner ring and outer ring,  $^{o}\!C$

If a ball bearing unit is used in a high temperature environment, an abnormal load will result due to thermal expansion of the shaft. This must be compensated for by allowing free movement of one side of the shaft. (See "9 Design of shaft and base")

### CERAMIC BALL UNITS



Y2: Ceramic balls with stainless units



Y3: Ceramic balls with a solid self-lubricating lubricant

#### Ceramic Ball Units features

Reduced maintenance costs Green bearings Independent operation Low friction High stress resistance Non-conductive





#### 2.3 Corrosion Resistant Series

The Corrosion Resistant Series is available in a wide array of sizes and styles, and units may be customized with a number of different specialized options to accommodate virtually any application. Federal compliance can be assured with FYH Bearing Units.

WASH DOWN



#### **S6 STAINLESS INSERT**

RINGS	Stainless steel
BALLS	SUS 440C
CAGE	SUS304
GREASE	H1 FOOD GR
SEALS	NBR
SLINGER	SUS304
ANTI-ROTATION PIN	SUS304
SET SCREWS AVAILABLE SIZES CLEARANCE	SUS304 201X - 203X , C3

el (SUS 440C equivalent) RADE (FDA /USDA) 204 - 212



#### **S7 PLATED INSERT**



RINGS	SUJ2 + (zinc plated + trivalent chromate treatment)
BALLS	SUJ2
CAGE	NYLON
GREASE	H1 FOOD GRADE (FDA /USDA)
SEALS	NBR
SLINGER	SPCC + (zinc plated + trivalent chromate treatment)
ANTI-ROTATION PIN	SUS304
SET SCREWS	SCM435 + (zinc plated + trivalent chromate treatment)
AVAILABLE SIZES	204 - 210
CLEARANCE	C3



**VP VF VFL VPA Thermoplastic Housings** 



Thermoplastic Polyester





Lost Wax Casting (SUS304 or 316 equivalent)

Z5 **Nickel Plated Housings** 



Cast Iron + Nickel Plating



## FYH



#### 2.4 Air Handing Series

Units for HVAC and air handling (suffix code: S3, S5)

Ball bearing units for blowers must meet the demands of high speed rotation, low vibration, low noise, and decreased temperature output.

To meet these performance needs FYH produces the S3 and S5 series with tighter bore tolerances.

S5 uses non-contact seals as well as an improved machining accuracy to cut down on heat, noise, and vibration.



#### Table 2.5 Specifications of air handling units





Air Handling Fit	
100% Noise Check	
P11	The anti-rotation pin
C2	Internal bearing clearance is defined as the allowable space between the rolling elements and the raceways. <b>C2</b> is smaller clearance than the standard, and it reduces the noise and vibration in high speed applications.
P18	<b>P18</b> is the suffix code that designates smaller bore tolerance which allows for a tighter fit with the shaft. This, in turn, reduces vibration and noise and dramatically increases bearing life.
KЗ	Non contact lip seal is available for the lighter torque.





#### 2.4.1 Features of the air handring units

The air handling unit is manufactured with original fitting called the air handling fit which exists in the middle with fitting "H" which can be assembled more easily than a standard fit "J." In addition, "J" fit the standard is fit that there is not the need for the anti-rotation pin, but can be very secure in high speed applications by adding the anti-rotation pin.

S3 and S5 bearings are sound tested in order to make sure the noise level is low enough to be suitable for high speed applications such as blowers.

## 2.4.2 Feature of air handring S5 specification for blowers

#### (1) Dimensional tolerances of shafts for blowers (used with set screw bearings)

For bearings used in blowers (suffix code: S5), a C2 internal ball clearance is recommended to reduce vibration and noise during operation.

Therefore, the shaft tolerance classes shown in **Table 2.6** are recommended for bearings with set screws.

Refer to (**"11.3 Internal bearing clearance"**) Details of the internal C2 ball clearance.

### Table 2.6Dimensional tolerance of shaft used for<br/>bearings (set screw type) for blowers

					•			
Shaf	t dia.	Dimensional tolerance of shaft						
(mm)		h	5	j	5			
Over	Incl.	Max.	Min.	Max.	Min.			
10	18	0	- 8	+5	- 3			
18	30	0	- 9	+5	- 4			
30	50	0	-11	+6	- 5			
50	80	0	-13	+6	- 7			
80	120	0	-15	+6	- 9			
120	180	0	-18	+7	-11			

#### unit: µm

#### (2) Tolerance of inner rings of S5 specification

P18 is the suffix code that designates smaller bore tolerance which allows for a tighter fit with the shaft. This, in turn, reduces vibration and noise and dramatically increases bearing life.

#### Table 2.7 Tolerance and tolerance values of inner rings of P18 suffix (unit: $\mu m$ )

	Nominal bearing bore dia. d (mm)		Variation of toleranceof average bore dia. in plane $ extsf{dmp}$		Radial runout of inner ring K <sub>ia</sub>
Over	Incl.	Max.	Min.	Max.	Max.
10	18	+13	0	6	7
18	31.75	+13	0	6	8
31.75	50.8	+13	0	10	10
50.8	80	+15	0	10	10

#### Table 2.8 Tolerance and tolerance values of inner rings of ISO standard (unit: $\mu m$ )

	Nominal bearing bore dia. d (mm)		Variation of tolerance of average bore dia. in plane $\varDelta_{dmp}$		Radial runout of inner ring K <sub>ia</sub>
Over	Incl.	Max.	Min.	Max.	Max.
10	18	+15	0	10	15
18	31.75	+18	0	12	18
31.75	50.8	+21	0	14	20
50.8	80	+24	0	16	25

## FYH



#### 2.5 Dust Resistant Units

The FYH Dust Resistant Units consists of a variety of supplemental sealing options that function extremely well in the exclusion of foreign matter. These options can work well by themselves or in combination with each other. From food processing and agricultural to wash-down and mining and aggregate, the FYH Dust From food processing and agricultural to wash-down and mining and aggregate, the FYH Dust Resistant Units can stand up to the toughest contamination challenges.





#### Triple-Lip Seals (suffix code: L3)

The L3 seal consists of a stamped steel shield with a molded NBR try-ply seal affixed to the inner portion of the shield, all of which is attached to the outer ring of the bearing. The triple-lip seal is excellent for resisting all types of contamination and is appropriate for low to moderate speeds.





#### Tight Triple-Lip Seals (suffix code: LT3)

The LT3 Triple-Lip seal fits tighter than the standard L3 seal. The rotating torque of the LT3 seal is approximately double that of the standard L3 seal, and it is appropriate where contamination or moisture are very high and rotating speeds are very low.





#### 2 Selection Guide

Stamped steel and cast iron covers are available in open or closed versions in a complete range of sizes. They are easy to install and they offer great resistance to wet and dry contaminates, and shocks and heats. Covers protect the entire bearing insert from contamination and they also help to provide a safer working environment.

#### **Stamped Steel Open Covers**



**Cast Iron Open Covers** 





#### **BACKSIDE GUARD**



The nitrile rubber shields can be mounted on the backside of two and four bolt flange units and the equipment it is bolted onto. The backside guard protects your bearings from dust and moisture and help lead to longer bearing life in applications where this can be an issue.

The nitrile rubber on the steel plate come without a drain slot and is designed for dust protection. Some applications where this product could be used include: aggregate applications, fertilizer spreaders, salt spreaders and agricultural applications where dirt can reach the backside of bearing units.

The nitrile rubber on the 304 stainless steel plate with the drain slot is designed to protect your bearing units in applications that are exposed to moisture and where moisture or water build up can create issues. These backside guards can be utilized in food and beverage applications where they are being washed down as well as pharmaceutical applications. The stainless steel core is perfect for situations where regular steel can rust quickly.



#### **ORIGINAL DESIGNED SET SCREW**



The innovative FYH Bullet Point set screw is a one piece ball point set screw which is designed to expand the threads of the screw as the point of the screw contacts the surface of the shaft. The resulting force creates superior holding power especially where vibration is present. Other set screws have larger contact areas with sharp edges at the point of the screw to bite into the shaft. However, these sharp edges damage more easily from vibration which creates a gap between the point of the set screw and the shaft. Once this gap is established, the set screw will begin to loosen.

When the Bullet Point set screw is tightened, the original shape of the point causes the threads of the screw to expand up to and beyond the elastic limit to achieve the maximum possible holding power. The thickness of the point is also designed to expand easily. This specialized design drastically reduces the potential for damage to both the set screw and shaft from normal use or for severe vibration, shock load, and high speed.



#### 360° SHAFT CONTACT TRUE Concentric-LOC



The **FYH NU-LOC** bearing grips the shaft more uniformly, which allows for 360 degrees of equalized locking contact.

Compared to set screw bearings, the roundness of the ball path on the NU-LOC bearings results in better operation and longer life.

NU-LOC concentric locking collars are designed to prevent shafting from becoming marred or burred. A single standard hex head cap screw can be tightened quickly and easily, and NU-LOC bearings can replace either setscrew or eccentric locking collar inserts.

NU-LOC concentric locking collar with a single cap screw provides excellent holding power. The collar is installed over the slotted inner ring on the shaft concentrically. Quick & Easy Installation with a single hex cap screw.

NU-LOC's standard tolerance specification is designed for air handring applications, and the greater roundness of the ball path enable the use of smaller internal ball clearance.

The bore tolerance is also smaller since NU-LOC has the 360 degrees of equalized locking contact. NU-LOC is not only good for the air handring applications, but great for the other applications as well.

3 Models -

#### 3 Models

#### 3.1 Model List

Table 3.1 and Table 3.2 shows the models of FYH Ball Bearing Units and ball bearing inserts.

	Туре	Bearing bore dia. Surface				t dia.		Dimensio
Model		(fixing to shaft)	Model code				<u>,                                    </u>	table
Pillow Block	(1) Dillow Dia da Lio te	-	1160				max.	D02
	(1) Pillow Block Units	with set screws					140	P.82
Units		with eccentric locking collar					75	P.88
							-	P.90
							75	P.92
		with concentric locking collar					60	P.94
		Tapered bore (with adapter)					125	P.96
	(2) Thick Pillow Block Units	with set screws					140	P.102
		Tapered bore (with adapter) with set screws					125	P.104
	(3) Tapped-Base Pillow Block Units	with set screws					50	P.106
		with concentric locking coller					35 50	P.108 P.110
		with concentric locking collar					35	P.110 P.112
	(4) High-Base Pillow Block Units	with set screws					50	P.112
		with set screws					40	P.114
	(5) Narrow Inner Ring Bearing Pillow Block Units							
		with eccentric locking collar					55	P.116
		with set screws			1		35	P.118
		with eccentric locking collar					35	P.118
	(6) Light Pillow Block Units	with set screws					40	P.120
		with eccentric locking collar		-			40	P.120
	(7) Compact Pillow Block Units	with set screws	÷.				30	P.122
	(8) Corrosion Resistant Series Pillow Block Units	with set screws					60	P.124
							40	P.126
							30	P.128
							50	P.130
							50	P.132
							35	P.134
	(9) Stamped Steel Pillow Block Units	with set screws					30	P.136
		with eccentric locking collar					30	P.136
4-Bolt Flange	(1) 4-Bolt Flange Units	with set screws					140	P.138
Units							85	P.144
		with eccentric locking collar					60	P.148
		with concentric locking collar					60	P.150
			-		1		60	P.152
		Tapered bore (with adapter)	-				125	P.154
	(2) Square Piloted 4-Bolt Flange Units	with set screws					140	P.160
		Tapered bore (with adapter)					125	P.162
	(3) Narrow Inner Ring Bearing 4-Bolt Flange Units	with set screws			1		40	P.164
		with eccentric locking collar					55	P.164
	(4) Corrosion Resistant Series 4-Bolt Flange Units	with set screws			1		60	P.166
							60	P.168
							40	P.170
							40	P.172
Oval Flange	(1) 2-Bolt Flange Units	with set screws					120	P.174
Units			Model code         (inch)         (i	85	P.180			
		with eccentric locking collar			1		55	P.184
		with concentric locking collar					60	P.186
							60	P.188
		Tapered bore (with adapter)					110	P.190
	(2) Adjustable 2-Bolt Flange Units	with set screws			-		55	P.194
	(3) 3-Bolt Flange Units	with set screws					50	P.196
	(4) Narrow Inner Ring Bearing 2-Bolt Flange Units	with set screws					40	P.198
		with eccentric locking collar		-			55	P.198
	(5) Light 3-Bolt Flange Units	with set screws					35	P.200
		with eccentric locking collar					35	P.200
	(6) Light 2-Bolt Flange Units	with set screws			1		35	P.202
		with eccentric locking collar		-			35	P.202
	(7) Compact 2-Bolt Flange Units	with set screws					30	P.204
	(8) Corrosion Resistant Series 2-Bolt Flange Units	with set screws					50	P.206
				1			50	P.208
							30	P.210
			UCVFL-S6	1			40	P.212
			UCVFL-ES7		1 <sup>9</sup> /16	20	40	P.214
	(9) Corrosion Resistant Series 3-Bolt Flange Units	with set screws	LICVED ECT	37	17/	20	35	P.216

#### Table 3.1 FYH Ball Bearing Units models

		Bearing bore dia. Surface			Shaf	t dia.		Dimension
Model	Туре	(fixing to shaft)	Model code	(inch)		(mm)		table
				min.	max.	min.	max.	table
4 4-Bolt Flange	(1) 4-Bolt Flange Cartridge Units	with set screws	UCFC	1/2	4	12	100	P.218
Cartridge			UCFCX-E	1	4	25	100	P.222
Units			UCFCF	7/8	2 <sup>3</sup> /16	25	55	P.224
		with concentric locking collar	NCFC	3/4	2 <sup>7</sup> /16	20	60	P.226
		Tapered bore (with adapter)	UKFC	3/4	3 <sup>1</sup> / <sub>2</sub>	20	90	P.228
	(2) Narrow Inner Ring Bearing 4-Bolt Flange	with set screws	SBFC-RKP8	3/4	1 <sup>1</sup> / <sub>2</sub>	20	40	P.232
	Cartridge Units	with eccentric locking collar	SAFC-FP9	3/4	2 <sup>3</sup> / <sub>16</sub>	20	55	P.232
	(3) Corrosion Resistant Series 4-Bolt Flange Cartridge Units	with set screws	UCSFC-H1S6	3/4	1 <sup>9</sup> /16	20	40	P.234
5 Stamped	(1) Stamped Steel 3-Bolt Flange Cartridge Units	with set screws	SBPF	1/2	1 <sup>7</sup> / <sub>16</sub>	12	35	P.236
Steel Flange		with eccentric locking collar	SAPF	1/2	1 <sup>7</sup> /16	12	35	P.236
Units	(2) Stamped Steel 2-Bolt Flange Units	with set screws	SBPFL	1/2	1 <sup>7</sup> / <sub>16</sub>	12	35	P.238
		with eccentric locking collar	SAPFL	1/2	1 <sup>7</sup> / <sub>16</sub>	12	35	P.238
6 Take-Up Units	(1) Take-Up Units	with set screws	UCT	1/2	4	12	140	P.240
			UCT-E	1/2	3 <sup>7</sup> / <sub>16</sub>	12	85	P.246
		with eccentric locking collar	NAT-E	1/2	2 <sup>15</sup> / <sub>16</sub>	12	75	P.250
		with concentric locking collar	NCT	3/4	2 <sup>7</sup> / <sub>16</sub>	20	60	P.252
			NCT-E	3/4	2 <sup>7</sup> / <sub>16</sub>	20	60	P.254
		Tapered bore (with adapter)	UKT	3/4	4 <sup>1</sup> / <sub>2</sub>	20	125	P.256
	(2) Narrow Slot Take-Up Units	with set screws	UCTRS	7/8	1 <sup>7</sup> / <sub>16</sub>	25	35	P.260
	(3) Corrosion Resistant Series Take-Up Units	with set screws	UCST-H1S6	3/4	2	20	50	P.262
			UCST-EH1S6	3/4	2	20	50	P.264
	(4) Section Steel Frame Take-Up Units	with set screws	UCTH	1/2	2 <sup>1</sup> / <sub>2</sub>	12	65	P.266
	(5) Channel Steel Frame Take-Up Units	with set screws	UCTL	-	-	20	45	P.268
			υςτυ	-	-	40	90	P.270
	(6) Steel Plate Frame Take-Up Units	with set screws	SBPTH	-	-	12	25	P.274
			SBNPTH	-	-	12	25	P.276
7 Other Units	(1) Cartridge Units	with set screws	UCC	1/2	4	12	140	P.278
		Tapered bore (with adapter)	UKC	3/4	4 <sup>1</sup> / <sub>2</sub>	20	125	P.282
	(2) Hanger Units	with set screws	UCHA	1/2	3	12	75	P.284

Table 3.1 FYH Ball Bearing Units models (continued	Table 3.1	FYH Ball Bearing Units models (continued)
--	-----------	---

#### Table 3.2 Bearing insert models

		Bearing bore dia. Surface (fixing to shaft)		Shaft dia.				Dimension
Model	Туре		Model code	(inch)		(mm)		Dimension table
		(fixing to shart)		min.	max.	min.	max.	table
8 Ball Bearing	(1) UC inserts	with set screws	UC	1/2	4	12	140	P.286
Inserts	UC inserts (Stainless steel)		UC-S6	1/2	2 <sup>7</sup> / <sub>16</sub>	12	60	P.294
	(2) UK inserts	Tapered bore (with adapter)	UK	3/4	4 <sup>1</sup> / <sub>2</sub>	20	125	P.306
	(3) NC inserts	with concentric locking collar	NC	3/4	2 <sup>7</sup> /16	20	60	P.302
	(4) NA inserts	with eccentric locking collar	NA	<sup>1</sup> /2	3	12	75	P.296
	(5) SB inserts (Lightweight)	with set screws	SB	1/2	1 <sup>1</sup> / <sub>2</sub>	12	40	P.286
			SB-RKP8	<sup>1</sup> /2	1 <sup>1</sup> /2	12	40	P.286
	(6) SA inserts (Lightweight)	with eccentric locking collar	SA	1/2	1 <sup>9</sup> /16	12	40	P.296
			SA-F	1/2	2 <sup>3</sup> /16	12	55	P.296
	(7) SU inserts. Small size	with set screws	SU	-	-	8	30	P.286
	SU inserts. Small size (Stainless steel)		SU-S6	-	-	10	30	P.294
	(8) Cylindrical O.D.	with set screws	ER	1/2	2 <sup>7</sup> / <sub>16</sub>	12	60	P.312
	(with lubricating mechanism amd snap ring)	with concentric locking collar	ERC	<sup>3</sup> /4	2 <sup>7</sup> /16	20	60	P.304
	(9) Cylindrical O.D.	with set screws	RB	1/2	1 <sup>9</sup> /16	12	40	P.312
	(10) Standard	Cylindrical bore	SC	-	-	17	40	P.316
	(11) Cylindrical O.D.	with set screws	SBB-RK	<sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub>	12	40	P.314
		with eccentric locking collar	SAA-F	1/2	2 <sup>3</sup> / <sub>16</sub>	12	55	P.314
	(12) Adapter		H2300X	3/4	5	20	125	P.318



#### 3.2 Models and Features

FYH Ball Bearing Units are available in a variety of styles and sizes. Models and features of the Ball Bearing Units are shown below.

NAP

NAPK

#### 1 Pillow Block Units

1 Pillow Block Units



UCP



NAP-E



UCP-C, CD UKP-C, CD



Note <sup>1)</sup> Descriptions of codes for units with covers are shown in the table below. (common to all the models)

Diameter series	Code	Descriptions	
2	C, CD	Stamped steel plate cover type	
	FC, FCD	Cast iron cover type	
Х	C, CD	From X05 to X17: Stamped steel plate cover type	
		X18 and X20: Cast iron cover type	
3	C, CD	Cast iron cover type	

UCP is a pillow block unit with a rigid cast iron housing and two specially designed set screws in the inner-ring spaced at 120 degrees for maximum holding power and reliability for a wide variety of applications and operating conditions.

Duty: Standard, Medium, Heavy

NAP is a pillow block unit with an eccentric locking collar insert that provides a very secure grip to the shaft that becomes even more secure during continued operation. It is specifically used for singledirection/non-reversing rotation.

Duty: Standard, Heavy

**NCP** is a pillow block unit with a specially designed concentric locking collar that provides 360 degrees of shaft contact. It produces a more concentric lock on the shaft compared to other locking styles and it functions very well for high speed applications.

#### **Duty: Standard**

**UKP** is a pillow block unit with a tapered-bore bearing insert that utilizes an adapter sleeve assembly to produce a highly concentric and secure lock on the shaft to reduce slippage and fretting corrosion even under adverse conditions.

Duty: Standard, Medium, Heavy

2 Thick Pillow Block Units



UCIP



UKIP+H

UCIP is a pillow block unit with a highly rigid and rugged casting for particularly demanding applications. The two bolt holes are round for more accurate positioning and the strength ratings of the housing are substantially improved over standard pillow block housings. UK style is also available.

Duty: Standard, Heavy



UCPA and UCPAN are tapped-base pillow blocks with threaded bolt holes in the bottom of the housings. They are ideal for exact unit positioning and limited space applications. They are available in both inch and metric bolt-hole dimensions. NA, NC & UK style are also available.

**Duty: Standard** 

UCPH is a pedestal pillow block unit with an exceptionally high mounting base. It is ideal for applications where a shouldered shaft could create interference with the mounting surface when using a standard pillow block unit.

Duty: Standard

UCPH

**3 Tapped-Base Pillow Block Units** 

5 Narrow Inner Ring Bearing Pillow Block Units



SBP-RKP8



SAP-FP9



SBPAN-RKP8



**SAPAN-FP9** 

**SBP-RKP8** is a lightweight bearing mounted pillow block unit which is ideal for limited space applications and light to moderate duty applications.

SAP-FP9 with SA eccentric locking collar style is also available.

SBPAN-RKP8 is a lightweight bearing mounted tapped-base pillow block unit which is ideal for limited space applications and light to moderate duty applications. SAPAN-FP9 with SA eccentric locking collar style is also available.

Duty: Standard

#### (1 Pillow Block Units)

6 Light Pillow Block Units BLP ALP

BLP is a compact and lightweight pillow block unit which is ideal for limited space applications and light to moderate duty applications.

ALP with SA eccentric locking collar style is also available.

Duty: Light

7 Compact Pillow Block Units



UP is a light duty pillow block unit that is part of the Clean Series. It has a zinc-alloy housing for a high level of corrosion resistance and it is capable of accepting end covers to increase contamination resistance.

Duty: Light

8 Corrosion Resistant Series Pillow Block Units



UCSP is a pillow block unit that is made entirely out of stainless steel components for the highest level of corrosion resistance for a mounted bearing unit. It is also pre-filled with food grade grease for food processing applications.

**Duty: Standard** 

USP-S6 is a light duty stainless pillow block unit that is part of the Clean Series. It has a stainless housing for a high level of corrosion resistance and it is capable of accepting end covers to increase contamination resistance.

#### Duty: Light

UCSPA is a tapped-base pillow block unit with threaded bolt holes in the bottom of the housings. It is made entirely out of stainless steel components for the highest level of corrosion resistance for a mounted bearing unit. It is ideal for exact unit positioning and limited space applications. It is also pre-filled with food grade grease for food processing applications.

#### Duty: Standard

UCVP and UCVPAN is a pillow block unit with a corrosion resistant thermoplastic housing and the option of either a stainless steel bearing insert or a zinc chromate plated bearing insert. Both bearing inserts offer a high level of corrosion resistance and they are factory lubricated with food grade grease.

Duty: Standard



SBPP



SBPP is a pillow block unit with a lightweight and compact stamped steel housing for light to moderate duty applications. **SAPP** with SA eccentric locking collar style is also available.

Duty: Light

SAPP

22

## FYH

#### 2 4-Bolt Flange Units

#### 1 4-Bolt Flange Units



UCF UCF-E



NANF



NCF NCF-E



UKF+H

2 Square Piloted 4-Bolt Flange Units



UCFS



UKFS+H

3 Narrow Inner Ring Bearing 4-Bolt Flange Units



SBF-RKP8



SAF-FP9

**SBF-RKP8** is a lightweight bearing mounted four-bolt Flange units which is ideal for limited space applications and light to moderate duty applications.

SAF-FP9 with SA eccentric locking collar style is also available.

Duty: Standard

4 Corrosion Resistant Series 4-Bolt Flange Units



UCSF-H1S6 UCSF-EH1S6



UCVF-S6 UCVF-ES7

**UCSF** is a four-bolt flange unit that is made entirely out of stainless steel components for the highest level of corrosion resistance for a mounted bearing unit. It is also pre-filled with food grade grease for food processing applications.

**UCVF** is a four-bolt flange unit with a corrosion resistant thermoplastic housing and the option of either a stainless steel bearing insert or a zinc chromate plated bearing insert. Both bearing inserts offer a high level of corrosion resistance and they are factory lubricated with food grade grease.

Duty: Standard

Duty: Standard, Medium, Heavy

variety of applications and operating conditions.

**NANF** is a four-bolt flange unit with an eccentric locking collar insert that provides a very secure grip to the shaft that becomes even more secure during continued operation. It is specifically used for single-direction/non-reversing rotation.

**UCF** is a four-bolt flange unit with a rigid cast iron housing and two specially designed set screws in the inner-ring spaced at 120 degrees for maximum holding power and reliability for a wide

#### Duty: Standard

UK style is also available.

**NCF** is a four-bolt flange unit with a specially designed concentric locking collar that provides 360 degrees of shaft contact. It produces a more concentric lock on the shaft compared to other locking styles and it functions very well for high speed applications.

Duty: Standard

**UCFS** is a piloted four-bolt flange unit available with a heavy duty bearing insert for a demanding operating environment. The pilot on the back of the housing allows for precise mounting where necessary.

UK style is also available.

Duty: Heavy

#### **3 Oval Flange Units**

#### 1 2-Bolt Flange Units



SAFL-FP9

**SBFL-RKP8** is a lightweight bearing mounted two-bolt Flange units which is ideal for limited space applications and light to moderate duty applications.

SAFL-FP9 with SA eccentric locking collar style is also available.

Duty: Standard

SBFL-RKP8

		<b>SATFD</b> is a compact and lightweight three-bolt flange unit with square bolt holes for carriage bolts and a ductile iron housing for added strength. It is ideal for limited space applications and light to moderate duty applications. with ductile iron housing
		Duty: Light
SBTFD-H4RKP8	SATFD-FH4P9	
6 Light 2-Bolt Flange Units		
	6	<b>BLF</b> is a compact and lightweight two-bolt flange unit which is ideal for limited space applications and light to moderate duty applications. <b>ALF</b> with SA eccentric locking collar style is also available. Duty: Light
BLF	ALF	
7 Compact 2-Bolt Flange Unit	ts	
000		<b>UFL</b> is a light duty two-bolt flange unit that is part of the Clean Series. It has a zinc-alloy housing for a high level of corrosion resis- tance and it is capable of accepting end covers to increase contami nation resistance. Duty: Light
UFL	UFL-C, D	
8 Corrosion Resistant Series 2	2-Bolt Flange Units	
		<b>UCSFL</b> is a two-bolt flange unit that is made entirely out of stainless steel components for the highest level of corrosion resistance for a mounted bearing unit. It is also pre-filled with food grade grease fo food processing applications. Duty: Standard
UCSFL-H1S6 UCSFL-EH1S6	USFL-S6	<b>USFL-S6</b> is a light duty stainless two-bolt flange unit that is part of the Clean Series. It has a stainless housing for a high level of corrosion resistance and it is capable of accepting end covers to increase contamination resistance.
		Duty: Light
UCVFL-S6		<b>UCVFL</b> is a two-bolt flange unit with a corrosion resistant thermo- plastic housing and the option of either a stainless steel bearing insert or a zinc chromate plated bearing insert. Both bearing inserts offer a high level of corrosion resistance and they are factory lubri- cated with food grade grease.
UCVFL-ES7		Duty: Standard

5 Light 3-Bolt Flange Units

(3 Oval Flange Units)

#### 9 Corrosion Resistant Series 3-Bolt Flange Units



**UCVFB** is a three-bolt flange unit that is made entirely out of stainless steel components for the highest level of corrosion resistance for a mounted bearing unit. It is also pre-filled with food grade grease for food processing applications.

Duty: Standard

#### 4 4-Bolt Flange Cartridge Units

#### 1 4-Bolt Flange Cartridge Units



#### 2 Narrow Inner Ring Bearing 4-Bolt Flange Cartridge Units



**SBFC-RKP8** is a lightweight bearing mounted 4-Bolt Flange Cartridge Units which is ideal for limited space applications and light to moderate duty applications. **SAFC-FP9** with SA eccentric locking collar style is also available.

Duty: Standard

#### 3 Corrosion Resistant Series 4-Bolt Flange Cartridge Units



UCSFC-H1S6

**UCSFC** is a four-Bolt Flange Cartridge Units that is made entirely out of stainless steel components for the highest level of corrosion resistance for a mounted bearing unit. It is also pre-filled with food grade grease for food processing applications.

Duty: Standard

#### 5 Stamped Steel Plate Flange Units

1 Stamped Steel 3-Bolt Fla	nge Cartridge Units	
SBPF	SAPF	<ul> <li>SBPF is a round three-bolt flange unit with a lightweight and compact stamped steel housing for light to moderate duty applications.</li> <li>SAPF with SA eccentric locking collar style is also available.</li> <li>Duty: Light</li> </ul>
2 Stamped Steel 2-Bolt Fla	nge Units	
SBPFL	SAPFL	<b>SBPFL</b> is a two-bolt flange unit with a lightweight and compact stamped steel housing for light to moderate duty applications. <b>SAPFL</b> with SA eccentric locking collar style is also available. Duty: Light
6 Take-Up Units		
1 Take-Up Units		
		<b>UCT</b> is a wide-slot take-up unit suitable for use in a side-mount take-up frame. It has a rigid cast iron housing and two specially designed set screws in the inner-ring spaced at 120 degrees for maximum holding power and reliability for a wide variety of applications and operating conditions. UK style is also available.
UCT	NAT-E	Duty: Standard, Medium, Heavy
UCT-E		<ul> <li>NAT is a wide-slot take-up unit with an eccentric locking collar insert that provides a very secure grip to the shaft that becomes even more secure during continued operation. It is specifically used for single-direction/non-reversing rotation.</li> <li>Duty: Standard</li> <li>NCT is a wide-slot take-up unit with a specially designed concentric locking collar that provides 360 degrees of shaft contact. It pro-</li> </ul>
NCT NCT-E	UKT+H	duces a more concentric lock on the shaft compared to other locking styles and it functions very well for high speed applications.
NCITE		Duty: Standard
UCTRS		<b>UCTRS</b> is a narrow slot take up unit. It has a rigid cast iron housing and two specially designed set screws in the inner-ring spaced at 120 degrees for maximum holding power and reliability for a wide variety of applications and operating conditions. Duty: Standard

(6 Take-Up Units)



#### 8 Ball Bearing Inserts

#### 1 UC inserts





UC-S6

2 UK inserts



UK



3 NC inserts



NC

#### with set screws

UC2 (X, 3)...Standard type UC2 (X, 3) L3...Triple-lip seal type UC2-S6...Stainless steel series

Duty: Standard, Medium, Heavy

Duty: Standard

This deep grooved ball bearing insert with rubber seal and metal slinger comes pre-lubricated with FYH grease. This insert incorporates a wide inner ring design with FYH Bullet Point setscrews as a standard, at 120 degrees apart to affix the insert to the shafting. The setscrew locking design with wide inner ring is the most common insert and can be used in a wide variety of applications. The spherical O.D. of the insert has both a grease groove as well as grease holes to re-lubricate the insert when needed. The UC insert can be ordered with a triple lip seal by using a L3 designation in the suffix.

The UC-S6 series incorporates the same design and dimensions as a standard UC insert but is constructed of 316 grade stainless steel for wash down and other corrosive environments. These inserts come with food grade grease as a standard, and a primary used in food, pharmaceutical, fertilizer and demanding applications.

#### with adapter

UK+H

UK-L3+H

UK2 (X, 3)...Standard type UK2 (3) L3...Triple-lip seal type

Duty: Standard, Medium, Heavy

This deep grooved ball bearing insert with rubber seal and metal slinger comes pre-lubricated with FYH grease. The UK series incorporates a tapered inner ring and uses corresponding adaptors to determine the bore size and affix it to the shaft. The UK series is perfect for applications where shock load can damage other locking devices. The tapered bore with adaptor provides true 360 degree shaft contact that runs the entire length of the inner ring. The spherical O.D. has a grease groove and grease holes for relubrication. The insert and adaptor come as two separate items and must be ordered separately. The insert is also available in a triple lip design by adding the L3 designation to the suffix.

with concentric locking collar

#### NC2

Duty: Standard

The FYH NU-LOC bearing features a concentric locking collar that allows for 360 degrees of locking contact. This deep groove ball bearing insert uses a grooved inner ring with a collar that incorporates a hex screw that is tightened to squeeze equally against the inner ring. The NU-LOC insert has a spherical O.D. and has grease grooves and grease holes for re-lubricating.

The roundness of the ball path created by the NU-LOC bearing results in better operation and longer life. The collar is designed to prevent shaft marring and burring that can occur with other locking options.

#### (8 Ball Bearing Inserts)



SA-FP9

#### 7 SU inserts (Small size)



with set screws SU0...Standard type SU0-S6...Stainless steel

Duty: Light

. -

This deep groove ball bearing insert is intended for very light loads and is used in light duty conveying applications as part of our Clean Series. This bearing has a spherical O.D. and comes pre-lubricated from the factory. These inserts have a spherical O.D. with a wider inner ring and have no grease groove or grease holes for re-lubrication. Two setscrews at 120 degrees apart affix this insert to the shafting. The SU-S6 bearing is constructed of stainless steel material and is used as part of our stainless Clean Series. The stainless material is superior in corrosion resistance compared to the normal clean series insert.

#### 8 ER inserts



with set screws, cylindrical O.D. lubricating mechanism, locating snap ring and snap ring groove

#### ER2, ERC2

Duty: Standard

This deep groove ball bearing insert with a rubber seal and metal slinger come pre-lubricated with FYH grease. The ER series has a cylindrical O.D. with grease groove and grease holes outer ring for re-lubrication. The ER series uses two FYH Bullet Point type setscrews at 120 degrees apart to affix it to the shafting. The ER bearings have a snap ring on the outer ring to help make locating the bearing a simple task during installation.

ERC with NU-LOC concentric locking collar style is also available.

#### 9 RB inserts



RB

with set screws, cylindrical O.D. **RB2** 

Duty: Standard

This deep groove ball bearing insert with a rubber seal and metal slinger come pre-lubricated with FYH grease. The RB series has a cylindrical O.D and has the same dimensions as the ER series but does not have a snap ring for locating or a grease groove and grease holes for re-lubrication. The RB series uses two FYH Bullet Point type setscrews at 120 degrees apart to affix it to the shafting.

#### (8 Ball Bearing Inserts)

10 SC inserts SC2 Duty: Light The SC series is a non-extending inner ring insert with a spherical outer-diameter which allows it to be mounted in a traditional housing. The bore tolerance is more precise than typical mounted bearings so press-fit shaft mounting can be accomplished. SC 11 SBB, SAA inserts with set screws, cylindrical O.D. SBB2, SAA2-F Duty: Light The SBB and SAA insert series' both have a cylindrical outer diameter for press-fit mounting directly into component machinery. They are not self-aligning or capable of being mounted into traditional housings. SBB-RK SAA-F 12 Adapter Adapter H2300X The H2300X adapter series' are for use in the tapered-bore UK series. Proper assembly of adapter sleeves can create excellent holding power on the shaft. H2300X

#### **4** Rating Life of Bearings

When ball bearing units are installed and operated on a piece of machinery eventually a failure will occur. The period of operation until the unit cannot be used due to failure is called the bearing life.

Bearing failure is caused by two main reasons. The first is fatigue of bearing material, and the second is lubricant degradation. The life is figured on whichever fails first.

Proper bearing lubrication will eliminate grease degradation and allow full bearing life to be achieved. If the bearing units are run without replenishment of the grease the bearing life will have to be factored by either the grease life or the bearing life. During installation, care must be taken not to damage the bearing. Proper bearing maintenance and lubrication will ensure long bearing life.

#### 4.1 Basic Rating Life and Basic Load Rating

#### 4.1.1 Basic rating life

When a bearing is rotated under load the raceways and the rolling elements are continuously exposed to load. Damage, such as scaling (flaking or peeling), eventually appears on the material, and the total rotating frequency until the damage appears is called the "fatigue limit of the bearing". Fatigue limit of the bearing can vary greatly even if the bearings have the same structure, dimensions, materials, machining methods, and are operated under the same conditions.

To account for this variation, a group of the same bearings operating under the same conditions are tested, and the total rotating frequency of 90% of the bearings operating with no damage due to rotating fatigue (90% reliability) is called the basic load rating.

#### 4.1.2 Basic load rating

Dynamic ratings are determined by placing a pure radial load on a radial bearing or by placing a central axial load on a thrust bearing. The dynamic rating is the load that the bearing will withstand for one million cycles before failure of the bearing.

These ratings are referred to as the **basic dynamic** radial load rating ( $C_r$ ) or the **basic dynamic axial load** rating ( $C_a$ ). These values are indicated in the catalog as the basic dynamic radial load rating ( $C_r$ ), and the value is shown in the dimensional table.

#### 4.2 Calculation of Rating Life

The relationship between the basic rating life, the basic dynamic load rating, and the dynamic equivalent load of the ball bearing is indicated in **Formula (4.1)**. If the ball bearing unit is being used at a fixed rotating speed, the life is indicated as time. This is shown in **Formula (4.2)**.

(Total rotating frequency)	$L_{10} = \left(\frac{C_{\rm r}}{P_{\rm r}}\right)^3 \dots \dots$
(Time)	$L_{10h} = \frac{10^6}{60n} \left(\frac{C_{\rm r}}{P_{\rm r}}\right)^3 \cdots (4.2)$
Whereas,	

L<sub>10</sub>: Basic rating life, 10<sup>6</sup> rotations
L<sub>10h</sub>: Basic rating life, hr
C<sub>r</sub>: Basic dynamic load rating, N
P<sub>r</sub>: Dynamic equivalent load, N
(see "5 Bearing load")
n: Rotating speed, min<sup>-1</sup>

Calculation of the basic rating life using the life factor  $(f_h)$  and the speed factor  $(f_n)$  in **Formula (4.2)** are shown below.

$L_{10h} = 500 f_{h}^{3}$	3	(4.3)
Life factor	$f_{\rm h} = f_{\rm n} \cdot \frac{C_{\rm r}}{P_{\rm r}}  \cdots$	(4.4)
Speed factor	$f_{\rm n} = \left(\frac{10^6}{500 \times 60r}\right)$	$\left(\frac{1}{\iota}\right)^{1/3}$
	$=(0.03n)^{-1/3}$	(4.5)

Values of  $f_n$ ,  $f_h$  and  $L_{10h}$  can be found using the nomogram of **Fig. 4.1**.



Fig. 4.1 Relation between basic rating life ( $L_{10h}$ ) and rotating speed (n), speed factor ( $f_n$ ), and life factor ( $f_h$ )

#### 4.2.1 Correction of basic load rating due to

#### temperature

If a ball bearing unit is used at a relatively high temperature the physical composition of the bearing material is changed leading to decreased hardness. This decreased hardness leads to the basic dynamic load rating being reduced. Once the structure of the bearing material has been changed, it will remain this way for the life of the unit, even when it returns to room temperature.

When using a ball bearing unit at  $150 \,^{\circ}$ C or more, the basic load rating must be corrected by multiplying the basic dynamic load rating shown in the dimensional table by the temperature factor shown in **Table 4.1**.

Table 4.1 Temperature factor

Bearing temperature, °C	125	150	175	200	250
Temperature factor	1	1	0.95	0.9	0.75

#### 4.2.2 Corrected rating life

The basic  $L_{10}$  rating life shown in **Formula (4.1)** is the fatigue life of a bearing with 90% reliability however; there are circumstances where bearings need greater reliability. The bearing life may be extended by using special materials.

Other conditions, including lubrication, may influence the bearing life.

The corrected rating life is found by taking the basic rating life and taking the factors in **Formula (4.6)** into consideration.

 $L_{\rm na} = a_1 a_2 a_3 L_{10}$  (4.6)

Whereas,

 $L_{\rm na}$ : Corrected rating life, 10<sup>6</sup> rotations

Bearing characteristics and operating conditions are taken into consideration with reliability 100-n% (breakage probability)  $L_{10}$ : Basic load rating,  $10^6$  rotations

Life with 90% reliability

a1: Reliability factor	see (1)	
a2: Bearing characterization factor	see (2)	
a3: Operating condition factor	see (3)	

#### (1) Reliability factor $a_1$

**Table 4.2** shows the values used when a corrected bearing life that has less than a 10% breakage probability is necessary.

Table 4.2	Reliability	$factor a_1$
-----------	-------------	--------------

Reliability, %	$L_{ m na}$	$a_1$
90	$L_{10a}$	1
95	$L_{5\mathrm{a}}$	0.62
96	$L_{ m 4a}$	0.53
97	$L_{3\mathrm{a}}$	0.44
98	$L_{2\mathrm{a}}$	0.33
99	$L_{1a}$	0.21

#### (2) Bearing characterization factor $a_2$

The material make-up of a bearing can have an affect on its basic rating life. Factors that can influence the bearing include bearing material (type of steel), production procedures, and bearing design. Bearing characterization is shown as factor  $a_2$ .

FYH ball bearing inserts use high quality vacuum degassed bearing steel as standard material, and this material allows for a longer rating life. For FYH ball bearing units, the bearing characterization factor  $a_2$  is 1 ( $a_2 = 1$ ). When bearings with special materials are used for a longer fatigue limit the characterization factor can be shown as  $a_2$  being greater than 1 ( $a_2 > 1$ ).

#### (3) Operating condition factor $a_3$

Operating conditions may directly influence the life of the bearing (especially proper or improper lubrication). The basic rating life should be corrected using the operating condition factor  $a_3$ . If lubrication is being maintained the factor  $a_3 = 1$ . If excellent re-lubrication practices are being maintained the factor  $a_3 > 1$  should be applied.

If any of the following operating conditions are applicable the condition should be applied as  $a_3 < 1$ .

(1) Kinematic viscosity of lubricant during operation is low: Ball bearing:  $13 \text{ mm}^2/\text{s}$  or less,

Roller bearing: 20 mm<sup>2</sup>/s or less

(2) Rotating speed is low:  $d_{\rm m}n$ : 10,000 or less

Note:  $d_{\rm m}$  (Pitch dia. of ball set in mm)  $\times n$  (Rotating speed)

(3) Foreign matters are mixed in lubricant

Even if the bearing characterization factor is improved i.e.,  $a_2 > 1$ , the life of the bearing must still be down-rated if the combination,  $a_2 \times a_3 > 1$ .
### 4.2.3 Required lifetime of bearings

At some point, the economical nature of a ball bearing begins to decline. The operating conditions, type of bearing used, and type of machine the bearing is used on all influence the operational life of the bearing.

The required lifetime of the ball bearing is shown in **Table 4.3**.

Table 4.3	Required life time of ball bearing units
	(reference)

Operating conditions	Machines used	Required life time, hrs
Operated in short periods or intermit- tently	Home electric appliances, electric tools, agricultural machinery, hoist, etc.	4,000 - 8,000
Operated for several minutes or hours at a time, but less than 8 hours per day	Factory motor, ordinary gearing, etc.	12,000 - 20,000
Constantly oper- ated for 8 hours or longer per day or operated continu- ously for long periods	General machinery, blowers, etc.	20,000 - 30,000
Operated continu- ously for 24 hours, no fault is allowed	Power plants, mine drainage facility, etc.	100,000 200,000

### 4.3 Grease Life

The grease life for ball bearing units is influenced by: the level of the load, rotating speed of the bearing, and the operating temperature.

The grease life for ball bearing units being used under appropriate operating conditions can be found by the formula shown below.

$$\log L = 6.10 - 4.40 \times 10^{-6} d_{\rm m} n - 2.50 \left( \frac{P_{\rm r}}{C_{\rm r}} - 0.05 \right)$$

$$-(0.021 - 1.80 \times 10^{-\circ} d_{\rm m}n) T$$
 .....(4.7)

Whereas,

L: Grease life, hr

 $d_{\rm m}$ : Pitch dia. of ball set, mm

$$d_{\rm m} = \frac{(D+a)}{2}$$

(D: Nominal bearing outer dia., `

- d: Nominal bearing bore dia.
- n: Rotating speed of bearing, min<sup>-1</sup>
- Pr: Dynamic equivalent radial load, N (see "5 Bearing load")
- $C_{\rm r}$ : Basic dynamic radial load rating of bearing, N T: Operating temperature of bearing, °C

Applicable conditions for the **Formula (4.7)** are shown below.

1) Operating temperature of bearing: T °C

To be applied if the following condition is satisfied:  $T \leq \mathrm{100}$ 

If T is smaller than 50 (T < 50),

following condition should be applied: T = 50.

If T is larger than 100 (T > 100), contact FYH.

2) Rotating speed of bearing:  $d_{\rm m}n$ 

To be applied if the following condition is satisfied:  $d_{m}n \leq 30 \times 10^{4}$ 

 $\begin{cases} \text{If } d_m n \text{ is smaller than } 12.5 \times 10^4 \ (d_m n < 12.5 \times 10^4), \\ \text{following condition should be applied:} \\ d_m n = 12.5 \times 10^4 \end{cases}$ 

If  $d_{\rm m}n$  is larger than  $30 \times 10^4$  ( $d_{\rm m}n > 30 \times 10^4$ ), contact FYH.

3) Load condition of bearing:  $\frac{P_r}{C_r}$ 

To be applied if the following condition is satisfied:  $\frac{P_{\rm r}}{C_{\rm r}} \leq 0.2$ 

$$\left\{ \begin{array}{l} \text{If } \frac{P_{\rm r}}{C_{\rm r}} \text{ is smaller than 0.05 } (\frac{P_{\rm r}}{C_{\rm r}} < 0.05), \\ \text{following condition should be applied: } \frac{P_{\rm r}}{C_{\rm r}} = 0.05 \end{array} \right\}$$

If  $\frac{P_{\rm r}}{C_{\rm r}}$  is larger than 0.2 ( $\frac{P_{\rm r}}{C_{\rm r}}$  > 0.2), contact FYH.

Reference figure of grease life obtained by the **Formula** (4.7) is shown in **Fig. 4.2**.











Fig. 4.2 Relation of grease life to bearing load, rotating speed, and operating temperature (reference)

### **5** Bearing Load

Loads that are applied to bearings come from a variety of sources.

In addition to the primary load, other resultant loads include the weight of complementary objects including shafting, gears, pulleys, torsion from chain and belts, and so on. Shock or dynamic load can also be derived from these sources.

In many cases, these loads cannot be determined by a simple or single calculation; and since these loads often fluctuate in intensity, it is difficult to determine the exact magnitude of them prior to actual lab or field measurements on the machinery in question.

However, in order to approximate the loads involved prior to putting a machine into operation, the technique shown below should be used. This technique uses multiplication factors that have been determined empirically from sample measurements taken on actual machines in operation.

### 5.1 Loads Applied to Bearings

### 5.1.1 Load factor

Even if the static radial load and the axial load can be accurately calculated, the actual loads are generally greater than the calculated figures. This is due to the presence of vibration and shock load during actual machine operation.

To find the loads actually applied to a bearing, multiply the values determined for the static load by the following load factors.

 $F = f_w \cdot F_c$  ..... (5.1) Whereas, *F*: Load actually applied to bearing, N

 $F_{\rm c}$ : Theoretically calculated load, N

 $\mathit{f}_{w}$ : Load factor (see Table 5.1)

Table 5.1 Load factor  $f_w$ 

Operating conditions	Applications	$f_{\mathrm{w}}$
Virtually no vibration or impact	Electric machines and instruments	1 –1.2
Ordinary operation (light impact)	Agricultural machines and blower	1.2–2
Great vibration and impact	Construction machines and grinders	2 –3

### 5.1.2 Loads from belts or chain drives

The load calculated for the bearing is equal to the tensile load of the belt. However, this load must be multiplied by the load factor ( $f_w$ ), which accounts for vibration and impact of the machine and a belt factor ( $f_b$ ), which accounts for the vibration and impact generated through the belt.

When calculating loads for a chain drive, use the same factor ( $f_{\rm b}$ ) as used for belt drives.

Whereas,

- *F*<sub>b</sub>: Load actually applied to pulley shaft or sprocket shaft, N
- M: Torque applied to pulley or sprocket, mN  $\cdot$  m
- $\mathit{W}:$  Transmitted power,  $\mathrm{kW}$
- $D_{\rm p}$ : Pitch circle dia. of pulley or sprocket, mm
- n: Rotating speed, min<sup>-1</sup>
- $f_{\rm w}$ : Load factor (see **Table 5.1**)
- *f*<sub>b</sub>: Belt factor (see **Table 5.2**)

### Table 5.2Belt factor $f_b$

Belt type	$f_{\mathrm{b}}$
Toothed belt	1.3–2
V belt	2 –2.5
Flat belt (with tension pulley)	2.5–3
Flat belt	4 –5
Chain	1.2–1.5

### 5.1.3 Load of gear transmissions

Gear transmissions have a load in the tangential direction ( $K_t$ ), a load in the radial direction ( $K_r$ ), and an axial load ( $K_a$ ). Different types of gears are calculated differently.

The following is a sample of a calculation for an ordinary spur gear arrangement. A flat spur gear will not support an axial load.

(1) Load applied to gear in tangential direction (tangential line force)

$$K_{\rm t} = \frac{2M}{D_{\rm p}} = \frac{19.1 \times 10^6 \, W}{D_{\rm p} n} \tag{5.3}$$

(2) Load applied to gear in radius direction (separating force)

 $K_{\rm r} = K_{\rm t} \tan \alpha$  (5.4)

(3) Synthetic load applied to gear

$$K_{\rm g} = \sqrt{K_{\rm t}^2 + K_{\rm r}^2} = K_{\rm t} \sec \alpha$$
 ......(5.5)

### Whereas,

- *K*<sub>t</sub>: Load applied to gear in tangential direction (tangential line force), N
- $K_{\rm r}$ : Load applied to gear in radius direction (separating force), N
- $K_{\rm g}$ : Synthetic load applied to gear, N
- M: Torque applied to gear,  $mN \cdot m$
- $D_{\rm p}$ : Pitch circle dia. of gear, mm
- $\mathit{W}:$  Transmission power,  $\mathbf{k}\mathbf{W}$
- n: Rotating speed, min<sup>-1</sup>
- α: Pressure angle of gear, °

Note that the actual gear load must be found by multiplying the theoretical load by the load factor ( $f_w$ ) obtained by taking into consideration the vibration and impact loads generated while the machine is in operation. The gear factor ( $f_g$ ) is determined by taking into consideration the accuracy of machining and the finish of the gears.

 $F_{\rm g} = f_{\rm w} \cdot f_{\rm g} \cdot K_{\rm g} \quad \dots \qquad (5.6)$ 

Whereas,

- Fg: Load actually applied to gear, N
- $K_{\rm g}$ : Theoretical synthetic load applied to gear, N
- $f_{\rm w}$ : Load factor (see **Table 5.1**)
- $f_{\rm g}$ : Gear factor (see **Table 5.3**)

### Table 5.3 Gear factor $f_{\rm g}$

Gear type	$f_{g}$
Precision gear	1 –1.1
(both pitch error and tooth profile error should be 0.02 $\rm mm$ or less)	
Ordinary gear	1.1–1.3
(both pitch error and tooth profile error should be $0.1 \text{ mm}$ or less)	

### 5.2 Distribution of Bearing Load

In order to determine the radial load distribution to each bearing attached to a shaft, use the procedure shown below. Use the load factors shown in **Table 5.1** to account for vibration and impact.

A standard radial ball bearing bears an axial load component in addition to the radial component. The total vectored load can be calculated by taking the square root of the sum of the squares of each load as shown in the previous calculation.



Fig. 5.1 Distribution of load to bearings

### 5.3 Dynamic Equivalent Load

In many cases, a bearing is exposed to the combined vector load of both radial and axial load components. It may also be used under more severe conditions such as vibration and shock load. In this case, a direct comparison to the dynamic load rating is not appropriate.

In such a case, find the load equivalent to a direct radial load only and compare this with the basic dynamic load rating.

The converted virtual load is called dynamic equivalent load (P).

#### 5.3.1 Calculation of dynamic equivalent load

The dynamic equivalent radial load  $(P_r)$  of a bearing that bears radial and axial loads as well as vibration and impact is found by the following formula.

$P_{\rm r} = XF_{\rm r} + YF_{\rm a}  (5.9)$	Э)
--	----

Whereas,

 $\ensuremath{\mathit{P_r}}\xspace$ : Dynamic equivalent radial load, N

Fr: Radial load, N

 $F_{\rm a}$ : Axial load, N

X: Radial load factor (see Table 5.4)

Y: Axial load factor (see Table 5.4)

#### Table 5.4 Radial load factor (X) and axial load factor (Y)

$f_0 F_{ m a}$		$F_{\rm a}/F_{\rm a}$	$F_{\rm a}$ / $F_{\rm r}$ > $e$					
$rac{f_0 F_{ m a}}{C_{ m 0r}}$	е	X	Y	X	Y			
0.172	0.19				2.30			
0.345	0.22			1.99				
0.689	0.26				1.71			
1.03	0.28				1.55			
1.38	0.30	1	0	0.56	1.45			
2.07	0.34				1.31			
3.45	0.38				1.15			
5.17	0.42				1.04			
6.89	0.44				1.00			

Remarks 1.  $C_{0r}$  (basic static radial load rating) and  $f_0$  (factor) are shown in the dimensional tables. 2. If  $f_0 F_a/C_{0r}$  does not conform to the table

above, find by interpolation.

# 5.3.2 Average dynamic equivalent load in the case of fluctuating loads

If the level or direction of the load applied to a bearing is fluctuating, it is necessary to find the average dynamic equivalent load to calculate the bearing life.

**Table 5.5** shows the method of finding the averagedynamic equivalent load under various types of fluctuatingconditions.

### Table 5.5 Calculation of average dynamic equivalent load in case of fluctuated load





 $P_{\rm m} = \frac{P_{\rm min} + 2 \, P_{\rm max}}{3} \quad \dots \tag{5.11}$ 







 $P_{\rm m} = 0.75 P_{\rm max}$  (5.13)

Whereas,

- P<sub>m</sub>: Average dynamic equivalent load, N
- $P_1$ : Dynamic equivalent load actuating for  $t_1$  hours at rotating speed of  $n_1$ , N
- $P_2$ : Dynamic equivalent load actuating for  $t_2$  hours at rotating speed of  $n_2$ , N
- - $P_{\rm n}$ : Dynamic equivalent load actuating for  $t_{\rm n}$  hours at rotating speed of  $n_{\rm n}$ , N
- Pmin: Minimum dynamic equivalent load, N
- P<sub>max</sub>: Maximum dynamic equivalent load, N
- $\Sigma n_i t_i$ : Total rotating frequency for  $t_1$  to  $t_i$  hours

### 5.4 Basic Static Load Rating and Static Equivalent Load

### 5.4.1 Basic static load rating

If a bearing is exposed to excessive static or impact load even when running at low rotational speed, partial permanent deformation occurs to the contact surface of the raceways of the bearing. The amount of permanent deformation increases with increased loads, and at some point, the bearing will no longer rotate smoothly.

The basic static load rating of a bearing is the static load that generates the calculated contact stresses shown below at the center of the contact surfaces of the raceways.

- (mounted ball bearings included) ...... 4,200 MPa (3) Roller bearings ...... 4,000 MPa

The total permanent deformation that occurs to the raceways and the balls under the above critical contact stresses is 0.0001 times the diameter of the ball.

In ball bearing units, this is indicated as the basic static radial load rating ( $C_{0r}$ ) and these values are shown in the dimensional tables.

### 5.4.2 Static equivalent loads

Static equivalent load is the equivalent of the combined (vectored) load converted to the equivalent direct radial load. The term "static" refers to no rotation or very little rotation.

Static equivalent radial load  $(P_{0r})$  can be calculated by using the formula below.

$P_{0r} = 0.6 F_{r} + 0.5 F_{a}$	
$P_{0r} = F_r$	

Whereas,

Por: Static equivalent radial load, N

Fr: Radial load, N

Fa: Axial load, N

### 5.4.3 Safety factor

The static equivalent load that can be withstood by a bearing, in addition to the above considerations, is sometimes dependent upon unforeseen conditions in the operating environment. Therefore, a safety factor is always built in to insure success in the application.

$$f_{\rm s} = \frac{C_{\rm 0r}}{P_{\rm 0r}}$$
 (5.16)

Whereas,

 $f_{\rm s}$ : Safety factor (see **Table 5.6**)  $C_{\rm 0r}$ : Basic static radial load rating, N

 $P_{0r}$ : Static equivalent radial load, N

### Table 5.6Safety factor $f_{\rm s}$ (recommended)

Operatir	$f_{\rm s}$ (Min.)	
	High rotating accuracy is required	2
Being rotated	Ordinary operating conditions	1
	Impact	1.5
Not always being rotated	Ordinary operating conditions	0.5
sometimes oscillated	Impact, unevenly distributed load	1

### 5.5 Example of Applied Calculation

### **Example 1 Distributing load**

Find the load applied to the bearing A and bearing B, if the radial load  $F_1$  ( $F_1 = 1.5$  kN) and  $F_2$  ( $F_2 = 4.5$  kN) are applied.



(1) Find the radial load  $F_{1A}$  applied to the bearing A by  $F_1$ , with **Formula (5.7)** and **Formula (5.8)**.

$$F_{1A} = \frac{600}{900} \times 1.5 = 1.0 \text{ (kN)}$$

In a similar manner, find the radial load  $F_{2A}$  applied to the bearing A by  $F_2$ .

$$F_{2A} = -\frac{1,200 - 900}{900} \times 4.5 = -1.5 \text{ (kN)}$$

Remark: Negative load is the upward load.

Radial load  $F_{\rm A}$  applied to the bearing A:

 $F_{\rm A} = F_{1\rm A} + F_{2\rm A} = 1.0 + (-1.5) = -0.5 \text{ (kN)}$ 

(2) In a similar manner to (1), find the radial load  $F_{\rm B}$  applied to the bearing B.

$$F_{1B} = \frac{300}{900} \times 1.5 = 0.5 \text{ (kN)}$$

$$F_{2B} = \frac{1}{900} \times 4.5 = 6.0 \text{ (kN)}$$

$$F_{\rm B} = F_{1\rm B} + F_{2\rm B} = 0.5 + 6.0 = 6.5 \,(\rm kN)$$

### Example 2 Calculating load by V-belt transmission

Find the load applied to the bearing A and bearing B when the shaft is driven by the V-belt, transmission power W is 7.5 kw (W = 7.5 kW), rotating speed *n* is 300 min<sup>-1</sup> ( $n = 300 \text{ min}^{-1}$ ), effective diameter of pulley  $D_p$  is 300 mm ( $D_p = 300 \text{ mm}$ ).



 Find the load actually applied to the pulley shaft F<sub>b</sub> with Formula (5.2).

From **Table 5.1**, load factor  $f_w$  is 1.2 ( $f_w = 1.2$ ), and the belt factor  $f_b$  is 2.5 ( $f_b = 2.5$ ), from **Table 5.2**.

$$F_{\rm b} = \frac{19.1 \times 10^{6} \, W}{D_{\rm p} \cdot n} \cdot f_{\rm w} \cdot f_{\rm b}$$
$$= \frac{19.1 \times 10^{6} \times 7.5}{300 \times 300} \times 1.2 \times 2.5 = 4.78 \, (\rm kN)$$

(2) Find the load actually applied to the bearing A and bearing B (*F*<sub>A</sub> and *F*<sub>B</sub>) with **Formulas (5.7)** and **(5.8)**.

$$F_{\rm A} = \frac{450}{1,000} \times 4.78 = 2.15 \text{ (kN)}$$
$$F_{\rm B} = \frac{550}{1,000} \times 4.78 = 2.63 \text{ (kN)}$$

### Example 3 Calculating dynamic equivalent radial load

Find the dynamic equivalent radial load  $P_r$  when the radial load  $F_r$ , 1.5 kN ( $F_r = 1.5$  kN), and the axial load  $F_a$ , 0.85 kN, ( $F_a = 0.85$  kN) are applied to the pillow type unit UCP306J (bearing UC306).

(1) Find the radial load factor (*X*) and the axial load factor (*Y*) with using the static radial load rating  $C_{0r}$  of UCP306J (bearing UC306), 15.0 kN ( $C_{0r}$  = 15.0 kN), and **Table 5.4**.

Find the solutions of the following formulas:

$$\frac{f_0 F_a}{C_{0r}} = \frac{13.3 \times 0.85}{15.0} = 0.754, e = 0.264$$
$$\frac{F_a}{F_r} = \frac{0.85}{1.5} = 0.567 > e \ (0.264)$$

Therefore, X = 0.56, Y = 1.68

(2) Find the dynamic equivalent radial load  $P_r$  with **Formula (5.9)**.

$$P_{\rm r} = XF_{\rm r} + YF_{\rm a} = 0.56 \times 1.5 + 1.68 \times 0.85$$

#### Example 4 Calculating bearing life

Under the conditions shown in **Example 3**, find the bearing life  $L_{10h}$  when a bearing is used for a blower with a rotating speed *n*, 1,000 min<sup>-1</sup>.

(1) Select the load factor  $f_w$  is 1.2 ( $f_w = 1.2$ ) from **Table 5.1**, and find the bearing load  $P_r$ .

$$P_{\rm r} = f_{\rm w} \cdot F = 1.2 \times 2.27 = 2.72 \ ({\rm kN})$$

(2) The dynamic radial load rating of UCP306J (bearing UC306),  $C_r$ , is 26.7 kN ( $C_r = 26.7$  kN), and calculate the bearing life  $L_{10h}$  with the **Formula (4.2)**.

$$L_{10h} = \frac{10^6}{60n} \cdot \left(\frac{C_r}{P_r}\right)^3 = \frac{10^6}{60 \times 1,000} \times \left(\frac{26.7}{2.72}\right)^3 \approx 15,800 \text{ (hr)}$$

(3) Calculate bearing life *L*<sub>10h</sub> with the nomogram shown in **Fig. 4.1**.

When the rotating speed *n* is 1,000 min<sup>-1</sup> (n = 1,000 min<sup>-1</sup>), rotating factor  $f_n$  is 0.32 ( $f_n = 0.32$ ). Next, find the life factor  $f_h$  by speed factor  $f_n$ , dynamic radial load rating of bearing  $C_r$ , and the bearing load  $P_r$ .

Life factor 
$$f_{\rm h} = f_{\rm n} \cdot \frac{C_{\rm r}}{P_{\rm r}} = 0.32 \times \frac{26.7}{2.72} = 3.14$$

From life factor  $f_{\rm h}$ , bearing life  $L_{10\rm h} \approx$  16,000 hours.

#### Example 5 Selecting ball bearing units

If a bearing is operated under the following conditions, select the flange type unit (UCF) with at least two years (5,000 hours) or longer rating life: rotating speed of shaft *n* is 1,500 min<sup>-1</sup> ( $n = 1,500 \text{ min}^{-1}$ ), and radial load  $F_r$  is 5 kN ( $F_r = 5 \text{ kN}$ ). The radial load  $F_r$  includes the load factor and gear factor.

(1) From the nomogram shown in **Fig. 4.1**, when life time  $L_{\rm h}$  is 5,000 hr ( $L_{\rm h}$  = 5,000 hr), life factor  $f_{\rm h}$  can be found as 2.16 ( $f_{\rm h} \approx 2.16$ ), and speed factor  $f_{\rm n}$  can be found as 0.28 ( $f_{\rm n} \approx 0.28$ ) when the rotating speed *n* is 1,500 min<sup>-1</sup> (n = 1,500 min<sup>-1</sup>).

Dynamic radial load rating  $C_{\rm r} = F_{\rm r} \cdot \frac{f_{\rm h}}{f_{\rm n}} = 5 \times \frac{2.16}{0.28}$ 

 $\approx$  38.6 (kN)

(2) Find the flange type unit that meets the following condition: dynamic radial load rating  $C_r$  is 38.6 kN ( $C_r$  = 38.6 kN). For the 200 series. UCF211J (dynamic radial load rating  $C_r$  is 43.4 kN ( $C_r$  = 43.4 kN)) can be selected.

### Example 6 Selecting pillow type units for low speed

If a bearing is used for a dolly under the following conditions, select the pillow type unit (UCP) with 10,000 hours rating life: radial load  $F_r$  is 12 kN ( $F_r = 12$  kN), and rotating speed is 8 min<sup>-1</sup>.

(1) Find the required dynamic radial load rating *C*<sub>r</sub> with using **Formulas (4.4)** and **(4.5)**.

Speed factor  $f_n = (0.03n)^{-1/p} = (0.03 \times 8)^{-1/3} \approx 1.61$ 

Life factor 
$$f_{\rm h} = \left(\frac{L_{10{\rm h}}}{500}\right)^{1/p} = \left(\frac{10,000}{500}\right)^{1/3} \approx 2.71$$

Dynamic radial load rating  $C_{\rm r} = P_{\rm r} \cdot \frac{f_{\rm h}}{f_{\rm n}} = 12 \times \frac{2.71}{1.61}$ 

 $\approx 20.2 \; (kN)$ 

(2) From **Table 5.6**, define safe factor  $f_s$  as 2 ( $f_s = 2$ ), and find the static radial load rating of bearing required  $C_{0r}$ .

 $C_{0r} = f_s \cdot P_r = 2 \times 12 = 24 \text{ (kN)}$ 

(3) The unit is used for a dolly, and vibration or impact may occur. Thus, select UCP308J ( $C_r$  = 40.7 kN,  $C_{0r}$  = 24.0 kN).

## Example 7 Calculating bearing life in high temperature applications

Find the bearing life if the heat resistant pillow type unit (UCP215D1K2) is operated under the following conditions: operating temperature is 175 °C, radial load  $F_r$  is 4 kN ( $F_r = 4$  kN), and the rotating speed *n* is 800 min<sup>-1</sup> ( $n = 800 \text{ min}^{-1}$ ). Note that the radial load  $F_r$  includes load factor and gear factor.

(1) From **Table 4.1**, find the dynamic load rating  $C_r$  in the case that a bearing is used at 175 °C.

$$C_{\rm r} = 67.4 \times 0.95 = 64.0 \ ({\rm kN})$$

Find the bearing life  $L_{10h}$  using Formula (4.2).

$$L_{10h} = \frac{10^6}{60n} \cdot \left(\frac{C_{\rm r}}{P_{\rm r}}\right)^3 = \frac{10^6}{60 \times 800} \times \left(\frac{64.0}{4}\right)^3 \approx 85,000 \text{ (hr)}$$

- (2) If a bearing unit is operated at 175 °C, grease is degraded faster, and it cannot be used without lubrication. Supply grease at intervals specified in Table 14.4.
- (3) If the shaft experiences axial expansion due to heat, install a fixed bearing unit on one end of the assembly and install floating bearing unit on the other side that allows the shaft to move freely through the bore of the bearing. More information is offered in Section 9. (see "9 Design of shaft and base").

#### **Example 8 Calculating grease life**

Find the grease life for pillow type unit UCP204J (bearing UC204) under the following conditions: radial load  $F_r$  is 1 kN ( $F_r = 1$  kN), and rotating speed *n* is 800 min<sup>-1</sup> (n = 800 min<sup>-1</sup>). Note that the radial load  $F_r$  includes load factor and belt factor. Operating temperature of the bearing should be 40 °C.

Find the grease life L using Formula (4.7).

$$\log L = 6.10 - 4.40 \times 10^{-6} \ d_{\rm m}n - 2.50 \left(\frac{P_{\rm r}}{C_{\rm r}} - 0.05\right)$$
$$- (0.021 - 1.80 \times 10^{-8} \ d_{\rm m}n) \ T$$
$$= 6.10 - 4.40 \times 10^{-6} \times 12.5 \times 10^{4}$$
$$- 2.50 \left(\frac{1}{12.8} - 0.05\right)$$
$$- (0.021 - 1.80 \times 10^{-8} \times 12.5 \times 10^{4}) \times 50$$
$$= 4.542$$
$$L \approx 34,800 \ (\rm hr)$$

### Example 9 Calculating life of bearing units in case of non-lubrication

Find the life of a bearing unit in the case that it is operated under the conditions shown in **Example 8**, but without lubrication.

(1) Find the rating life of bearings *L*<sub>10h</sub> using **Formula** (4.2).

$$L_{10h} = \frac{10^6}{60n} \cdot \left(\frac{C_{\rm r}}{P_{\rm r}}\right)^3 = \frac{10^6}{60 \times 800} \times \left(\frac{12.8}{1}\right)^5 \approx 43,700 \text{ (hr)}$$

(2) Compare the grease life *L* shown in **Example 8** to the rating life of bearings  $L_h$ . Then, grease life *L* is shorter than the bearing rating life. Therefore, life of a bearing unit should be the same as the grease life *L*, 34,800 hours (L = 34,800 hours).

Table 5.7 (1)	Radial Load/Speed Chart
---------------	-------------------------

	Allowable Radial Load at Various RPM           RPM (min <sup>-1</sup> )           50         100         750         2000         2500         3000         500         6500         6500         6500         6500         6500         7000         7500         8000																						
SHAFT SIZE	L <sub>10</sub> hours	50	100	150	300	500	750	1000	1500	2000	2500			4000	4500	5000	5500	6000	6500	7000	7500	8000	8500
1/2″	10000	927	736	643	510	430	376	341	298	271	252	237	225	215	207	200	193	188	183	179	174	171	167
5/8″	25000	683	542	474	376	317	277	252	220	200	185	174	166	158	152	147	143	138	135	132	129	126	123
3/4″	50000	542	430	376	298	252	220	200	174	158	147	138	132	126	121	117	113	110	107	104	102	100	98
12 mm -	70000	485	385	336	267	225	196	179	156	142	132	124	118	112	108	104	101	98	96	93	91	89	87
20 mm	100000	430	341	298	237	200	174	158	138	126	117	110	104	100	96	93	90	87	85	83	81	79	78
7/8″	10000	1014	805	703	558	471	411	373	326	296	275	259	246	235	226	218	212	206	200	195	191		
15/16″	25000 50000	747 593	593 471	518 411	411 326	347 275	303 240	275 218	240 191	218 173	203 161	191 151	181 144	173 138	167 132	161 128	156 124	151 120	147 117	144 114	141 112		
1″	70000	530	421	367	292	275	240	195	171	155	144	135	129	123	118	114	111	120	105	102	100		
25 mm	100000	471	373	326	259	218	191	173	151	138	128	120	114	109	105	101	98	95	93	91	89		
	10000	1412	1121	979	777	655	573	520	454	413	383	361	343	328	315	304	295	286					1
1-1/8″ 1-3/16″	25000	1040	826	721	573	483	422	383	335	304	282	266	252	241	232	224	217	211					
1-1/4"	50000	826	655	573	454	383	335	304	266	241	224	211	200	192	184	178	172	167					
30 mm	70000	738	586	512	406	343	299	272	238	216	200	189	179	171	165	159	154	150					
	100000	655	520	454	361	304	266	241	211	192	178	167	159	152	146	141	137	133					
1-1/4″	10000	1861	1477	1290	1024	864	755	686	599	544	505	475	452	432	415	401	388						
1-5/16"	25000	1371	1088	951	755	636	556	505	441	401	372	350	333	318	306	295	286						
1-3/8″ 1-7/16″	50000	1088 973	864 772	755 675	599 535	505 452	441 394	401 358	350 313	318 284	295	278 248	264 236	253 226	243 217	234 210	227 203						
35 mm	70000		686	599	475	401	350		278	253	264 234	240	230	220	193								
55	100000	864 2107	1672	1461	1160	978	854	318 776	678	616	572	538	511	489	470	186 454	180						
1-1/2″	25000	1553	1232	1461	854	721	854 630	572	500	454	421	538 397	377	489 360	346	454 334							
1-1/2 1-9/16″	50000	1232	978	854	678	572	500	454	397	360	334	315	299	286	275	265							
40 mm	70000	1102	874	764	606	511	447	406	355	322	299	281	299	256	246	203							
	100000	978	776	678	538	454	397	360	315	286	265	250	237	227	218	211							
	10000	2469	1960	1712	1359	1146	1001	910	795	722	670	631	599	573	551								
1-5/8″	25000	1819	1444	1261	1001	844	738	670	586	532	494	465	441	422	406								
1-11/16"	50000	1444	1146	1001	795	670	586	532	465	422	392	369	350	335	322								
1-3/4″ 45 mm	70000	1291	1025	895	710	599	523	476	415	377	350	330	313	300	288								
45 11111	100000	1146	910	795	631	532	465	422	369	335	311	293	278	266	256								
1-7/8″	10000	2542	2017	1762	1399	1180	1031	936	818	743	690	649	617	590									
1-15/16"	25000	1873	1486	1298	1031	869	759	690	603	548	508	478	454	435									
2″	50000	1486	1180	1031	818	690	603	548	478	435	403	380	361	345									
50 mm	70000	1329	1055	921	731	617	539	489	428	389	361	339	322	308									
	100000	1180	936	818	649	548	478	435	380	345	320	301	286	274									<u> </u>
2″	10000	3143	2494	2179	1729	1459	1274	1158	1011	919	853	803	763										
2-1/8"	25000	2316	1838	1606	1274	1075	939	853	745	677	629	591	562										
2-3/16"	50000 70000	1838 1643	1459 1304	1274 1139	1011 904	853 763	745 666	677 605	591 529	537 480	499 446	469 420	446 399										
55 mm	100000	1459	1158	1011	803	677	591	537	469	427	396	373	354										
	100000	3794	3012	2631	2088	1761	1539	1398	1221	1109	1030	969	921										
2-1/4″	25000	2796	2219	1938	1539	1298	1134	1030	900	817	759	714	678										
2-3/8"	50000	2219	1761	1539	1221	1030	900	817	714	649	602	567	538										
2-7/16"	70000	1984	1574	1375	1092	921	804	731	638	580	538	507	481										
60 mm	100000	1761	1398	1221	969	817	714	649	567	515	478	450	427										
	10000	4142	3287	2872	2279	1923	1679	1526	1333	1211	1124	1058											
2-1/2"	25000	3052	2422	2116	1679	1417	1237	1124	982	892	828	780											
65 mm	50000	2422	1923	1679	1333	1124	982	892	780	708	657	619											
	70000	2165	1719	1501	1192	1005	878	798	697	633	588	553											
	100000	1923	1526	1333	1058	892	780	708	619	562	522	491											
	10000	4504	3575	3123	2479	2091	1826 1346	1659	1450	1317	1223 901	1150											
2-3/4"	25000 50000	3319 2634	2634 2091	2301 1826	1826 1450	1540 1223	1346	1223 970	1068 848	970 770	715	848 673											
70 mm	70000	2634	1869	1633	1296	1223	955	867	848 758	688	639	673											
	100000	2091	1659	1450	1150	970	848	770	673	611	567	534											
	10000	4881	3874	3384	2686	2265	1979	1798	1571	1427	1325	331											
2-15/16"	25000	3596	2854	2493	1979	1669	1458	1325	1157	1051	976												
3″	50000	2854	2265	1979	1571	1325	1157	1051	919	835	775												
75 mm	70000	2551	2025	1769	1404	1184	1035	940	821	746	693												
	100000	2265	1798	1571	1247	1051	919	835	729	662	615												
	10000	5264	4178	3650	2897	2443	2135	1939	1694	1539	1429												
3-1/8″	25000	3879	3079	2689	2135	1800	1573	1429	1248	1134	1053												
3-1/6 80 mm	50000	3079	2443	2135	1694	1429	1248	1134	991	900	836												
	70000	2752	2184	1908	1514	1277	1116	1014	886	805	747												
	100000	2443	1939	1694	1345	1134	991	900	786	714	663												
	10000	6083	4828	4217	3347	2823	2466	2241	1958	1779	1651												
3-1/4″	25000	4482	3557	3107	2466	2080	1817	1651	1442	1310	1217												
85 mm	50000	3557	2823	2466	1958	1651	1442	1310	1145	1040	966												
	70000	3180	2524	2205	1750	1476	1289	1171	1023	930	863												
	100000	2823	2241	1958	1554	1310	1145	1040	909	826	766							$ \vdash  $					
	10000	6959 5127	5523	4825	3830	3230	2822	2564	2240	2035													
3-1/2"	25000 50000	5127 4070	4070 3230	3555 2822	2822 2240	2380 1889	2079 1650	1889 1499	1650 1310	1499 1190													
		+U/U	JZ3U	LOZZ	1 ZZ4U	1007	1030	1477	1310	1190					1	1							1
90 mm	70000	3638	2887	2522	2002	1688	1475	1340	1171	1064													

1 . Shaded area A non-contact seal is used.

**Medium Duty** 

						AI	.owabie	Radial L		PM (min								
SHAFT SIZE	L <sub>10</sub> hours	50	100	150	300	500	750	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500	600
	10000	1412	1121	979	777	655	573	520	454	413	383	361	343	328	315	304	295	286
1″	25000	1040	826	721	573	483	422	383	335	304	282	266	252	241	232	224	217	21
25 mm	50000	826	655	573	454	383	335	304	266	241	224	211	200	192	184	178	172	16
	70000	738	586	512	406	343	299	272	238	216	200	189	179	171	165	159	154	15
	100000	655 1861	520 1477	454 1290	361 1024	304 864	266 755	241 686	211 599	192 544	178 505	167 475	159 452	152 432	146 415	141 401	137 388	13
1-3/16″	25000	1371	1088	951	755	636	556	505	441	401	372	350	333	318	306	295	286	
1-1/4"	50000	1088	864	755	599	505	441	401	350	318	295	278	264	253	243	233	200	
30 mm	70000	973	772	675	535	452	394	358	313	284	264	248	236	226	217	210	203	
	100000	864	686	599	475	401	350	318	278	253	234	221	210	200	193	186	180	
	10000	2107	1672	1461	1160	978	854	776	678	616	572	538	511	489	470	454		1
1-3/8″	25000	1553	1232	1077	854	721	630	572	500	454	421	397	377	360	346	334		
1-7/16″	50000	1232	978	854	678	572	500	454	397	360	334	315	299	286	275	265		
35 mm	70000	1102	874	764	606	511	447	406	355	322	299	281	267	256	246	237		
	100000	978	776	678	538	454	397	360	315	286	265	250	237	227	218	211		
	10000	2469 1819	1960 1444	1712	1359	1146	1001	910	795 586	722	670 494	631 465	599	573 422	551 406			
1-1/2″	25000 50000	1819	1444	1261 1001	1001 795	844 670	738 586	670 532	465	532 422	392	369	441 350	335	322			
40 mm	70000	1291	1025	895	793	599	523	476	403	377	350	330	313	300	288			
	100000	1146	910	795	631	532	465	422	369	335	311	293	278	266	256			
	10000	2542	2017	1762	1399	1180	1031	936	818	743	690	649	617	590				
1 2 / 4 //	25000	1873	1486	1298	1031	869	759	690	603	548	508	478	454	435				
1-3/4″ 45 mm	50000	1486	1180	1031	818	690	603	548	478	435	403	380	361	345				
45 11111	70000	1329	1055	921	731	617	539	489	428	389	361	339	322	308				
	100000	1180	936	818	649	548	478	435	380	345	320	301	286	274				
	10000	3143	2494	2179	1729	1459	1274	1158	1011	919	853	803	763					
1-15/16"	25000	2316	1838	1606	1274	1075	939	853	745	677	629	591	562					
2″ 50 mm	50000	1838	1459	1274	1011	853	745	677	591	537	499	469	446					
	70000 100000	1643 1459	1304 1158	1139	904 803	763 677	666 591	605 537	529 469	480 427	446 396	420 373	399 354					
	10000	3794	3012	2631	2088	1761	1539	1398	1221	1109	1030	969	921					
2-3/16"	25000	2796	2219	1938	1539	1298	1134	1030	900	817	759	714	678					
	50000	2219	1761	1539	1221	1030	900	817	714	649	602	567	538					
2-3/16" 2-1/4" 55 mm	70000	1984	1574	1375	1092	921	804	731	638	580	538	507	481					
	100000	1761	1398	1221	969	817	714	649	567	515	478	450	427					
	10000	4142	3287	2872	2279	1923	1679	1526	1333	1211	1124	1058						1
2-7/16″	25000	3052	2422	2116	1679	1417	1237	1124	982	892	828	780						
60 mm	50000	2422	1923	1679	1333	1124	982	892	780	708	657	619						
	70000	2165	1719	1501	1192	1005	878	798	697	633	588	553						
	100000	1923	1526	1333	1058	892	780	708	619	562	522	491						<u> </u>
	10000	4504	3575	3123	2479	2091	1826	1659	1450	1317	1223	1150						
2-1/2″	25000 50000	3319 2634	2634 2091	2301 1826	1826 1450	1540 1223	1346 1068	1223 970	1068 848	970 770	901 715	848 673						
65 mm	70000	2355	1869	1633	1296	1093	955	867	758	688	639	601						
	100000	2091	1659	1450	1150	970	848	770	673	611	567	534						
	10000	4881	3874	3384	2686	2265	1979	1798	1571	1427	1325							1
	25000	3596	2854	2493	1979	1669	1458	1325	1157	1051	976							
2-3/4″ 70 mm	50000	2854	2265	1979	1571	1325	1157	1051	919	835	775			1				
7011111	70000	2551	2025	1769	1404	1184	1035	940	821	746	693							
	100000	2265	1798	1571	1247	1051	919	835	729	662	615							
	10000	5264	4178	3650	2897	2443	2135	1939	1694	1539	1429							
2-15/16"	25000	3879	3079	2689	2135	1800	1573	1429	1248	1134	1053							
3″ 75 mm	50000 70000	3079 2752	2443 2184	2135 1908	1694 1514	1429 1277	1248 1116	1134	991	900 805	836							
7311111	100000	2752	1939	1694	1314	1134	991	900	886 786	714	747 663							
	10000	6083	4828	4217	3347	2823	2466	2241	1958	1779	1651							1
	25000	4482	3557	3107	2466	2025	1817	1651	1442	1310	1217							
80 mm	50000	3557	2823	2466	1958	1651	1442	1310	1145	1040	966							
	70000	3180	2524	2205	1750	1476	1289	1171	1023	930	863							
	100000	2823	2241	1958	1554	1310	1145	1040	909	826	766							
	10000	6959	5523	4825	3830	3230	2822	2564	2240	2035								
3-7/16″	25000	5127	4070	3555	2822	2380	2079	1889	1650	1499								
85 mm	50000	4070	3230	2822	2240	1889	1650	1499	1310	1190								
	70000	3638	2887	2522	2002	1688	1475	1340	1171	1064								
	100000	3230	2564	2240	1778	1499	1310	1190	1040	944								
	10000	7893	6265	5473	4344	3664	3200	2908	2540	2308								
90 mm	25000 50000	5816 4616	4616	4032 3200	3200 2540	2699	2358 1872	2142 1700	1872 1485	1700 1350								
90 mm	70000	4010	3664 3275	2861	2540	2142 1915	1673	1520	1485	1350								
	100000	3664	2908	2540	2016	1700	1485	1320	1179	1208								
	100000	9631	7644	6678	5300	4470	3905	3548	3099	2816						-		-
3-15/16"	25000	7096	5632	4920	3905	3294	2877	2614	2284	2075								
4"	50000	5632	4470	3905	3099	2614	2284	2075	1813	1647								
100 mm	70000	5035	3996	3491	2771	2337	2041	1855	1620	1472								
	100000	4470	3548	3099	2460	2075	1813	1647	1439	1307								

### Table 5.7 (2) Radial Load/Speed Chart

Unit: lbf

1 . Shaded area A non-contact seal is used.

If the bearing with set screws is exposed to a heavy load (Pr / Cr > 0.12), vibration, or heavy inpact, use a tighter shaft tolerance than normal.

### Table 5.7 (3) Radial Load/Speed Chart

						A	llowab	le Radi	al Loa	d at Va	rious	RPM										Allow	able R	adial L	oad at	Variou	ıs RPN	1		
SHAFT	L <sub>10</sub>									RPM (	min <sup>-1</sup> )									SHAFT	L <sub>10</sub>				RPI	VI (min	<sup>-1</sup> )			
SIZE	hours	50	100	150	300	500	750	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	SIZE	hours	50	100	150	300	500	750	1000	1500	200
	10000	1535	1218	1064	845	713	622	566	494	449	417	392	372	356	343	331	320	311	303		10000	8907	7069	6176	4902	4134	3611	3281	2866	2604
1″	25000	1131	898	784	622	525	459	417	364	331	307	289	274	263	252	244	236	229	223		25000	6562	5209	4550		3046	2661	2418	2112	1919
25 mm	50000	898	713	622	494	417	364	331	289	263	244	229	218	208	200	193	187	182	177	80 mm	50000	5209	4134	3611			2112	1919	1676	1523
	70000	803	637	556	442	372	325	296	258	235	218	205	195	186	179	173	167	163	158		70000	4656	3695	3228		2161	1888	1715	1498	136
	100000	713	566 1535	494 1341	392 1064	331 897	289 784	263 712	229 622	208 565	193 525	182 494	173 469	165 449	159 431	154 417	149 404	144	141		100000	4134 9631	3281 7644	2866 6678	2275 5300	1919 4470	1676 3905	1523 3548	1330 3099	1209 2816
	25000	1955	1131	988	784	661	578	525	458	417	387	364	469 346	331	318	307	404 297				25000	7096	5632	4920		3294	2877	2614	2284	2075
30 mm	50000	1131	897	784	622	525	458	417	364	331	307	289	274	262	252	244	236			85 mm	50000	5632	4470	3905		2614	2284	2075	1813	164
50	70000	1011	802	701	556	469	410	372	325	296	274	258	245	235	226	218	211			0.5	70000	5035	3996	3491			2041	1855	1620	1472
	100000	897	712	622	494	417	364	331	289	262	244	229	218	208	200	193	187			1	100000	4470	3548	3099		2075	1813	1647	1439	1307
	10000	2419	1920	1677	1331	1123	981	891	778	707	656	618	587	561	540	521					10000	10355	8219	7180	5699	4806	4199	3815	3333	3028
	25000	1782	1414	1236	981	827	723	656	574	521	484	455	432	414	398	384				3-1/2"	25000	7630	6056	5290	4199	3541	3094	2811	2455	2231
35 mm	50000	1414	1123	981	778	656	574	521	455	414	384	361	343	328	316	305				90 mm	50000	6056	4806	4199		2811	2455	2231	1949	1771
	70000	1264	1003	877	696	587	513	466	407	370	343	323	307	293	282	272					70000	5413	4296	3753		2513	2195	1994	1742	1583
	100000	1123	891	778	618	521	455	414	361	328	305	287	272	261	251	242					100000	4806	3815	3333		2231	1949	1771	1547	1405
	10000 25000	2947 2171	2339 1724	2043 1506	1622 1195	1368 1008	1195 880	1086 800	948 699	862 635	800 589	753 555	715 527	684 504	658 485						10000 25000	11079 8163	8793 6479	7682 5660		5142 3789	4492 3310	4082 3007	3566 2627	3240 2387
1-1/2"	50000	1724	1368	1195	948	800	699	635	555	504	468	440	418	400	385					95 mm	50000	6479	5142	4492		3007	2627	2387	2027	1894
40 mm	70000	1541	1223	1068	848	715	625	568	496	450	418	394	374	358	344					22 1111	70000	5792	4597	4016			2348	2134	1864	1693
	100000	1368	1086	948	753	635	555	504	440	400	371	349	332	317	305						100000	5142	4082	3566		2387	2085	1894	1655	1504
	10000	3541	2810	2455	1949	1644	1436	1304	1140	1035	961	904	859	822							10000	12527	9943	8686		5815	5080	4615	4032	
1 2/4/	25000	2609	2071	1809	1436	1211	1058	961	840	763	708	666	633	605						3-15/16"	25000	9230	7326	6400	5080	4284	3743	3400	2971	
1-3/4″ 45 mm	50000	2071	1644	1436	1140	961	840	763	666	605	562	529	502	481						4"	50000	7326	5815	5080	4032	3400	2971	2699	2358	
4511111	70000	1851	1469	1283	1019	859	751	682	596	541	502	473	449	430						100 mm	70000	6549	5198	4541		3040	2655	2413	2108	
	100000	1644	1304	1140	904	763	666	605	529	481	446	420	399	381							100000	5815	4615	4032			2358	2142	1871	
	10000	4490	3563	3113	2471	2084	1820	1654	1445	1313	1219	1147	1089								10000	13324	10575	9238		6184	5403	4909	4288	
	25000	3308	2625	2294	1820	1535	1341	1219	1065	967	898	845	803								25000	9817	7792	6807	5403		3981	3617	3159	
50 mm	50000 70000	2625 2347	2084 1863	1820 1627	1445 1292	1219 1089	1065 952	967 865	845 755	768 686	713 637	671 599	637 569							105 mm	50000 70000	7792 6965	6184 5528	5403 4829			3159 2824	2871 2566	2508 2242	
	100000	2084	1654	1445	1147	967	845	768	671	609	566	532	509								100000	6184	4909	4829			2508	2278	1990	
	100000	5185	4115	3595	2853	2407	2102	1910	1669	1516	1407	1324	500								100000	14844	11782	10293	8169	6890	6019	5469	4777	-
2″	25000	3820	3032	2649	2102	1773	1549	1407	1229	1117	1037	976									25000	10937	8681	7584		5077	4435	4029	3520	
2-3/16"	50000	3032	2407	2102	1669	1407	1229	1117	976	887	823	774								110 mm	50000	8681	6890	6019	4777	4029	3520	3198	2794	
55 mm	70000	2710	2151	1879	1492	1258	1099	998	872	793	736	692								1	70000	7760	6159	5381	4271	3602	3147	2859	2497	
	100000	2407	1910	1669	1324	1117	976	887	774	704	653	615									100000	6890	5469	4777	3792	3198	2794	2538	2217	
	10000	5931	4707	4112	3264	2753	2405	2185	1909	1734	1610	1515									10000	14989	11897	10393		6957	6078	5522	4824	
2-7/16"	25000	4370	3468	3030	2405	2028	1772	1610	1406	1278	1186	1116									25000	11044	8766	7658		5126	4478	4069	3554	
60 mm	50000	3468	2753	2405	1909	1610	1406	1278	1116	1014	941	886								120 mm	50000	8766	6957	6078			3554	3229	2821	
	70000	3100 2753	2461 2185	2150 1909	1706	1439 1278	1257	1142 1014	998 886	907 805	842 747	792 703									70000	7836 6957	6219 5522	5433 4824		3637 3229	3177 2821	2887 2563	2522 2239	
	100000	6713	5328	4654	3694	3116	2722	2473	2160	1963	1822	705									100000	16582		11498	9126		6724	6109	5337	-
	25000	4946	3926	3429	2722	2296	2005	1822	1592	1446	1343										25000	12218	9697	8471		5671	4954	4501	3932	
2-1/2"	50000	3926	3116	2722	2160	1822	1592	1446	1263	1148	1066									130 mm	50000	9697	7697	6724		4501	3932	3573	3121	
65 mm	70000	3509	2785	2433	1931	1629	1423	1293	1129	1026	953								I I		70000	8669	6880	6010	4770	4024	3515	3194	2790	
	100000	3116	2473	2160	1715	1446	1263	1148	1003	911	846									1	100000	7697	6109	5337	4236	3573	3121	2836	2477	
	10000	7531	5977	5222	4144	3495	3054	2774	2424	2202	2044										10000	18320	14541	12702	10082	8503	7428	6749		
2-3/4″	25000	5549	4404	3847	3054	2576	2250	2044	1786	1622	1506									1	25000	13498	10714	9359	7428	6265	5473	4973		1
2-3/4 70 mm	50000	4404	3495	3054	2424	2044	1786	1622	1417	1288	1195	1								140 mm	50000	10714	8503	7428		4973	4344	3947		
	70000	3937	3125	2730	2167	1827	1596	1450	1267	1151	1069										70000	9577	7601	6640		4445	3883	3528		
	100000	3495	2774	2424	1924	1622	1417	1288	1125	1022	949										100000	8503	6749	5896	4680	3947	3448	3133		L
	10000	8183	6494	5673	4503	3798	3318	3014	2633	2393	2221									1 . Shaded	area A no	n-conta	ct seal i	s used.						
2-15/16" 3"	25000 50000	6029 4785	4785 3798	4180 3318	3318 2633	2798 2221	2445 1940	2221 1763	1940 1540	1763 1399	1637 1299									المعامر المراجع										
2			3395	2966	2055	1985	1734	1576	1340	1251	1161									If the bear to a heavy										
75 mm	70000	4277																												

### **Ball Bearing Life Calculations**

The relationship between the basic rating life, the basic dynamic load rating, and the dynamic equivalent load of the ball bearing is indicated in Formula 1.

If the ball bearing unit is being used at a fixed rotating speed, the life is indicated as time. This is shown in Formula 2.

	Basic Loads (lbf)							
SIZE	Dynamic Load (Cr)	Static Load (C <sub>0r</sub> )						
UC201	2880	1496						
UC202	2880	1496						
UC203	2880	1496						
UC204	2880	1496						
UC205	3150	1766						
UC206	4388	2543						
UC207	5783	3465						
UC208	6548	4005						
UC209	7673	4793						
UC210	7898	5243						
UC211	9765	6615						
UC212	11790	8145						
UC213	12870	9023						
UC214	13995	9923						
UC215	15165	10868						
UC216	16358	11925						
UC217	18900	13928						
UC218	21623	16088						

	Basic Loads (l	bf)
SIZE	Dynamic Load (Cr)	Static Load (Cor)
UC305	4770	2453
UC306	6008	3375
UC307	7515	4343
UC308	9158	5400
UC309	11003	6638
UC310	13950	8618
UC311	16110	10125
UC312	18428	11745
UC313	20858	13478
UC314	23400	15345
UC315	25425	17370
UC316	27675	19508
UC317	29925	21780
UC318	32175	24075
UC319	34425	26775
UC320	38925	31725
UC321	41400	34425
UC322	46125	40500
UC324	46575	41625
UC326	51525	48150
UC328	56925	55350

1. 
$$L_{10} = \left(\frac{Cr}{Pr}\right)^3$$
  
2.  $L_{10_h} = \frac{10^6 L_{10}}{60n} = \frac{10^6}{60n} \cdot \left(\frac{Cr}{Pr}\right)^3$   
 $L_{10_h}$ : Basic Rating Life 10<sup>6</sup> rotations  
 $L_{10_h}$ : Rated Life (hr)  
 $Cr$ : Basic Dynamic Load Rating (k)  
 $Pr$ : Dynamic equivalent Load (k)  
 $n$ : Speed (min-<sup>1</sup>)

Rated Life (hr) Cr: Basic Dynamic Load Rating (kN)

n: Speed (min-<sup>1</sup>)

	Basic Loads (I	bf)
SIZE	Dynamic Load (C <sub>r</sub> )	Static Load (C <sub>0r</sub> )
UCX05	4388	2543
UCX06	5783	3465
UCX07	6548	4005
UCX08	7673	4793
UCX09	7898	5243
UCX10	9765	6615
UCX11	11790	8145
UCX12	12870	9023
UCX13	13995	9923
UCX14	15165	10868
UCX15	16358	11925
UCX16	18900	13928
UCX17	21623	16088
UCX18	24525	18428
UCX20	29925	23625

### 6 Allowable Rotating Speed

### 6.1 Allowable Rotating Speed

The rotational speed of a bearing is limited by the temperature increase, mainly due to friction. When the bearing reaches the speed limits shown below, it will seize if operated continuously at these levels.

The limiting rotational speed is the maximum speed at which the bearing can be safely operated continuously.

These allowable rotational speeds of a ball bearing unit are dependent upon the dimensions of the bearing, type of seal, and the fit of the bearing inner ring to the shaft.

 Table 6.1 shows the standard allowable rotating speeds of ball bearing units.

### Table 6.1 Allowable rotating speed of ball bearing units (standard value)

Unit: min<sup>-1</sup> UC type bearing, UC-S6 type bearing, UK type bearing, NC type bearing, NA type bearing, ER, RB type bearing SU type SA type bearing Standard type, heat resistant (D1K2), bearing Non contact seal (K3), SU-S6 cold resistant type (D2K2) Triple lip seal type SB type Non contact seal for Standard blowers (S3), Heattype (L3) Bore dia. bearing blowers (S5) bearing resistant (D9K2) code Diameter Diameter Diameter series<sup>3)</sup> Diameter series<sup>3)</sup> Diameter series<sup>3)</sup> series<sup>3)</sup> series<sup>3)</sup> 2 Х 3 2 Х 3 2 Х 3 2 0 8 10,000 00 10,000 \_ 01 5,800 2,300 8,700 6,800 8,000 02 5,800 2,300 8,700 6,800 6,600 03 5.800 2,300 8.700 6,800 5.800 04 5.800 2.300 8.700 5.800 5.000 05 5,100 4,300 4,600 2,100 960 7,700 6,400 6,700 5,100 4,000 06 4,300 3,700 3,900 960 830 5,500 5,800 3,300 6,400 4,300 07 3,700 3,300 3,400 830 750 770 5,500 5,000 5,100 3,700 \_ 08 3,300 3,100 3,100 750 690 690 5,000 3,300 4,600 4,600 09 3,100 2,800 2,700 690 640 620 4,600 4,300 4,100 3,100 2,800 2,400 3,700 10 2.500 640 570 550 4,300 3.800 2.800 11 2,500 2.300 2.300 570 520 510 3,800 3.500 3.400 12 2,300 2,200 2,100 520 490 470 3,500 3,200 3,100 13 2,200 2,100 1,900 490 460 440 3,200 3,100 2,900 14 2,100 2,000 1,800 460 440 410 3,100 2,900 2,700 15 2,000 1,800 1,700 440 410 380 2,900 2,700 2,600 16 1,800 1,700 1,600 410 380 360 2,700 2,600 2,400 17 1,700 1,500 380 360 1,600 340 2,600 2,400 2,300 18 1,600 1,500 1,400 360 340 320 2,400 2,300 2,100 19 1,400 310 2,000 \_ 20 1,300 1,300 300 280 2,000 1,900 21 1,200 1,800 \_ \_ \_ \_ 22 1,100 250 1,700 24 1,100 240 1,600 26 1,000 220 1,500 28 910 200 1,400

Remarks 1. Allowable rotating speed of the units with covers is 80% of the value shown in the table above.

2. If a bearing unit is used with an excessively loose fit, allowable rotating speed must be corrected by multiplying it by the fitting factor  $f_c$  shown in **Table 6.2**.

3. The basic bearing size number consists of the duty code (2, X, or 3) followed by the inner ring size code (07, 10, 24, etc.)

### 6.2 Rotational Speed Adjustment Due

### to Shaft Fit

A marginal degree of clearance is typically used to facilitate easy installation of a bearing to a shaft. The amount of clearance between the bearing and shaft must be factored in to determine the maximum allowable rotational speed, and as rotational speed is increased, the amount of clearance must be decreased.

Table 6.2 shows the factor that must be used to correct the allowable rotational speed. The maximum rotational speed is determined by multiplying the speed found in **Table 6.1** by the factors below. This table includes the multiplying factors for set screw bearings as well as bearings with adapters and eccentric locking collars. Due to the characteristics of bearings with adapters, a loose fit, h8 or h9, is acceptable. Bearings with eccentric locking collars function optimally with less clearance and therefore, an h5 or j5 fit is recommended to achieve the maximum allowable speed.

### Table 6.2 Fitting factor of ball bearing units $f_c$ (recommended)

		Fitting factor $f_{c}$								
Type of ball bearing units	Sha	Shaft tolerance range class								
	h5, j5	j6	h6	h7	h8	h9				
With set screws										
Standard type	-	1	1	0.8	0.5	0.2				
LⅢ type (Suffix code: L3)	_	_	_	1	1	0.9				
Heat resistant type (Suffix code: D1K2)	_	-	_	1	1	0.7				
Cold resistant type (Suffix code: D2K2)	_	_	_	1	1	0.7				
For high speed (Suffix code: K3)	_	1	0.8	0.6	_	-				
For blower (Suffix code: S3 · S5)	1	_	0.8	0.6	_	-				
With adapters	_	_	_	_	1	1				
With eccentric locking collar	1	_	-	_	_	-				
NU concentric locking collar										

### 7 Operating Temperature and Bearing Specifications

### 7.1 Operating Temperature Range

The operating temperature of a ball bearing unit depends on the type of grease, the material of the seal, and the internal clearance of the bearing.

FYH Ball Bearing Units are available in high temperature (D1K2, D9K2) and low temperature (D2K2) series, in addition to the standard models, to allow selection of the correct bearing for your operational temperature (see **Table 2.1**).

The correct unit must be chosen for the desired temperature range, and it is equally important to use the appropriate grease according to the specified schedule.

### 7.2 Operating Temperature and Internal Clearance of Bearings

When bearings are operated in a high ambient temperature environment, or when the operating temperature is high because of rotational speed, differential expansion rates occur within the bearing components. This causes higher friction, grease breakdown, and eventual seizure.

If the temperature difference between the inner and outer ring is known, or can be approximated, then the following **Formula (7.1)** may be applied.

Under these conditions, decrease in the internal clearance must be calculated, and the internal clearance of bearing needs to be selected properly.

$S_{t1} = \alpha \cdot D_e \cdot \varDelta_t$ (7.1)
Whereas,
$S_{\rm t1}$ : Decrease in the internal clearance of bearings depending on the difference in the temperatures of the bearing inner ring and the bearing outer ring can be found by formula, mm

- $\alpha :$  Line expansion factor of bearing steel,  $12.5 \times 10^{-6}$
- $D_e$ : Raceway dia. of bearing outer ring, mm Diameter series 2,  $X \cdots D_e \approx 0.92 D$ 
  - Diameter series  $3 \cdots D_e \approx 0.9 D$
- D: Nominal bearing outer dia., mm
- $\varDelta_t :$  Difference in temperatures of bearing inner ring and outer ring,  $^{\circ}\!C$

If a ball bearing unit is used in a high temperature environment, an abnormal load will result due to thermal expansion of the shaft. This must be compensated for by allowing free movement of one side of the shaft. (See "9 Design of Shaft and Base")

### 8 Strength of Housings

FYH bearings can withstand very high loads due to the use of only high quality material and excellent design. However, when high static or impact loads are encountered, the load capacity of the bearing must be determined.

The housing design is such that it can withstand loads from any angle; however the bearing is strongest with a direct downward load through the base of the unit. For loads in other directions, the allowable load must be determined specifically for the direction in question.

Rigidity of the base and flatness of the mounting surface also influence the housing strength. The equipment designer or installer must examine and perform calculations for the complete supporting structure of the bearing.

### 8.1 Strength of Cast Iron Housings

Although gray cast iron has many superior characteristics, it may fail under impact loads, particularly in a low temperature environment.

**Table 8.1** shows the applicable design safety factors for gray cast iron. **Fig. 8.1** to **8.7** show the static rupture strength of the various housing types.

## Table 8.1 Safety factor of gray cast iron products (recommended)

Property of load	Safety factor of gray cast iron
Static load	4
With vibration	10
With impact	15

### 8.2 Strength of Ductile Cast Iron Housings

The high-strength ductile cast iron series has the same shape and dimensions as the standard gray cast iron series, but is acceptable in environments where highstrength is required.

**Table 8.2** shows safety factors of the load on ductile cast iron housings, and **tables 8.8** to **8.11** show the approximate rupture strength of pillow type, flange type, and take-up type housings.

Table 8.2 Safety factor of ductile cast iron (recommended)

Property of load	Safety factor of ductile cast iron
Static load	3
With vibration	5
With impact	10



Fig. 8.1 Static rupture strength of pillow type housing (P)



Fig. 8.2 Static rupture strength of thick pillow type housings (IP)



Fig. 8.3 Static rupture strength of tapped base pillow type housings (PA)





Fig. 8.4 Static rupture strength of High-Base pillow type housings (PH)



Fig. 8.5 Static rupture strength of square flange type housings (F)

Fig. 8.6 Static rupture strength of oval flange type housings (FL)



Fig. 8.7 Static rupture strength of take-up type housings (T)



Fig. 8.8 Static rupture strength of ductile cast iron pillow type housings (PH4)



flange type housings (FLH4)

-ig. 8.9 Static rupture strength of ductile cast iron square flange type housings (Fн4)



Fig. 8.11 Static rupture strength of ductile cast iron take-up type housings (TH4)

### 8.3 Strength of Stamped Steel Housings

The precisely formed stamped steel housing is very rigid, but it is not as strong as cast iron or cast steel housings. Therefore, it will not support loads to the maximum rating of the bearing itself and must be down-rated per **Table 8.3**.

## Table 8.3 Allowable load of steel plate housings (recommended)

Load direction	Allowable load of stamped steel housings
Radial	Approx. 1/6 of basic dynamic radial load rating of bearing ( $C_{\rm r}$ )
Axial	Approx. 1/18 of basic dynamic radial load rating of bearing ( $C_{\rm r}$ )

### 8.4 Strength of Stainless Steel Housings

FYH supplies stainless steel housings (SP-H1, SPA-H1, SF-H1, SFL-H1, SFL-H1, SP, SFL).

Table 8.4 shows the safety factors for stainless steel products. As for the basic values of the static rupture strength of SP-H1, SPA-H1, SF-H1, SFL-H1, ST-H1, SFC-H1 type housings, apply P200 of Fig. 8.1, PA200 of Fig. 8.3, F200 of Fig. 8.5, FL200 of Fig. 8.6 and T200 of Fig. 8.7. As for the basic values of the static rupture strength of SFC-H1 housings, apply F200 of Fig. 8.5. For the basic values of the static rupture strength of SFC-H1 housings, apply F200 of Fig. 8.5. For the basic values of the static rupture strength of SFC-H1 housings, apply F200 of Fig. 8.5. For the basic values of the static rupture strength of the SP and SFL type housings, see P000~P006 of Fig. 8.12 and FL000~FL006 of Fig. 8.13 and multiply them by 1.5 respectively.

#### Table 8.4 Safety factor of stainless steel products

Property of load	Safety factor of stainless steel products
Static load	3
With vibration	5
With impact	10

### 8.5 Strength of Die-cast Housings

The clean series housing is made of die-cast zinc alloy, but the zinc alloy material is not as strong as cast iron or cast steel. **Table 8.5** shows safety factors for die-cast zinc alloy, and **Fig. 8.12** and **8.13** show the basic values of the static rupture strength of the die-cast zinc alloy housing.

Table 8.5	Safety factor of zinc alloy die-cast products
-----------	---

Property of load	Safety factor of die-cast products
Static load	8
With vibration	15
With impact	20



Fig. 8.12 Static rupture strength of clean housings (P)



Fig. 8.13 Static rupture strength of clean housings (FL)

### 8.6 Static Rupture Strength of Plastic Housings



Fig. 8.14 Static rupture strength of plastic housings (VP)



Fig. 8.15 Static rupture strength of plastic housings (VF)



Fig 8.16 Static rupture strength of plastic housings (VFL)

Note:

The figure shows the average static rupture strength of housings.

The correct safety factor should be considered to properly account for combined load in various directions at room temperature (23  $^{o}C$   $\pm5$   $^{o}C).$ 

### 9 Design of Shaft and Base

### 9.1 Design of Shaft

For optimal performance of a ball bearing unit, and for maintenance-free operation for an extended period of time, proper shaft selection is very important. The shaft should be straight, of sufficient tensile strength, and free of burrs and scratches.

### 9.1.1 Dimensional accuracy of shaft

### (1) Dimensional tolerance of shaft used for set screw bearings

For bearings with set screws, a relatively looser class of fit makes assembly easier and is perfectly acceptable at low operating speeds. The clearance between the bore of the bearing and the shaft must be decreased as the rotational speed is increased.

**Table 9.1** shows the guidelines for the tolerance class

 for the rotational speed of bearings with set screws.

If the bearing with set screws is exposed to a heavy load ( $P_{\rm r}/C_{\rm r}$  > 0.12), vibration, or heavy impact, use a tighter shaft tolerance than normal.

Table 9.2 shows the tolerances for tight fits.Table 9.3 shows the recommended roundness andcylindricity for shafting.

### Table 9.1 Dimensional tolerance of shaft used for cylindrical bore bearing with set screws (recommended) (clearance fit or intermediate fit)

									Unit: µm	
Shaf	t dia.			Dimen	sional to	lerance o	of shaft			
(m	m)	j	6	h	16	h	7	h	h8	
Over	Incl.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	
6	10	+ 7	- 2	0	- 9	0	-15	0	-22	
10	18	+ 8	- 3	0	-11	0	-18	0	-27	
18	30	+ 9	- 4	0	-13	0	-21	0	-33	
30	50	+11	- 5	0	-16	0	-25	0	-39	
50	80	+12	- 7	0	-19	0	-30	0	-46	
80	120	+13	- 9	0	-22	0	-35	0	-54	
120	180	+14	-11	0	-25	0	-40	0	-63	
Applicable rotating speed $dn^{1)}$		Over 1	20,000	Over 100,000, incl. 120,000		Over 60,000, incl. 100,000		Incl. 6	60,000	

11.2

Note <sup>1)</sup> dn = d (bearing bore dia., mm)  $\times n$  (rotating speed, min<sup>-1</sup>)

#### Table 9.2 Dimensional tolerance of shaft used for cylindrical bore bearing with set screws (recommended) (intermediate fitting or tight fitting)

						ι	Jnit: μm
Shaf	t dia.	D	imensi	onal to	lerance	of sha	ft
(m	m)	k	6	k7		m6	
Over	Incl.	Max.	Min.	Max.	Min.	Max.	Min.
6	10	+10	+1	+16	+1	+15	+ 6
10	18	+12	+1	+19	+1	+18	+ 7
18	30	+15	+2	+23	+2	+21	+ 8
30	50	+18	+2	+27	+2	+25	+ 9
50	80	+21	+2	+32	+2	+30	+11
80	120	+25	+3	+38	+3	+35	+13
120	180	+28	+3	+43	+3	+40	+15

## Table 9.3Recommended accuracy of<br/>shaft used for ball bearing units

		Unit: µm
Shaft dia. (mm)		Tolerance of shaft roundness and
Over	Incl.	cylindricity (max.)
6	10	6
10	18	8
18	30	9
30	50	11
50	80	13
80	120	15
120	180	18

## (2) Dimensional tolerance of shaft used with tapered bore bearings

Since tapered bore bearings are fixed to the shaft with an adapter, a looser fit is allowable since the adapter sleeve provides excellent concentricity. This makes mounting of the bearing to the shaft much easier.

**Table 9.4** shows the dimensional tolerance of the shaft used with tapered bore bearings (with adapters).

Table 9.4	Dimensional tolerance of shaft used for tapered
	bore bearings (with adapters) (recommended)

Unit: um

Shaft dia.		Dimensional tolerance of shaft						
(m	m)	h	8	h	h9			
Over	Incl.	Max. Min.		Max.	Min.			
18	30	0	-33	0	- 52			
30	50	0	-39	0	- 62			
50	80	0	-46	0	- 74			
80	120	0	-54	0	- 87			
120	180	0	-63	0	-100			

### (3) Dimensional tolerance of shaft with eccentric locking collar

Eccentric locking collar bearings have greater clearance (more eccentricity) between the shaft and the bore of the bearing when installed. Therefore, the shaft tolerances must be tighter (h5 or j5) to reduce the clearance (eccentricity). The same clearance fits are recommended as with blower bearings as shown in **Table. 2.6**.

## (4) Dimensional tolerance of shaft used for concentric locking collar

Regarding the shaft used for concentric locking collar bearings, the same clearance (h5 or j5) fits are recommended as with air handling bearings as shown in **Table 2.6**.

### 9.1.2 Dimensions of shouldered shafts

When using a set screw or eccentric locking collar bearing that is exposed to a high axial load, excessive vibration, or impact, a shouldered shaft may be used. The inner ring of the bearing is then tightened in place with a locknut, if the shaft is threaded, or with a locking ring otherwise.

However, if after mounted units used a shouldered shafts, between the inner ring end face and shouldered shafts, on clearances of 2 mm or more is recommended.

 Table 9.5 shows the shoulder diameter and the fillet

 radius of the shouldered shaft.





Unit: mm

		Diam	neter Series <sup>1)</sup>	Diam	neter Series <sup>1)</sup>	
Bore	Nominal	UC200, UCX00		UC300		
dia. code	bearing bore dia. $d$	$\begin{array}{c} \text{Shoulder} \\ \text{dia.} \\ d_{\text{a}} \end{array}$	Fillet roundness radius $r_{\rm a}({\rm max.})$	$\begin{array}{c} \text{Shoulder} \\ \text{dia.} \\ d_{\mathrm{a}} \end{array}$	Fillet roundness radius $r_{a}$ (max.)	
01	12	17	0.6			
02	15	20	0.6			
03	17	22	0.6			
04	20	30	1	-	-	
05	25	35	1	35	1	
06	30	40	1	40	1	
07	35	45	1	45	1.5	
08	40	50	1	50	1.5	
09	45	55	1	55	1.5	
10	50	60	1	60	2	
11	55	65	1.5	65	2	
12	60	70	1.5	75	2	
13	65	75	1.5	80	2	
14	70	80	1.5	85	2	
15	75	85	1.5	90	2	
16	80	90	2	95	2	
17	85	95	2	100	2.5	
18	90	100	2	105	2.5	
19	95	-	-	110	2.5	
20	100			115	2.5	
21	105			120	2.5	
22	110			125	2.5	
24	120			135	2.5	
26	130			150	3	
28	140			160	3	

The basic bearing size number consists of the duty code (2, X, or 3) followed by the inner ring size code (07, 10, 24, etc.)

### 9.1.3 High temperature applications

In general, two bearing units are used per shaft. If the distance between the bearings is small, or if the temperature change of the shaft is small, both bearings may be fixed in position.

However, if the distance between the bearings is large and the shaft is exposed to heat, then only one bearing should be fixed and the opposing bearing must be free to float in the axial direction.

This is because shaft expansion due to temperature change of the shaft causes a high axial load and can cause failure of fixed bearings. The amount of shaft expansion due to temperature change may be calculated by using **Formula (9.1)**.

 $\Delta_{\ell} = \alpha \cdot \Delta_{t} \cdot l$  (9.1)

Whereas,

- $\Delta_{\ell}$ : Expansion of shaft, mm
- α: Linear expansion coefficient of shaft
  - in the case of ordinary steel,  $11 \sim 12 \times 10^{-6}$
- $\ensuremath{\varDelta_t}$ : Temperature increase, °C
- *l*: Installation distance of unit, mm

Proper installation procedures for a shaft exposed to temperature changes are shown below.

#### (1) Installation with a dog point set screw on the free side

To accommodate shaft expansion in the axial direction, the bearing must be installed so that the shaft can move freely through the bore in either axial direction.

To accomplish this, the shaft must be grooved for a full dog point set screw (suffix code: G6). This should be done on the free side only. The dog point screw allows free movement in the axial direction and provides force to rotate the bearing in the radial direction.

**Fig. 9.1** shows an example of the structure of a bearing with a key groove on the shaft and a full dog point set screw. **Table 9.6** shows the dimensions of the key groove for the full dog point set screw. Note that the full dog point set screw in the image is also capped so that it may be tightened against the bearing, not the shaft. A full dog point set screw with a jam nut will also work to achieve this function.

The tolerance class of the shaft to be used is h7.

If the temperature of the shaft is higher than that of the bearing, then a looser fit tolerance class is specified.

When using this method to allow for free expansion, there is the possibility of fretting between the shaft and the inner race. In order to prevent fretting, a high temperature grease must be applied to the inner ring of the bearing and the shaft prior to installation.



Fig. 9.1 Use on free side with full dog point set screw

Table 9.6	6 Dimensions of key groove for fu (use on free side)	l dog point set screw

Nominal size of set screw	key g	sions of roove m)	Applicable nominal bearing code				
set screw	J	K	UC200	UCX00	UC300		
M6 × 0.75	5	4	201–206	X05	305, 306		
M8 × 1	6	6	207–209	X06–X08	307		
M10  imes 1.25	6.5	7	210–212	X09–X11	308, 309		
M12 × 1.5	7	9	213–218	X12–X17	310–314		
M14  imes 1.5	7	10		X18	315, 316		
M16  imes 1.5	8	12		X20	317–319		
M18  imes 1.5	8	13			320–324		
M20 × 1.5	8	15			326, 328		

Allowable tolerance of key groove dimension "K" (Recommended value:  $0{\sim}{+}0.2\mathrm{mm})$ 



### (2) Installation of cartridge type units on the free side

If the rotational speed is high or if the bearing is exposed to high vibration, the cartridge type unit is recommended on the free side. In this case, the housing of the cartridge unit is free to move axially within the mounting bore and the bearing insert is rigidly attached to the shaft.

**Fig. 9.2** shows the required structure for the cartridge type unit on the free side.



Fig. 9.2 Use of cartridge type units on free side

If, in addition to the expansion of the shaft, the ball bearing itself is exposed to heat, then a calculation of the decrease in internal clearances of the bearing must be made. The appropriate bearing internal clearance must be specified. (see "7 Operating temperature and bearing specifications").

### 9.2 Mounting Base Design

### 9.2.1 Rigidity of base and flatness of mounting Surface

If rigidity of the base on which a ball bearing unit is to be mounted is not sufficient, or if the flatness of the mounting surface is poor, then vibration or abnormal noise may occur during operation. This may lead to premature bearing failure since the strength of the housing is diminished from improper support.

The mounting surface must be accurately machined to eliminate deformation of the housing.

Fig. 9.3 shows the recommended values for flatness of the mounting surface on which the ball bearing unit is to be installed.



Max.: L/1,000 mm

Fig. 9.3 Flatness of mounting surface of base (recommended value)

### 9.2.2 Mounting cartridge type units in high temperature applications

Cartridge units are designed to fit into an accurately bored cylindrical opening in the mounting base. Under ordinary operating conditions, H7 is an adequate choice for the tolerance class of the cylindrically bored hole.

In instances where both the bearing and the shaft are heated during operation, select G7 as the tolerance class of the cylindrical bore.

If the bearing is exposed to excessive vibration or impact, then an even tighter tolerance class must be specified.

Table 9.7 shows the dimensional requirements for the cylindrical bore.

#### Table 9.7 Dimensional tolerance of cylindrical bore for mounting cartridge type units (recommended values)

				ι	Jnit: μm
Nominal of cylind	Dimensional tolerance of cylindrical bore				
(m	(mm)			G	i7
Over	Incl.	Max.	Min.	Max.	Min.
50	80	+30	0	+40	+10
80	120	+35	0	+47	+12
120	180	+40	0	+54	+14
180	250	+46	0	+61	+15
250	315	+52	0	+69	+17
315	400	+57	0	+75	+18

### 9.2.3 Installation of take-up units

A take-up unit is positioned between two guide rails and enables linear adjustment by means of the threaded rod and bolt.

Table 9.8 shows the dimensions of the guide rail, adjuster bolt, and fixed nut.

### Table 9.8 Dimensions relative to installation of take-up type units (recommended values)



Unit: mm

					-	nit: mm
Nominal	Dimen	sions of	guide rail	ail Dimensions of adj bolt and round r		
bearing code	$A_{ m 1r}$	$H_{1\mathrm{r}}$	H (Reference)	d	D	В
T204 T205	11	77	89	16	28	14
T206 T207	11	90	102	18	32	14
T208	15	103	114	24	42	16
T209 T210	15	103	117	24	42	16
T211 T212	20	131	146	30	55	20 27
T213 T214 T215	24	152	167	36	60	27
T216	24	166	184	36	60	27
T217	28	174	198	42	60	30
TX05 TX06	11	90	102	18	32	14
TX07	15	103	114	24	42	16
TX08 TX09	15	103	117	24	42	16
TX10 TX11	20	131	146	30	55	20 27
TX12 TX13 TX14	24	152	167	36	60	27
TX15	26	166	184	36	60	27
TX16 TX17	26	174	198	42	60	30

Remark This table is also applicable to stainless steel housings.

					U	nit: mm	
Nominal bearing	Dimens	sions of	guide rail		Dimensions of adjuster bolt and round nut		
code	$A_{ m 1r}$	$H_{1\mathrm{r}}$	H (Reference)	d	D	В	
T305	11	81	89	22	32	12	
T306 T307	15	91 101	100 111	24 26	36 40	14	
T308 T309	16	113 126	124 138	28 30	45 50	16 18	
T310	18	141	151	32	55	20	
T311 T312	20	151 161	163 178	34 36	60 65	22 24	
T313 T314 T315	24	171 181 193	190 202 216	38 40 40	65 80 80	26 28 28	
T316	28	205	230	46	90	34	
T317 T318	30	216 230	240 255	46 50	90 95	34 38	
T319	32	242	270	50	95	38	
T320 T321	32	262	290	52	100	40	
T322	36	287	320	55	110	44	
T324	42	322	355	60	120	50	
T326 T328	47	352 382	385 415	65 70	130 140	55 60	

### 9.3 Dowel Pins for Accurate Unit Mounting

The pillow type, square flange type, and oval flange type housings all have a dowel pin seat on the mounting base. If accurate positioning of the housing is required, then the bottom of the housing may be drilled for dowel pins which fit into corresponding holes in the mounting surface. The dimensions for the hole and pin sizes can be found in **Appendix table 5** in the back of the catalog.

60

### **10 Nomenclature**

Nomenclature of FYH Ball Bearing Units conform to JIS B 1557, and comprise the bearing unit model code (comprising bearing model code and housing model code),

diameter series code, bore diameter. code, accessory code, and special code.



— Bearing model code (**Table 10.1**)

Remark The above code shows an example of nomenclature structure. It may depend on the bearing unit model.

Table 10.1 Bearing model code

Bearing model code	Details				
UC	with set screws				
UC-S6	with set screws (stainless steel series)				
UK	Tapered bore with adapter sleeve				
NA	with eccentric locking collar				
NC	with concentric locking collar				
SB	with set screws (lightweight type)				
SU	with set screws (clean series)				
SA	with eccentric locking collar (lightweight type)				
SA-F	with eccentric locking collar,				
3A-F	Lubricating mechanism (lightweight type)				
SU-S6	with set screws (stainless steel series)				
EB	with set screws, cylindrical O.D.,				
En	Lubricating mechanism, snap ring				
ERC	with concentric locking collar, cylindrical O.D.,				
ENC	Lubricating mechanism, snap ring				
RB	with set screws, cylindrical O.D.				
SBB	with set screws, cylindrical O.D.				
SAA-F	with eccentric locking collar,				
JAA-F	cylindrical O.D. (lightweight type)				

### Table 10.2 Housing model code

Housing model code	Details			
Р	Pillow type			
IP	Thick pillow type			
PA	Tapped-Base pillow			
PAN	Tapped-Base pillow			
PH	High-Base pillow type			
LP	Lightweight pillow type			
Р	Pillow type (clean series)			
SP-H1	Pillow type (stainless steel series)			
SPA-H1	Tapped-Base pillow (stainless steel series)			

Table 10.2 Housing model code (continued)

Housing model code	Details					
VP	Pillow type (thermoplastic series)					
VPAN	Tapped-Base pillow (thermoplastic series)					
SP	Pillow type (stainless steel series)					
PP	Stamped steel pillow type					
F	Square four-bolt flange type					
NF	Square four-bolt flange type					
FL	Oval two-bolt flange type					
FA	Adjustable oval two-bolt flange type					
FB	Three-bolt flange type					
FC	Round flange cartridge type					
FCF	Round flange cartridge type					
FS	Square four-bolt cartridge flange type					
FL	Oval two-bolt flange type (clean series)					
TFD-H4	Three-bolt flange type (Ductile cast iron)					
LF	Lightweight oval two-bolt flange type					
SF-H1	Square four-bolt flange type (stainless steel series)					
SFL-H1	Oval two-bolt flange type (stainless steel series)					
SFL	Oval two-bolt flange type (stainless steel series)					
SFC	Round flange cartridge type (stainless steel series)					
PF	Stamped steel plate round three-bolt flange type					
PFL	Stamped steel plate oval two-bolt flange type					
VF	Square four-bolt flange type (thermoplastic series)					
VFL	Oval two-bolt flange type (thermoplastic series)					
VFB	Three-bolt flange type (thermoplastic series)					
Т	Take-up type					
TRS	Narrow slot Take-up type					
ST-H1	Take-up type (stainless steel series)					
TH	Section steel frame take-up type					
TL	Light channel steel frame take-up type					
TU	Channel steel frame take-up type					
PTH	Steel plate frame take-up type					
NPTH	Steel plate frame take-up type					

Table 10.2	Housing model code (continued)
------------	--------------------------------

Housing model code	Details
C	Cartridge type
HA	Hanger type

### Table 10.3 Diameter series code

Diameter series code	Details			
0	Small size light duty			
2	Normal duty			
Х	Medium duty			
3	Heavy duty			

### Table 10.4 Bore dia. code

Bore dia. code	Details				
8	Nominal bearing bore dia. $8 \text{ mm}$				
00	Nominal bearing bore dia. 10 $\mathrm{mm}$				
01	Nominal bearing bore dia. 12 $\mathrm{mm}$				
02	Nominal bearing bore dia. 15 $\mathrm{mm}$				
03	Nominal bearing bore dia. 17 $\mathrm{mm}$				
<b>04</b> and above	(Bore dia. code) $\times$ 5 = Nominal bearing bore dia. (mm)				
01–8	- (bore dia. code) $/16$ = nominal bearing bore dia. (inch) (in this case, $8/16 = 1/2$ inch = 12.7 mm) As for the bore dia. inch series bearing.				

### Table 10.5 Fitting code

Fitting code	Details			
J	Tolerance class of spherical bore of the housing is J7 (not shown where the spherical bore diameter exceeds 120 mm)			
н	Tolerance class of spherical bore of the housing is H7			
К	Tolerance class of spherical bore of the housing is K7			

### Table 10.6 Accessory code

Accessory code	Details		
<b>C</b> <sup>1)</sup>	Cover, open type		
<b>D</b> <sup>1)</sup>	Cover, closed type		
FC	Cast iron cover, open type		
FD	Cast iron cover, closed type		
L3	Triple-lip seal type		

Note <sup>1)</sup> Standard specifications of codes C and D are as shown below. 201–218, X05–X17......Steel plate cover

X18–X20, 305–328......Cast iron cover

### Table 10.7 Bearing special code

Item	Bearing special code	Details				
Grease	D1	U-RET EDM-1				
	D2	SH33M				
	D9	Demnum L-200				
Set	G4	Cone point				
Screw	G6	Capped full dog point				
Seal	K2	Silicone rubber				
	K3	Non-contact type				
Sealing	P3	Without seal, slinger				
Device	P4	Without seal				
Others	S3	Air handling fit,100% noise check, the anti-rotation pin				
	S5	For blower (seal: K3, inner clearance and bearing accu- racy are specially controlled)				
	S6	Stainless steel bearing				
	S7	Plated bearing (for corrosion- resistance)				

### Table 10.8 Housing special code

Item	Housing special code	Details				
Grease	A1	PT1/8 tube thread				
Fitting	A2	PF1/8 tube thread				
Thread Bore dia.	A3	PT1/4 tube thread				
Dore dia.	A4	PF1/4 tube thread				
	A5	1/8NPT tube thread				
Grease	B1	Right				
Fitting	B2	Left				
Thread Bore	B3	45°				
Position	B5	30°				
	B7	Both right and left				
Machining	E1	Machined for stamped cover				
	E3	Cast iron cover mounting groove (diameter series 2, X, 3)				
	E4	Non-lubricating type				
Housing material	H1	Stainless steel cast steel model (SCS13)				
	H4	Ductile iron (FCD450-10)				
	H5	Rolled steel for general purpose (SS400)				
	H9	Stainless steel cast steel model (SCS14)				
Grease	N1	B type (67.5°)				
Fitting	N2	C type (90°)				
Surface treatment	Z5	Nickel plated housing				

### **11 Accuracy and Internal Clearance**

Accuracy of a ball bearing unit is specified in JIS B 1558 (ball bearings for ball bearing units) and JIS B 1559 (housings for ball bearing units). FYH produces products conforming to these standards.

### 11.1 Accuracy of Bearings

 Table 11.1 to Table 11.4 shows the accuracy of a ball bearings for ball bearing units.

Ball bearings for blowers (special code: S3, S5) are

produced with greater accuracy than standard models (see **Table 11.3**).

 Table 11.5 shows the tolerance limitations of inner rings for cylindrical bore bearings.

### Table 11.2 Tolerances and tolerance values of outer rings of ball bearings inserts

Unit: µm

	Unit:						
1	oute <i>I</i>	bearing r dia. ) m)	of average	f tolerance e outer dia.	Radial runout of outer ring $K_{ m ea}$		
C	Over         Incl.           18         30		Max.	Min.	Max.		
			0	- 9	15		
30 50		50	0	-11	20		
	50 80 80 120		0	-13	25		
			0	-15	35		
1	120	150	0	-18	40		
1	150 180		0	-25	45		
1	180	250	0	-30	50		
2	250	315	0	-35	60		





Unit: µm

_										
	Nominal bearing bore dia. d		of average	of tolerance e bore dia. lane	Unequal bore dia. in plane	Variation of tolerance of eccentricity on eccentric surface of inner ring and eccentric locking collar		Variation of tolerance of inner ring width		Radial runout of inner ring
	(mm)		$\Delta_a$	$\Delta_{dmp}$ $V_{d}$		$ ilde{\Delta}_{H\mathrm{s}}$		$\Delta_{Bs}$		$K_{ m ia}$
	Over	Incl.	Max.	Min.	Max.	Max.	Min.	Max.	Min.	Max.
	-	10	+15	0	10	+100	-100	0	-120	10
	10	18	+15	0	10	+100	-100	0	-120	15
	18	31.75	+18	0	12	+100	-100	0	-120	18
	31.75	50.8	+21	0	14	+100	-100	0	-120	20
	50.8	80	+24	0	16	+100	-100	0	-150	25
	80	120	+28	0	19	+100	-100	0	-200	30
_	120	180	+33	0	22	+100	-100	0	-250	35

## Table 11.3Variation of tolerances and tolerance values of<br/>tapered bore on bearing with tapered bore



Theoretical tapered bore

Tapered bore with variation of tolerance of average bore dia. in plane

. . ..

						Unit: µm
bore	<b>bearing</b> e <b>dia.</b> nm	$\Delta_d$	mp	$\Delta_{d1mp} - \Delta_{dmp}$		$V_{d \mathrm{sp}}$ 1)
Over	Incl.	Max.	Min.	Max.	Min.	Max.
18	30	+33	0	+21	0	13
30	50	+39	0	+25	0	16
50	80	+46	0	+30	0	19
80	120	+54	0	+35	0	22
120	180	+63	0	+40	0	40

Note <sup>1)</sup> To be applied to all the radial planes of tapered bore

#### Remarks 1. Applicable range

- Applicable to tapered bore of inner ring of tapered bore radial bearing that standard value of taper ratio is 1/12.
- 2. Amount code
  - *d*<sub>1</sub>: Standard diameter at theoretical large end of tapered bore

Standard diameter  $d_1 = d + \frac{1}{12}B$ 

- $\Delta_{dmp}$ : Variation of tolerance of average bore diameter in plane at theoretical small end of tapered bore
- $\ensuremath{\varDelta_{d1mp}}$ : Variation of tolerance of average bore diameter in plane at theoretical large end of tapered bore
- V<sub>dsp</sub>: Unequal bore diameter in plane
  - B: Nominal inner ring width
  - $\alpha :$  1/2 of nominal taper angle of tapered bore

 $\alpha = 2^{\circ} 23' 9.4"$ 

- = 2.385 94°
- = 0.041 643 rad





Unit: µm

0	dia.	Variation of tolerance of average bore dia. in plane ⊿dmp		Unequal average bore dia. in plane $V_{dsp}$	Radial runout of inner ring K <sub>ia</sub>
Over	Incl.	Max.	Min.	Max.	Max.
10	18	0	- 8	6	7
18	31.75	0	-10	6	8
31.75	50.8	0	-12	10	10

### Table 11.5 Tolerance limitations for radius dimensions for the inner ring of cylindrical bore bearings



		Unit: mm
<i>r</i> (Min.)	<i>r</i> (M	[ax.)
7 (101111.)	<b>Radial direction</b>	Axial direction
0.6	1	2
1	1.5	3
1.1	2	3.5
1.5	2.3	4
2	3	4.5
2.1	4	6.5
2.5	3.8	6
3	5	8
4	6.5	9

Remark Though accurate profile of chamfered surface is not specified, the profile on the axial plane should not exceed the virtual arc of radius *r* (minimum) that contacts with the side of inner ring and the bearing bore diameter surface.

### 11.2 Accuracy of Housings

This section details the tolerance specifications of the inner diameter of the spherical bore of FYH housings. These values determine how tight or how loose the bearing fits inside the housing.

 Table 11.6 shows the tolerance of the diameter of the spherical bore of housings.

Standard tolerance for mounted units, between the outer diameter of the bearing and the inner diameter of the housing, is a class J7 intermediate fit.

A class H7 tolerance allows greater clearance for applications where minor shaft alignment constantly occurs or in environments where higher temperatures can cause thermal expansion. An anti-rotation pin on the outer ring of the bearing is supplied with these units to prevent the outer ring of the bearing from spinning inside the housing.

A class K7 tolerance allows less clearance and is recommended to prevent the outer ring of the bearing from rotating inside the housing.

Fig. 11.1 shows examples of housing dimensions relative to installation position with tolerance values.

### Table 11.6 Allowance of spherical bore diameter of housings



							Unit: µm
Nominal dia. of spherical		Tolerance class H7		Toleran J	ce class 7		ce class 7
L	ore ) <sub>a</sub> m)	Variation of tolerance of spherical bore dia.Variation of tolerance of spherical bore dia. $\Delta Dam$ $\Delta Dam$		Variation of tolerance of spherical bore dia. $\Delta D_{\text{Dam}}$			
Over	Incl.	Max.	Min.	Max.	Min.	Max.	Min.
18	30	+21	0	+12	- 9	+ 6	-15
30	50	+25	0	+14	-11	+ 7	-18
50	80	+30	0	+18	-12	+ 9	-21
80	120	+35	0	+22	-13	+10	-25
120	180	+40	0	+26	-14	+12	-28
180	250	+46	0	+30	-16	+13	-33
250	315	+52	0	+36	-16	+16	-36

Remark FYH selects J, H, or K depending on the applications.

L Inite ......

Fig. 11.1 Dimensions relative to installation of housings with tolerances and tolerance values (representative example)

### **Pillow type housings**



### Flange type housings





Remark Respective tolerances and tolerance values for housings are shown in dimensional tables.

# 

Frame for take-up type units

-B



### Cartridge type housings



 Table 11.7 shows ordinary dimensional tolerance of cut or cast portions not specified in this catalog.

## Table 11.7 Ordinary dimensional tolerance not specified respectively

Item	Standard code	Class
Cutting	JIS B 0405	Medium
Casting of cast iron	JIS B 0403	Ordinary
Casting of cast steel	JIS B 0403	Ordinary

### Take-up type housings

### **11.3 Internal Bearing Clearance**

Internal bearing clearance is defined as the allowable space between the bearing balls and the raceways. The degree of internal clearance, referred to as "operation clearance", greatly influences operational life of the bearing as well as characteristics of heat, noise, and vibration.

If the clearance is exceptionally tight between the shaft and the inner ring of the bearing then expansion of the inner ring must be taken into consideration and the correct ball clearance should be selected. Transmission heat from the shaft is also a factor to consider when determining the correct amount of ball clearance (see "7 Operating temperature and bearing specifications").

Table 11.8 shows the internal clearance applicable to specific operating conditions and **Table 11.9** shows the available options for internal clearance.

## Table 11.8 Internal clearance applicable to specific operating conditions

	Applicable internal clearance				
Туре	Bearing with cylindrical bore	Bearing with tapered bore			
Standard type	CN	C3			
NC	CN	_			
Stainless steel type	C3	-			
Heat resistant type (suffix code: D1K2)	C4	C5			
Heat resistant type (suffix code: D9K2)	C4	C5			
Cold resistant type (suffix code: D2K2)	CN	C3			
High speed type (suffix code: K3)	CN	C3			
For blower (suffix code: S3)	CN	C3			
For high speed blower (suffix code: S5)	C2	C3			

Remark For bearings with suffix codes, as those indicated above, the clearance is implied and not indicated in the part number.

												ι	Jnit: μm
	l bearing					Ir	ternal o	learan	се				
	<b>e dia.</b> nm)	c	2	С	N	G	iN	c	3	C	4	c	5
Over	Incl.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
6	10	0	7	2	13	-	-	8	23	14	29	20	37
10	18	0	9	3	18	10	25	11	25	18	33	25	45
18	24	0	10	5	20	12	28	13	28	20	36	28	48
24	30	1	11	5	20	12	28	13	28	23	41	30	53
30	40	1	11	6	20	13	33	15	33	28	46	40	64
40	50	1	11	6	23	14	36	18	36	30	51	45	73
50	65	1	15	8	28	18	43	23	43	38	61	55	90
65	80	1	15	10	30	20	51	25	51	46	71	65	105
80	100	1	18	12	36	24	58	30	58	53	84	75	120
100	120	2	20	15	41	28	66	36	66	61	97	90	140
120	140	2	23	18	48	33	81	41	81	71	114	105	160

### Table 11.9 Available options for internal clearance

Remarks 1. Radial internal clearance in this table conforms to JIS B 1558 (ball bearing inserts).

 Increase in radial internal clearance generated by measured load conforms to the table below. Smaller correction of C2 clearance is applicable to the minimum clearance, while larger correction is applicable to the maximum clearance.

							Unit: µm
bore	l bearing e dia. mm)	Measured Ioad	Correction of clearance				
Over	Incl.	N	C2	CN	GN, C3	C4	C5
2.5	18	24.5	3 – 4	4		4	
18	50	49	4 – 5	5		6	
50	280	147	6 – 8	8		9	

### **12 Materials**

### 12.1 Bearing Material

Ball bearing inserts are comprised of inner and outer rings, balls, and steel ball cages all of which are made from the highest quality of bearing steel.

- These bearings possess the following features.
- (1) High elastic limit to resist strong opposing force
- (2) High rolling fatigue strength to allow for heavy loads
- (3) Superior hardness
- (4) Superior wear resistance
- (5) Superior toughness against impact and shock loads
- (6) Superior precision of dimensional tolerances

High carbon chrome bearing steel is utilized for the bearing components as specified in JIS (Japanese Industrial Standards).

To increase reliability and reduce contamination within the material, a vacuum degassing process is executed to reduce non-metallic elements and any oxygen in the steel.

After the bearing is assembled it is heat tempered and quenched until the hardness reaches 60HRC.

 Table 12.1 shows the chemical components of high

 carbon chrome bearing steel. Stainless steel bearing

 inserts (suffix: S6) utilize superior corrosion resistant JIS

 certified stainless steel.

Riveted steel ball cages are made of JIS certified cold rolled steel which is shown in **Table 12.2**.

### 12.2 Housing Material

FYH housings are made primarily of gray cast iron, and stamped steel. Gray cast iron is the most popular choice for mounted units because of its optimal characteristics of vibration absorption, high strength, and excellent heat dissipation.

 Table 12.3 shows the mechanical properties of gray cast iron (FC200).

Nodular graphite cast iron, or ductile iron, (FCD450-10 of JIS G 5502) provides a good combination of rigidity and fracture resistance, and it is suitable where heavy vibration or impact forces are present.

Housings for units within the Clean Series are available in die-cast zinc alloy as well as stainless steel. Housing material for stamped steel units consists of thick gauge cold rolled sheet steel and steel strip.

**Table 12.4** to **12.8** show the mechanical properties ofthese housing materials.

Table 12.1	Chemical components of high carbon	chrome bearing steel (JIS G 4805)
------------	------------------------------------	-----------------------------------

Codo	Chemical components (%)							
Code C		Si	Mn	Р	S	Cr	Мо	
SUJ 2	0.95-	0.15-	0.50 or less	0.025 or less	0.025 or less	1.30- 1.60	_	
SUJ 3	0.95-	0.40-	0.90-	0.025 or less	0.025 or less	0.90-	-	

Table 12.2 Chemical components of cold rolled steel and steel strip (SPCC) (JIS G 3141)

Code	Chemical components (%)							
Code	С	Si	Mn	Р	S	Ni	Cr	
SPCC	0.15 or less	-	0.60 or less	0.100 or less	0.050 or less	-	_	
SPCD	0.12 or less	_	0.50 or less	0.040 or less	0.040 or less	_	_	

### Table 12.3 Mechanical properties of gray cast iron (FC200)

Type code	Type code         Tensile strength           N/mm <sup>2</sup>			
FC200	200	223		
F0200	or more	or less		

Type code	Yielding point or bearing force $$N/\rm{mm}^2$$		Tensile Thickness	Tensile Elonga-	Elonga-	Bending property			
	Thickness of steel mm		strength		test	tion	Dending	Incide	Test
	incl. 16	Over 16 incl. 40	Over 40	N/mm <sup>2</sup>	mm	piece	%	Bending angle	Inside dia.
SS400	245 or more	235 215 or more or more	400– 510	Over 5, 16 max.	No.1A	17 or more		1.5 times of thickness	
				Over 16, 40 max.	No.1A	21 or more			No.1
				Over 40	No.4	23 or more			

Table 12.4 Mechanical properties of cast carbon steel products (JIS G 3101)

## Table 12.5 Mechanical properties of zinc alloy die-cast (ZDC02) (JIS H 5301) (Reference)

Code	Tensile strength	Elonga- tion	Impact	Hard- ness
	N/mm <sup>2</sup>	%	$ m N\cdot m/cm^2$	HB
ZDC2	285	10	140	82

### Table 12.6 Mechanical properties of stainless cast steel products (SCS 13, SCS 14) (JIS G 5121)

Type code	Bearing force	Tensile strength	Elonga- tion	Hard- ness
	N/mm <sup>2</sup>	N/mm <sup>2</sup>	%	HB
SCS 13	185	440	30	183
00010	or more	or more or mor	or more	or less
SCS 14	185	440	28	183
	or more	or more	or more	or less

Correspondence standards

SCS 13: ISO GX5CrNi 19 9, ASTM CF-8 (AISI 304)

SCS 14: ISO GX5CrNiMo 19 11 2 , ASTM CF-8M (AISI 316)

 
 Table 12.7
 Mechanical properties of cold rolled sheet steel and steel strip (SPCC) (JIS G 3141)

Type code	Tensile strength N/mm <sup>2</sup>	Elongation %
SPCC	270 or more	34 or more
SPCD	270 or more	36 or more

## Table 12.8Mechanical properties of ductile cast iron<br/>(FCD450-10) (JIS G 5502)

Type code	Tensile strength N/mm <sup>2</sup>	Elongation %
	IN/mm <sup>2</sup>	70
FCD	450 or more	10 or more

### **12.3 Materials of Parts and Accessories**

 Table 12.9 shows materials of parts and accessories of a ball bearing unit.

## Table 12.9Materials of parts and accessories of ball<br/>bearing units

Designations	Materials	Code	Standard code
Seal (standard type)	Nitrile rubber	NBR	-
Seal (heat resistant, cold resistant)	Silicone rubber	VMQ	_
Slinger (flinger)	Cold rolled steel plate and steel strip	SPCC	JIS G 3141
Stainless steel slinger (flinger)	Cold rolled stain- less steel plate and steel strip	SUS304-CP, SUS304-CS	JIS G 4305
Steel plate cover	Cold rolled steel plate and steel strip	SPCD	JIS G 3141
Stainless steel plate cover	Cold rolled stain- less steel plate and steel strip	SUS304-CP, SUS304-CS	JIS G 4305
Cast iron cover	Gray cast iron products	FC200	JIS G 5501
Hexagon socket set screw	Chrome molybde- num steel	SCM435	JIS G 4053
Stainless steel hexagon socket set screw	Stainless bar steel	SUS304	JIS G 4303
Adapter sleeve for bearing	Mechanical struc- tural carbon steel	S17C	JIS G 4051
Lock nut for bearing	Mechanical struc- tural carbon steel	S17C	JIS G 4051
Washer for bearing	Cold rolled steel plate and steel strip	SPCC	JIS G 3141
Locking collar	Mechanical struc- tural carbon steel	S17C	JIS G 4051
Grease fitting	Copper and copper alloy rod	SUM24L	JIS G 4804

### 13 Performance

### 13.1 Bearing Friction Torque

Bearing friction torque is the conglomeration of the rolling friction between the balls with the inner and outer rings, the sliding friction between the balls and the cage, the agitating resistance of lubricants, and the friction resistance of the seals.

The specific amount of friction torque is influenced by the particular bearing model, dimensions, bearing load, rotating speed, and lubricating conditions.

Bearings with triple-lip seals and open cover seals will have greater friction torque and overall greater friction resistance.

Friction torque for bearings can be found by the formulas below.

$M = M_{\rm p} + M_{\rm k}$ (13.1)	
$M_{\rm p} = \mu \cdot P \cdot \frac{d}{2} \tag{13.2}$	

Whereas,

- *M*: Friction torque of bearing,  $mN \cdot m$
- $M_{\rm p}$ : Friction torque of sections changed by load,  ${
  m mN}\cdot{
  m m}$
- $M_{\rm k}\!\!:$  Friction torque of sections changed by rotating speed,  ${\rm mN\cdot m}$
- $\mu$ : Friction coefficient (0.0015 to 0.002)
- P: Load applied to bearings, N
- d: Nominal bearing bore dia., mm

Note that the agitating resistance of lubricants and the friction resistance of the seals are difficult to calculate since the resistance fluctuates with speed.

Fig. 13.1 shows the result of measurement of friction torque of the typical ball bearing unit.



Fig. 13.1 Example of measurement result of ball bearing units

### 13.2 Bearing Temperature Increase

The increase in temperature of the bearing is represented as heat energy created from friction torque in the bearing during operation. The temperature of the bearing during operation increases in proportion to the amount of friction torque, and friction torque increases in proportion to the increase in bearing load.

The increase in temperature of the bearing depends on the heating value generated by friction in the bearing and the amount of heat discharged from the bearing and housing in which it is mounted. Therefore, the temperature level of the bearing is influenced by the environmental conditions of the location in which the bearing unit is installed (quality of heat radiation environment).

The operating temperature of the bearing unit increases gradually after startup of operation and reaches the maximum level after one or two hours if no abnormalities occur. Then it decreases slightly and enters a steady state (see **Fig. 13.2**).

If the operating conditions are not changed, bearing temperature will remain virtually constant, and measurement of the temperature and assumption of the bearing status are enabled.



Operating period hr

## Fig. 13.2 Example of temperature measurement during operation of pillow type units

Increase in temperature during operation of the bearing depends on the type of seal used in the bearing as well as friction torgue.

Increase in temperature of triple-lip bearings (suffix code: L3) is greater than that of the standard single lip model, and that of the non-contact seal (suffix code: K3, S5) is lower than the standard single lip model. Bearings for blowers and other high-speed applications are equipped with non-contact seals, with grease or oil, for high-speed operation as well as reduction of heat, vibration, and noise.
# FYH

## 14 Handling

#### 14.1 Installation

#### 14.1.1 Installation of setscrew units

When installing setscrew units, it is important to tighten the setscrews to the shaft with the specified torque.

When the clearance between the inner ring and the shaft is small, then grind the surface of the shaft where the setscrew contacts and make a flat base (**Fig. 14.1**). It helps you to take the shaft out of the inner ring.



Fig. 14.1 Flat seat provided for shaft

If the unit is exposed to great load or excessive vibration, another option is to use a shouldered shaft and tighten the inner ring of the bearing with a shaft nut. (**Fig. 14.2**)

For dimensions of the shouldered shaft, see "9 Design of shaft and base".



# Fig. 14.2 Example of installation with a shouldered shaft and shaft nut

FYH Bearings are available with a variety of set screw options including **Double Point** and **Bullet Point** set screws which provide a secure fit to the shaft. Additional styles of setscrews are also available to meet a range of purposes and operating conditions (see **Table 14.1**).

Table 14.1	Set screws of ball bearings for units
------------	---------------------------------------

Designations (code)	Details	
Bullet Point	The tip of the FYH Bullet Point setscrew has a ball shape, and it is designed to firmly grip the shaft by expanding its threads outward against the threads of the inner ring of the bearing as it is tightened. When shock or vibration are problems, the Bullet Point setscrew can remain affixed to the shaft longer than other set screw styles including double point, ball point, or others.	
Double Point ( <b>G7</b> )	The cone point at the center of the screw, com- bined with the round point at the outer edge, provide excellent shaft contact and greatly reduced fitting error. This style is also available with a nylon film fused to the thread surface to pre- vent the screw from loosen- ing during operation.	
Cone Point (G4)	The cone point setscrew has a 90° angle and fits a drilled cone seat in the shaft. It allows correct positioning on the shaft and prevents shaft movement in an axial direction. ( <b>Fig14.3</b> )	
Capped Full Dog Point (G6)	The capped full dog point setscrew fits into the keyed groove in the shaft and allows for expansion and contraction of the shaft. It tightens to the inner ring of the bearing (not the shaft) to allow the shaft to float within the bore of the bearing.	

When correct positioning is required, make a drilled cone base on the shaft, and tighten the shaft, using a cone point set screw (**Fig. 14.3**).



Fig. 14.3 Drilled seat provided for shaft

Contact FYH for additional set screw styles. Shown below are installation procedures for bearing units with setscrews.

- (1) Inspect the unit to ensure that the rigidity of the base, flatness of the mounting surface, and tolerance of the shaft meet the required standards. Check the shaft for bends, burrs, and other flaws.
- (2) Make sure that the set screws are retracted far enough so that they do not contact the shaft as the bearing is installed.
- (3) Fit the bearing unit onto the shaft and slide it to the specified position. In order to secure a tight fit, press-fit the bearing unit to the shaft with a press, cold-fit by cooling the shaft, or shrink-fit the bearing unit by warming it with an air bath (100 °C or less). Avoid striking the bearing with a hammer to press-fit the bearing to the shaft. If you give a strong impact to the side surface of the inner ring, the both slinger moves, and it may cause a problem.
- (4) Align the bearing unit to the specified position on the base and affix it with washers and bolts. (**Fig. 14.4**). Use a torque wrench to tighten the bolts to the housing to the specified torque setting. For mounting bolt torque specifications, see **Appendix table 2** in the back of the catalog.



Fig. 14.4 Installation of setscrew units

(5) Tighten both of the setscrews on the inner ring to the specified torque setting (Fig. 14.5). For setscrew torque specifications, see Appendix table 3 in the back of the catalog.



Fig. 14.5 Tightening of set screws

(6) Turn the shaft by hand and tighten the setscrews of all other bearings on the same shaft to the specified torque setting.

(7) Finally, turn the shaft by hand and make sure that it rotates without any problems.

#### 14.1.2 Installation of adapter style units

Adapter units, comprised of an adapter sleeve, locknut, and washer, can be installed into environments where they are exposed to excessive vibration and impact.

It is of great importance that these units are properly mounted. If the locknut is not properly tightened, the sleeve may be loose which could lead to slippage and wear on the shaft or bearing. Conversely, if the locknut is over-tightened, the inner ring of the bearing can expand and reduce internal ball clearance which could cause excessive heat and premature failure.

Installation procedures for adapter style bearings are shown below.

- (1) Inspect the unit to ensure that the rigidity of the base, flatness of the mounting surface, and tolerance of the shaft meet the required standards. Check the shaft for bends, burrs, and other flaws.
- (2) Slide the adapter sleeve onto the shaft where the bearing unit will be installed.

If the sleeve is too tight, place a screwdriver in the slotted portion of the sleeve and expand the slot to open the sleeve.

(3) Slide the bearing unit over the shaft and onto the adapter sleeve, then place a cylindrical reinforcing ring against the inner ring of the front side of the bearing. Seat the adapter sleeve by lightly tapping all around the backside of the sleeve (**Fig. 14.6**).



# Fig. 14.6 Fitting adapter sleeve to bearing with tapered bore

- (4) Attach the lock washer so that the tab fits into the slot in the sleeve, and, making sure the tapered side is facing the bearing, tighten the locknut on the sleeve by hand.
- (5) Align the bearing unit to the specified position on the base and affix it with washers, and bolts. Use a torque wrench to tighten the bolts to the housing to the specified torque setting. For mounting bolt torque specifications, see **Appendix table 2** in the back of the catalog.
- (6) Use a torque wrench to tighten the locknut to the correct specification (Fig. 14.7). For locknut torque specifications, see Appendix table 4 in the back of the catalog.

# FYH



Fig. 14.7 Tightening locknut

- (7A) For pillow block housings, loosen the mounting bolts and adjust the unit axially while rotating the shaft by hand. Then re-tighten the mounting bolts to the correct specification.
- (7B) For flange block housings, the position of the unit must be in the correct axial position in relation to the shaft, so take extra care to properly align them before completing installation.
- (8) Bend one of the tabs on the washer so that it fits into one of the slots on the locknut (**Fig. 14.8**).



Fig. 14.8 Bending claw of washer (Locking locknut)

(9) Finally, turn the shaft by hand and make sure that it rotates without any problems.

# 14.1.3 Installation of units with eccentric locking collars

#### collars

Eccentric locking collar bearings provide another option for shaft locking. Since the rotating force of the shaft increases the tightening force of the eccentric ring to the shaft, this style of bearing allows a secure grip to the shaft. Since the rotating force of the shaft increases the tightening force of the eccentric ring to the shaft, the unit with eccentric locking collar allows secure fixing of the bearing (**Fig. 14.9**).



#### Fig. 14.9 Ball bearing units with eccentric locking collar

Installation procedures for eccentric locking collar style bearings are shown below.

- (1) Inspect the unit to ensure that the rigidity of the base, flatness of the mounting surface, and tolerance of the shaft meet the required standards. Check the shaft for bends, burrs, and other flaws.
- (2) Slide the bearing unit onto the shaft, and place it at the specified mounting position.
- (3) Align the bearing unit to the specified position on the base and affix it with washers, and bolts. (Fig. 14.4). Use a torque wrench to tighten the bolts to the housing to the specified torque setting. For mounting bolt torque specifications, see **Appendix table 2** in the back of this catalog.
- (4A) Fit the eccentric section of the inner ring of the bearing to the eccentric recessed section of the eccentric locking collar, and rotate the collar in the direction of shaft rotation. Then, tighten the setscrew on the eccentric locking collar to the specified torque setting (Fig. 14.10).



Fig. 14.10 Installing eccentric locking collar

(4B) The NU-LOC collar is tightened by a hexagon head bolt to a specified torque setting in order to apply the correct amount of force to the inner ring o the bearing. (Fig. 14.11)

Regarding tightening torque for set screws or hexagon head bolts, see **Appendix Table 3** in the back of this catalog.



Fig 14.11 Installation of NU-LOC units

- (5) Rotate the shaft by hand and then install the next eccentric locking collar unit to the shaft.
- (6) Finally, turn the shaft by hand and make sure that it rotates without any problems.

#### 14.1.4 Installing units with covers

Covers for ball bearing units are available in two types, steel plate and cast iron. Install both the covers at last after installation of the bearing and housing is complete.

Procedures for installation of the ball bearing units with covers are shown below.

 Apply grease all around the seal lip of the cover, and pack the internal space of the cover with grease (approximately 1/3 to 1/2 of the space capacity) (Fig. 14.12).





## Fig. 14.12 Packing grease in internal space of seal lip of covers

- (2) Make sure that the bearing unit is securely fixed to the shaft and mounting base.
- (3) Slide the cover over the shaft to the grove in the housing and lightly press it into place.
- (4A) For stamped steel covers, use a plastic mallet to prevent deformation, and evenly tap all around the periphery of the cover to install it to the housing (**Fig. 14.13**).

To remove the stamped steel cover, put a screwdriver into the groove on the periphery of the cover and slightly pry it.



Fig. 14.13 Installing steel plate covers

(4B) When installing a cast iron cover, fit the cover to the cover groove of the housing, and affix it with the supplied bolts.

For the tightening torque of the cast iron cover mounting bolts, see the **Appendix table 2** at the end of this catalog.

- (5) Install another cover to the housing in a similar manner.
- (6) Check for abnormality of the installed cover.
- (7) Finally, turn the shaft by hand, and check for abnormality in the bearing.

#### 14.2 Test Run Inspection

After installation of the ball bearing unit is complete, execute the test run inspection to ensure that it was done properly.

The test run inspection should be executed by following the procedures below.

(1) Turn the shaft by hand and make sure that the bearing rotates smoothly.

If there is any resistance, vibration, excessive rotational torque, or uneven rotation, the bearing is judged to be faulty.

- (2) Execute a powered run with no load and at low speed, and check for abnormal noise and vibration.
- (3) Execute a powered run under normal operating

conditions and check for abnormal noise, vibration, and temperature increase.

**Table 14.2** shows the main faults that may occur during the test run inspection of the ball bearing unit and causes.

#### Table 14.2 Main causes of bearing failure during test runs and their causes

Faults	Causes
Excessive torque, uneven rotating torque	<ul> <li>(1) Faulty installation, causes preload on bearing</li> <li>(2) Inappropriate handling or installation, leading to interference of seal with slinger</li> <li>(3) Excessive tightening of locknut (adapter) causing too small internal clearance of bearing</li> </ul>
Abnormal	<ol> <li>Improper tightening of set screws or of</li></ol>
noise,	mounting bolts <li>Excessively large internal clearance of</li>
abnormal	bearings <li>Bent shaft, or shouldered shaft may be</li>
vibration	machined eccentrically <li>Shaft tolerance chosen improperly</li> <li>Mounting base not rigid or flat</li>
Abnormal	<ol> <li>Too small internal clearance of bearing</li> <li>Faulty installation, causes preload on</li></ol>
tempera-	bearing <li>Load too great</li> <li>Allowable rotational speed exceeded</li> <li>Mounting base not rigid or flat</li> <li>Inappropriate handling or installation,</li>
ture	leading to interference of seal with
increase	slinger

#### **14.3 Periodic Inspection**

FYH Ball Bearing Units do not need to be inspected as frequently as lower quality bearings. However, it is good practice to set up an inspection schedule for even these high quality bearings.

Since a ball bearing unit cannot be disassembled for inspection of the internal status of components, the external appearance of the bearing must be inspected to give tell-tale signs of the status and expected life of the bearing. The following characteristics must be checked per the inspection schedule that is established for a particular application.

- (1) Overall appearance
- (2) Loose set screws or mounting bolts
- (3) Noise from vibration
- (4) Temperature of the bearing housing or the inner ring
- (5) Grease supply interval and quantity of grease injected into the bearing (either too much or too little grease can be detrimental to the life of the bearing)

**Table 14.3** shows the main faults that are usually found during periodic inspections and their causes.

If any fault is found in a ball bearing unit during an inspection, then immediate action must be taken to correct the situation and prevent deterioration of the bearing components. If serious damage has already occurred to the bearing unit, then the bearing unit must be replaced immediately to prevent damage to other machine components.

#### Table 14.3 Main faults found during periodic inspection and their causes

Faults	Causes
Excessive torque	<ol> <li>Degraded grease</li> <li>Interference of seal with slinger due to excessive supply of grease</li> <li>Deformation of slinger causing interfer- ence with seal</li> <li>High load due to shaft expansion</li> </ol>
Abnormal noise, abnormal vibration	<ol> <li>Improper tightening of set screws locknut (adapter) or of mounting bolts</li> <li>Wear on inner ring of bearing or shaft due to creep or fretting</li> <li>Ingress of foreign matter (dirt) into bearing</li> <li>Damage to cage or ball surfaces due to rolling fatigue</li> <li>Indentation on raceway surface or ball surface due to excessive load</li> <li>Warped or bent shaft</li> </ol>
Abnormal tempera- ture increase	<ol> <li>Degraded grease</li> <li>Interference of seal with slinger due to excessive supply of grease</li> <li>Deformation of slinger causing interfer- ence with seal</li> <li>Looseness of setscrew, eccentric lock- ing collar or adapter lock nut for tapered bore bearings</li> <li>Load due to shaft expansion</li> <li>Damage to cage or ball surfaces due to rolling fatigue</li> </ol>

#### 14.4 Supply of Grease

FYH Ball Bearing units are supplied with high quality FYH Lithium Bearing grease and seals. Therefore, under clean operating conditions, light loads, low speeds, and low temperatures the bearing may be used with no further lubrication.

However, under harsher operating conditions and environments, the grease will deteriorate much more rapidly.

This would include environments exposed to dust, moisture, or higher operating temperatures.

In such cases, a re-greasing schedule must be established to prevent premature failure of the bearing. The life of the bearing can be greatly extended by proper attention to the re-greasing schedule and by supplying the proper amount of grease. Please note that too much grease can be detrimental as well as too little grease.

#### 14.4.1 Grease life and supply intervals

The grease life of a bearing unit can be found using **Formula (4.7)** in page 27.

The re-greasing schedule should be set at 1/4 to 1/3 of the grease life found by the calculation shown above; however this may be adjusted for particularly demanding environments or conditions.

In addition, some environments may be unusually dirty or wet, and these conditions may be exacerbated by higher temperatures. Under such harsh conditions, a more frequent re-greasing schedule will extend the life of the bearing.

Under normal operating conditions, adhere to the guidelines outlined in **Table 2.2** in page 10.

#### 14.4.2 Amount of grease

The amount of grease initially supplied in a new FYH Ball Bearing Unit is approximately 30 to 35% of the internal space capacity of the bearing. If the bearing is over greased, the agitation of the grease causes internal friction and heating of the bearing. The first sign of failure will be excessive grease finding its way to the outside of the bearing. DO NOT exceed the initial greasing amount.

**Table 14.4** shows the recommended amount of grease to be used for re-greasing FYH bearings.

In a severely dusty or wet environments, the amount of grease may be as much as doubled if operating speeds are low.

#### Note:

- 1. Table 14.4 applies to UK units as well.
- 2. For greasing triple-lip (L3) type bearings, use 1 1/2 times the amount of grease recommended in the table.
- 3. Values shown in the table are applicable to standard grease (density: 0.9 g/ml). If a compatible grease of another specific gravity is used, then the proper conversion must be made to insure that the recommended volume is put into the bearing.

	Greasing amount, ${\rm g}$			
Bore dia. code	Diameter Series <sup>1)</sup>			
couc	UC200	UCX00	UC300	
01	0.7			
02	0.7			
03	0.7			
04	0.7			
05	0.8	1.3	1.8	
06	1.3	1.8	2.5	
07	1.8	2.3	3.4	
08	2.3	2.8	4.6	
09	2.8	3.2	6.3	
10	3.2	4.3	8.1	
11	4.3	5.5	11	
12	5.5	6.8	14	
13	6.8	7.7	17	
14	7.7	9	21	
15	9	11	25	
16	11	14	29	
17	14	17	34	
18	17	21	40	
19	-	_	47	
20	-	29	61	
21	-	-	69	
22	_	_	84	
24	_	_	98	
26	-	_	126	
28	_	_	151	

Table 14.4 Amount of recommended grease for ball bearing units

The basic bearing size number consists of the duty code (2, X, or 3) followed by the inner ring size code (07, 10, 24, etc.)

#### 14.4.3 Types of grease supplied

Many different types of grease are available for use in ball bearings. However, if a non-compatible grease is used, particularly a non-lithium based grease, then performance may be drastically reduced.

Only use the grease recommended in **Table 2.1** (page 10) to assure optimum performance of your bearings.

If another grease is used in an emergency situation, for instance, please assure that this grease is compatible, with a lithium base, at the minimum.

#### 14.4.4 Relubricating the unit at the specified interval

Note **Fig. 14.14** which shows the grease fitting, grease groove and grease holes for relubrication of the unit.



Fig. 14.14 Supplying grease to ball bearing units

- Clean the grease fitting and the area around it to prevent dirt and foreign material from entering the unit.
- (2) Clean the grease gun and pack clean grease.
- (3) Grease the unit with the recommended amount of grease.

When lubricating the ball bearing unit, slowly turn the shaft with your hand. This allows the fresh grease to be uniformly distributed inside the unit. If it is difficult to access the standard straight type grease fitting with a grease gun, 67.5° and 90° angled fittings are available as an option. See the images below of these grease fittings. Contact FYH for more information.



#### Fig. 14.15 Types of grease fittings for ball bearing units

When using a centralized automatic lubrication system, with ball bearings, it is important to use softer grease than normal. The grease should be specified with a "worked penetration number" between 300 and 380. This is NLGI grade "0" or "1". Piping from the lubricating system must be sized so that the specified volume of grease is supplied.

Piping must be connected to the threaded hole on the ball bearing unit. This is either 1/4-28 tapered threads for units up to and including 210 ring size, or 1/8 PT (BSPT) for ball bearing units with a 211 ring size and larger. If the piping size used is larger than the threaded hole in the ball bearing unit, then the appropriate reducing coupling (or street elbow) must be used to fit the threaded hole.

Fig. 14.16 shows the body of a pipe reducer.

When using an automatic centralized lubrication system, it is imperative to assure that the correct volume of grease is supplied to each individual bearing as specified in **Table 14.4**. The total amount of grease is a multiple of the number of bearings being supplied by the central lubrication system.



Fig. 14.16 Reducing coupling for centralized lubrication systems

#### 14.5 Replacing Bearings

If a bearing insert needs to be replaced, it is not always necessary to replace the housing if the housing is intact.

After carefully inspecting the housing to ensure that it is not damaged, simply insert a new bearing into the old housing.

Replacement procedures for a bearing insert are listed below.

- (1) Remove the complete bearing unit from the shaft and mounting base.
- (2) Screw in the set screws so that the head of each set screw does not protrude outside the outer diameter of the inner ring. Otherwise, the head of the set screw may damage the bearing seat inside the housing.
- (3) Use a bar or pipe to rotate the bearing 90° until the bearing is horizontal.
- (4) Remove the bearing insert from the housing via the loading slot in the back of the housing.

Reverse the above procedure to put in a new bearing insert. Ensure that the set screws are screwed in before proceeding with the replacement.



# **15 Dimensional Tables for**

**Ball Bearing Units** 

### **1 Pillow Block Units**

Pillow	Block	Units
--------	-------	-------

UCP ( <i>d</i> 12 ~ 140)	82
NAP ( <i>d</i> 12 ~ 75)	88
NAP-E ( <i>d</i> 1 <sup>3</sup> / <sub>16</sub> ~ 2 <sup>15</sup> / <sub>16</sub> )	90
NAPK (d 12 ~ 75)	92
NCP ( <i>d</i> 20 ~ 60)	94
UKP ( <i>d</i> <sub>1</sub> 20 ~ 125)	96

#### **Thick Pillow Block Units**

UCIP ( <i>d</i> 40 ~ 140)	102
UKIP (d1 35 ~ 125)	104

#### **Tapped-Base Pillow Block Units**

UCPA ( <i>d</i> 12 ~ 50)	106
UCPAN (d 20 ~ 35)	108
NCPA ( <i>d</i> 20 ~ 50)	110
NCPAN (d 20 ~ 35)	112

### **High-Base Pillow Block Units**

UCPH (d 12 ~ 50)		114
------------------	--	-----

#### **Narrow Inner Ring Bearing Pillow Block Units**

SBP-RKP8 ( $d = 20 \sim 40$ )	116
SAP-FP9 (d 20 ~ 55)	116
SBPAN-RKP8 (d 20 ~ 35)	118
SAPAN-FP9 (d 20 ~ 35)	118

#### **Light Pillow Block Units**

BLP ( <i>d</i> 12 ~ 40)	 120
ALP ( <i>d</i> 12 ~ 40)	 120

#### **Compact Pillow Block Units**

UP (d 10 ~ 30)		122
----------------	--	-----

### **Corrosion Resistant Series Pillow Block Units**

UCSP-H1S6 ( <i>d</i> 12 ~ 60)	124
UCSPA-H1S6 (d 12 ~ 40)	126
USP-S6 (d 10 ~ 30)	128
UCVP-S6 (d 20 ~ 50)	130
UCVP-ES7 ( <i>d</i> 20 ~ 50)	132
UCVPAN-ES7 (d 20 ~ 35)	134

#### **Stamped Steel Pillow Block Units**

SBPP (d 12 ~ 30)	136
SAPP (d 12 ~ 30)	136

### 2 4-Bolt Flange Units

#### **4-Bolt Flange Units**

UCF ( <i>d</i> 12 ~ 140)	138
UCF-E (d 12 ~ 85)	144
NANF (d 12 ~ 60)	148
NCF ( <i>d</i> 20 ~ 60)	150
NCF-E (d 20 ~ 60)	152
UKF ( <i>d</i> <sub>1</sub> 20 ~ 125)	154

#### **Square Piloted 4-Bolt Flange Units**

UCFS ( <i>d</i> 25 ~ 140)	160
UKFS ( <i>d</i> <sup>1</sup> 20 ~ 125)	162

#### **Narrow Inner Ring Bearing 4-Bolt Flange Units**

SBF-RKP8 (d 20 ~ 40)	164
SAF-FP9 (d 20 ~ 55)	164

#### **Corrosion Resistant Series 4-Bolt Flange Units**

UCSF-H1S6 (d 20 ~ 60)	166
UCSF-EH1S6 (d 20 ~ 60)	168
UCVF-S6 (d 20 ~ 40)	170
UCVF-ES7 (d 20 ~ 40)	172

### **3 Oval Flange Units**

#### 2-Bolt Flange Units

· · · · · · · · · · · · · · · · ·	
UCFL (d 12 ~ 120)	
UCFL-E (d 12 ~ 85)	180
NANFL (d 12 ~ 55)	
NCFL (d 20 ~ 60)	
NCFL-E (d 20 ~ 60)	
UKFL ( <i>d</i> <sub>1</sub> 20 ~ 110)	190
Adjustable 2-Bolt Flange Units	
UCFA (d 12 ~ 55)	194
3-Bolt Flange Units	
UCFB (d 12 ~ 50)	196
Narrow Inner Ring Bearing 2-Bolt Flange Unit	5
SBFL-RKP8 (d 20 ~ 40)	198
SAFL-FP9 ( <i>d</i> 20 ~ 55)	
Light 3-Bolt Flange Units	
SBTFD-H4RKP8 (d 12 ~ 35)	200
SATFD-FH4P9 (d 12 ~ 35)	
Light 2-Bolt Flange Units	
BLF (d 12 ~ 35)	202
ALE $(d \ 12 \sim 35)$	

	-i (u	12~	55).				 	 20
Com	pact	t 2-B	olt F	lang	e Un	its		

UFL (d 8 ~ 30)	 204

#### **Corrosion Resistant Series 2-Bolt Flange Units**

<b>Corrosion Resistant Series 3-Bolt Flange Units</b>	5
UCVFL-ES7 (d 20 ~ 40)	214
UCVFL-S6 (d 20 ~ 40)	212
USFL-S6 (d 10 ~ 30)	210
UCSFL-EH1S6 (d 12 ~ 50)	208
UCSFL-H1S6 (d 12 ~ 50)	206

ι	ICVFB-ES7 (d 20 ~ 35)	 216

## 4 4-Bolt Flange Cartridge Units

4-Bolt I	Flange	Cartridge	Units
----------	--------	-----------	-------

	boit i lange car triage offics	
	UCFC (d 12 ~ 100)	218
	UCFCX-E (d 25 ~ 100)	222
	UCFCF ( <i>d</i> 25 ~ 55)	
	NCFC ( <i>d</i> 20 ~ 60)	
	UKFC ( <i>d</i> <sub>1</sub> 20 ~ 90)	228
N	arrow Inner Ring Bearing	
4-	Bolt Flange Cartridge Units	
		000
	SBFC-RKP8 ( <i>d</i> 20 ~ 40)	
	SAFC-FP9 ( <i>d</i> 20 ~ 55)	232
C	orrosion Resistant Series	
4.	Bolt Flange Cartridge Units	
	UCSFC-H1S6 ( <i>d</i> 20 ~ 40)	234
5 Stan	nped Steel Flange Units	
St	tamped Steel 3-Bolt Flange Cartridge Units	
	SBPF ( <i>d</i> 12 ~ 35)	236
	SAPF ( <i>d</i> 12 ~ 35)	
		200
St	tamped Steel 2-Bolt Flange Units	
	SBPFL (d 12 ~ 35)	238
	SAPFL ( <i>d</i> 12 ~ 35)	
	·····	
6 Take	-Up Units	
	•	
Ta	ake-Up Units	
	UCT ( <i>d</i> 12 ~ 140)	240
	UCT-E ( <i>d</i> 12 ~ 85)	246
	NAT-E ( <i>d</i> 12 ~ 75)	
	NCT ( <i>d</i> 20 ~ 60)	
	NCT-E ( <i>d</i> 20 ~ 60)	
	UKT ( <i>d</i> <sub>1</sub> 20 ~ 125)	256
N	arrow Slot Take-Up Units	
	UCTRS ( <i>d</i> 25 ~ 35)	260
-		
C	orrosion Resistant Series Take-Up Units	
	UCST-H1S6 ( <i>d</i> 20 ~ 50)	262
	UCST-EH1S6 (d 20 ~ 50)	264
5		
50	ection Steel Frame Take-Up Units	
	UCTH ( <i>d</i> 12 ~ 65)	266
C	hannel Steel Frame Take-Up Units	
	UCTL ( <i>d</i> 20 ~ 45)	268
	UCTU ( <i>d</i> 40 ~ 90)	
		210
St	teel Plate Frame Take-Up Units	
	SBPTH (d 12 ~ 25)	274
	SBNPTH ( <i>d</i> 12 ~ 25)	

## 7 Other Units

#### **Cartridge Units**

UCC (d 12 ~ 140)	. 278
UKC (d 20 ~ 125)	. 282
Hanger Units	

## UCHA (*d* 12 ~ 75) ...... 284

## 8 Ball Bearing Inserts

<b>Cylindrical bore (with set screws)</b> UC, SB, SB-RKP8, SU ( <i>d</i> 8 ~ 140)286
Stainless steel series Cylindrical bore (with set screws)
UC-S6, SU-S6 ( <i>d</i> 10 ~ 60)
<b>Cylindrical bore (with eccentric locking collar)</b> SA, SA-F, NA ( <i>d</i> 12 ~ 75)296
<b>Cylindrical bore (with concentric locking collar)</b> NC2 ( <i>d</i> 20 ~ 60)
Cylindrical bore (with concentric locking collar) Cylindrical O. D.
ERC ( <i>d</i> 20 ~ 60)
Tapered bore (with adapter)
UK (d <sub>1</sub> 20 ~ 125)
Cylindrical bore (with set screws) Cylindrical O. D.
ER, RB ( <i>d</i> 12 ~ 60)312
Cylindrical bore (with set screws) Cylindrical O. D.
SBB-RK (d 12 ~ 55)
Cylindrical bore (with eccentric locking collar) Cylindrical O. D.
SAA-FP7 ( <i>d</i> 12 ~ 55)314
Cylindrical bore
SC ( <i>d</i> 17 ~ 40)
9 Bearing Adapter

#### UCP

#### With Pressed Steel Cover















Shaft Dia.							Dim	nensio	ns						B	olt		Standard				Bas	sic	Factor		With Pressed St	teel Cov	/er			With Cast Iro	n Cover	
mm inch								inch								ize	Unit	Housing	Bearing	1	Mass	Load R			Uni	t No.		ension	Mass	Uni	it No.	Dimension	Mas
								mm									No.	No.	No.			kľ	-									mm inch	
J		, ,		٨	т	N			77	T	T	т	D	6		ich					ha			£	Open Type	One Side			ha	Open Type	One Side		
d	H		<u> </u>	Α	J	N		$N_1$	$H_1$	П	$H_2$	$L_1$	В	S	n	ım					kg	$C_{ m r}$	$C_{0r}$	fo		Closed Type	F	$A_{\rm s}$	kg		Closed Type	$A_{c}$	kg
12																	UCP201		UC201		0.63				UCP201C	UCP201CD	45	1 <sup>25</sup> / <sub>32</sub>	0.63	-	-		-
1/2	1 3/	16 5	5	1 <sup>1</sup> /2	3 <sup>3</sup> /4	<sup>1</sup> / <sub>2</sub>	2 2	<sup>23</sup> / <sub>32</sub>	5/8	2	<sup>3</sup> /8	1 <sup>13</sup> /32	1.220	0.5	00	/8	UCP201-8		UC201-8		0.63				-	-	_	-	-	-	-		-
15	30.	.2 12	27	38	95	13	3	18	16	6	50	36	31	12	7 N	110	UCP202	P203	UC202		0.61	12.8	6.65	13.2	UCP202C	UCP202CD	45	1 <sup>25</sup> / <sub>32</sub>	0.61	-	-		-
<sup>5</sup> /8																	UCP202-10 UCP203		UC202-10 UC203		0.61 0.60				– UCP203C	UCP203CD	-	- 1 <sup>25</sup> / <sub>32</sub>	0.60	-	-		-
3/4	1 5/	/ <sub>16</sub> 5		<b>1</b> <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>4</sub>	1/2	, :	<sup>23</sup> / <sub>32</sub>	5/8	2 9	9/16	1 13/32	1.220	0.5	00	_	UCP203		UC203		0.66					- -	- 45	-	0.00				
20	33.			38	95	13		18	16		55	36	31				UCP204	P204	UC204		0.66	12.8	6.65	13.2	UCP204C	UCP204CD	45	1 <sup>25</sup> /32	0.66	UCP204FC	UCP204FCD	62 2 <sup>7</sup> / <sub>16</sub>	0.9
7/8																	UCP205-14		UC205-14		0.80				-	-	-	-	-	-	_		-
15/16	1 7/	16 5 <sup>1</sup>	/2	1 <sup>1</sup> / <sub>2</sub>	<b>4</b> <sup>1</sup> / <sub>8</sub>	1/2	2 2	<sup>23</sup> / <sub>32</sub>	<sup>5</sup> /8	2	3/4	<b>1</b> <sup>1</sup> / <sub>2</sub>	1.343	0.5	53	/8	UCP205-15	P205	UC205-15		0.80	14.0	7 85	13.9	-	-	_	-	-	-	-		-
	36.	5 14	10	38	105	13	3	18	16	7	70	38	34.1	14	.3 N	110	UCP205	1 205	UC205		0.80	14.0	7.05	13.9	UCP205C	UCP205CD	49	1 <sup>15</sup> / <sub>16</sub>	0.80	UCP205FC	UCP205FCD	66 2 <sup>19</sup> / <sub>32</sub>	2 1.2
25 1					. 11 /	21.4		21.4	5.1		24	4 377				_	UCP205-16		UC205-16		0.80			-	-	-	-	-	-	-	-		
1		4 6 <sup>1</sup>			4 <sup>11</sup> / <sub>16</sub>			<sup>31</sup> / <sub>32</sub>	<sup>5</sup> /8			1 <sup>27</sup> /32					UCPX05	PX05	UCX05		1.5	19.5	11.3	13.9	UCPX05C	UCPX05CD	53	2 <sup>3</sup> / <sub>32</sub>	1.5	-	-		-
	44.	4 15 / <sub>64</sub> 6 <sup>7</sup>	-	51 1 <sup>3</sup> /4	119 5 <sup>3</sup> /16	17 <sup>21</sup> / <sub>3</sub>		25 <sup>25</sup> / <sub>32</sub>	16 <sup>5</sup> /8		36	47 2 <sup>5</sup> / <sub>32</sub>	38.1			_	UCPX05-16 UCP305		UCX05-16 UC305		1.5 1.7					_	_		-	 UCP305C	 UCP305CD	76 3	2.3
1	45			45	132	17		20	16		35	55	38				UCP305-16	P305	UC305-16		1.7	21.2	10.9	12.6	_	_	_	_	_	-	-		
1 <sup>1</sup> /8			5					20								_	UCP206-18		UC206-18		1.3				_	-	_	-	-	-	_		-
	1 11/	/16 6 1	/2	1 7/8	<b>4</b> <sup>3</sup> / <sub>4</sub>	21/3	32	<sup>13</sup> /16	<sup>21</sup> / <sub>32</sub>	3 5	<sup>5</sup> / <sub>16</sub>	1 7/8	1.500	0.6	26	/2	UCP206	D206	UC206		1.3	10.5	11.2	12.0	UCP206C	UCP206CD	53	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.3	UCP206FC	UCP206FCD	70 2 <sup>3</sup> /4	1.8
1 <sup>3</sup> / <sub>16</sub>	42.	.9 16	55	48	121	17	7	21	17	8	34	48	38.1	15	.9 N	114	UCP206-19	P206	UC206-19		1.3	19.5	11.3	13.9	-	-	-	-	-	-	-		-
1 <sup>1</sup> / <sub>4</sub>																_	UCP206-20		UC206-20		1.3				_	_	-	-	-	-			
30	17/	/8 67	/8	2 <sup>1</sup> /4	5	21/3	32	31/32	21/32	<b>3</b> 2	<sup>21</sup> / <sub>32</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	1.689	0.6	39	/2	UCPX06		UCX06		2.1				UCPX06C	UCPX06CD	60	2 <sup>3</sup> /8	2.1	-	-		-
1 <sup>3</sup> / <sub>16</sub>	47.	.6 17	'5	57	127	17	7	25	17	9	93	55	42.9	17	.5 N	114	UCPX06-19	PX06	UCX06-19		2.1	25.7	15.4	13.9	-	-	-	-	-	-	-		-
1 <sup>1</sup> /4	1 31/	/ <sub>32</sub> 7 <sup>3</sup>	/22 *	31/22	5 1/2	21/3	22	25/32	21/32	3	3/4	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.693	3 0.6	50 1	/2	UCPX06-20		UCX06-20		2.1				_	-	-	_	-	-			
-	50			50	140	17		20	17		95	53	43			114	UCP306	P306	UC306		2.2	26.7	15.0	13.3	-	-	-	-	-	UCP306C	UCP306CD	82 3 <sup>7</sup> / <sub>32</sub>	2.8
1 <sup>1</sup> / <sub>4</sub>		<u> </u>						20								_	UCP207-20		UC207-20		1.6				-	-	-	_	-	-	-		-
1 <sup>5</sup> /16	17	1. 69	1	17/-	-	21/-		137	23/	2	37.	1 27 /	1 6 0 0	0.6		4	UCP207-21		UC207-21		1.6				-	-	-	-	-	-	-		-
1 <sup>3</sup> /8	47.	/8 6°. 6 16		1 <sup>7</sup> /8 48	5 127	<sup>21</sup> / <sub>3</sub> 17		<sup>13</sup> / <sub>16</sub> 21	<sup>23</sup> / <sub>32</sub> 18		<sup>3</sup> / <sub>4</sub> 95	1 <sup>27</sup> / <sub>32</sub> 47	42.9			/2 114	UCP207-22	P207	UC207-22		1.6	25.7	15.4	13.9	-	-	-	-	-	-	-		-
		.0 10	,,	40	127	17		21	10	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-1/	72.7	17	.5		UCP207		UC207		1.6				UCP207C	UCP207CD	60	2 <sup>3</sup> /8	1.6	UCP207FC	UCP207FCD	78 3 <sup>1</sup> / <sub>16</sub>	2.3
35 1 7/16															_	_	UCP207-23		UC207-23		1.6				-	-	-	-	-	-	-		
1 3/8	2 <sup>1</sup> /	/8 8	3	2 <sup>1</sup> /4	5 <sup>21</sup> / <sub>32</sub>	<sup>21</sup> /3	32 1	<b>1</b> <sup>3</sup> /16	3/4	4	1/8	<b>2</b> <sup>17</sup> / <sub>32</sub>	1.937	0.7	18	/2	UCPX07-22	PX07	UCX07-22 UCX07		2.7	20.1	17.0	140	-		-	-	-	-	-		-
1 7/16	54	1 20	)3	57	144	17	7	30	19	10	05	64	49.2	19	) N	114	UCPX07 UCPX07-23	PA07	UCX07-23		2.7 2.7	29.1	17.8	14.0	UCPX07C	UCPX07CD	69 _	2 <sup>23</sup> / <sub>32</sub>	2.7	_	_		_
1 / 16	2 <sup>13</sup> /	/64 8 <sup>9</sup>	/32	2 <sup>7</sup> /32	6 <sup>5</sup> /16	21/3	32	<sup>31</sup> / <sub>32</sub>	3/4	47	7/32	2 <sup>9</sup> /16	1.890	0.7	<b>1</b> 8 <sup>1</sup>	/2											-		_				
-	56			56	160	17		25	19		07	65	48	19		114	UCP307	P307	UC307		3.0	33.4	19.3	13.2	-	-	-	-	-	UCP307C	UCP307CD	88 3 <sup>15</sup> / <sub>32</sub>	2 3.8
1 <sup>1</sup> /2	1 15/	/16 7 <sup>1</sup>	1.	21/2	5 <sup>13</sup> / <sub>32</sub>	<sup>21</sup> /3		<sup>13</sup> /16	<sup>23</sup> / <sub>32</sub>	<b>2</b> 2	<sup>27</sup> /32	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.937	7 0.7	10 1	/2	UCP208-24		UC208-24		2.0				-	-	-	-	-	-	-		-
1 <sup>9</sup> / <sub>16</sub>	49.			2 ·78 54	137	17		21	18		98	53	49.2			114	UCP208-25	P208	UC208-25		2.0	29.1	17.8	14.0	-	-	-	-	-	-	-		-
																_	UCP208		UC208		2.0				UCP208C	UCP208CD	69	2 <sup>23</sup> / <sub>32</sub>	2.0	UCP208FC	UCP208FCD	86 3 3/8	2.8
<b>40</b>   1 <sup>1</sup> / <sub>2</sub>	25/			2 <sup>5</sup> /8	6 <sup>5</sup> /32	<sup>25</sup> / <sub>3</sub>		1 <sup>1</sup> /4	<sup>13</sup> / <sub>16</sub>			2 <sup>25</sup> / <sub>32</sub>			-		UCPX08-24	PX08	UCX08-24		3.5	34.1	21.3	14.0			-	-	-	-	-		-
1 1/2	58. 2 <sup>23</sup>			67 2 <sup>3</sup> /•	156 6 <sup>11</sup> /16	20		32 1 <sup>1</sup> / <sub>16</sub>	21 <sup>3</sup> /4		14 21/22	71 2 <sup>9</sup> / <sub>16</sub>	49.2			_	UCPX08 UCP308-24		UCX08 UC308-24		3.5 3.8				UCPX08C	UCPX08CD	69	2 <sup>23</sup> / <sub>32</sub>	3.5	_	-		-
1 /2	60			2 -78 60	170	17		27	-74 19		18	65	52				UCP308-24	P308	UC308-24		3.8	40.7	24.0	13.2	_	_	_	_		UCP308C	UCP308CD	 96 3 <sup>25</sup> /32	2 4.8
1 5/8				~~		.,							52			_	UCP209-26		UC209-26		2.2				-	-	_	_	_	-	-		-
1 11/16	2 1/	/ <sub>8</sub> 7 <sup>15</sup>	/32	2 <sup>1</sup> /8	5 <sup>3</sup> / <sub>4</sub>	21/3	32	<sup>13</sup> / <sub>16</sub>	<sup>25</sup> / <sub>32</sub>	4 <sup>3</sup>	<sup>3</sup> / <sub>16</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	1.937	0.7	18		UCP209-27	D200	UC209-27		2.2	24.1	21.2	140	-	-	-	_	-	-	-		-
1 <sup>3</sup> /4	54	l 19	90	54	146	17		21	20	10	06	55	49.2	19	) N	114	UCP209-28	P209	UC209-28		2.2	34.1	21.3	14.0	-	-	-	-	-	-	-		-
45																_	UCP209		UC209		2.2				UCP209C	UCP209CD	69	2 <sup>23</sup> / <sub>32</sub>	2.2	UCP209FC	UCP209FCD	88 3 <sup>15</sup> / <sub>32</sub>	2 3.0
1 <sup>11</sup> /16	2 5/	16 8 <sup>3</sup>	<sup>8</sup> /4	2 <sup>5</sup> /8	6 5/32	25/3	32 1	1 5/16	13/16	4 <sup>g</sup>	9/16	2 <sup>25</sup> /32	2.031	0.7	18		UCPX09-27		UCX09-27		3.7				-	-	-	-	-	-	-		-
1 <sup>3</sup> / <sub>4</sub>	58.				156			33				71				116	UCPX09-28	PX09	UCX09-28		3.7	35.1	23.3	14.4	-	-	-	-	-	-	-		-
				-													UCPX09		UCX09		3.7				UCPX09C	UCPX09CD		2 <sup>29</sup> / <sub>32</sub>		-	-		
A-1	t No. d /4-28	o. of uni of applic UNF	able o 20	grease 1~210	fittings , X05~X	are sh (09, 30	iown k 05~30	below. )8	ollow b	bore d	diame	ter num	bers. (	See <b>Ta</b> k	ole 10.5	in P.6.	2.)			4. 5.	(Examp For the Repres	ole of Par dimensi entative	t No. : U ons and example	CP206JL3 forms of es of the fe	, UC206L3)						) follows the Part	No. of unit or b	earing.





#### With Cast Iron Cover



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{H\rm s})$ 

#### 

			Unit: mm
	Housing No.		$\Delta_{Hs}$
P203~P210	PX05~PX10	P305~P310	±0.15
P211~P218	PX11~PX18	P311~P318	±0.2
	PX20	P319~P328	±0.3

Forms and dimensions of  $H_{\rm 2c}$  of P204JE3 and P205JE3 (housing with cast iron cover) are shown below.



P204JE3  $H_{2c}$  = 70 mm P205JE3  $H_{2c}$  = 77 mm

#### UCP

#### With Pressed Steel Cover









Sha	ft Dia.					1	Dimen	nsions						Bo	t	(	Standard				Bas	sic	Factor		With Pressed S	teel Cover			With Cast Iro	n Cover	
	inch						ind							Siz		Unit	Housing	Bearing		Mass	Load R		lactor	Uni	it No.	Dimension	Mass	Uni	it No.	Dimensio	n Mass
	men						m							512		No.	No.	No.		mass	kl	-				mm inch	Mass	- Chi		mm inc	_
														inc	h									Open Type	One Side	iiiii iiicii		Open Type	One Side		
	d	H	L	Α	J	N	$N_{i}$	1 .	$H_1$	$H_2$	$L_1$	E	3	5 m	1					kg	$C_{ m r}$	$C_{0\mathrm{r}}$	fo		Closed Type	$A_{ m s}$	kg		Closed Type	$A_{ m c}$	kg
	1 <sup>3</sup> / <sub>4</sub>	2 <sup>41</sup> / <sub>64</sub>	9 <sup>21</sup> / <sub>32</sub>	2 <sup>5</sup> /8	7 <sup>15</sup> /32	25/32	1 <sup>3</sup> /	/16 1	<sup>13</sup> /16	5 <sup>3</sup> /16	2 <sup>15</sup> /1	6 2.2	44 0.8	66 5/8	UCP	P309-28		UC309-28		4.9			100	_	-		-	-	_		
45		67	245	67	190	20	30	0	21	132	75	5	7 2	2 M1	6 UCP	P309	P309	UC309		4.9	48.9	29.5	13.3	_	-		_	UCP309C	UCP309CD	102 4 <sup>1</sup> /	32 6.2
	1 7/8														UCP	P210-30		UC210-30		2.9				-	-		-	-	-		
	1 15/16	2 <sup>1</sup> / <sub>4</sub>	8 <sup>1</sup> /8	2 <sup>3</sup> /8	6 <sup>1</sup> / <sub>4</sub>	<sup>25</sup> / <sub>32</sub>	7/8	8 1	<sup>13</sup> / <sub>16</sub>	4 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> /8	2.0	31 0.	48 5/8	UCP	P210-31	P210	UC210-31		2.9	25.1	22.2	144	-	-		-	-	-		
		57.2	206	60	159	20	22	2	21	113	60	51	.6 1	9 M1	6 UCP	P210	PZIU	UC210		2.9	35.1	23.3	14.4	UCP210C	UCP210CD	74 2 <sup>29</sup> / <sub>32</sub>	2.9	UCP210FC	UCP210FCD	97 3 <sup>13</sup>	/16 3.9
	2														UCP	P210-32		UC210-32		2.9				-	_		-	-	-		
50	1 15/16	2 1/2	<b>9</b> 1/2	2 7/8	6 23/22	25/32	1 <sup>13</sup> /	/22	7/8	4 <sup>31</sup> / <sub>32</sub>	2 3	2.1	89 0.8	5/1		PX10-31		UCX10-31		4.6				-	-		-	-	-		
			241		171	20	36		22	126		55				PX10	PX10	UCX10		4.6	43.4	29.4	14.4	UCPX10C	UCPX10CD	76 3	4.6	-	-		
	2														UCP	PX10-32		UCX10-32		4.6				_	_		-	-			
	_		10 <sup>13</sup> / <sub>16</sub>				1 <sup>3</sup> /			5 <sup>13</sup> /16						P310	P310	UC310		6.6	62.0	38.3	13.2	_	_		_	UCP310C	UCP310CD	110 4 11	/32 8.2
		75	275	75	212	20	35	5	24	148	88	6	1 2	2 M1	5																
	2				e 22.4	25.4	- /		20.4		• • • •			-		P211-32		UC211-32		3.6				-	-		-	-	-		
	2 <sup>1</sup> /8		8 5/8				7/8				2 <b>2</b> %16					P211-34	P211	UC211-34		3.6	43.4	29.4	14.4	-	-		-	-	-		
	2.24	63.5	219	60	171	20	22	2	23	125	65	55	.6 2	2.2 M1		P211		UC211		3.6				UCP211C	UCP211CD	76 3	3.6	UCP211FC	UCP211FCD	99 3 <sup>29</sup>	/32 4.8
	2 <sup>3</sup> /16														_	P211-35 PX11		UC211-35 UCX11		3.6 6.5				UCPX11C	UCPX11CD	 89 3 <sup>1</sup> / <sub>2</sub>	6.5	-			
55	2 <sup>3</sup> /16	2 <sup>3</sup> / <sub>4</sub>	10 <sup>1</sup> / <sub>4</sub>	3 <sup>1</sup> /8	<b>7</b> <sup>1</sup> / <sub>4</sub>	<sup>31</sup> / <sub>32</sub>	1 <sup>13</sup> /	/32 1	1 <sup>3</sup> / <sub>32</sub>	5 <sup>15</sup> / <sub>32</sub>	2 <b>3</b> <sup>9</sup> / <sub>32</sub>	2.5	63 1.0	00 <sup>3</sup> /		PX11-35	PX11	UCX11-35		6.5	52.4	36.2	14.4	UCPATIC	UCPATICD	09 5 72	0.5	-	-		
	2 <sup>-/16</sup> 2 <sup>1</sup> /4	69.8	260	79	184	25	36	б	28	139	83	65	.1 2	5.4 M2		PX11-35	FAII	UCX11-35		6.5	J2.4	50.2	14.4	_	-		_	-	-		
	2 74															P311-30		UC311-30		7.9											-
		<b>3</b> <sup>5</sup> / <sub>32</sub>	12 <sup>7</sup> /32	<b>3</b> <sup>5</sup> / <sub>32</sub>	<b>9</b> <sup>9</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 <sup>1</sup> /	/2 1	<b>l</b> 1/16	6 <sup>7</sup> /32	3 <sup>17</sup> /3	2 <b>2.5</b>	98 0.9	84 5/8		P311	P311	UC311		7.9	71.6	45.0	13.2	_	_			UCP311C	UCP311CD	114 4 <sup>1</sup> /	9.7
	2 3/16	80	310	80	236	20	38	8	27	158	90	6	6 2	5 M1	5	P311-35	1.511	UC311-35		7.9	71.0	45.0	13.2	_	_			-	-		
	2 <sup>1</sup> /4															P212-36		UC212-36		4.9				_	_		-	_	_		
		2 <sup>3</sup> /4	<b>9</b> <sup>1</sup> / <sub>2</sub>	2 <sup>3</sup> /4	7 <sup>1</sup> /4	<sup>25</sup> / <sub>32</sub>	31/3	32 3	<sup>31</sup> /32	5 <sup>7</sup> /16	2 <sup>7</sup> /8	2.5	63 1.0	5/1	UCP	P212	_	UC212		4.9				UCP212C	UCP212CD	89 3 <sup>1</sup> / <sub>2</sub>	4.9	UCP212FC	UCP212FCD	114 4 1/	6.4
	2 3/8	69.8	241	70	184	20	25		25	138	73	65	.1 2	5.4 M1	6 UCP	P212-38	P212	UC212-38		4.9	52.4	36.2	14.4	_	_		_	_	_		
~~~	2 7/16														UCP	P212-39		UC212-39		4.9				_	-		_	-	-		
60		3	11 <sup>1</sup> / <sub>4</sub>	3 <sup>1</sup> / <sub>4</sub>	8	<sup>31</sup> / <sub>32</sub>	1 %	/16 1	1 <sup>3</sup> / <sub>32</sub>	5 <sup>31</sup> / <sub>32</sub>	2 <b>3</b> <sup>15</sup> / <sub>3</sub>	2 <b>2.5</b>	63 1.0	00 <sup>3</sup> /	UCP	PX12	DV12	UCX12		7.7	57.2	40.1	14.4	UCPX12C	UCPX12CD	89 3 <sup>1</sup> / <sub>2</sub>	7.7	-	_		
	2 7/16	76.2	286	83	203	25	40	0	28	152	88	65	.1 2	5.4 M2	UCP	PX12-39	PX12	UCX12-39		7.7	57.2	40.1	14.4	-	-		-	-	-		
		3 <sup>11</sup> / <sub>32</sub>	13	<b>3</b> <sup>11</sup> / <sub>32</sub>	9 <sup>27</sup> / <sub>32</sub>	<sup>31</sup> / <sub>32</sub>	1 <sup>1</sup> /	/2 1	1 <sup>5</sup> / <sub>32</sub>	<b>6</b> %/16	4 <sup>1</sup> / <sub>16</sub>	5 <b>2.7</b>	95 1.0	24 <sup>3</sup> /4	UCP	P312	P312	UC312		9.5	81.9	52.2	13.2	-	-		-	UCP312C	UCP312CD	124 4 7/	8 11.8
	2 7/16	85	330	85	250	25	38		29	167	103			6 M2		P312-39	1 512	UC312-39		9.5	01.9	52.2	13.2	-	-		-	-			
	2 <sup>1</sup> /2	3		2 <sup>3</sup> / <sub>4</sub>	8	31/32	1 <sup>3</sup> /			5 <sup>29</sup> / <sub>32</sub>				00 <sup>3</sup> /4		P213-40	P213	UC213-40		5.9	57.2	40.1	14.4	-	-		-	-	-		
		76.2	265	70	203	25	30		27	150		65				P213		UC213		5.9				UCP213C	UCP213CD	89 3 <sup>1</sup> / <sub>2</sub>	5.9	UCP213FC	UCP213FCD	114 4 1/	2 7.6
65	2 <sup>1</sup> /2	3		3 <sup>1</sup> / <sub>4</sub>	8	31/32	1 %		1 <sup>3</sup> / <sub>32</sub>	6 <sup>3</sup> / <sub>32</sub>						PX13-40	PX13	UCX13-40		8.1	62.2	44.1	14.5	-	-		-	-	-		
	21/	76.2	286	83	203	25	40	-	28	155	88	74		0.2 M2		PX13		UCX13		8.1				UCPX13C	UCPX13CD	99 3 <sup>29</sup> / <sub>32</sub>		-	-		
	2 <sup>1</sup> /2		13 <sup>3</sup> /8 340	3 <sup>17</sup> / <sub>32</sub> 90	10 <sup>1</sup> / <sub>4</sub>		1 <sup>1</sup> / 29		1 <sup>1</sup> / <sub>4</sub> 32	6 <sup>15</sup> / <sub>16</sub>						P313-40 P313	P313	UC313-40 UC313	1	10.7 10.7	92.7	59.9	13.2	_	-		-	-			
	2 <sup>3</sup> /4	90 3 1/o			260 8 <sup>9</sup> / <sub>32</sub>	25 <sup>31</sup> / <sub>32</sub>	38 1 <sup>3</sup> /		32 1 <sup>1</sup> /16	6 <sup>3</sup> /16				0 M2 89 <sup>3</sup> /4		P313 P214-44		UC313 UC214-44		6.8			-	_				UCP313C	UCP313CD	122 4 13	/16 12.8
	2-/4	79.4	266	72 72	8 <sup>3</sup> /32 210	25	30		27	157	75			0.2 M2		P214-44 P214	P214	UC214-44 UC214		6.8	62.2	44.1	14.5	UCP214C	UCP214CD	 99 3 <sup>29/32</sup>	6.8	UCP214FC	UCP214FCD	124 4 7/	8.7
	2 <sup>3</sup> /4	3 <sup>1/2</sup>		3 <sup>1</sup> / <sub>2</sub>	9	25 1 <sup>1</sup> /16				6 <sup>23</sup> /32						PZ14 PX14-44		UC214 UCX14-44		10.2							0.8	-	-		<u>8</u> 0./
70	2 /4	88.9	330	89	229	27	50		32	171	2 <b>J</b> 75. 98	2 J.0 77				PX14	PX14	UCX14	1	10.2	67.4	48.3	14.5	UCPX14C	UCPX14CD	<b>99 3</b> <sup>29</sup> / <sub>32</sub>		_	_	_	
	2 <sup>3</sup> /4		14 <sup>3</sup> /16						1 <sup>3</sup> /8	7 5/16						P314-44		UC314-44		12.4				-	-		-			_	
	_ /.	95	360	90	280	27	40		35	186				3 M2		P314	P314	UC314		12.4	104	68.2	13.2	_	_		_	UCP314C	UCP314CD	124 4 7/	8 14.7
	2 15/16														UCP	P215-47		UC215-47		7.4				_	-		-	-	-		
		3 1/4	10 <sup>13</sup> / <sub>16</sub>								3 1/16				UCP	P215	P215	UC215		7.4	67.4	48.3	14.5	UCP215C	UCP215CD	<b>99 3</b> <sup>29</sup> / <sub>32</sub>	7.4	UCP215FC	UCP215FCD	124 47/	8 9.3
	3	82.6	275	74	217	25	30	U	28	162	78	77	.8 3	3.3 M2		P215-48		UC215-48		7.4				-	-		_	_	-		
75	3 2 <sup>15</sup> / <sub>16</sub>	2.14	12	2.17	0	1.17	4.25		11/	671	2 20 (		FD 41		UCP	PX15-47		UCX15-47		10.8				-	-		-	-	-		
		0 /2		3 <sup>1/2</sup>							3 <sup>29</sup> /3					PX15	PX15	UCX15		10.8	72.7	53.0	14.6	UCPX15C	UCPX15CD	109 4 <sup>9</sup> / <sub>32</sub>	10.8	-	-		-   _
	3	88.9	330	89	229	27	50	U	32	175	99	82	.6 3	3.3 M2	UCP	PX15-48		UCX15-48		10.8				-	-		-	-	-		

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.) 2. Part No. of applicable grease fittings are shown below. 

(Example of Part No. : UCP206JL3, UC206L3)

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.





#### With Cast Iron Cover



Variations of tolerance of distance from mounting bottom to center of spherical bore ( $\Delta_{Hs}$ )

#### 

			Unit: mm
	Housing No.		$\Delta_{Hs}$
P203~P210	PX05~PX10	P305~P310	±0.15
P211~P218	PX11~PX18	P311~P318	±0.2
	PX20	P319~P328	±0.3

Forms and dimensions of  $H_{\rm 2c}$  of P204JE3 and P205JE3 (housing with cast iron cover) are shown below.



P204JE3  $H_{2c}$  = 70 mm P205JE3  $H_{2c}$  = 77 mm

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing.

#### UCP

#### With Pressed Steel Cover







Sha	ft Dia.	Dimensions	Bolt	Cta	ndard				Basic	Factor		With Pressed S	aal Cow	or			With Cast Iro	Cover	
	inch		Size		lousing	Bearing	Mas	ss 1/	basic bad Rating			t No.		ension	Mass	Unit		Dimensior	n Mass
111111	men	mm		No.	No.	No.	IVIG3.	35 L(	kN	13			mm	inch	INIG33	onn		mm inc	
		II	nch	140.		140.			R14		Open Type	One Side		men		Open Type	One Side		
	d	$H$ $L$ $A$ $J$ $N$ $N_1$ $H_1$ $H_2$ $L_1$ $B$ $S$ $n$	mm				kg	g (	$C_{\rm r}$ $C_{0i}$	r fo		Closed Type	A	$A_{s}$	kg		Closed Type	$A_{ m c}$	kg
	2 15/16		7/ UC	P315-47		UC315-47	14.8	8			-	-	-	-	-	-	-		-
75			<sup>7/8</sup> UC	P315	P315	UC315	14.8	8   11	3 77	.2 13.2	-	-	-	-	-	UCP315C	UCP315CD	134 5 <sup>9</sup> /	17.3
	3	100 380 100 290 27 40 35 198 107 82 32 N	M22 UC	P315-48		UC315-48	14.8	8			_	-	_	-	-	-	-		_
	3 <sup>1</sup> /8	3 <sup>1</sup> / <sub>2</sub> 11 <sup>1</sup> / <sub>2</sub> 3 <sup>1</sup> / <sub>16</sub> 9 <sup>1</sup> / <sub>8</sub> 3 <sup>1</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 1 <sup>3</sup> / <sub>16</sub> 6 <sup>27</sup> / <sub>32</sub> 3 <sup>9</sup> / <sub>32</sub> 3.252 1.311	<sup>3</sup> / <sub>4</sub> UC	P216-50	P216	UC216-50	9.0	0 -	72.7 53	.0 14.6	-	-	-	-	-	-	-		-
				P216	1210	UC216	9.0	0 (	2.7 55	.0 14.0	UCP216C	UCP216CD	109	4 <sup>9</sup> / <sub>32</sub>	9.0	UCP216FC	UCP216FCD	138 57/	11.4
80	_		<sup>7/8</sup> UC	PX16	PX16	UCX16	15.3	3 8	34.0 61	.9 14.5	UCPX16C	UCPX16CD	113	4 7/16	15.3	_	_		_
			M22																
	_		<sup>7</sup> / <sub>8</sub> UC	P316	P316	UC316	18.5	5   12	23 86	.7 13.3	_	-	_	-	_	UCP316C	UCP316CD	138 57/	21.4
_	3 1/4		M22 V22 3/4 UC	P217-52		UC217-52	10.8	Q			_		-	_			_		
	J /4			P217-52	P217	UC217-52	10.8	1 5	84.0 61	.9 14.5	UCP217C	UCP217CD		4 <sup>7</sup> / <sub>16</sub>	10.8	UCP217FC	UCP217FCD	142 5 <sup>19</sup> /	
				PX17		UCX17	16.1	1			UCPX17C	UCPX17CD		4 <sup>27</sup> / <sub>32</sub>	16.1	-	-		
85	3 7/16			PX17-55	PX17	UCX17-55	16.1		96.1 71	.5 14.5	_	_	_	_	_	_	_		_
			1		0017											11602476	110001700	146 53/	22.6
	-	112 420 110 320 33 45 40 220 120 96 40 N	M27	P317	P317	UC317	20.3	3 1:	33 96	.8 13.3	-	-	-	-	-	UCP317C	UCP317CD	146 5 <sup>3</sup> /4	23.6
	3 <sup>1</sup> / <sub>2</sub>	4 12 <sup>7</sup> / <sub>8</sub> 3 <sup>15</sup> / <sub>32</sub> 10 <sup>5</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>16</sub> 1 <sup>9</sup> / <sub>16</sub> 1 <sup>5</sup> / <sub>16</sub> 7 <sup>25</sup> / <sub>32</sub> 3 <sup>11</sup> / <sub>16</sub> 3.780 1.563	7/8 UC	P218-56	P218	UC218-56	13.9	9	96.1 71	.5 14.5	-	-	-	-	-	-	-		-
				P218	1210	UC218	13.9	9	0.1 71	.5 1.5	UCP218C	UCP218CD	123	4 <sup>27</sup> / <sub>32</sub>	13.9	UCP218FC	UCP218FCD	152 6	17.0
90	_		<sup>7/8</sup> UC	PX18	PX18	UCX18	19.1	1 10	9 81	.9 14.4	_	_	_	_	_	UCPX18C	UCPX18C	158 67/	22.5
			M22																
	3 1/2	$4^{41}/_{64} 16^{15}/_{16} 4^{11}/_{32} 13 1^{5}/_{16} 1^{25}/_{32} 1^{9}/_{16} 9^{7}/_{32} 4^{23}/_{32} 3.780 1.575$		P318-56	P318	UC318-56	22.8	14	43 107	13.3	-	-	_	-	-	-	-		
_			M27 UC	P318		UC318	22.8	8			-	_	-	-	_	UCP318C	UCP318CD	150 5 29	/32 26.6
95	-		1/8 UC	P319	P319	UC319	29.0	0 15	53 119	13.3	-	-	-	-	-	UCP319C	UCP319CD	162 6 <sup>3</sup> /8	33.3
				PX20		UCX20	30.4	4			_	_	_	_	_	UCPX20C	UCPX20CD	186 7 5/1	6 34.9
	3 15/16	$ \begin{bmatrix} 5 & 17 & 4^{3}/4 & 13^{1}/4 & 1^{5}/16 & 2^{9}/16 & 1^{25}/32 & 9^{21}/32 & 4^{31}/32 & 4.626 & 1.937 \end{bmatrix} $			PX20	UCX20-63	30.4		3 105	14.4	_	_	_	_	_	-	-		-
	4	127 432 121 337 33 65 45 245 126 117.5 49.2 N	M27	PX20-64		UCX20-64	30.4				_	-	_	_	_	_	_		_
100			UC	P320		UC320	35.1	1			-	-	_	-	-	UCP320C	UCP320CD	174 6 <sup>27</sup>	40.7
	3 15/16	6		P320-63	P320	UC320-63	35.1	1   17	73 141	13.2	-	-	-	-	-	-	-		_
	4	140 490 120 380 36 50 46 273 140 108 42 N	<sup>M30</sup> UC	P320-64		UC320-64	35.1	1			_	-	-	-	-	-	_		-
105			<sup>1 1/8</sup> UC	P321	P321	UC321	37.6	6 15	34 153	13.2	_	_	_	_		UCP321C	UCP321CD	178 <b>7</b>	43.6
105			M30		. 521	0.021	57.0			13.2						0013210	001 52105	170 7	
110	_		<sup>1 1/4</sup> UC	P322	P322	UC322	44.0	0 20	05 180	13.2	_	-	_	_		UCP322C	UCP322CD	188 7 <sup>13</sup> /	32 50.8
			M33																
120	-			P324	P324	UC324	55.4	4 20	07 185	13.5	-	-	-	-	-	UCP324C	UCP324CD	196 7 <sup>23</sup> /	/32 64.9
			M33																
130	-		M33 UC	P326	P326	UC326	72.1	1 22	29 214	13.6	-	-	-	-	-	UCP326C	UCP326CD	214 8 7/1	84.2
			1 1/4					_											
140	-		M33 UC	P328	P328	UC328	92.5	5 25	53 246	13.6	-	-	-	-	-	UCP328C	UCP328CD	222 8 <sup>3</sup> /4	108

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See **Table 10.5** in P.62.)

(Example of Part No. : UCP206JL3, UC206L3)

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.





#### With Cast Iron Cover



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{H\rm s})$ 

#### . . .

			Unit: mm
	Housing No.		$\Delta_{Hs}$
P203~P210	PX05~PX10	P305~P310	±0.15
P211~P218	PX11~PX18	P311~P318	±0.2
	PX20	P319~P328	±0.3

Forms and dimensions of  $H_{\rm 2c}$  of P204JE3 and P205JE3 (housing with cast iron cover) are shown below.



P204JE3  $H_{2c}$  = 70 mm P205JE3  $H_{2c}$  = 77 mm

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing.

#### NAP

Cylindrical bore

(with eccentric locking collar) *d* 12 ~ 75 mm





	<b>t Dia.</b> inch					D	imensio inch mm	ons					Bolt Size	Unit No.	Housing No.	Bearing No.		Load R	sic Ratings N	Factor	Mass
	d	H	L	Α	J	Ν	$N_1$	$H_1$	$H_2$	$L_1$	$B_1$	S	inch mm					C <sub>r</sub>	$C_{0r}$	fo	kg
12	1													NAP201		NA201					0.71
12	1/2													NAP201-8		NA201-8					0.71
15	12	1 <sup>3</sup> / <sub>16</sub>	5	<b>1</b> <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>4</sub>	1/2	<sup>23</sup> / <sub>32</sub>	5/8	2 <sup>3</sup> /8	1 <sup>13</sup> / <sub>32</sub>	1.720	0.673	3/8	NAP202	P203	NA202		12.8	6.65	13.2	0.69
	5/8	30.2	127	38	95	13	18	16	60	36	43.7	17.1	M10	NAP202-10	1205	NA202-10		12.0	0.05	13.2	0.05
17	/ 0													NAP203		NA203					0.66
	3/4	1 <sup>5</sup> / <sub>16</sub>	5	1 <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>4</sub>	1/2	23/32	5/8	2 <sup>9</sup> / <sub>16</sub>	1 <sup>13</sup> / <sub>32</sub>	1.720	0.673	3/8	NAP204-12		NA204-12					
20		33.3	127	38	95	13	18	16	65	36	43.7	17.1	M10	NAP204	P204	NA204		12.8	6.65	13.2	0.73
	7/8													NAP205-14		NA205-14					
	15/16	1 7/16	5 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub>	4 <sup>1</sup> /8	1/2	23/32	5/8	2 <sup>3</sup> /4	<b>1</b> <sup>1</sup> / <sub>2</sub>	1.748	0.689	3/8	NAP205-15	D205	NA205-15			7.05	12.0	0.07
25		36.5	140	38	105	13	18	16	70	38	44.4	17.5	M10	NAP205	P205	NA205		14.0	7.85	13.9	0.87
	1													NAP205-16		NA205-16					
	1 <sup>1</sup> /8													NAP206-18		NA206-18					
		1 11/16	6 <sup>1</sup> / <sub>2</sub>	1 7/8	<b>4</b> <sup>3</sup> / <sub>4</sub>	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> / <sub>16</sub>	<sup>21</sup> / <sub>32</sub>	3 5/16	1 7/8	1.906	0.720	1/2	NAP206	Daar	NA206		10.5		12.0	
30	1 <sup>3</sup> /16	42.9	165	48	121	17	21	17	84	48	48.4	18.3	M14	NAP206-19	P206	NA206-19		19.5	11.3	13.9	1.4
	1 <sup>1</sup> /4													NAP206-20		NA206-20					
	1 <sup>1</sup> / <sub>4</sub>													NAP207-20		NA207-20					
	1 <sup>5</sup> /16	17/	691	17/	-	21/	<sup>13</sup> /16	23/	3 <sup>3</sup> /4	1 27/	2.012	0.740	1/	NAP207-21		NA207-21					
35	1 3/8	1 7/8	6 <sup>9</sup> / <sub>16</sub>	1 7/8	5	<sup>21</sup> / <sub>32</sub>		<sup>23</sup> / <sub>32</sub>		1 <sup>27</sup> / <sub>32</sub>			1/2	NAP207-22	P207	NA207-22		25.7	15.4	13.9	1.8
		47.6	167	48	127	17	21	18	95	47	51.1	18.8	M14	NAP207		NA207					
	1 7/16													NAP207-23		NA207-23					
	1 <sup>1</sup> / <sub>2</sub>	1 <sup>15</sup> /16	7 <sup>1</sup> /4	2 <sup>1</sup> /8	5 <sup>13</sup> / <sub>32</sub>	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> /16	23/32	3 <sup>27</sup> / <sub>32</sub>	<b>2</b> <sup>3</sup> / <sub>32</sub>	2.217	0.843	1/2	NAP208-24		NA208-24					
40	1 <sup>9</sup> /16	49.2	184	2 ·78 54	137	17	21	18	98	53	56.3	21.4	M14	NAP208-25	P208	NA208-25		29.1	17.8	14.0	2.1
		49.2	104	54	157	17	21	10	90	55	50.5	21.4	10114	NAP208		NA208					
	1 5/8													NAP209-26		NA209-26					
45	1 <sup>11</sup> /16	2 <sup>1</sup> /8	<b>7</b> <sup>15</sup> / <sub>32</sub>	2 <sup>1</sup> /8	5 <sup>3</sup> /4	<sup>21</sup> /32	<sup>13</sup> /16	<sup>25</sup> / <sub>32</sub>	4 <sup>3</sup> /16	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.217	0.843	1/2	NAP209-27	P209	NA209-27		34.1	21.3	14.0	2.4
45	1 3/4	54	190	54	146	17	21	20	106	55	56.3	21.4	M14	NAP209-28	1205	NA209-28		54.1	21.5	14.0	2.4
														NAP209		NA209					
	1 7/8													NAP210-30		NA210-30					
50	1 15/16	2 <sup>1</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>8</sub>	2 <sup>3</sup> /8	6 <sup>1</sup> / <sub>4</sub>	<sup>25</sup> / <sub>32</sub>	7/8	13/16	4 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> /8	2.469	0.969	5/8	NAP210-31	P210	NA210-31		35.1	23.3	14.4	3.1
		57.2	206	60	159	20	22	21	113	60	62.7	24.6	M16	NAP210		NA210			2010		5
	2													NAP210-32		NA210-32					
	2													NAP211-32		NA211-32					
55	2 <sup>1</sup> / <sub>8</sub>	<b>2</b> <sup>1</sup> / <sub>2</sub>	8 5/8	2 <sup>3</sup> /8	6 <sup>23</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	7/8	<sup>29</sup> / <sub>32</sub>	4 <sup>29</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>16</sub>	2.811	1.094	5/8	NAP211-34	P211	NA211-34		43.4	29.4	14.4	3.9
		63.5	219	60	171	20	22	23	125	65	71.4	27.8	M16	NAP211		NA211					
_	2 <sup>3</sup> / <sub>16</sub>													NAP211-35		NA211-35					
	2 1/4					25.4	24.4		/					NAP212-36		NA212-36					
60		2 <sup>3</sup> /4	<b>9</b> <sup>1</sup> / <sub>2</sub>	2 <sup>3</sup> /4	7 1/4	<sup>25</sup> / <sub>32</sub>	31/32	31/32	5 <sup>7</sup> /16	2 7/8	3.063	1.220	5/8	NAP212	P212	NA212		52.4	36.2	14.4	5.2
	2 <sup>3</sup> /8	69.8	241	70	184	20	25	25	138	73	77.8	31	M16	NAP212-38		NA212-38					
	$\frac{2^{7}}{16}$	-	107/	234	<u> </u>	31 /	4.27	11/	E 20 /	21/	2 274	1 2 4 2	37	NAP212-39		NA212-39					
65	2 <sup>1</sup> /2	3	10 <sup>7</sup> /16	2 <sup>3</sup> /4	8	<sup>31</sup> / <sub>32</sub>	1 <sup>3</sup> /16	1 <sup>1</sup> /16	5 <sup>29</sup> / <sub>32</sub>	3 <sup>1</sup> /16	3.374	1.343	3/4	NAP213-40	P213	NA213-40		57.2	40.1	14.4	6.5
	23/	76.2	265	70 2 <sup>27</sup> / <sub>32</sub>	203	25	30	27	150 6 <sup>3</sup> / <sub>16</sub>	78 2 <sup>15</sup> /16	85.7	34.1	M20	NAP213		NA213					
70	2 <sup>3</sup> /4	3 <sup>1</sup> /8	10 <sup>15</sup> /32		8 <sup>9</sup> / <sub>32</sub>	<sup>31</sup> / <sub>32</sub>	1 <sup>3</sup> /16	1 <sup>1</sup> / <sub>16</sub> 27			3.374	1.343	<sup>3</sup> / <sub>4</sub>	NAP214-44	P214	NA214-44		62.2	44.1	14.5	7.7
	2 <sup>15</sup> /16	79.4 3 <sup>1</sup> /4	266 10 <sup>13</sup> /16	72 2 <sup>29</sup> / <sub>32</sub>	210 8 <sup>17</sup> / <sub>32</sub>	25 <sup>31</sup> / <sub>32</sub>	30 1 <sup>3</sup> / <sub>16</sub>	2/ 1 <sup>3</sup> /32	157 6 <sup>3</sup> /8	75 3 <sup>1</sup> / <sub>16</sub>	85.7 3.626	34.1 1.469	M20	NAP214 NAP215-47		NA214 NA215-47					
75	2 .5/16	82.6	275	2 23/32 74	8 <sup>17/32</sup> 217	25	30	28	162	3 1/16 78	3.020 92.1	37.3	M20	NAP215-47 NAP215	P215	NA215-47 NA215		67.4	48.3	14.5	7.9
		02.0	2/3	/4	21/	20	30	۷ŏ	102	/ð	92.1	5/.5	10120	MAPZIS	1	INAZIO					

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : NAP206JL3, NA206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.



	Unit: mm
Housing No.	∆Hs
P203~P210	±0.15
P211~P215	±0.2

#### NAP-E

Cylindrical bore (with eccentric locking collar)  $d = 1^{3}/_{16} \sim 2^{15}/_{16}$  inch





Shaft Dia.					D	imensio	ns					Bolt	Unit	Housing	Bearing	Ba	sic	Factor	Mass
inch						inch						Size	No.	No.	No.	Load F	latings		
						mm						inch				k	Ν		
d	H	L	A	J	N	$N_1$	$H_1$	$H_2$	$L_1$	$B_1$	S	mm				$C_{ m r}$	$C_{0\mathrm{r}}$	f0	kg
<b>1</b> <sup>3</sup> / <sub>16</sub>	1 7/8	<b>7</b> <sup>3</sup> / <sub>32</sub>	1 <sup>31</sup> / <sub>32</sub>	5 <sup>1</sup> / <sub>2</sub>	21/32	<sup>25</sup> / <sub>32</sub>	9/16	<b>3</b> <sup>21</sup> / <sub>32</sub>	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.969	0.689	1/2	NAP306-19E	P306E	NA306-19	26.7	15.0	13.3	2.3
	47.6	180	50	140	17	20	14.6	92.6	53	50	17.5	M14							<u> </u>
<b>1</b> <sup>7</sup> /16	2 <sup>1</sup> / <sub>8</sub>	8 %32 210	2 <sup>7</sup> / <sub>32</sub> 56	6 <sup>5</sup> / <sub>16</sub> 160	<sup>21</sup> / <sub>32</sub> 17	<sup>31</sup> / <sub>32</sub> 25	<sup>21</sup> / <sub>32</sub> 17	4 <sup>1</sup> / <sub>8</sub> 105	2 <sup>9</sup> / <sub>16</sub> 65	2.031 51.6	0.720 18.3	<sup>1</sup> / <sub>2</sub> M14	NAP307-23E	P307E	NA307-23	33.4	19.3	13.2	3.1
	2 3/8	8 <sup>21</sup> / <sub>32</sub>	2 3/8	6 11/16	21/32	1 <sup>1</sup> / <sub>16</sub>	3/4	4 <sup>21</sup> / <sub>32</sub>	2 %16	2.248	0.780	1/2							
<b>1</b> <sup>1</sup> / <sub>2</sub>	60.3	220	60	170	17	27	19.3	118.3	65	57.1	19.8	M14	NAP308-24E	P308E	NA308-24	40.7	24.0	13.2	4.1
<b>1</b> <sup>11</sup> /16	<b>2</b> 5/8	<b>9</b> <sup>21</sup> / <sub>32</sub>	2 <sup>5</sup> /8	<b>7</b> <sup>15</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	<b>1</b> <sup>3</sup> / <sub>16</sub>	<sup>13</sup> / <sub>16</sub>	5 <sup>3</sup> / <sub>16</sub>	2 <sup>15</sup> / <sub>16</sub>	2.311	0.780	5/8	NAP309-27E	P309E	NA309-27	48.9	29.5	13.3	5.1
I/16	66.7	245	67	190	20	30	20.7	131.7	75	58.7	19.8	M16	NAP309-27E	P 309E	INA309-27	40.9	29.5	15.5	5.1
<b>1</b> <sup>15</sup> /16	2 <sup>13</sup> /16	10 <sup>13</sup> /16	2 <sup>15</sup> /16	8 11/32	<sup>25</sup> / <sub>32</sub>	1 <sup>3</sup> /8	13/16	5 <sup>11</sup> / <sub>16</sub>	<b>3</b> <sup>15</sup> / <sub>32</sub>	2.622	0.969	5/8	NAP310-31E	P310E	NA310-31	62.0	38.3	13.2	7
1 7/16	71.4	275	75	212	20	35	20.4	144.4	88	66.6	24.6	M16	NAP 510-51E	TOTOL	147210-21	02.0	50.5	13.2	, <u> </u>
<b>2</b> <sup>3</sup> /16	3 <sup>1</sup> /16	12 <sup>7</sup> / <sub>32</sub>	<b>3</b> <sup>5</sup> / <sub>32</sub>	<b>9</b> <sup>9</sup> / <sub>32</sub>	<sup>25</sup> /32	1 <sup>1</sup> / <sub>2</sub>	<sup>31</sup> / <sub>32</sub>	6 <sup>1</sup> /8	3 <sup>17</sup> / <sub>32</sub>	2.874	1.094	5/8	NAP311-35E	P311E	NA311-35	71.6	45.0	13.2	8.5
2 716	77.8	310	80	236	20	38	24.8	155.8	90	73	27.8	M16	NAF STI-SSE		147211-22	71.0	43.0	13.2	0.5
<b>2</b> <sup>7</sup> / <sub>16</sub>	<b>3</b> <sup>5</sup> /16	13	<b>3</b> <sup>11</sup> / <sub>32</sub>	<b>9</b> <sup>27</sup> / <sub>32</sub>	31/32	1 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>32</sub>	<b>6</b> <sup>17</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>16</sub>	3.126	1.220	3/4	NAP312-39E	P312E	NA312-39	81.9	52.2	13.2	10.1
2 /10	84.1	330	85	250	25	38	28.1	166.1	103	79.4	31	M20	NAI 512 552	13126	10/05/12/05/	 01.2	52.2	13.2	10.1
<b>2</b> <sup>11</sup> / <sub>16</sub>	3 <sup>13</sup> /16	14 <sup>3</sup> /16	<b>3</b> <sup>17</sup> / <sub>32</sub>	11 <sup>1</sup> /32	<b>1</b> <sup>1</sup> / <sub>16</sub>	<b>1</b> 9/16	1 7/16	<b>7</b> <sup>13</sup> / <sub>32</sub>	<b>4</b> <sup>11</sup> / <sub>32</sub>	3.626	1.343	7/8	NAP314-43E	P314E	NA314-43	104	68.2	13.2	13.8
~ /16	96.8	360	90	280	27	40	36.8	187.8	110	92.1	34.1	M22			10/15/14-45	104	00.2	13.2	13.0
<b>2</b> <sup>15</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>8</sub>	14 <sup>31</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>16</sub>	11 <sup>13</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	1 <sup>23</sup> / <sub>32</sub>	1 <sup>9</sup> / <sub>16</sub>	<b>7</b> <sup>31</sup> / <sub>32</sub>	4 <sup>7</sup> / <sub>32</sub>	3.937	1.469	7/8	NAP315-47E	P315E	NA315-47	113	77.2	13.2	16.8
- 716	104.8	380	100	290	27	44	39.8	202.8	107	100	37.3	M22	10/11 313-4/E		14/13/13-4/		77.2	13.2	10.0

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : NAP306JEL3, NA306L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.



	Unit: mm
Housing No.	∆Hs
P306E~P310E	±0.15
P311E~P315E	±0.2

#### NAPK

Cylindrical bore

(with eccentric locking collar) *d* 12 ~ 75 mm





Sha mm	f <b>t Dia</b> inch					[	Dimens inch mm	ı					Bolt Size inch	Unit No.	Housing No.	Bearing No.	Load F	sic Ratings N	Factor	Mass
	d	H	L	A	J	N	$N_1$	$H_1$	$H_2$	$L_1$	$B_1$	S	men				$C_{ m r}$	$C_{0\mathrm{r}}$	f0	kg
12														NAPK201		NA201				
	1/2													NAPK201-8		NA201-8				
15		1 1/4	5 <sup>1</sup> /4	1 <sup>5</sup> /8	3 <sup>27</sup> /32	7/16	<sup>9</sup> /16	<sup>9</sup> /16	2 <sup>15</sup> /32	1 <sup>25</sup> /32	1.72	0.673		NAPK202		NA202				
	5/8	31.8	133	41	98	11	14	14	63	45	43.7	17.1	3/8	NAPK202-10	PK204	NA202-10	12.8	6.65	13.2	0.82
17														NAPK203		NA203				
	3/4													NAPK204-12		NA204-12				
20	77.													NAPK204		NA204				
	<sup>7</sup> /8 <sup>15</sup> /16	1 5/16	5 <sup>1</sup> / <sub>2</sub>	1 <sup>23</sup> / <sub>32</sub>	4 <sup>1</sup> /8	7/16	<sup>9</sup> /16	<sup>5</sup> /8	2 <sup>11</sup> / <sub>16</sub>	1 <sup>25</sup> / <sub>32</sub>	1.748	0.689		NAPK205-14 NAPK205-15		NA205-14 NA205-15				
25	13/16	33.3		44		<sup>7</sup> /16 11	<sup>9/16</sup> 14		2 <sup>11</sup> /16 68	45			3/8	NAPK205-15 NAPK205	PK205		14.0	7.85	13.9	1
	1	33.5	140	44	105	11	14	16	08	45	44.4	17.5		NAPK205 NAPK205-16		NA205 NA205-16				
	1 1 <sup>1</sup> /8													NAPK205-16 NAPK206-18		NA205-16 NA206-18				
	1 /0	1 <sup>9</sup> /16	<b>6</b> <sup>5</sup> /16	1 7/8	<b>4</b> <sup>3</sup> / <sub>4</sub>	<sup>9</sup> /16	3/4	<sup>21</sup> / <sub>32</sub>	3 <sup>5</sup> /32	1 <sup>25</sup> /32	1.906	0.72		NAPK206		NA206				
30	1 <sup>3</sup> / <sub>16</sub>	39.7	160	48	121	14	19	17	80	45	48.4	18.3	1/2	NAPK206-19	PK206	NA206-19	19.5	11.3	13.9	1.4
	1 1/4	59.7	100	40	121	14	19	17	00	45	+0.+	10.5		NAPK206-20		NA206-20				
	1 <sup>1</sup> / <sub>4</sub>													NAPK200-20		NA200-20				
	1 <sup>5</sup> /16													NAPK207-21		NA207-21				
35	1 <sup>3</sup> /8	1 <sup>13</sup> / <sub>16</sub>	6 <sup>9</sup> / <sub>16</sub>	1 7/8	5	<sup>9/</sup> 16	3/4	3/4	3 5/8	1 <sup>25</sup> / <sub>32</sub>	2.012	0.74	1/2	NAPK207-22	PK207	NA207-22	25.7	15.4	13.9	2
33	1 /0	46	167	48	127	14	19	19	92	45	51.1	18.8	12	NAPK207	11(20)	NA207	23.7	13.4	13.5	2
	1 7/16													NAPK207-23		NA207-23				
	1 1/2													NAPK208-24		NA208-24				
40	1 9/16	1 <sup>15</sup> /16		2 <sup>1</sup> /8	5 <sup>3</sup> /8	<sup>9</sup> /16	1 <sup>1</sup> /32	3/4		1 <sup>31</sup> /32	2.217	0.843	1/2	NAPK208-25	PK208	NA208-25	29.1	17.8	14.0	2.5
	. , 10	49.2	181	54	136.5	14	26.3	19	100	50	56.3	21.4		NAPK208		NA208				
	1 5/8													NAPK209-26		NA209-26				
	1 11/16	2 <sup>1</sup> /16	<b>7</b> <sup>15</sup> / <sub>32</sub>	2 <sup>1</sup> /8	5 7/8	9/16	1 <sup>1</sup> /8	25/32	4 <sup>3</sup> /16	2 <sup>1</sup> /16	2.217	0.843		NAPK209-27		NA209-27				
45	1 3/4	52.4	190	54	149.2	14	28.6	20	106	52	56.3	21.4	1/2	NAPK209-28	PK209	NA209-28	34.1	21.3	14.0	2.7
														NAPK209		NA209				
	1 <sup>7</sup> /8													NAPK210-30		NA210-30				
50	1 <sup>15</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>16</sub>	8	2 <sup>1</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>4</sub>	<sup>9</sup> / <sub>16</sub>	3/4	7/8	4 <sup>13</sup> / <sub>32</sub>	25/32	2.469	0.969	17.	NAPK210-31	DK210	NA210-31	25.1	22.2	14.4	2.2
50		55.6	203	57	159	14	19	22	112	55	62.7	24.6	1/2	NAPK210	PK210	NA210	35.1	23.3	14.4	3.2
	2													NAPK210-32		NA210-32				
	2													NAPK211-32		NA211-32				
55	2 <sup>1</sup> /8	2 <sup>7</sup> /16	<b>9</b> <sup>1</sup> /8	2 <sup>3</sup> /8	<b>7</b> <sup>1</sup> /8	<sup>23</sup> / <sub>32</sub>	<sup>15</sup> /16	<sup>31</sup> / <sub>32</sub>	4 7/8	2 <sup>19</sup> / <sub>32</sub>	2.811	1.094	5/8	NAPK211-34	PK211	NA211-34	43.4	29.4	14.4	4.6
		61.9	232	60	181	18	24	25	124	66	71.4	27.8	-/8	NAPK211		NA211	43.4	27.4	14.4	-1.0
	2 <sup>3</sup> /16													NAPK211-35		NA211-35				
	2 <sup>1</sup> / <sub>4</sub>													NAPK212-36		NA212-36				
60		2 11/16	<b>9</b> 1/ <sub>2</sub>	2 <sup>17</sup> / <sub>32</sub>		<sup>23</sup> / <sub>32</sub>	15/16	13/32	5 <sup>11</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>16</sub>	3.063	1.22	5/8	NAPK212	PK212	NA212	52.4	36.2	14.4	5.2
00	2 <sup>3</sup> /8	68.3	241	64	191	18	24	28	136	65	77.8	31	(°	NAPK212-38		NA212-38	52.7	50.2		5.2
	2 7/16													NAPK212-39		NA212-39				
75	2 15/16		11 <sup>31</sup> / <sub>32</sub>		<b>9</b> 1/2	7/8	1/4	1 <sup>1</sup> / <sub>2</sub>	<b>6</b> <sup>1</sup> / <sub>2</sub>	3 7/16	3.626	1.469	3/4	NAPK215-47	PK215	NA215-47	67.4	48.3	14.5	9.6
		84.1	304	82	241	22	32	38	165	87	92.1	37.3	/4	NAPK215		NA215	0,	10.5		2.0

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-Rc1/8

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.



	Unit: mm
Housing No.	∆Hs
PK204~PK210	±0.15
PK211~PK215	±0.2

#### NCP

Cylindrical bore (with concentric locking collar) *d* 20 ~ 60 mm



	<b>inch</b>							ensions ach						Bolt Size	Unit No.	Housing No.	Bearing No.	Load F	isic Ratings	Factor	Mass
	d	H	L	Α	J	Ν	$n$ $N_1$	$H_1$	$H_2$	$L_1$	$B_1$	S	$d_1$	inch mm				k Cr	N Cor	fo	kg
20	3/4	1 <sup>5</sup> /16	5	1 <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>4</sub>	1/2	23/32	5/8	2 <sup>9</sup> / <sub>16</sub>	1 <sup>13</sup> / <sub>32</sub>	1 9/32	0.500	1 3/4	3/8	NCP204-12	P204	NC204-12			-	
20		33.3	127	38	95	13	18	16	65	36	32.5	12.7	44.5	M10	NCP204	P204	NC204	12.8	6.65	13.2	0.8
	7/8														NCP205-14		NC205-14				
25	15/16	1 <sup>7</sup> /16	5 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> /2	<b>4</b> 1/8	1/2	23/32	5/8	2 <sup>3</sup> /4	1 <sup>1</sup> / <sub>2</sub>	1 7/16	0.563	<b>1</b> <sup>15</sup> / <sub>16</sub>	3/8	NCP205-15	P205	NC205-15	14.0	7.85	13.9	1.0
		36.5	140	38	105	13	18	16	70	38	36.5	14.3	49.2	M10	NCP205	. 200	NC205		100		
	1														NCP205-16		NC205-16				
	1 <sup>1</sup> /8						12.4	21.4							NCP206-18		NC206-18				
30		1 11/16	6 <sup>1</sup> / <sub>2</sub>	1 7/8					3 <sup>5</sup> / <sub>16</sub>	1 7/8	1 %16			1/2	NCP206	P206	NC206	19.5	11.3	13.9	1.5
	1 <sup>3</sup> /16	42.9	165	48	121	17	21	17	84	48	39.7	15.9	55.6	M14	NCP206-19		NC206-19				
	1 <sup>1</sup> /4	1.7/	6.07	17/		21./	12/	22 /	2.27	1 27/	1.2/	0.000	2.7/	1/	NCP206-20		NC206-20				
	1 <sup>1</sup> / <sub>4</sub>	1 7/8	6 <sup>9</sup> /16	1 7/8	5	<sup>21</sup> / <sub>32</sub>				1 <sup>27</sup> / <sub>32</sub>	1 <sup>3</sup> / <sub>4</sub>	0.689	2 7/16	1/2	NCP207-20	P207	NC207-20	25.7	15.4	13.9	1.9
25	1 3/8	47.6	167	48	127	17	21	18	95	47	44.5	17.5	61.9	M14	NCP207-22		NC207-22				
35	1 7/8	1 <sup>7</sup> /8	<b>6</b> <sup>9</sup> / <sub>16</sub>	1 <sup>7</sup> /8	5	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> /16	<sup>23</sup> / <sub>32</sub>	<b>3</b> <sup>3</sup> / <sub>4</sub>	1 27/32	1 <sup>3</sup> /4	0.689	2 <sup>9</sup> /16	1/2	NCP207-22 NCP207	P207	NC207-22 NC207	25.7	15.4	13.9	1.9
	1 7/16	47.6	167	48	127	17	21	18	95	47	44.5	17.5	65.1	M14	NCP207 NCP207-23	P207	NC207-23	25.7	15.4	15.9	1.9
	1 <sup>1</sup> / <sub>16</sub>	1 15/16	7 <sup>1</sup> /4	2 <sup>1</sup> /8	5 <sup>13</sup> /32	21/32	13/16	23/32	3 <sup>27</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>32</sub>	2	0.748	2 11/16	1/2	NCP208-24		NC207-23				
40	1 /2	49.2	184	54	137	17	21	18	98	53	50.8	19	68.3	M14	NCP208	P208	NC208	29.1	17.8	14.0	2.4
	1 5/8	2 1/8	7 15/32	-	5 3/4		13/16	25/32	4 <sup>3</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>32</sub>	2	0.748	2 <sup>13</sup> / <sub>16</sub>	1/2							
		54	190	54	146	17	21	20	106	55	50.8	19	71.4	M14	NCP209-26	P209	NC209-26	34.1	21.3	14.0	2.6
45	1 11/16														NCP209-27		NC209-27				
	1 3/4	2 <sup>1</sup> /8	7 <sup>15</sup> / <sub>32</sub>		5 <sup>3</sup> /4	<sup>21</sup> /32	<sup>13</sup> /16		4 <sup>3</sup> /16	<b>2</b> <sup>5</sup> / <sub>32</sub>	2	0.748		1/2	NCP209-28	P209	NC209-28	34.1	21.3	14.0	2.6
		54	190	54	146	17	21	20	106	55	50.8	19	74.6	M14	NCP209		NC209				
	<b>1</b> <sup>15</sup> / <sub>16</sub>	21/	0.1/	23/	61/	25/	7/	13/16	4 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> /8	23/	0.740	23/	5/	NCP210-31		NC210-31				
50		2 1/4	8 <sup>1</sup> / <sub>8</sub>	2 <sup>3</sup> /8	6 <sup>1</sup> / <sub>4</sub>		<sup>7</sup> /8				2 <sup>3</sup> / <sub>32</sub>	0.748	3 <sup>3</sup> /8	<sup>5</sup> /8	NCP210	P210	NC210	35.1	23.3	14.4	3.5
	2	57.2	206	60	159	20	22	21	113	60	53.1	19	85.7	M16	NCP210-32		NC210-32				
	2	<b>2</b> <sup>1</sup> / <sub>2</sub>	<b>8</b> <sup>5</sup> /8	2 <sup>3</sup> /8	6 <sup>23</sup> / <sub>32</sub>	<sup>25</sup> /32	7/8	<sup>29</sup> /32	4 <sup>29</sup> / <sub>32</sub>	2 <sup>9</sup> /16	2 <sup>1</sup> / <sub>4</sub>	0.874	<b>3</b> <sup>1</sup> / <sub>2</sub>	5/8	NCP211-32	P211	NC211-32	43.4	29.4	14.4	4.0
55		63.5	219	60	171	20	22	23	125	65	57.1	22.2	88.9	M16		FZ11		43.4	27.4	14.4	+.0
55		<b>2</b> 1/2	8 5/8	2 <sup>3</sup> /8	6 <sup>23</sup> / <sub>32</sub>	25/32	7/8	<sup>29</sup> / <sub>32</sub>	4 <sup>29</sup> / <sub>32</sub>	<b>2</b> %/16	2 <sup>1</sup> / <sub>4</sub>	0.874	3 5/8	5/8	NCP211	P211	NC211	43.4	29.4	14.4	4.0
	2 <sup>3</sup> /16	63.5	219	60	171	20	22	23	125	65	57.1	22.2	92.1	M16	NCP211-35		NC211-35	13.1	27.1		
	2 <sup>1</sup> / <sub>4</sub>	2 <sup>3</sup> /4	<b>9</b> 1/2	2 <sup>3</sup> /4	7 1/4	25/32	31/32	31/32	5 <sup>7</sup> / <sub>16</sub>	2 7/8	<b>2</b> 5/8	1.000	4 <sup>1</sup> /16	5/8	NCP212-36	P212	NC212-36	52.4	36.2	14.4	5.6
60	22/	69.8	241	70	184	20	25	25	138	73	66.7	25.4	103.2	M16							
	2 3/8	2 3/4	<b>9</b> <sup>1</sup> / <sub>2</sub>	2 <sup>3</sup> /4	7 1/4	<sup>25</sup> / <sub>32</sub>	31/32	31/32		2 7/8	2 5/8	1.000	4 <sup>1</sup> / <sub>8</sub>	5/8	NCP212	P212	NC212	52.4	36.2	14.4	5.6
	2 <sup>7</sup> /16	69.8	241	70	184	20	25	25	138	73	66.7	25.4	104.8	M16	NCP212-39		NC212-39				

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



	Unit: mm
Housing No.	$\Delta H_{\rm S}$
P204~P210	±0.15
P211~P212	±0.2

#### UKP

Tapered bore (with adapter)

*d*<sup>1</sup> **20 ∼ (50) mm** 









		ha.		-														
Shaft [	Dia.	Dimensions	Bolt	St	andard				Basic	Factor	W	/ith Pressed St	teel Cover			With Cast Iron	n Cover	
mm	inch	inch	Size	Unit	Housing	Bearing	Adapter	Mas	s Load Ratings		Unit	No.	Dimension	Mass	Uni	t No.	Dimension	Mass
		mm	inch	No.	No.	No.	No.		kN		Open Type	One Side	mm inch		Open Type	One Side	mm inch	
$d_1$		$H$ $L$ $A$ $J$ $N$ $N_1$ $H_1$ $H_2$ $L_1$ $B_1$	mm					kg	$C_{\rm r}$ $C_{0\rm r}$	fo		Closed Type	$A_{ m s}$	kg	орентуре	Closed Type	$A_{\mathrm{c}}$	kg
			_							,,,				_				
	3/4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3/8	UKP205	P205	UK205	HE2305X		14.0 / 85	13.9	-	-		-	-	-		-
-	3/.	36.5         140         38         105         13         18         16         70         38         35           1 <sup>3</sup> / <sub>4</sub> 6 <sup>1</sup> / <sub>4</sub> 2         4 <sup>11</sup> / <sub>16</sub> <sup>21</sup> / <sub>32</sub> <sup>31</sup> / <sub>32</sub> <sup>5</sup> / <sub>8</sub> 3 <sup>3</sup> / <sub>8</sub> 1 <sup>27</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub>	M10				H2305X	0.84			UKP205C	UKP205CD	49 1 15/16		UKP205FC	UKP205FCD	66 2 <sup>19</sup> / <sub>32</sub>	1.3
20	3/4	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	<sup>1</sup> / <sub>2</sub> M14	UKPX05	PX05	UKX05	HE2305X H2305X	1.5	19.5 11.3	13.9	UKPX05C	– UKPX05CD	 53 2 <sup>3</sup> / <sub>32</sub>	- 1.5	-	-		-
	3/4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1/2				HE2305X							-				
		45 175 45 132 17 20 16 85 55 35	M14	UKP305	P305	UK305	H2305X	1.7	212 109	12.6	_	_		_	UKP305C	UKP305CD	76 3	2.3
		1 <sup>11</sup> / <sub>16</sub> 6 <sup>1</sup> / <sub>2</sub> 1 <sup>7</sup> / <sub>8</sub> 4 <sup>3</sup> / <sub>4</sub> 2 <sup>1</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>32</sub> 3 <sup>5</sup> / <sub>16</sub> 1 <sup>7</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>2</sub>	1/2		D206	11/206	H2306X	1.4	10.5 11.2	12.0	UKP206C	UKP206CD	53 2 <sup>3</sup> / <sub>32</sub>	1.4	UKP206FC	UKP206FCD	70 2 <sup>3</sup> /4	1.9
1	1	42.9 165 48 121 17 21 17 84 48 38	M14	UKP206	P206	UK206	HE2306X	1.4	19.5 11.3	13.9	-	-		_	-	-		
25		1 <sup>7</sup> / <sub>8</sub> 6 <sup>7</sup> / <sub>8</sub> 2 <sup>1</sup> / <sub>4</sub> 5 <sup>21</sup> / <sub>32</sub> <sup>31</sup> / <sub>32</sub> <sup>21</sup> / <sub>32</sub> 3 <sup>21</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>2</sub>	1/2	UKPX06	PX06	UKX06	H2306X	2.1	25.7 15.4	13.9	UKPX06C	UKPX06CD	60 2 <sup>3</sup> /8	2.1	-	-		-
	1	47.6 175 57 127 17 25 17 93 55 38	M14			010100	HE2306X				-	-		-	-	-		_
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1/2	UKP306	P306	UK306	H2306X	2.3	26.7 15.0	13.3	-	-		-	UKP306C	UKP306CD	82 3 <sup>7</sup> / <sub>32</sub>	2.9
	1 1 <sup>1</sup> /8	50         180         50         140         17         20         17         95         53         38           1 7/8         6 9/16         1 7/8         5         21/32         13/16         23/32         3 3/4         1 27/32         1 11/16	M14				HE2306X HS2307X	2.3			-	-		-		-		
	1 78	47.6 167 48 127 17 21 18 95 47 43	M14	UKP207	P207	UK207	H2307X	1.7	257 154	13.9	UKP207C	UKP207CD	 60 2 <sup>3</sup> /8	1.7	UKP207FC	UKP207FCD	 78 3 <sup>1</sup> / <sub>16</sub>	2.5
	1 <sup>1</sup> /8	$2^{1/8}$ 8 $2^{1/4}$ $5^{21/32}$ $2^{1/32}$ $1^{3/16}$ $3/4$ $4^{1/8}$ $2^{17/32}$ $1^{11/16}$	1/2				H2307X				-	-		-	-	-		
30		54 203 57 144 17 30 19 105 64 43	M14	UKPX07	PX07	UKX07	H2307X	2.7	29.1 17.8	14.0	UKPX07C	UKPX07CD	69 2 <sup>23</sup> / <sub>32</sub>	2.7	-	_		
1	1 <sup>1</sup> /8	2 <sup>13</sup> / <sub>64</sub> 8 <sup>9</sup> / <sub>32</sub> 2 <sup>7</sup> / <sub>32</sub> 6 <sup>5</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>4</sub> 4 <sup>7</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub> 1 <sup>11</sup> / <sub>16</sub>	1/2		D207	11/207	HS2307X	3.0	22.4 10.2	12.2	-	-		-	-	-		
		56 210 56 160 17 25 19 107 65 43	M14	UKP307	P307	UK307	H2307X	3.0	33.4 19.3	13.2	-	-		_	UKP307C	UKP307CD	88 3 <sup>15</sup> / <sub>32</sub>	3.9
	<b>1</b> <sup>1</sup> / <sub>4</sub>	1 <sup>15</sup> / <sub>16</sub> 7 <sup>1</sup> / <sub>4</sub> 2 <sup>1</sup> / <sub>8</sub> 5 <sup>13</sup> / <sub>32</sub> 2 <sup>1</sup> / <sub>32</sub> <sup>13</sup> / <sub>16</sub> 2 <sup>3</sup> / <sub>32</sub> 3 <sup>27</sup> / <sub>32</sub> 2 <sup>3</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>16</sub>	1/2				HE2308X				-	-		-	-	-		-
1	1 <sup>3</sup> /8		M14	UKP208	P208	UK208	HS2308X			14.0	-	-		-	-	-		-
L.	11/						H2308X	2.0			UKP208C	UKP208CD	69 2 <sup>23</sup> / <sub>32</sub>	2.0	UKP208FC	UKP208FCD	86 3 <sup>3</sup> /8	2.9
	1 <sup>1</sup> /4	2 <sup>5</sup> / <sub>16</sub> 8 <sup>3</sup> / <sub>4</sub> 2 <sup>5</sup> / <sub>8</sub> 6 <sup>5</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>16</sub> 4 <sup>1</sup> / <sub>2</sub> 2 <sup>25</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>16</sub>	5/8	LIKEYOO	DV00	111/2/00	HE2308X			140	-	-		-	-	-		-
35 1	1 3/8	58.7 222 67 156 20 32 21 114 71 46	M16	UKPX08	PX08	UKX08	HS2308X H2308X	3.5		14.0				-	-	-		-
	1 <sup>1</sup> / <sub>4</sub>						HE2308X				UKPX08C	UKPX08CD	69 2 <sup>23</sup> / <sub>32</sub>	3.5		_		
	1 <sup>3</sup> /8	2 <sup>23</sup> / <sub>64</sub> 8 <sup>21</sup> / <sub>32</sub> 2 <sup>3</sup> / <sub>8</sub> 6 <sup>11</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>16</sub> 3/ <sub>4</sub> 4 <sup>21</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub> 1 <sup>13</sup> / <sub>16</sub>	1/2	UKP308	P308	UK308	HS2308X	3.8		13.2	_	_		_	_	_		-
		60         220         60         170         17         27         19         118         65         46	M14				H2308X	3.8			_	_		_	UKP308C	UKP308CD	96 3 <sup>25</sup> / <sub>32</sub>	5.2
1	1 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>8</sub> 7 <sup>15</sup> / <sub>32</sub> 2 <sup>1</sup> / <sub>8</sub> 5 <sup>3</sup> / <sub>4</sub> 2 <sup>1</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub>	1/2		D200	11/200	HE2309X			14.0	-	-		-	-	-		_
			M14	UKP209	P209	UK209	H2309X	2.3	34.1 21.3	14.0	UKP209C	UKP209CD	69 2 <sup>23</sup> / <sub>32</sub>	2.3	UKP209FC	UKP209FCD	88 3 <sup>15</sup> / <sub>32</sub>	3.2
40	1 <sup>1</sup> / <sub>2</sub>	2 <sup>5</sup> / <sub>16</sub> 8 <sup>3</sup> / <sub>4</sub> 2 <sup>5</sup> / <sub>8</sub> 6 <sup>5</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub> 1 <sup>5</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>16</sub> 4 <sup>9</sup> / <sub>16</sub> 2 <sup>25</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub>	5/8	UKPX09	PX09	UKX09	HE2309X	3.7	35.1 23.3	14.4	-	-		-	-	-		-
		58.7         222         67         156         20         33         21         116         71         50	M16			010107	H2309X	3.7	2010		UKPX09C	UKPX09CD	74 2 <sup>29</sup> / <sub>32</sub>	3.7	-	-		
1	1 <sup>1</sup> /2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5/8	UKP309	P309	UK309	HE2309X		48.9 29.5	13.3	-	-		-	-	-		-
	1 <sup>3</sup> /4	67         245         67         190         20         30         21         132         75         50           2 <sup>1</sup> / <sub>4</sub> 8 <sup>1</sup> / <sub>8</sub> 2 <sup>3</sup> / <sub>8</sub> 6 <sup>1</sup> / <sub>4</sub> <sup>25</sup> / <sub>32</sub> <sup>7</sup> / <sub>8</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>7</sup> / <sub>16</sub> 2 <sup>3</sup> / <sub>8</sub> 2 <sup>5</sup> / <sub>32</sub>	M16				H2309X HE2310X	5.0			_	-		-	UKP309C	UKP309CD	102 4 <sup>1</sup> / <sub>32</sub>	6.3
	1 /4		M16	UKP210	P210	UK210	H2310X	3.0	35.1 23.3	14.4	UKP210C	UKP210CD	74 2 <sup>29</sup> / <sub>32</sub>		UKP210FC	UKP210FCD	97 3 <sup>13</sup> / <sub>16</sub>	4.1
1	1 <sup>3</sup> /4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5/8				HE2310X				-	-		-	-	-		-
45		63.5         241         73         171         20         36         22         126         76         55	M16	UKPX10	PX10	UKX10	H2310X	4.6	43.4 29.4	14.4	UKPX10C	UKPX10CD	76 3	4.6	-	-		
1	1 <sup>3</sup> /4	2 <sup>61</sup> / <sub>64</sub> 10 <sup>13</sup> / <sub>16</sub> 2 <sup>15</sup> / <sub>16</sub> 8 <sup>11</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 1 <sup>5</sup> / <sub>16</sub> 5 <sup>13</sup> / <sub>16</sub> 3 <sup>15</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub>	5/8	UKP310	P310	UK310	HE2310X	6.7	62.0 38.3	13.2	-	-		-	-	-		
		75 275 75 212 20 35 24 148 88 55	M16	011910	FJIU	01/210	H2310X	6.7		13.2	-	-		-	UKP310C	UKP310CD	110 4 11/32	8.4
1	1 7/8	2 <sup>1</sup> / <sub>2</sub> 8 <sup>5</sup> / <sub>8</sub> 2 <sup>3</sup> / <sub>8</sub> 6 <sup>23</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub> 7/ <sub>8</sub> 2 <sup>9</sup> / <sub>32</sub> 4 <sup>29</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>16</sub>	5/8				HS2311X				-	-		-	-	-		-
			M16	UKP211	P211	UK211	H2311X	3.7		14.4	UKP211C	UKP211CD	76 3	3.7	UKP211FC	UKP211FCD	<b>99 3</b> <sup>29</sup> / <sub>32</sub>	5.0
50	2		-				HE2311X	_			-	-		-	-	-		
	1 <sup>7</sup> /8	2 <sup>3</sup> / <sub>4</sub> 10 <sup>1</sup> / <sub>4</sub> 3 <sup>1</sup> / <sub>8</sub> 7 <sup>1</sup> / <sub>4</sub> <sup>31</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>32</sub> 5 <sup>15</sup> / <sub>32</sub> 3 <sup>9</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>16</sub>	3/4		DV11		HS2311X		52 / 26 2	144				-	-	-		-
	2	69.8         260         79         184         25         36         28         139         83         59	M20	UKPX11	PX11	UKX11	H2311X	6.2	52.4 36.2	14.4	UKPX11C	UKPX11CD	89 3 <sup>1</sup> / <sub>2</sub>	6.2	-	-		-
4	2						HE2311X	0.2	1		-	-		-	-	-		_

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

A-R1/8..... ..... 211~218, X10~X20, 309~328

As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing.
 For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.



With Pressed Steel Cover With Cast Iron Cover  $B_1$ φd Â

Variations of tolerance of distance from mounting bottom to center of spherical bore ( $\Delta_{Hs}$ )

#### 

			Unit: mm
	Housing No.		$\Delta_{Hs}$
P205~P210	PX05~PX10	P305~P310	±0.15
P211~P218	PX11~PX18	P311~P318	±0.2
	PX20	P319~P328	±0.3

Forms and dimensions of  $H_{\rm 2c}$  of P205JE3 (housing with cast iron cover) are shown below.



P205JE3  $H_{2c} = 77 \text{ mm}$ 

3. In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKP206J + H2306X, UK206 + H2306X)

#### UKP

## Tapered bore (with adapter)

*d*<sub>1</sub> (50) ~ (90) mm









Shaft Dia.	Dimensions	Bolt	9	Standard				E	asic	Factor		/ith Pressed St				With Cast Iror	Cover	
mm inch	inch	Size	Unit	Housing	Bearing	Adapter	Mas	ss Load	Ratings		Unit	No.	Dimension	Mass	Uni	t No.	Dimension	Mass
	mm	inch	No.	No.	No.	No.			kN		Open Type	One Side	mm inch		Open Type	One Side	mm inch	
$d_1$	$H$ $L$ $A$ $J$ $N$ $N_1$ $H_1$ $H_2$ $L_1$ $B_1$	mm					kg	g Cr	$C_{0\mathrm{r}}$	fo		Closed Type	$A_{ m s}$	kg		Closed Type	$A_{ m c}$	kg
1 7/8						HS2311X	8.1	1			_	_		_	_	_		
50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5/8	UKP311	P311	UK311	H2311X	8.1	1 71.6	5 45.0	13.2	-	-		-	UKP311C	UKP311CD	114 4 <sup>1</sup> / <sub>2</sub>	10.0
2	80 310 80 236 20 38 27 158 90 59	M16				HE2311X	8.1	1			-	-		-	-	-		_
2 <sup>1</sup> /8	2 <sup>3</sup> / <sub>4</sub> 9 <sup>1</sup> / <sub>2</sub> 2 <sup>3</sup> / <sub>4</sub> 7 <sup>1</sup> / <sub>4</sub> 2 <sup>5</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>32</sub> 5 <sup>7</sup> / <sub>16</sub> 2 <sup>7</sup> / <sub>8</sub> 2 <sup>7</sup> / <sub>16</sub>	5/8	UKP212	P212	UK212	HS2312X	4.8	52.4	4 36.2	14.4	-	-		-	-	-		-
21/2	69.8         241         70         184         20         25         25         138         73         62           3         11 1/4         3 1/4         8         31/32         1 9/16         1 3/32         5 31/32         3 15/32         2 7/16	M16				H2312X	4.8	8			UKP212C	UKP212CD	89 3 <sup>1</sup> / <sub>2</sub>	4.8	UKP212FC	UKP212FCD	114 4 <sup>1</sup> / <sub>2</sub>	6.3
<b>55</b> 2 <sup>1</sup> /8	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	<sup>3</sup> / <sub>4</sub> M20	UKPX12	PX12	UKX12	HS2312X H2312X	7.5	5/	40.1	14.4	UKPX12C	UKPX12CD	 89 3 <sup>1</sup> / <sub>2</sub>	7.5	_	_		_
2 <sup>1</sup> /8	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3/4				HS2312X	9.4	4			-	-		-	-	-		_
	85 330 85 250 25 38 29 167 103 62	M20	UKP312	P312	UK312	H2312X	9.4	4 81.9	52.2	13.2	-	-		-	UKP312C	UKP312CD	124 4 <sup>7</sup> / <sub>8</sub>	11.8
2 <sup>1</sup> /4	3 10 <sup>7</sup> / <sub>16</sub> 2 <sup>3</sup> / <sub>4</sub> 8 <sup>31</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>16</sub> 5 <sup>29</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>16</sub> 2 <sup>9</sup> / <sub>16</sub>	3/4				HE2313X	5.8				-	-		-	-	-		-
234	76.2 265 70 203 25 30 27 150 78 65	M20	UKP213	P213	UK213	H2313X	5.8		2 40.1	14.4	UKP213C	UKP213CD	89 3 <sup>1</sup> / <sub>2</sub>	5.8	UKP213FC	UKP213FCD	114 4 <sup>1</sup> / <sub>2</sub>	7.5
2 <sup>3</sup> / <sub>8</sub> 2 <sup>1</sup> / <sub>4</sub>						HS2313X HE2313X	5.8							-	-	-		
60	3 11 <sup>1</sup> / <sub>4</sub> 3 <sup>1</sup> / <sub>4</sub> 8 <sup>31</sup> / <sub>32</sub> 1 <sup>9</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>32</sub> 6 <sup>3</sup> / <sub>32</sub> 3 <sup>15</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub>	3/4	UKPX13	PX13	UKX13	H2313X	7.8		2 44.1	14.5	UKPX13C	UKPX13CD	99 3 <sup>29</sup> / <sub>32</sub>	7.8	_	_		
2 <sup>3</sup> /8	76.2 286 83 203 25 40 28 155 88 65	M20				HS2313X	7.8				-	-		-	-	-		
2 <sup>1</sup> /4	3 <sup>35</sup> / <sub>64</sub> 13 <sup>3</sup> / <sub>8</sub> 3 <sup>17</sup> / <sub>32</sub> 10 <sup>1</sup> / <sub>4</sub> <sup>31</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>2</sub> 1 <sup>1</sup> / <sub>4</sub> 6 <sup>15</sup> / <sub>16</sub> 4 <sup>11</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub>	3/4				HE2313X	10.8	8			-	-		-	-	-		_
	90 340 90 260 25 38 32 176 110 65	M20	UKP313	P313	UK313	H2313X	10.8		59.9	13.2	-	-		-	UKP313C	UKP313CD	122 4 <sup>13</sup> / <sub>16</sub>	13.2
2 <sup>3</sup> / <sub>8</sub> 2 <sup>1</sup> / <sub>2</sub>						HS2313X HE2315X	10.8	-			-	-		-	-	-		
2 12	3 <sup>1</sup> / <sub>4</sub> 10 <sup>13</sup> / <sub>16</sub> 2 <sup>29</sup> / <sub>32</sub> 8 <sup>17</sup> / <sub>32</sub> <sup>31</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>32</sub> 6 <sup>3</sup> / <sub>8</sub> 3 <sup>1</sup> / <sub>16</sub> 2 <sup>7</sup> / <sub>8</sub> 82.6 275 74 217 25 30 28 162 78 73	<sup>3</sup> / <sub>4</sub> M20	UKP215	P215	UK215	H2315X	7.5	674	48.3	14.5	UKP215C	UKP215CD	 99 3 <sup>29</sup> / <sub>32</sub>	7.5	UKP215FC	UKP215FCD	- – 124 4 <sup>7</sup> /8	9.5
<b>65</b> 2 <sup>1</sup> / <sub>2</sub>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7/8		DV15		HE2315X	10.5	5		14.0	-	-		-	-	-		-
	88.9         330         89         229         27         50         32         175         99         73	M22	UKPX15	PX15	UKX15	H2315X	10.5	5	53.0	14.6	UKPX15C	UKPX15CD	109 4 <sup>9</sup> / <sub>32</sub>	10.5	-	-		
2 1/2	3 <sup>15</sup> / <sub>16</sub> 14 <sup>31</sup> / <sub>32</sub> 3 <sup>15</sup> / <sub>16</sub> 11 <sup>13</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>16</sub> 1 <sup>9</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>8</sub> 7 <sup>25</sup> / <sub>32</sub> 4 <sup>7</sup> / <sub>32</sub> 2 <sup>7</sup> / <sub>8</sub>	7/8	UKP315	P315	UK315	HE2315X	14.9	1113	77.2	13.2	-	-		-	-	-		_
2 <sup>3</sup> / <sub>4</sub>	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	M22				H2315X HE2316X	14.9				_	-		-	UKP315C	UKP315CD	134 5 <sup>9</sup> / <sub>32</sub>	17.7
- /4	88.9         292         78         232         25         35         30         174         83         78	M20	UKP216	P216	UK216	H2316X	9.2		53.0	14.6	UKP216C	UKP216CD	109 4 <sup>9</sup> / <sub>32</sub>	9.2	UKP216FC	UKP216FCD	138 57/16	11.7
<b>70</b> 2 <sup>3</sup> / <sub>4</sub>	4 15 4 11 <sup>1</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>16</sub> 2 <sup>9</sup> / <sub>32</sub> 1 <sup>11</sup> / <sub>32</sub> 7 <sup>11</sup> / <sub>16</sub> 4 <sup>9</sup> / <sub>16</sub> 3 <sup>1</sup> / <sub>16</sub>	7/8	UKPX16	PX16	UKX16	HE2316X	15.4	4 84 (	) 61.9	14.5	-	-		-	-	-		-
	101.6 381 102 283 27 58 34 195 116 78	M22		1710	010/10	H2316X	15.4	4	01.5	14.5	UKPX16C	UKPX16CD	113 4 <sup>7</sup> / <sub>16</sub>	15.4	-	-		
2 <sup>3</sup> / <sub>4</sub>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	<sup>7</sup> / <sub>8</sub> M22	UKP316	P316	UK316	HE2316X H2316X	18.6	123	86.7	13.3	-	-		-	– UKP316C	– UKP316CD	- – 138 5 <sup>7</sup> / <sub>16</sub>	21.7
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3/4				H2310X	11.0	0			UKP217C	UKP217CD	 113 4 <sup>7</sup> / <sub>16</sub>	11.0	UKP217FC	UKP217FCD	142 5 <sup>19</sup> / <sub>32</sub>	13.8
3	95.2 310 83 247 25 35 32 185 87 82	M20	UKP217	P217	UK217	HE2317X	11.0	84.0	61.9	14.5	-	-		-	-	-		
75	4 15 4 11 <sup>1</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>16</sub> 2 <sup>3</sup> / <sub>8</sub> 1 <sup>11</sup> / <sub>32</sub> 7 <sup>7</sup> / <sub>8</sub> 4 <sup>9</sup> / <sub>16</sub> 3 <sup>7</sup> / <sub>32</sub>	7/8	UKPX17	PX17	UKX17	H2317X	15.8	961	71.5	14.5	UKPX17C	UKPX17CD	123 4 <sup>27</sup> / <sub>32</sub>	15.8	-	-		-
3	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	M22				HE2317X	15.8	8			-	-		-		– UKP317CD	 146 5 <sup>3</sup> / <sub>4</sub>	23.7
3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	M27	UKP317	P317	UK317	H2317X HE2317X	20.2	1 1 3 3	96.8	13.3	_	_		_	UKP317C			25./
	4 12 <sup>7</sup> / <sub>8</sub> 3 <sup>15</sup> / <sub>32</sub> 10 <sup>5</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>16</sub> 1 <sup>9</sup> / <sub>16</sub> 1 <sup>5</sup> / <sub>16</sub> 7 <sup>25</sup> / <sub>32</sub> 3 <sup>11</sup> / <sub>16</sub> 3 <sup>3</sup> / <sub>8</sub>	7/8		0210	11//210				71 5	145			100 4 27/	12.0			152 6	10.0
-	101.6 327 88 262 27 40 33 198 94 86	M22	UKP218	P218	UK218	H2318X	13.8	8 96.1	71.5	14.5	UKP218C	UKP218CD	123 4 <sup>27</sup> / <sub>32</sub>	13.8	UKP218FC	UKP218FCD	152 6	18.8
80 –	4 15 4 <sup>3</sup> / <sub>8</sub> 11 <sup>1</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>16</sub> 2 <sup>3</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>2</sub> 8 <sup>1</sup> / <sub>32</sub> 4 <sup>9</sup> / <sub>16</sub> 3 <sup>3</sup> / <sub>8</sub>	7/8	UKPX18	PX18	UKX18	H2318X	18.6	5 109	81.9	14.4	-	-		-	UKPX18C	UKPX18CD	158 6 <sup>7</sup> /32	22.4
	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	M22																
-	118 430 110 330 33 45 40 234 120 86	M27	UKP318	P318	UK318	H2318X	22.8	8 143	107	13.3	-	-		-	UKP318C	UKP318CD	150 5 <sup>29</sup> / <sub>32</sub>	27.0
<b>85</b> 3 <sup>1</sup> / <sub>4</sub>	4 <sup>59</sup> / <sub>64</sub> 18 <sup>1</sup> / <sub>2</sub> 4 <sup>23</sup> / <sub>32</sub> 14 <sup>3</sup> / <sub>16</sub> 1 <sup>13</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>16</sub> 9 <sup>3</sup> / <sub>4</sub> 4 <sup>29</sup> / <sub>32</sub> 3 <sup>17</sup> / <sub>32</sub>	1 1/8	UKP319	P319	UK319	HE2319X	29.3	3 153	119	13.3	-	-		-	-	-		
	125 470 120 360 36 50 46 248 125 90	M30	511 515	517	01/313	H2319X	29.3	3	112	13.3	-	-		-	UKP319C	UKP319CD	162 6 <sup>3</sup> /8	34.0
<b>90</b> 3 <sup>1</sup> / <sub>2</sub>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		UKPX20	PX20	UKX20	HE2320X	29.3	133	105	14.4	-	-		-	-	-		-
	127 432 121 337 33 65 45 245 126 97	M27				H2320X	29.3	5			-	-		-	UKPX20C	UKPX20CD	186 7 <sup>5</sup> / <sub>16</sub>	34.3

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

2. Part No. of applicable grease fittings are shown below.

...... 211~218, X10~X20, 309~328 A-R1/8....

3. In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKP206J + H2306X, UK206 + H2306X)

7. Housings of nodular graphite cast iron are also available.





Variations of tolerance of distance from mounting bottom to center of spherical bore ( $\Delta_{Hs}$ )

#### 

			Unit. IIIII
	Housing No.		$\Delta_{Hs}$
P205~P210	PX05~PX10	P305~P310	±0.15
P211~P218	PX11~PX18	P311~P318	±0.2
	PX20	P319~P328	±0.3

Forms and dimensions of  $H_{\rm 2c}$  of P205JE3 (housing with cast iron cover) are shown below.





As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing.
 For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Representative examples of the forms of housing are indicated.

#### UKP

#### Tapered bore (with adapter)

*d*<sub>1</sub> (90) ~ 125 mm









S	haft Dia.					Dime	nsions					Bolt		Standard				B	Basic	Factor	V	Vith Pressed St	teel Cove	er			With Cast Iro	n Cover	
m	m inch					in	ch					Size	Unit	Housing	Bearing	Adapte	Mas	Load	Ratings		Uni	t No.	Dimen	sion	Mass	Uni	t No.	Dimens	ion Mass
						m	m					inch	No.	No.	No.	No.			kN		Open Type	One Side	mm	inch		Open Type	One Side	mm i	nch
	$d_1$	H	L	A	J	N	$N_1$	$H_1$	$H_2$	$L_1$	$B_1$	mm					kg	$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$		Closed Type	$A_{s}$	5	kg		Closed Type	$A_{ m c}$	kg
	<b>0</b> 3 1/2	5 <sup>33</sup> / <sub>64</sub>	<b>19</b> % 32	4 <sup>23</sup> / <sub>32</sub>	14 <sup>31</sup> / <sub>32</sub>	1 <sup>13</sup> /32	1 <sup>31</sup> /32	1 <sup>13</sup> /16	10 <sup>3</sup> /4	5 <sup>1</sup> / <sub>2</sub>	3 <sup>13</sup> / <sub>16</sub>	1 <sup>1</sup> /8	11// 0220	0220	11/220	HE2320>	34.8	173	1.4.1	12.2	-	-	-	-	-	-	-	_	
9		140	490	120	380	36	50	46	273	140	97	M30	UKP320	P320	UK320	H2320X	34.8	1/3	141	13.2	-	-	-	_	-	UKP320C	UKP320CD	174 6	27/32 41.0
10		5 <sup>29</sup> / <sub>32</sub>	<b>20</b> <sup>15</sup> / <sub>32</sub>	5 <sup>1</sup> / <sub>2</sub>	15 <sup>3</sup> /4	1 <sup>9</sup> /16	<b>2</b> <sup>5</sup> / <sub>32</sub>	1 <sup>31</sup> / <sub>32</sub>	11 <sup>21</sup> /32	5 <sup>29</sup> / <sub>32</sub>	4 <sup>1</sup> /8	1 <sup>1</sup> /4	UKP322	P322	UK322	H2322X	43.9	205	180	13.2	-	-	-	-	-	UKP322C	UKP322CD	188 7	13/32 50.8
	4	150	520	140	400	40	55	50	296	150	105	M33	UKP322	P 522	UK322	HE2322>	43.9	205	100	15.2	-	-	-	-	-	-	-	-	
11	0	6 <sup>19</sup> / <sub>64</sub>	22 <sup>7</sup> /16	<b>5</b> 1/2	17 <sup>23</sup> / <sub>32</sub>	<b>1</b> 9/16	<b>2</b> <sup>5</sup> / <sub>32</sub>	1 <sup>31</sup> / <sub>32</sub>	12 <sup>7</sup> /16	<b>6</b> <sup>5</sup> / <sub>16</sub>	4 <sup>13</sup> / <sub>32</sub>	<b>1</b> <sup>1</sup> /4	UKP324	P324	UK324	H2324	55.7	207	185	13.5		_	_	_		UKP324C	UKP324CD	196 7	23/32 66.0
	0 –	160	570	140	450	40	55	50	316	160	112	M33	UKF 524	F 324	0K324	112324	55.7	207	105	15.5	-	-	-	_	_	UKF 324C	UKF 324CD	190 7	/32 00.0
11	<b>4</b> <sup>1/2</sup>	7 <sup>3</sup> /32	23 5/8	5 <sup>1</sup> / <sub>2</sub>	18 <sup>29</sup> /32	<b>1</b> <sup>9</sup> /16	<b>2</b> <sup>5</sup> / <sub>32</sub>	1 <sup>31</sup> /32	13 <sup>21</sup> /32	7 <sup>11</sup> /16	4 <sup>3</sup> /4	1 <sup>1</sup> /4	UKP326	P326	UK326	HE2326	71.9	229	214	13.6	-	-	-	-	-	-	-	-	
	5	180	600	140	480	40	55	50	355	195	121	M33	UKP320	P 520	0K520	H2326	71.9	229	214	15.0	-	-	-	-	-	UKP326C	UKP326CD	214 8	7/16 85.2
12	5	7 7/8	<b>24</b> <sup>13</sup> / <sub>32</sub>	5 <sup>1</sup> / <sub>2</sub>	<b>19</b> <sup>11</sup> / <sub>16</sub>	<b>1</b> <sup>9</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>32</sub>	2 <sup>3</sup> /8	15 <sup>15</sup> / <sub>32</sub>	7 9/32	5 <sup>5</sup> / <sub>32</sub>	1 <sup>1</sup> /4	UKP328	P328	UK328	H2328	92.5	253	246	13.6						UKP328C	UKP328CD	222 8	3/. 100
12		200	620	140	500	40	55	60	393	185	131	M33	017520	F 320	01.520	П2326	92.5	255	240	13.0	-	-	-	-	-	UKF 320C	UKF 520CD	222 0	109

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKP206J + H2306X, UK206 + H2306X)
 As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing.
 For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.





Variations of tolerance of distance from mounting bottom to center of spherical bore ( $\Delta_{Hs}$ )

#### 

			Unit: mm
	Housing No.		$\Delta_{Hs}$
P205~P210	PX05~PX10	P305~P310	±0.15
P211~P218	PX11~PX18	P311~P318	±0.2
	PX20	P319~P328	±0.3

Forms and dimensions of  $H_{\rm 2c}$  of P205JE3 (housing with cast iron cover) are shown below.



P205JE3  $H_{2c} = 77 \text{ mm}$ 

#### UCIP

Cylindrical bore (with set screws)

*d* 40 ~ 140 mm





 $-2-\phi N$ 





	_							F								,								,					
	aft Dia.				0	Dimensio	ns				Bolt		Standard		1		Basic	Fact	or		With Pressed St		-			With Cast Iro	1		
mn	inch					inch					Size	Unit	Housing	Bearing	Ma	ass Lo	ad Ratir	ngs		Unit	No.		ension	Mass	Uni	t No.	Dimer		Mass
						mm					inch	No.	No.	No.			kN			Open Type	One Side	mm	inch		Open Type	One Side	mm	inch	
	d	H	L	A	J	N	$H_1$	$H_2$	В	S	mm				kį	g   (	Cr C	Cor fo			Closed Type		$A_{\rm s}$	kg		Closed Type	A	c	kg
	1 <sup>1</sup> / <sub>2</sub>											UCIP208-24		UC208-24	3	3.4				_	_	_	-	_	_	_	_	_	_
40		2 <sup>23</sup> / <sub>64</sub>	7 7/8	2 <sup>3</sup> /8	5 <sup>29</sup> / <sub>32</sub>	3/4	31/32	4 <sup>17</sup> / <sub>32</sub>	1.937	0.748	5/8	UCIP208-25	IP208	UC208-25			9.1 1	7.8 14.0		_	_	_	_	_	_	_	_	_	_
		60	200	60	150	19	25	115	49.2	19	M16	UCIP208		UC208		3.4				UCIP208C	UCIP208CD	69	2 <sup>23</sup> /32	3.4	UCIP208FC	UCIP208FCD	86	3 <sup>3</sup> /8	4.2
	1 <sup>5</sup> /8											UCIP209-26		UC209-26	3	3.9				-	-	-	-	-	-	-	-	-	_
45	1 11/16	2 <sup>3</sup> /4	<b>8</b> <sup>9</sup> / <sub>32</sub>	2 <sup>3</sup> /8	6 <sup>19</sup> / <sub>64</sub>	3/4	<sup>31</sup> / <sub>32</sub>	5 <sup>1</sup> / <sub>32</sub>	1.937	0.748	5/8	UCIP209-27	IP209	UC209-27	3	3.9	4.1 2	21.3 14.0		-	-	-	-	-	-	-	-	-	-
	1 <sup>3</sup> /4	70	210	60	160	19	25	128	49.2	19	M16	UCIP209-28	11 209	UC209-28	3	3.9	2	.1.5		-	-	-	-	-	-	-	-	-	-
												UCIP209		UC209		3.9			l	UCIP209C	UCIP209CD	69	2 <sup>23</sup> / <sub>32</sub>	3.9	UCIP209FC	UCIP209FCD	88	3 <sup>15</sup> / <sub>32</sub>	4.7
	1 7/8											UCIP210-30		UC210-30		1.8				-	-	-	-	-	-	-	-	-	-
50	1 15/16	2 3/4	8 <sup>21</sup> / <sub>32</sub>	2 <sup>3</sup> /8	6 <sup>11</sup> / <sub>16</sub>	3/4	1 <sup>3</sup> / <sub>32</sub>	5 <sup>3</sup> / <sub>16</sub>	2.031	0.748	5/8	UCIP210-31	IP210	UC210-31		1.8	5.1 2	3.3 14.4	4 .	-	-	-	-	-	-	-	-	-	-
		70	220	60	170	19	28	132	51.6	19	M16	UCIP210		UC210		4.8				UCIP210C	UCIP210CD	74	2 <sup>29</sup> / <sub>32</sub>	4.8	UCIP210FC	UCIP210FCD	97	3 <sup>13</sup> / <sub>16</sub>	5.8
_	2											UCIP210-32 UCIP211-32		UC210-32 UC211-32		4.8 5.3					-	-			-	_		-	
	2 1/8	3 5/32	9 <sup>1</sup> / <sub>16</sub>	2 <sup>3</sup> /8	7 <sup>3</sup> / <sub>32</sub>	3/4	1 <sup>3</sup> / <sub>32</sub>	5 <sup>13</sup> / <sub>16</sub>	2.189	0.874	5/8	UCIP211-32		UC211-32		5.3				_	_	_	_	_			_		_
55	2 /0	80	230	60	180	19	28	148	55.6	22.2	M16	UCIP211	IP211	UC211-54		5.3 4	3.4 2	29.4 14.4	4	UCIP211C	UCIP211CD	76	3	5.3	UCIP211FC	UCIP211FCD	- 99	- 3 <sup>29</sup> / <sub>32</sub>	6.3
	2 <sup>3</sup> / <sub>16</sub>		200				20		5510			UCIP211-35		UC211-35		5.3				_	-	_	_	_	_	_	_	_	_
	2 <sup>1</sup> /4											UCIP212-36		UC212-36		7.2				-	-	-	-	-	-	-	-	-	_
60		<b>3</b> <sup>5</sup> / <sub>32</sub>	10 <sup>1</sup> /4	2 <sup>3</sup> /4	7 7/8	7/8	1 <sup>3</sup> /16	6 <sup>3</sup> /32	2.563	1.000	3/4	UCIP212	10010	UC212	7	7.2		62 14	, I	UCIP212C	UCIP212CD	89	<b>3</b> 1/2	7.2	UCIP212FC	UCIP212FCD	114	<b>4</b> <sup>1</sup> / <sub>2</sub>	8.7
60	2 <sup>3</sup> /8	80	260	70	200	22	30	155	65.1	25.4	M20	UCIP212-38	IP212	UC212-38	7	7.2   5	52.4 3	36.2 14.4	*	-	-	-	-	-	-	-	-	-	-
	2 7/16											UCIP212-39		UC212-39	7	7.2				-	-	-	-	-	-	-	-	-	-
	2 <sup>1</sup> /2	3 35/64	11 <sup>1</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>4</sub>	8 <sup>21</sup> / <sub>32</sub>	7/8	1 <sup>3</sup> / <sub>16</sub>	6 <sup>25</sup> / <sub>32</sub>	2.563	1.000	3/4	UCIP213-40	IP213	UC213-40		3.8 5	7.2 4	0.1 14.4	1	-	-	-	-	-	-	-	-	-	-
65	21/	90	280	70	220	22	30	172	65.1	25.4	M20	UCIP213		UC213		3.8			- (	UCIP213C	UCIP213CD	89	3 <sup>1</sup> / <sub>2</sub>	8.8	UCIP213FC	UCIP213FCD	114	4 <sup>1</sup> / <sub>2</sub>	10.5
	2 <sup>1</sup> / <sub>2</sub>	4 <sup>21</sup> / <sub>64</sub>	12 <sup>7</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>4</sub> 70	9 <sup>27</sup> / <sub>32</sub>	<sup>7</sup> / <sub>8</sub> 22	1 <sup>3</sup> / <sub>16</sub>	8 <sup>3</sup> / <sub>16</sub>	2.953 75	1.181 30	<sup>3</sup> / <sub>4</sub>	UCIP313-40	IP313	UC313-40 UC313	13	9	2.7 5	9.9 13.2	2	-	-	-	-	-	-		-	-	-
	2 <sup>3</sup> /4	110 4 <sup>21</sup> / <sub>64</sub>	310 13	2 <sup>15</sup> / <sub>16</sub>	250 10 <sup>5</sup> /8	31/32	30 1 <sup>3</sup> /8	208 8 <sup>15</sup> / <sub>32</sub>	3.071	1.299	M20	UCIP313 UCIP314-44		UC313	13							_		_	UCIP313C	UCIP313CD	122	4 <sup>13</sup> / <sub>16</sub>	15.5
70	2 / 4	110	330	75	270	25	35	215	78	33	M22	UCIP314	IP314	UC314	15	1 10	6 6	58.2 13.2	2	_	_	_	_	_	UCIP314C	UCIP314CD	124	4 7/8	17.6
	2 <sup>15</sup> /16											UCIP315-47		UC315-47		7.6				-	-	-	_	_	-	_	-	-	_
75		4 23/32	13 <sup>3</sup> /8	2 <sup>15</sup> / <sub>16</sub>	11 <sup>1</sup> / <sub>32</sub> 280	<sup>31</sup> / <sub>32</sub> 25	1 <sup>3</sup> /8	9 <sup>1</sup> / <sub>16</sub>	3.228	1.260	<sup>7</sup> / <sub>8</sub>	UCIP315	IP315	UC315	17	7.6   11	3 7	7.2 13.2	2	-	-	-	-	-	UCIP315C	UCIP315CD	134	5 <sup>9</sup> / <sub>32</sub>	20.1
	3	120	340	75	280	25	35	230	82	32	M22	UCIP315-48		UC315-48	17	7.6				-	-	-	-	-	-	-	_	-	_
80	_	4 <sup>23</sup> / <sub>32</sub>	13 <sup>25</sup> / <sub>32</sub>	3 11/32	11 <sup>27</sup> / <sub>64</sub>	31/32	1 <sup>9</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>4</sub>	3.386	1.339	7/8	UCIP316	IP316	UC316	20	0.3 12	3 8	36.7 13.3	3	_	_	_	_	_	UCIP316C	UCIP316CD	138	5 <sup>7</sup> /16	23.2
		120	350	85	290	25	40	235	86	34	M22																		
85	-	5 <sup>1</sup> / <sub>8</sub> 130	14 <sup>9</sup> / <sub>16</sub> 370	3 <sup>11</sup> / <sub>32</sub> 85	12 <sup>13</sup> / <sub>64</sub> 310	<sup>31</sup> / <sub>32</sub> 25	1 <sup>9</sup> / <sub>16</sub> 40	10 <sup>1</sup> / <sub>32</sub> 255	3.780 96	1.575 40	<sup>7</sup> / <sub>8</sub> M22	UCIP317	IP317	UC317	25	5.9   13	3 9	6.8 13.3	3	-	-	-	-	-	UCIP317C	UCIP317CD	146	5 <sup>3</sup> /4	29.2
	3 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> /8	15 <sup>3</sup> / <sub>4</sub>	3 <sup>11</sup> /32	13	25 1 <sup>5</sup> /32	1 <sup>25</sup> /32	255 10 <sup>1</sup> /4	3.780	1.575	1	UCIP318-56		UC318-56	28	3.6				_	-	_	_	_	_	_	-	_	_
90		130	400	85	330	29	45	260	96	40	M27	UCIP318	IP318	UC318	28	14	3 10	07 13.3	3	_	_	_	_	_	UCIP318C	UCIP318CD	150	5 <sup>29</sup> / <sub>32</sub>	32.4
0.5		5 <sup>29</sup> / <sub>32</sub>	16 5/32	3 <sup>11</sup> / <sub>32</sub>	13 <sup>25</sup> / <sub>64</sub>	1 5/32	1 <sup>25</sup> / <sub>32</sub>	11 7/32	4.055	1.614	1		10210					0 13	,										
95	_	150	410	85	340	29	45	285	103	41	M27	UCIP319	IP319	UC319	31	1.7 15	3 11	9 13.3	,	_	_	-	-	_	UCIP319C	UCIP319CD		6 <sup>3</sup> /8	36.0
		5 <sup>29</sup> / <sub>32</sub>	<b>16</b> <sup>15</sup> / <sub>16</sub>	3 <sup>11</sup> / <sub>32</sub>	<b>14</b> <sup>11</sup> / <sub>64</sub>	1 5/32	1 <sup>25</sup> / <sub>32</sub>	11 5/8	4.252	1.654	1	UCIP320		UC320	36					-	-	-	-	-	UCIP320C	UCIP320CD	174	6 <sup>27</sup> / <sub>32</sub>	42.5
100	3 15/16	150	430	85	360	29	45	295	108	42	M27	UCIP320-63	IP320	UC320-63	36		3 14	1 13.2	2	-	-	-	-	-	-	-	-	-	-
_	4			3 <sup>15</sup> / <sub>16</sub>	16 <sup>9</sup> / <sub>64</sub>							UCIP320-64		UC320-64	36					-	-	-	-	_	-	-	_	-	-
110	-	6 <sup>11</sup> / <sub>16</sub> 170	19 <sup>9</sup> / <sub>32</sub> 490	3 <sup>13</sup> / <sub>16</sub> 100	410	1 <sup>1</sup> / <sub>4</sub> 32	1 <sup>31</sup> / <sub>32</sub> 50	13 <sup>3</sup> / <sub>16</sub> 335	4.606 117	1.811 46	1 <sup>1</sup> / <sub>8</sub> M30	UCIP322	IP322	UC322	52	2.4   20	5 18	30 13.2	2	-	-	-	-	_	UCIP322C	UCIP322CD	188	7 <sup>13</sup> / <sub>32</sub>	59.2
		6 <sup>11</sup> / <sub>16</sub>		3 15/16	16 59/64	1 <sup>1</sup> / <sub>4</sub>	1 31/32	13 <sup>19</sup> /32	4.961	2.008	1 1/8	UCIP324																	
120	-	170	510	100	430	32	50	345	126	51	M30	UCIP324	IP324	UC324	58	3.7   20	07 18	35 13.5	5	-	-	-	-	-	UCIP324C	UCIP324CD	196	7 <sup>23</sup> / <sub>32</sub>	68.2
120			<b>21</b> <sup>21</sup> / <sub>32</sub>			1 1/4	1 31/32	15 11/32	5.315	2.126	1 <sup>1</sup> / <sub>8</sub>	UCIP326	ID224	11(224	27	5 2 22	0 11	1 12		_							214	97/	88.3
130	-	200	550	110	470	52	50	390	122				IP326	UC326	/6	.2 22	.9 21	4 13.6		-	-	-	-	-	UCIP326C	0CIP326CD	214	O '/16	۵۵.3
140	_	7 <sup>7</sup> /8			<b>19</b> <sup>11</sup> / <sub>16</sub>	1 <sup>3</sup> /8	<b>2</b> <sup>5</sup> / <sub>32</sub>		5.709	2.323	1 <sup>1</sup> /4	UCIP328	IP328	UC328	87	7.0 25	3 24	16 13.6	5	_	_	_	_	_	UCIP328C	UCIP328CD	222	8 <sup>3</sup> /4	102
		200	590	110	500	35	55	400	145																5 311 9200	2 2 020 00		- / ·	
Rema	rks 1. In F	Part No. of	unit and u	nits with c	overs, fittin	ng codes f	ollow bore	diameter i	numbers. (S	See Table	10.5 in P.	62.)			3. As	s for the t	triple sea	al type prod	luct, su	uffix code L3 f	ollows the Part N	No. of u	nit or bear	rina.					

As for the triple seal type product, suffix code L3 follows the Part No. of unit or bearing. (Example of Part No. : UCIP208JL3, UC208L3)
 As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



With Cast Iron Cover



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\mathcal{A}_{Hs})$ , variations of tolerance of distance between centers of bolt holes  $(\mathcal{A}_{Js})$  and variations of tolerance of bolt hole diameter  $(\mathcal{A}_{Ns})$ 

				Unit: mm
Housi	ng No.	$\Delta_{Hs}$	$\Delta J_{s}$	$\Delta_{Ns}$
IP208~IP210		±0.15	±0.5	+0.2
IP211~IP213	IP313~IP318	±0.2	+0.7	±0.2
	IP319~IP328	±0.3	±0.7	±0.3

#### UKIP

Tapered bore (with adapter)

*d*<sub>1</sub> 35 ~ 125 mm







With Pressed Steel Cover





Sh	aft Dia.				Dimer	nsions				Bolt		Stan	dard				Bas	ic	Factor		With Pressed St	eel Co	ver			With Cast Iro	n Cover	
mm	n inch				in	ch				Size	Unit	Housing	Bearing	Adapter	Ма	lass	Load Ra	atings		Uni	t No.	Dim	ension	Mass	Uni	t No.	Dimension	Mass
					m	m				inch	No.	No.	No.	No.			kľ	N			One Side	mm	inch		On on Tyme	One Side	mm inch	
	d.	Н	L	Α	J	N	$H_1$	$H_2$	$B_1$	inch					1-	ka	$C_{\rm r}$	$C_{0\mathrm{r}}$	fa	Open Type	Closed Type		Λ	ka	Open Type	Closed Type	٨	ka
	$d_1$	11	L	А	9	14	111	112	$D_1$	mm						kg	Ur	Cor	fo		closed type		As	kg		closed type	$A_{ m c}$	kg
	<b>1</b> <sup>1</sup> / <sub>4</sub>	2 <sup>23</sup> /64	7 7/8	2 <sup>3</sup> /8	5 <sup>29</sup> / <sub>32</sub>	3/4	31/32	4 <sup>17</sup> / <sub>32</sub>	1 <sup>13</sup> /16	5/8				HE2308X		3.5				-	-	-	-	-	-	-		-
35	<b>5</b>   1 <sup>3</sup> /8	60	200	60	150	19	25	115	46	M16	UKIP208	IP208	UK208	HS2308X		3.5	29.1	17.8	14.0	-	-	-	-	-	-	-		-
	1/													H2308X		3.5				UKIP208C	UKIP208CD	69	2 <sup>23</sup> / <sub>32</sub>	3.5	UKIP208FC	UKIP208FCD	86 3 <sup>3</sup> / <sub>8</sub>	4.4
40	<b>D</b> 1 <sup>1</sup> /2	2 3/4	8 <sup>9</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>8</sub>	6 <sup>19</sup> / <sub>64</sub>	3/4	<sup>31</sup> / <sub>32</sub> 25	5 <sup>1</sup> / <sub>32</sub> 128	1 <sup>31</sup> / <sub>32</sub> 50	<sup>5</sup> /8	UKIP209	IP209	UK209	HE2309X H2309X		4.0	34.1	21.3	14.0	-	-	-	-	-				-
	_ 1 <sup>3</sup> /4	70 2 <sup>3</sup> / <sub>4</sub>	210 8 <sup>21</sup> / <sub>32</sub>	60 2 <sup>3</sup> /8	160 6 <sup>11</sup> / <sub>16</sub>	19 <sup>3</sup> /4	25 1 <sup>3</sup> / <sub>32</sub>	5 <sup>3</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>32</sub>	M16 5/8				H2309X HE2310X		4.0				UKIP209C	UKIP209CD	69	2 <sup>23</sup> / <sub>32</sub>	4.0	UKIP209FC	UKIP209FCD	88 3 15/32	4.9
4	5   ' '	70	220	60	170	19	28	132	55	M16	UKIP210	IP210	UK210	H2310X		4.8	35.1	23.3	14.4	UKIP210C	UKIP210CD	74	2 <sup>29</sup> / <sub>32</sub>	4.8	UKIP210FC	UKIP210FCD	97 3 <sup>13</sup> / <sub>16</sub>	5.8
	1 7/8													HS2311X		5.3				-	-	-	-	-	-	-		-
50	D	3 5/32	9 <sup>1</sup> / <sub>16</sub>	2 3/8	7 <sup>3</sup> / <sub>32</sub>	3/4	1 <sup>3</sup> / <sub>32</sub>	5 <sup>13</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>16</sub>	5/8	UKIP211	IP211	UK211	H2311X	5.	5.3	43.4	29.4	14.4	UKIP211C	UKIP211CD	76	3	5.3	UKIP211FC	UKIP211FCD	99 3 <sup>29</sup> / <sub>32</sub>	5.9
	2	80	230	60	180	19	28	148	59	M16				HE2311X	5.	5.3				-	-	-	-	-	_	-		-
55	2 <sup>1/8</sup>	3 <sup>5</sup> /32	10 <sup>1</sup> /4	2 <sup>3</sup> /4	7 7/8	7/8	1 <sup>3</sup> /16	6 <sup>3</sup> / <sub>32</sub>	2 <sup>7</sup> /16	3/4	UKIP212	IP212	UK212	HS2312X		7.1	52.4	36.2	14.4	-	-	-	-	-	-	-		-
		80	260	70	200	22	30	155	62	M20			010212	H2312X		7.1	52.1	50.2		UKIP212C	UKIP212CD	89	3 <sup>1</sup> / <sub>2</sub>	7.1	UKIP212FC	UKIP212FCD	114 4 <sup>1</sup> / <sub>2</sub>	8.6
	2 1/4	3 <sup>35</sup> / <sub>64</sub>	11 <sup>1</sup> /32	2 <sup>3</sup> /4	8 <sup>21</sup> / <sub>32</sub>	7/8	1 <sup>3</sup> /16	6 <sup>25</sup> / <sub>32</sub>	<b>2</b> %/16	3/4		10010	1.11/2.1.2	HE2313X		8.7		40.4		-	-	-	-	-	-	-		-
	23/	90	280	70	220	22	30	172	65	M20	UKIP213	IP213	UK213	H2313X		8.7	57.2	40.1	14.4	UKIP213C	UKIP213CD	89	3 <sup>1</sup> / <sub>2</sub>	8.7	UKIP213FC	UKIP213FCD	114 4 <sup>1</sup> / <sub>2</sub>	10.4
60	$2^{3/8}$													HS2313X HE2313X	8. 13.	8.7					_	_		_				
	2 / 4	4 <sup>21</sup> / <sub>64</sub>	12 <sup>7</sup> /32	<b>2</b> <sup>3</sup> / <sub>4</sub>	9 <sup>27</sup> / <sub>32</sub>	7/8	1 <sup>3</sup> /16	8 <sup>3</sup> /16	2 <sup>9</sup> /16	3/4	UKIP313	IP313	UK313	H2313X	13.		92.7	59.9	13.2	_	_	_	_	_	UKIP313C	UKIP313CD	122 4 <sup>13</sup> / <sub>16</sub>	15.7
	2 3/8	110	310	70	250	22	30	208	65	M20			01010	HS2313X	13.		220	5515		_	_	_	_	_	_	-		-
-	2 1/2	4 <sup>23</sup> / <sub>32</sub>	13 <sup>3</sup> /8	2 <sup>15</sup> / <sub>16</sub>	11 <sup>1</sup> /32	31/32	1 <sup>3</sup> /8	<b>9</b> <sup>1</sup> / <sub>16</sub>	2 7/8	7/8	11//10245	10215	11/215	HE2315X	17.		112	77.0	12.2	-	-	-	-	-	-	-		-
65		120	340	75	280	25	35	230	73	M22	UKIP315	IP315	UK315	H2315X	17.	7.7	113	77.2	13.2	-	-	-	-	-	UKIP315C	UKIP315CD	134 5 <sup>9</sup> / <sub>32</sub>	20.5
70	2 <sup>3/4</sup>	4 <sup>23</sup> / <sub>32</sub>	13 <sup>25</sup> /32	<b>3</b> <sup>11</sup> / <sub>32</sub>	11 <sup>27</sup> /64	31/32	1 <sup>9</sup> /16	9 <sup>1</sup> / <sub>4</sub>	3 <sup>1</sup> /16	7/8	UKIP316	IP316	UK316	HE2316X	20.		123	86.7	13.3	-	-	-	-	-	-	-		-
		120	350	85	290	25	40	235	78	M22				H2316X	20.		.25			-	-	-	-	-	UKIP316C	UKIP316CD	138 5 7/16	23.5
75	5	5 <sup>1</sup> /8	14 <sup>9</sup> /16	3 <sup>11</sup> / <sub>32</sub>	12 <sup>13</sup> /64	<sup>31</sup> / <sub>32</sub>	1 <sup>9</sup> /16 40	10 <sup>1</sup> / <sub>32</sub>	3 7/32	<sup>7</sup> /8	UKIP317	IP317	UK317	H2317X	25.		133	96.8	13.3	-	-	-	-	-	UKIP317C	UKIP317CD	146 5 <sup>3</sup> / <sub>4</sub>	29.2
	3	130 5 <sup>1</sup> /8	370 15 <sup>3</sup> / <sub>4</sub>	85 3 <sup>11</sup> / <sub>32</sub>	310 13	25 1 <sup>5</sup> / <sub>32</sub>	1 <sup>25</sup> /32	255 10 <sup>1</sup> / <sub>4</sub>	82 3 <sup>3</sup> /8	M22		-		HE2317X	25.	5./				_		-	-	-				-
80	D – D	130	400	85	330	29	45	260	86	M27	UKIP318	IP318	UK318	H2318X	28.	8.7	143	107	13.3	-	-	-	-	-	UKIP318C	UKIP318CD	150 5 <sup>29</sup> / <sub>32</sub>	32.9
	3 <sup>1</sup> / <sub>4</sub>	5 <sup>29</sup> / <sub>32</sub>	16 5/32	3 <sup>11</sup> / <sub>32</sub>	13 <sup>25</sup> /64	1 5/32	1 25/32	11 7/32	3 <sup>17</sup> / <sub>32</sub>	1		10210	1.11/2.1.0	HE2319X	32.	2.0	4.50	110	12.2	-	-	_	-	-	-	-		-
85	5	150	410	85	340	29	45	285	90	M27	UKIP319	IP319	UK319	H2319X	32.	2.0	153	119	13.3	_	-	-	-	-	UKIP319C	UKIP319CD	162 6 <sup>3</sup> /8	36.7
90	<b>3</b> <sup>1/2</sup>	5 <sup>29</sup> / <sub>32</sub>	16 <sup>15</sup> /16	3 <sup>11</sup> / <sub>32</sub>	<b>14</b> <sup>11</sup> / <sub>64</sub>	1 <sup>5</sup> /32	1 <sup>25</sup> / <sub>32</sub>	11 5/8	3 <sup>13</sup> / <sub>16</sub>	1	UKIP320	IP320	UK320	HE2320X	36.	6.6	173	141	13.2	-	-	-	-	-	-	-		-
		150	430	85	360	29	45	295	97	M27	0111 320	11 520	01020	H2320X	36.		175	141	13.2	-	-	-	-	-	UKIP320C	UKIP320CD	174 6 <sup>27</sup> / <sub>32</sub>	42.8
100	D ,	6 <sup>11</sup> /16	19 <sup>9</sup> /32	3 15/16	16 <sup>9</sup> /64	1 <sup>1</sup> /4	1 <sup>31</sup> / <sub>32</sub>	13 <sup>3</sup> /16	4 <sup>1</sup> /8	1 <sup>1</sup> /8	UKIP322	IP322	UK322	H2322X	52.		205	180	13.2	-	-	-	-	-	UKIP322C	UKIP322CD	188 7 <sup>13</sup> / <sub>32</sub>	59.1
	4	170	490	100 3 <sup>15</sup> / <sub>16</sub>	410 16 <sup>59</sup> /64	32 1 <sup>1</sup> / <sub>4</sub>	50 1 <sup>31</sup> / <sub>32</sub>	335 13 <sup>19</sup> / <sub>32</sub>	105 4 <sup>13</sup> / <sub>32</sub>	M30				HE2322X	52.	2.2				_	_	-	-	-	-			-
110	D –	6 <sup>11</sup> / <sub>16</sub> 170	20 <sup>3</sup> / <sub>32</sub> 510	<sup>3 13</sup> /16	430	32	50	345	4 <sup>13</sup> / <sub>32</sub> 112	1 <sup>1</sup> / <sub>8</sub> M30	UKIP324	IP324	UK324	H2324	59.	9.0	207	185	13.5	-	-	-	-	-	UKIP324C	UKIP324CD	196 7 <sup>23</sup> / <sub>32</sub>	69.3
	4 1/2	7 7/8	21 <sup>21</sup> / <sub>32</sub>	4 11/32	18 1/2	1 <sup>1</sup> /4	1 <sup>31</sup> / <sub>32</sub>	15 <sup>11</sup> / <sub>32</sub>	4 <sup>3</sup> / <sub>4</sub>	1 <sup>1</sup> /8				HE2326	76.	6.0				_	_	_	_	_	_	_		<u> </u>
115	5	200	550	110	470	32	50	390	121	M30	UKIP326	IP326	UK326	H2326	76.		229	214	13.6	_	_	_	_	_	UKIP326C	UKIP326CD	214 8 7/16	89.3
10	-	7 7/8	<b>23</b> <sup>7</sup> / <sub>32</sub>	4 <sup>11</sup> / <sub>32</sub>	<b>19</b> <sup>11</sup> / <sub>16</sub>	1 <sup>3</sup> /8	2 <sup>5</sup> / <sub>32</sub>	15 <sup>3</sup> / <sub>4</sub>	4 <sup>5</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>4</sub>		2220	11/220				252	246	12.6									
12		200	590	110	500	35	55	400	131	M33	UKIP328	IP328	UK328	H2328	87.	7.0	253	246	13.6	-	-	-	-	-	UKIP328C	UKIP328CD	222 8 <sup>3</sup> / <sub>4</sub>	104

A-R1/8.....  In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKIP208J + H2308X, UK208 + H2308X)
 As for the triple seal type product, suffix code L3 follows the Part No. of unit or bearing. (Example of Part No. : UKIP208JL3 + H2308X, UK208L3 + H2308X)

For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Housings of nodular graphite cast iron are also available.





Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\mathcal{L}_{Hs})$ , variations of tolerance of distance between centers of bolt holes  $(\mathcal{L}_{Js})$  and variations of tolerance of bolt hole diameter  $(\mathcal{L}_{Ns})$ 

				Unit: mm
Housi	ng No.	$\Delta_{Hs}$	$\Delta J_{Js}$	$\Delta_{Ns}$
IP208~IP210		±0.15	±0.5	+0.2
IP211~IP213	IP313~IP318	±0.2	+0.7	±0.2
	IP319~IP328	±0.3	±0.7	±0.3

#### UCPA

Cylindrical bore (with set screws)

d 12 ~ 50 mm







Shaf mm	<b>t Dia.</b> inch					Dimen inc mi	ch					Unit No.	Housing No.	Bearing No.	Load F	<b>sic latings</b> N	Factor	Mass
	d	Н	L	A	J	N	$H_2$	$H_3$	$L_1$	В	S				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo	kg
12												UCPA201		UC201				0.64
	1/2											UCPA201-8		UC201-8				
15		13/	2	1 <sup>9</sup> /16	23/		23/	17	11/	1 220	0.500	UCPA202		UC202				0.62
	5/8	1 <sup>3</sup> /16	3		2 <sup>3</sup> /64	M101 F	2 <sup>3</sup> /8	1/2	1 <sup>1</sup> /16	1.220	0.500	UCPA202-10	PA204	UC202-10	12.8	6.65	13.2	
17		30.2	76	40	52	M10×1.5	60	13	27	31	12.7	UCPA203		UC203				0.61
	3/4											UCPA204-12		UC204-12				
20												UCPA204		UC204				0.59
	7/8											UCPA205-14		UC205-14				
25	15/16	1 <sup>7</sup> / <sub>16</sub>	3 <sup>5</sup> / <sub>16</sub>	1 <sup>25</sup> / <sub>32</sub>	<b>2</b> <sup>13</sup> / <sub>64</sub>		2 <sup>25</sup> / <sub>32</sub>	1/2	1 <sup>3</sup> / <sub>16</sub>	1.343	0.563	UCPA205-15	PA205	UC205-15	14.0	7.85	13.9	0.83
25		36.5	84	45	56	M10×1.5	71	13	30	34.1	14.3	UCPA205	FAZUJ	UC205	14.0	7.05	13.9	0.05
	1											UCPA205-16		UC205-16				
	1 <sup>1</sup> /8											UCPA206-18		UC206-18				
30		1 <sup>11</sup> /16	3 <sup>11</sup> / <sub>16</sub>	1 <sup>31</sup> / <sub>32</sub>	2 <sup>19</sup> / <sub>32</sub>		3 <sup>5</sup> /16	23/32	1 <sup>13</sup> /32	1.500	0.626	UCPA206	PA206	UC206	19.5	11.3	13.9	1.2
50	1 <sup>3</sup> / <sub>16</sub>	42.9	94	50	66	M14×2	84	18	36	38.1	15.9	UCPA206-19	17200	UC206-19	19.5	11.5	15.5	1.2
	1 <sup>1</sup> / <sub>4</sub>											UCPA206-20		UC206-20				
	1 <sup>1</sup> / <sub>4</sub>											UCPA207-20		UC207-20				
	1 5/16	1 7/8	4 <sup>11</sup> / <sub>32</sub>	2 <sup>5</sup> / <sub>32</sub>	3 5/32		3 <sup>21</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 5/8	1.689	0.689	UCPA207-21		UC207-21				
35	1 <sup>3</sup> /8	47.6	110	55	80	M14×2	93	20	41	42.9	17.5	UCPA207-22	PA207	UC207-22	25.7	15.4	13.9	1.7
				55			20	20			1715	UCPA207		UC207				
	1 7/16											UCPA207-23		UC207-23				
	1 1/2	1 <sup>15</sup> /16	4 <sup>9</sup> /16	<b>2</b> <sup>9</sup> / <sub>32</sub>	3 5/16		3 <sup>27</sup> / <sub>32</sub>	<sup>25</sup> /32	1 5/8	1.937	0.748	UCPA208-24		UC208-24				
40	1 9/16	49.2	116	58	84	M14×2	98	20	41	49.2	19	UCPA208-25	PA208	UC208-25	29.1	17.8	14.0	2.0
	1.5/											UCPA208		UC208				
	1 5/8	2.07	4 32 (	2.37	<b>2</b> 35 (		4.27	21.(	1 31 (	1 0 0 7	0.740	UCPA209-26		UC209-26				
45	1 11/16	2 9/64	4 <sup>23</sup> / <sub>32</sub>	2 3/8	3 35/64		4 <sup>3</sup> / <sub>16</sub>	31/32	1 <sup>21</sup> / <sub>32</sub>	1.937	0.748	UCPA209-27	PA209	UC209-27	34.1	21.3	14.0	2.2
	1 3/4	54.2	120	60	90	M14×2	106	25	42	49.2	19	UCPA209-28		UC209-28				
	17/											UCPA209		UC209				
	1 7/8	21/	E 1/	2.17/	2 45 /		47/	31/	1 27/	2 0 2 1	0.740	UCPA210-30		UC210-30				
50	1 <sup>15</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>4</sub>	5 <sup>1</sup> /8	2 <sup>17</sup> / <sub>32</sub>	3 <sup>45</sup> / <sub>64</sub>	MIGUO	4 <sup>7</sup> / <sub>16</sub>	<sup>31</sup> / <sub>32</sub>	1 <sup>27</sup> / <sub>32</sub>	2.031	0.748	UCPA210-31	PA210	UC210-31	35.1	23.3	14.4	2.8
		57.2	130	64	94	M16×2	113	25	47	51.6	19	UCPA210		UC210				
	2											UCPA210-32		UC210-32				

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is A-1/4-28UNF.

 3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows Part No. of unit or bearing. (Example of Part No. : UCPA206JL3, UC206L3)

As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Tapered bore (with adapter) type products are also available. (Example of Part No. : UKPA205J + H2305X, UK205 + H2305X)
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting bottom to center of spherical bore ( $\Delta_{Hs}$ ) and variations of tolerance of distance between centers of bolt holes ( $\Delta_{Js}$ )

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{S}$
PA204~PA210	±0.15	±0.5

#### UCPAN

Cylindrical bore (with set screws)

d 20 ~ 35 mm







Sh	aft Di	a.					Dimens	ions					Unit	Housing	Bearing	Ba	sic	Factor	Mass
mn	n ir	nch					incl	ı					No.	No.	No.	Load R	atings		
							mm	1								k	N		
	d		H	L	A	J	N	$H_2$	$H_3$	$L_1$	В	S				$C_{ m r}$	$C_{0\mathrm{r}}$	fo	kg
20		3/4	1 <sup>5</sup> / <sub>16</sub>	2 <sup>9</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>4</sub>	2	3/8-16UNC	2 <sup>17</sup> / <sub>32</sub>	1/2	7/8	1.220	0.500	UCPAN204-12	PAN204	UC204-12	12.8	6.65	13.2	0.55
20			33.3	65	32	50.8	3/8-100NC	64	12.7	22	31	12.7	UCPAN204	PAIN204	UC204	12.0	0.05	15.2	0.55
		7/8											UCPAN205-14		UC205-14				
25		15/16	1 7/16	<b>2</b> <sup>3</sup> / <sub>4</sub>	1 <sup>13</sup> / <sub>32</sub>	2	3/ 161100	2 <sup>3</sup> /4	1/2	15/16	1.343	0.563	UCPAN205-15	PAN205	UC205-15	14.0	7.85	12.0	0.65
25			36.5	70	36	50.8	3/8-16UNC	70	13	24	34.1	14.3	UCPAN205	PAIN205	UC205	14.0	7.85	13.9	0.05
	1												UCPAN205-16		UC205-16				
	1	1/8											UCPAN206-18		UC206-18				
			<b>1</b> <sup>11</sup> / <sub>16</sub>	3 <sup>27</sup> / <sub>32</sub>	<b>1</b> <sup>1</sup> / <sub>2</sub>	3	7/ / / / / / / /	3 <sup>7</sup> / <sub>32</sub>	5/8	1 11/32	1.500	0.626	UCPAN206		UC206				
30	1	3/16	42.9	98	38	76.2	<sup>7</sup> / <sub>16</sub> -14UNC	82	16	34	38.1	15.9	UCPAN206-19	PAN206	UC206-19	19.5	11.3	13.9	1.3
	1	1/4											UCPAN206-20		UC206-20				
	1	1/4											UCPAN207-20		UC207-20				
	1	5/16											UCPAN207-21		UC207-21				
35			1 7/8	4 <sup>11</sup> / <sub>32</sub>	1 7/8	3 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>2</sub> -13UNC	3 <sup>21</sup> / <sub>32</sub>	3/4	1 <sup>3</sup> / <sub>32</sub>	1.689	0.689	UCPAN207-22	PAN207	UC207-22	25.7	15.4	13.9	1.8
			47.6	110	48	82.6		93	19	28	42.9	17.5	UCPAN207		UC207				
	1	7/16											UCPAN207-23		UC207-23				

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is A-1/4-28UNF.

 3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows Part No. of unit or bearing. (Example of Part No. : UCPAN206JL3, UC206L3)

As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Tapered bore (with adapter) type products are also available. (Example of Part No. : UKPAN205J + H2305X, UK205 + H2305X)
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting bottom to center of spherical bore ( $\Delta_{Hs}$ ) and variations of tolerance of distance between centers of bolt holes ( $\Delta_{Js}$ )

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{s}$
PAN204~PAN207	±0.15	±0.5

#### NCPA

Cylindrical bore

(with concentric locking collar) *d* 20 ~ 50 mm







Sha	it Dia.					Di	mensior	15					Unit	Housing	Bearing	Ba	sic	Factor	Mass
mm	inch						inch						No.	No.	No.	Load F	Ratings		
							mm									k	Ν		
	d	H	L	Α	J	N	$H_2$	$H_3$	$L_1$	$B_1$	S	$d_1$				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo	kg
20	3/4	1 <sup>3</sup> / <sub>16</sub>	3	1 <sup>9</sup> /16	2 <sup>3</sup> / <sub>64</sub>		2 <sup>3</sup> /8	1/2	1 <sup>1</sup> / <sub>16</sub>	1 <sup>9</sup> / <sub>32</sub>	0.500	1 <sup>3</sup> /4	NCPA204-12	PA204	NC204-12	12.8	6.65	13.2	0.73
20		30.2	76	40	52	M10×1.5	60	13	27	32.5	12.7	44.5	NCPA204	PA204	NC204	12.0	0.05	15.2	0.75
	7/8												NCPA205-14		NC205-14				
25	15/16	1 7/16	<b>3</b> <sup>5</sup> / <sub>16</sub>	1 <sup>25</sup> /32	2 <sup>13</sup> / <sub>64</sub>		2 <sup>25</sup> / <sub>32</sub>	1/2	1 <sup>3</sup> /16	1 <sup>7</sup> /16	0.563	<b>1</b> <sup>15</sup> /16	NCPA205-15	PA205	NC205-15	14.0	7.85	13.9	1.0
25		36.5	84	45	56	M10×1.5	71	13	30	36.5	14.3	49.2	NCPA205	1 7205	NC205	14.0	7.05	13.9	1.0
	1												NCPA205-16		NC205-16				
	1 <sup>1</sup> /8												NCPA206-18		NC206-18				
30		1 <sup>11</sup> / <sub>16</sub>	3 11/16	1 <sup>31</sup> / <sub>32</sub>	2 <sup>19</sup> / <sub>32</sub>		3 <sup>5</sup> / <sub>16</sub>	<sup>23</sup> / <sub>32</sub>	1 13/32	1 <sup>9</sup> / <sub>16</sub>	0.626	2 <sup>3</sup> / <sub>16</sub>	NCPA206	PA206	NC206	19.5	11.3	13.9	1.4
30	1 <sup>3</sup> /16	42.9	94	50	66	M14×2	84	18	36	39.7	15.9	55.6	NCPA206-19	FA200	NC206-19	19.5	11.5	13.9	1.4
	1 <sup>1</sup> /4												NCPA206-20		NC206-20				
	1 <sup>1</sup> / <sub>4</sub>	1 7/8	<b>4</b> <sup>11</sup> / <sub>32</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	<b>3</b> <sup>5</sup> / <sub>32</sub>		3 <sup>21</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 5/8	1 <sup>3</sup> / <sub>4</sub>	0.689	2 <sup>7</sup> / <sub>16</sub>	NCPA207-20	PA207	NC207-20	25.7	15.4	13.9	2.0
		47.6	110	55	80	M14×2	93	20	41	44.5	17.5	61.9		171207		 20.7	13.1	13.5	2.0
35	1 <sup>3</sup> / <sub>8</sub>	1 7/8	4 <sup>11</sup> / <sub>32</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	3 <sup>5</sup> /32		3 <sup>21</sup> /32	<sup>25</sup> /32	1 5/8	1 <sup>3</sup> /4	0.689	2 <sup>9</sup> /16	NCPA207-22		NC207-22				
		47.6	110	55	80	M14×2	93	20	41	44.5	17.5	65.1	NCPA207	PA207	NC207	25.7	15.4	13.9	2.0
	1 <sup>7</sup> /16												NCPA207-23		NC207-23				
40	1 <sup>1</sup> / <sub>2</sub>	1 <sup>15</sup> /16	4 <sup>9</sup> /16	<b>2</b> <sup>9</sup> / <sub>32</sub>	3 5/16		3 <sup>27</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 5/8	2	0.748	2 <sup>11</sup> / <sub>16</sub>	NCPA208-24	PA208	NC208-24	29.1	17.8	14.0	2.4
-		49.2	116	58	84	M14×2	98	20	41	50.8	19	68.3	NCPA208		NC208				
	1 5/8	2 <sup>9</sup> / <sub>64</sub>	4 <sup>23</sup> / <sub>32</sub>	2 <sup>3</sup> /8	3 <sup>35</sup> / <sub>64</sub>		4 <sup>3</sup> / <sub>16</sub>	<sup>31</sup> / <sub>32</sub>	1 <sup>21</sup> / <sub>32</sub>	2	0.748	2 <sup>13</sup> / <sub>16</sub>	NCPA209-26	PA209	NC209-26	34.1	21.3	14.0	2.6
	1.11/	54.2	120	60	90	M14×2	106	25	42	50.8	19	71.4			NICODO 07				
45	1 11/16	2 <sup>9</sup> /64	4 <sup>23</sup> / <sub>32</sub>	2 <sup>3</sup> /8	3 <sup>35</sup> /64		4 <sup>3</sup> /16	<sup>31</sup> / <sub>32</sub>	1 <sup>21</sup> / <sub>32</sub>	2	0.748	2 <sup>15</sup> /16	NCPA209-27		NC209-27				
	1 <sup>3</sup> /4	54.2	120	60	90	M14×2	106	25	42	50.8	19	74.6	NCPA209-28	PA209	NC209-28	34.1	21.3	14.0	2.6
	1 15/												NCPA209		NC209				
	1 <sup>15/16</sup>	2 <sup>1</sup> / <sub>4</sub>	5 <sup>1</sup> /8	<b>2</b> <sup>17</sup> / <sub>32</sub>	3 <sup>45</sup> / <sub>64</sub>		4 7/16	31/32	1 <sup>27</sup> / <sub>32</sub>	<b>2</b> <sup>3</sup> / <sub>32</sub>	0.748	3 <sup>3</sup> /8	NCPA210-31	DADAG	NC210-31	25.4	22.2		
50		57.2	130	64	94	M16×2	113	25	47	53.1	19	85.7	NCPA210	PA210	NC210	35.1	23.3	14.4	3.4
	2												NCPA210-32		NC210-32				

Remarks 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNF.
3. As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting bottom to center of spherical bore ( $\Delta_{Hs}$ ) and variations of tolerance of distance between centers of bolt holes ( $\Delta_{Js}$ )

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{S}$
PA204~PA210	±0.15	±0.5

#### NCPAN

Cylindrical bore





Sha	aft Dia.					Dim	nensions						Unit	Housing	Bearing	Ba	sic	Factor	Mass
mm	inch						inch						No.	No.	No.	Load F	latings		
							mm									k	N		
	d	Н	L	Α	J	Ν	$H_2$	$H_3$	$L_1$	$B_1$	S	$d_1$				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo	kg
20	3/4	1 <sup>5</sup> /16	<b>2</b> % 16	1 <sup>1</sup> / <sub>4</sub>	2	3/8-16UNC	2 <sup>17</sup> / <sub>32</sub>	1/2	7/8	1 <sup>9</sup> / <sub>32</sub>	0.500	1 <sup>3</sup> / <sub>4</sub>	NCPAN204-12	PAN204	NC204-12	12.8	6.65	13.2	0.7
20		33.3	65	32	50.8	-78-100NC	64	12.7	22	32.5	12.7	44.5	NCPAN204	FAIN204	NC204	12.0	0.05	13.2	0.7
	7/8												NCPAN205-14		NC205-14				
25	15/16	1 7/16	2 <sup>3</sup> /4	1 <sup>13</sup> / <sub>32</sub>	2	3/8-16UNC	2 <sup>3</sup> /4	1/2	15/16	1 7/16	0.563	1 <sup>15</sup> /16	NCPAN205-15	PAN205	NC205-15	14.0	7.85	13.9	0.85
25		36.5	70	36	50.8	-78-100INC	70	13	24	36.5	14.3	49.2	NCPAN205	PANZUS	NC205	14.0	7.05	15.9	0.05
	1												NCPAN205-16		NC205-16				
	1 <sup>1</sup> /8												NCPAN206-18		NC206-18				
		1 11/16	3 <sup>27</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	3	<sup>7</sup> /16-14UNC	3 7/32	<sup>5</sup> /8	1 <sup>11</sup> / <sub>32</sub>	1 <sup>9</sup> / <sub>16</sub>	0.626	2 <sup>3</sup> / <sub>16</sub>	NCPAN206	DANIDOC	NC206	105		12.0	
30	1 3/16	42.9	98	38	76.2	1/16-14UNC	82	16	34	39.7	15.9	55.6	NCPAN206-19	PAN206	NC206-19	19.5	11.3	13.9	1.5
	1 1/4												NCPAN206-20		NC206-20				
	1 <sup>1</sup> / <sub>4</sub>	1 7/8	4 <sup>11</sup> / <sub>32</sub>	1 7/8	3 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>2</sub> -13UNC	3 <sup>21</sup> / <sub>32</sub>	3/4	1 <sup>3</sup> / <sub>32</sub>	1 <sup>3</sup> /4	0.689	2 7/16		DANI207	NC207.20	25.7	15.4	12.0	2.1
		47.6	110	48	82.6	1/2-13UNC	93	19	28	44.5	17.5	61.9	NCPAN207-20	PAN207	NC207-20	25.7	15.4	13.9	2.1
35	1 <sup>3</sup> /8	17/	4.117	17/	21/		2 21 /	37	13/	13/	0.000	2.9/	NCPAN207-22		NC207-22				
		1 7/8	4 <sup>11</sup> / <sub>32</sub>	1 1/8	3 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> /2-13UNC	3 <sup>21</sup> / <sub>32</sub>	3/4	1 <sup>3</sup> /32	1 <sup>3</sup> /4	0.689	2 <sup>9</sup> /16	NCPAN207	PAN207	NC207	25.7	15.4	13.9	2.1
	1 7/16	47.6	110	48	82.6		93	19	28	44.5	17.5	65.1	NCPAN207-23		NC207-23				

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is A-1/4-28UNF.
 3. As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{Hs})$  and variations of tolerance of distance between centers of bolt holes  $(\varDelta_{Js})$ 

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{S}$
PAN204~PAN207	±0.15	±0.5

UCPH

Cylindrical bore (with set screws) *d* 12 ~ 50 mm







Sha mm	<b>ft Dia.</b> inch					D	imensio inch mm	ons					Bolt Size	Unit No.	Housing No.	Bearing No.	Bas Load Ra kN	atings	Factor	Mass
	d	Н	L	Α	J	Ν	$N_1$	$H_1$	$H_2$	$L_1$	В	S	inch mm				C <sub>r</sub>	$C_{0r}$	fo	kg
- 10	1													116011004		116201				0.00
12	1/													UCPH201		UC201				0.96
15	1/2													UCPH201-8 UCPH202		UC201-8 UC202				0.94
15	5/8	2 <sup>3</sup> /4	5	1 <sup>9</sup> /16	3 <sup>3</sup> /4	1/2	3/4	<sup>19</sup> /32	3 <sup>31</sup> / <sub>32</sub>	1 <sup>13</sup> /16	1.220	0.500	3/8	UCPH202	DUDOA	UC202	12.0	6.65	12.2	0.94
47	3/8	70	127	40	95	13	19	15	101	46	31	12.7	M10		PH204		12.8	6.65	13.2	0.02
17	2/													UCPH203		UC203				0.93
	3/4													UCPH204-12		UC204-12				0.01
20	7/8													UCPH204 UCPH205-14		UC204 UC205-14				0.91
	15/16	25/	E 1/	1 31/	4.17	1/2	3/4	5/8	<b>4</b> <sup>1</sup> / <sub>2</sub>	1 <sup>15</sup> /16	1 2 4 2	0.563	3/8	UCPH205-14		UC205-14 UC205-15				
25	13/16	3 5/32	5 <sup>1</sup> / <sub>2</sub>	1 <sup>31</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>8</sub>						1.343				PH205		14.0	7.85	13.9	1.2
	1	80	140	50	105	13	19	16	114	49	34.1	14.3	M10	UCPH205		UC205				
	1 <sup>1</sup> /8													UCPH205-16 UCPH206-18		UC205-16 UC206-18				
	1 78	3 35/64	6 <sup>1</sup> /2	1 <sup>31</sup> /32	<b>4</b> <sup>3</sup> / <sub>4</sub>	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> /16	<sup>23</sup> / <sub>32</sub>	5 <sup>1</sup> /8	<b>2</b> <sup>7</sup> / <sub>32</sub>	1.500	0.626	1/2	UCPH206		UC206-18				
30	1 3/16	90	165	50	121	17	21	18	130	56	38.1	15.9	M14	UCPH206-19	PH206	UC206-19	19.5	11.3	13.9	1.6
	1 1/4	90	105	50	121	17	21	10	130	50	50.1	13.9	10114	UCPH206-20		UC206-20				
	1 <sup>1</sup> / <sub>4</sub>													UCPH207-20		UC200-20 UC207-20				
	1 5/16													UCPH207-21		UC207-21				
35	1 3/8	3 47/64	6 <sup>9</sup> / <sub>16</sub>	2 <sup>3</sup> /8	5	21/32	13/16	<sup>23</sup> / <sub>32</sub>	5 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> /8	1.689	0.689	1/2	UCPH207-22	PH207	UC207-22	25.7	15 /	13.9	2.0
55	1 /0	95	167	60	127	17	21	18	140	54	42.9	17.5	M14	UCPH207	111207	UC207-22	25.7	13.4	13.9	2.0
	1 7/16													UCPH207-23		UC207-23				
	1 1/2													UCPH207-23		UC207-23				
40	1 9/16	3 <sup>15</sup> /16	7 <sup>1</sup> /4	2 <sup>3</sup> /4	5 <sup>13</sup> / <sub>32</sub>	<sup>21</sup> / <sub>32</sub>	13/16	<sup>25</sup> / <sub>32</sub>	5 <sup>29</sup> / <sub>32</sub>	2 <sup>1</sup> /4	1.937	0.748	1/2	UCPH208-25	PH208	UC208-25	29.1	178	14.0	2.7
10	1 . /10	100	184	70	137	17	21	20	150	57	49.2	19	M14	UCPH208	111200	UC208	22.1	17.0	11.0	2
	1 5/8													UCPH209-26		UC209-26				
	<b>1</b> <sup>11</sup> / <sub>16</sub>	4 9/64	7 15/32	2 <sup>3</sup> /4	5 <sup>3</sup> /4	21/32	13/16	25/32	6 7/32	<b>2</b> <sup>9</sup> / <sub>32</sub>	1.937	0.748	1/2	UCPH209-27		UC209-27				
45	1 3/4	105	190	70	146	17	21	20	158	58	49.2	19	M14	UCPH209-28	PH209	UC209-28	34.1	21.3	14.0	3.0
	1 /4	105	150	,,,	110	17	21	20	150	50	12.2	15		UCPH209		UC209				
	1 7/8													UCPH210-30		UC210-30				
	1 <sup>15/16</sup>	4 <sup>21</sup> / <sub>64</sub>	8 <sup>1</sup> /8	2 <sup>3</sup> /4	6 <sup>1</sup> / <sub>4</sub>	25/32	7/8	7/8	6 <sup>1</sup> / <sub>2</sub>	2 <sup>9</sup> / <sub>16</sub>	2.031	0.748	5/8	UCPH210-31		UC210-31				
50		110	206	70	159	20	22	22	165	65	51.6	19	M16	UCPH210	PH210	UC210	35.1	23.3	14.4	3.5
	2		200								50			UCPH210-32		UC210-32				

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is A-1/4-28UNF.

 3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows Part No. of unit or bearing. (Example of Part No. : UCPH206JL3, UC206L3)



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{Hs})$ 

	Unit: mm
Housing No.	∆Hs
PH204~PH210	±0.15

As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Tapered bore (with adapter) type products are also available. (Example of Part No. : UKPH205J + H2305X, UK205 + H2305X)



Sha	aft Dia.							Dime	nsions						Bolt	Unit	Bearing	Unit	Bearing	Housing	Ba	sic	Factor	Ma	ss
mm	inch							ir	nch						Size	No.	No.	No.	No.	No.	Load R	atings			
								n	nm												kl	N		k	r.
													SBP-RKP8	SAP-FP9	inch							~			
	d	Н	L	A	J	N	$N_1$	$H_1$	$H_2$	$L_1$	В	$B_1$	S	S	mm						$C_{\rm r}$	$C_{0r}$	fo	SBP-RKP8	SAP-FP9
20	3/4	1 <sup>5</sup> /16	5	1 <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>4</sub>	1/2	23/32	<sup>5</sup> /8	2 <sup>9</sup> / <sub>16</sub>	1 <sup>13</sup> / <sub>32</sub>	0.984	1.220	0.276	0.295	3/8	SBP204-12RKP8	SB204-12RKP8	SAP204-12FP9	SA204-12FP9	P204	12.8	6.65	13.2	0.65	0.69
20		33.3	127	38	95	13	18	16	65	36	25	31.0	7	7.5	M10	SBP204RKP8	SB204RKP8	SAP204FP9	SA204FP9	P204	12.0	0.05	15.2	0.66	0.7
	7/8															SBP205-14RKP8	SB205-14RKP8	SAP205-14FP9	SA205-14FP9					0.78	0.82
25	15/16	1 7/16	5 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub>	4 <sup>1</sup> / <sub>8</sub>	1/2	23/32	5/8	<b>2</b> <sup>3</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>2</sub>	1.063	1.220	0.295	0.295	3/8	SBP205-15RKP8	SB205-15RKP8	SAP205-15FP9	SA205-15FP9	P205	14.0	7.85	13.9	0.76	0.81
25	1	36.5	140	38	105	13	18	16	70	38	27	31.0	7.5	7.5	M10	SBP205-16RKP8	SB205-16RKP8	SAP205-16FP9	SA205-16FP9	P205	14.0	7.85	13.9	0.8	0.85
																SBP205RKP8	SB205RKP8	SAP205FP9	SA205FP9					0.8	0.85
	1 <sup>1</sup> /8															SBP206-18RKP8	SB206-18RKP8	SAP206-18FP9	SA206-18FP9					1.24	1.31
20	1 <sup>3</sup> / <sub>16</sub>	1 <sup>11</sup> / <sub>16</sub>	<b>6</b> <sup>1</sup> / <sub>2</sub>	1 7/8	<b>4</b> <sup>3</sup> / <sub>4</sub>	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> / <sub>16</sub>	<sup>21</sup> / <sub>32</sub>	3 <sup>5</sup> / <sub>16</sub>	1 7/8	1.181	1.906	0.315	0.354	1/2	SBP206-19RKP8	SB206-19RKP8	SAP206-19FP9	SA206-19FP9	D206	19.5	11.3	13.9	1.26	1.33
30	1 <sup>1</sup> /4	42.9	165	48	121	17	21	17	84	48	30	35.7	8	9.0	M14	SBP206-20RKP8	SB206-20RKP8	SAP206-20FP9	SA206-20FP9	P206	19.5	11.5	13.9	1.29	1.36
																SBP206RKP8	SB206RKP8	SAP206FP9	SA206FP9					1.26	1.33
	1 <sup>1</sup> / <sub>4</sub>															SBP207-20RKP8	SB207-20RKP8	SAP207-20FP9	SA207-20FP9					1.69	1.76
	1 <sup>5</sup> /16	1.7/.	691	17/	-	21 /	13/	23 /	23/	1 27/	1.260	1.531	0.335	0.374	1/.	-	-	SAP207-21FP9	SA207-21FP9					-	1.72
35	1 <sup>3</sup> /8	1 7/8	6 <sup>9</sup> / <sub>16</sub>	1 1/8	127	<sup>21</sup> / <sub>32</sub>	716	/32	5 -74	1 - 7 32					1/2	SBP207-22RKP8	SB207-22RKP8	SAP207-22FP9	SA207-22FP9	P207	25.7	15.4	13.9	1.61	1.76
	1 7/16	47.6	167	48	127	17	21	18	95	47	32	38.9	8.5	9.5	M14	SBP207-23RKP8	SB207-23RKP8	SAP207-23FP9	SA207-23FP9					1.64	1.79
																SBP207RKP8	SB207RKP8	SAP207FP9	SA207FP9					1.61	1.76
	1 <sup>1</sup> / <sub>2</sub>	1 15/16	7 <sup>1</sup> /4	21/	E 13/	21 /	13/	<sup>23</sup> / <sub>32</sub>	<b>2</b> 27/	2 <sup>3</sup> / <sub>32</sub>	1.339	1.720	0.354	0.433	1/2	SBP208-24RKP8	SB208-24RKP8	SAP208-24FP9	SA208-24FP9					1.87	2.02
40	1 <sup>9</sup> /16			2 <sup>1</sup> /8	5 <sup>13</sup> / <sub>32</sub>	<sup>21</sup> / <sub>32</sub> 17	716						0.554 Q	1		-	-	SAP208-25FP9	SA208-25FP9	P208	29.1	17.8	14.0	_	2.06
		49.2	184	54	137	17	21	18	98	53	34	43.7	9	11.0	M14	SBP208RKP8	SB208RKP8	SAP208FP9	SA208FP9					1.92	2.07
	1 5/8															-	-	SAP209-26FP9	SA209-26FP9					-	2.26
45	1 <sup>11</sup> /16	2 <sup>1</sup> /8	<b>7</b> <sup>15</sup> / <sub>32</sub>	2 <sup>1</sup> /8	5 <sup>3</sup> / <sub>4</sub>	21/32	<sup>13</sup> /16	25/32	4 <sup>3</sup> / <sub>16</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	-	1.720	-	0.433	1/2	-	-	SAP209-27FP9	SA209-27FP9	P209	34.1	21.3	14.0	_	2.31
45	1 <sup>3</sup> / <sub>4</sub>	54	190	54	146	17	21	20	106	55	-	43.7	-	11.0	M14	-	-	SAP209-28FP9	SA209-28FP9	P209	54.1	21.5	14.0	_	2.35
																_	-	SAP209FP9	SA209FP9					-	2.37
	1 7/8	2 1/4	8 <sup>1</sup> /8	2 <sup>3</sup> /8	6 <sup>1</sup> /4	25/32	7/8	13/16	4 7/16	2 <sup>3</sup> /8	_	1.720		0.433	5/8	-	-	SAP210-30FP9	SA210-30FP9					-	2.87
50	1 <sup>15</sup> /16										_		_	1		-	-	SAP210-31FP9	SA210-31FP9	P210	35.1	23.3	14.4	_	2.91
		57.2	206	60	159	20	22	21	113	60	-	43.7	-	11.0	M16	-	-	SAP210FP9	SA210FP9					-	2.94
	2															-	-	SAP211-32FP9	SA211-32FP9					_	3.52
	2 <sup>1</sup> /8	<b>2</b> 1/2	<b>8</b> 5/8	2 <sup>3</sup> /8	6 <sup>23</sup> / <sub>32</sub>	25/32	7/8	<sup>29</sup> / <sub>32</sub>	4 <sup>29</sup> / <sub>32</sub>	2 <sup>3</sup> /4	-	1.906	-	0.472	5/8	-	-	SAP211-34FP9	SA211-34FP9	D211	12.1	20.4	14.4	_	3.61
55	2 <sup>3</sup> / <sub>16</sub>	63.5	219	60	171	20	22	23	125	70	_	48.4	-	12.0	M16	-	-	SAP211-35FP9	SA211-35FP9	P211	43.4	29.4	14.4	_	3.74
																-	-	SAP211FP9	SA211FP9					_	3.71
-																									

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 204~210

 A-R1/8

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.
 Housings of nodular graphite cast iron are also available.



	Unit: mm
Housing No.	⊿Hs
P204~P210	±0.15
P211	±0.2



Sh	aft Dia.						Dim	ensions						Unit	Bearing	Unit	Bearing	Housing	Bas	ic	Factor	Ма	ISS
mn	n inch							inch						No.	No.	No.	No.	No.	Load Ra	atings			
								mm											kN	1		k	g
												SBPAN-RKP8	SAPAN-FP9							0			
	d	H	L	A	J	N	$H_2$	$H_3$	$L_1$	В	$B_1$	S	S						$C_{ m r}$	$C_{0r}$	fo	SBPAN-RKP8	SAPAN-FP9
20	3/4	1 <sup>5</sup> / <sub>16</sub>	2 <sup>9</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>4</sub>	2	2/ 1000	2 <sup>17</sup> / <sub>32</sub>	1/2	7/8	0.984	1.220	0.276	0.295	SBPAN204-12RKP8	SB204-12RKP8	SAPAN204-12FP9	SA204-12FP9	DANIDOA	12.0	6.65	12.2	0.56	0.56
20	<b>'</b>	33.3	65	32	50.8	<sup>3</sup> /8-16UNC	64	12.7	22	25	31	7	7.5	SBPAN204RKP8	SB204RKP8	SAPAN204FP9	SA204FP9	PAN204	12.8	6.65	13.2	0.56	0.56
	7/8													SBPAN205-14RKP8	SB205-14RKP8	SAPAN205-14FP9	SA205-14FP9					0.63	0.63
25	15/16	1 7/16	2 <sup>3</sup> /4	1 <sup>13</sup> / <sub>32</sub>	2	3/ 161100	2 <sup>3</sup> /4	1/2	15/16	1.063	1.220	0.295	0.295	SBPAN205-15RKP8	SB205-15RKP8	SAPAN205-15FP9	SA205-15FP9	PAN205	14.0	7.85	13.9	0.66	0.66
25	1	36.5	70	36	50.8	3/8-16UNC	70	13	24	27	31	7.5	7.5	SBPAN205-16RKP8	SB205-16RKP8	SAPAN205-16FP9	SA205-16FP9	PANZUS	14.0	7.85	13.9	0.64	0.64
														SBPAN205RKP8	SB205RKP8	SAPAN205FP9	SA205FP9					0.63	0.63
	1 <sup>1</sup> /8													SBPAN206-18RKP8	SB206-18RKP8	SAPAN206-18FP9	SA206-18FP9					1.32	1.32
20	1 <sup>3</sup> / <sub>16</sub>	<b>1</b> <sup>11</sup> / <sub>16</sub>	3 <sup>27</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	3	<sup>7</sup> /16-14UNC	<b>3</b> <sup>7</sup> / <sub>32</sub>	<sup>5</sup> /8	1 <sup>11</sup> / <sub>32</sub>	1.181	1.906	0.315	0.354	SBPAN206-19RKP8	SB206-19RKP8	SAPAN206-19FP9	SA206-19FP9	DANIDOC	10.5	11.2	13.9	1.34	1.34
30	1 1/4	42.9	98	38	76.2	1/16-14UNC	82	16	34	30	35.7	8	9	SBPAN206-20RKP8	SB206-20RKP8	SAPAN206-20FP9	SA206-20FP9	PAN206	19.5	11.5	13.9	1.32	1.32
														SBPAN206RKP8	SB206RKP8	SAPAN206FP9	SA206FP9					1.3	1.3
	1 <sup>1</sup> / <sub>4</sub>													SBPAN207-20RKP8	SB207-20RKP8	SAPAN207-20FP9	SA207-20FP9					1.78	1.78
	1 <sup>5</sup> /16	1 7/8	4 11/	17/-	2 1/.		2 21/	3/.	1 3/	1.260	1.531	0.335	0.374	-	-	SAPAN207-21FP9	SA207-21FP9					-	1.84
35	1 <sup>3</sup> /8		4 <sup>11</sup> / <sub>32</sub>	1 7/8	3 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>2</sub> -13UNC	3 <sup>21</sup> / <sub>32</sub>	-74	1 <sup>3</sup> / <sub>32</sub>					SBPAN207-22RKP8	SB207-22RKP8	SAPAN207-22FP9	SA207-22FP9	PAN207	25.7	15.4	13.9	1.81	1.81
	1 7/16	47.6	110	48	82.6		93	19	28	32	38.9	8.5	9.5	SBPAN207-23RKP8	SB207-23RKP8	SAPAN207-23FP9	SA207-23FP9					1.78	1.78
														SBPAN207RKP8	SB207RKP8	SAPAN207FP9	SA207FP9					1.75	1.75
Down						ionoton codos ((		0 E in D(1						SBPAN207RKP8								1.75	

Remarks 1. In Part No. of unit, fitting codes follow bore diameter codes. (See **Table 10.5** in P.62.) 2. Part No. of the applicable grease fitting is A-1/4-28UNF.

As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{Hs})$  and variations of tolerance of distance between centers of bolt holes  $(\varDelta_{Js})$ 

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{s}$
PAN204~PAN207	±0.15	±0.5



ALP BLP Cylindrical bore Cylindrical bore (with eccentric locking collar) (with set screws) *d* 12 ~ 40 mm N+ NRI D ALP RI D

Shaf							Dim	ensions	_					D - lt	Unit	Denting	11-14	Deserie		De		F. et eu		
									5					Bolt		Bearing	Unit	Bearin				Factor	IVI	ass
mm	inch							inch						Size	No.	No.	No.	No.	No.	Load R	5		1	
								mm				BLP	ALP	inch						K	N		ŀ	rg.
	d	Н	L	Δ	J	Ν	$N_1$	$H_1$	$H_2$	τ.	S	BLP	$B_1$	mm						$C_{\rm r}$	$C_{0r}$	$f_0$	BLP	ALP
12		п	L	Α	J	11	111	$\Pi_1$	112	$L_1$	6	D	<i>D</i> 1		BLP201	SB201	ALP201	SA201						
12	1/2														BLP201-8	SB201-8	ALP201							
15	12	1 <sup>3</sup> / <sub>16</sub>	<b>4</b> 1/ <sub>2</sub>	<sup>31</sup> / <sub>32</sub>	3 <sup>7</sup> / <sub>16</sub>	<sup>7</sup> / <sub>16</sub>	<sup>5</sup> /8	<sup>15</sup> / <sub>32</sub>	2 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> /8	0.236	0.866	1.122	3/8	BLP201-8 BLP202	SB201-8	ALP201	SA201-	LP203	9.55	4.80	13.2	0.36	0.39
15	5/8	30.2	114	25	87	11	16	12	57	35	6	22	28.5	M10	BLP202-10	SB202-10	ALP202			9.55	4.00	13.2	0.30	0.39
17	-78														BLP202-10 BLP203	SB202-10	ALP202	SA202-	0					
17	3/4	1 <sup>5</sup> /16	4 <sup>29</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	3 <sup>13</sup> / <sub>16</sub>	7/16	5/8	1/2	2 <sup>9</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>2</sub>	0.276	0.984	1.161	3/8	BLP203	SB203	ALP203		2	+				
20	14	33.3	125	27	97	11	16	13	65	38	7	25	29.5	M10	BLP204	SB204	ALP204	SA204	LP204	12.8	6.65	13.2	0.51	0.51
	7/8	55.5	125	27	27		10	15	05	50	,		27.5		BLP205-14	SB205-14	ALP205-		4					
	15/16	1 7/16	5 <sup>1</sup> /8	1 5/32	3 <sup>15</sup> /16	7/16	5/8	1/2	2 <sup>25</sup> /32	1 <sup>17</sup> /32	0.295	1.063	1.201	3/8	BLP205-15	SB205-15	ALP205-	15 SA205-	5					
25		36.5	130	29	100	11	16	13	71	39	7.5	27	30.5	M10	BLP205	SB205	ALP205	SA205	LP205	14.0	7.85	13.9	0.57	0.61
	1														BLP205-16	SB205-16	ALP205-		6					
	1 <sup>1</sup> /8														BLP206-18	SB206-18	ALP206-	18 SA206-	8					
		1 <sup>11</sup> / <sub>16</sub>	6 <sup>5</sup> / <sub>32</sub>	1 5/16	4 <sup>23</sup> / <sub>32</sub>	<sup>9/</sup> 16	13/16	<sup>9</sup> / <sub>16</sub>	3 <sup>9</sup> / <sub>32</sub>	1 <sup>27</sup> / <sub>32</sub>	0.315	1.181	1.335	1/2	BLP206	SB206	ALP206	SA206	10000	105		12.0	0.00	0.70
30	<b>1</b> <sup>3</sup> / <sub>16</sub>	42.9	156	33	120	14	21	14	83	47	8	30	33.9	M12	BLP206-19	SB206-19	ALP206-	19 SA206-	9 LP206	19.5	11.3	13.9	0.69	0.72
	1 <sup>1</sup> /4														BLP206-20	SB206-20	ALP206-	20 SA206-3	0					
	1 <sup>1</sup> / <sub>4</sub>														BLP207-20	SB207-20	ALP207-	20 SA207-	0					
	1 <sup>5</sup> /16	1 7/8	6 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> /8	5	9/	13/	5/-	3 <sup>21</sup> / <sub>32</sub>	1 <sup>31</sup> / <sub>32</sub>	0.335	1.260	1.437	1/2			ALP207-	21 SA207-	1					
35	1 <sup>3</sup> /8	47.6	165	35	ر 127	1/16	-716 21	-78	93	50	8.5	32	36.5	M12	BLP207-22	SB207-22	ALP207-	22 SA207-3	2 LP207	25.7	15.4	13.9	0.94	1.0
		47.0	105	22	127	14	21	16	22	50	0.0	52	50.5		BLP207	SB207	ALP207	SA207						
	1 <sup>7</sup> /16														BLP207-23	SB207-23	ALP207-		-					
	1 <sup>1</sup> / <sub>2</sub>	2	7 <sup>1</sup> /4	1 <sup>15</sup> /32	5 <sup>1</sup> /2	9/16	7/8	23/32	4 <sup>1</sup> / <sub>32</sub>	<b>2</b> <sup>5</sup> /32	0.354	1.339	1.595	1/2	BLP208-24	SB208-24	ALP208-	24 SA208-3	4					
40	<b>1</b> 9/16	2 50.8	184	37	140	14	22	18	102	55	9	34	40.5	M12			ALP208-	25 SA208-3	5 LP208	29.1	17.8	14.0	1.8	1.9
		50.0	107	57	140	14	~~	10	102		2		-0.J		BLP208	SB208	ALP208	SA208						

Remarks 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)
 Allowable load to housing in radial direction is approximately half of basic load rating of bearing, Cr (when safety factor is 4).
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



	Unit: mm
Housing No.	∆Hs
LP203~LP208	±0.15

### UP

Cylindrical bore (with set screws)

*d* 10 ~ 30 mm







With Through Type Cover



Shaft Dia.					Dime	nsions					Bolt		Standard			Ba	sic	Factor	١	With Rubber Co	ated Cov
mm					ir	ich					Size	Unit	Housing	Bearing	Mass	Load R	atings		Unit	t No.	Dimer
					n	ım					inch	No.	No.	No.		k	Ν		Open Type	One Side	mm
d	H	L	A	J	N	$H_1$	$H_2$	$L_1$	В	S	mm				kg	$C_{\rm r}$	$C_{0\mathrm{r}}$	f0		Closed Type	A
10	45/64	2 5/8	5/8	2 <sup>3</sup> / <sub>32</sub>	<sup>9</sup> / <sub>32</sub>	1/4	1 <sup>3</sup> /8	23/32	0.591	0.197	1/4	LIDOOO	DOOO	CU 1000	0.070	4.55	1.05	12.2			20
10	18	67	16	53	7	6	35	18	15	5	M6	UP000	P000	SU000	0.070	4.55	1.95	12.3	UP000C	UP000CD	29
12	3/4	2 <sup>25</sup> / <sub>32</sub>	5/8	2 <sup>13</sup> / <sub>64</sub>	9/ <sub>32</sub>	1/4	1 <sup>1</sup> / <sub>2</sub>	3/4	0.591	0.197	1/4	UP001	P001	SU001	0.090	5.10	2.40	13.2	UP001C	UP001CD	29
12	19	71	16	56	7	6	38	19	15	5	M6	00001	PUUI	30001	0.090	5.10	2.40	15.2	OPUUIC	OPOUICD	29
15	<sup>55</sup> / <sub>64</sub>	3 5/32	5/8	2 <sup>31</sup> / <sub>64</sub>	<sup>9</sup> / <sub>32</sub>	9/ <sub>32</sub>	1 <sup>11</sup> / <sub>16</sub>	13/16	0.650	0.217	1/4	UP002	P002	SU002	0.11	5.60	2.85	13.9	UP002C	UP002CD	31
15	22	80	16	63	7	7	43	21	16.5	5.5	M6	0F002	F 002	30002	0.11	5.00	2.05	13.9	0F002C	0F002CD	51
17	15/16	3 <sup>11</sup> / <sub>32</sub>	<sup>23</sup> / <sub>32</sub>	2 <sup>41</sup> / <sub>64</sub>	9/ <sub>32</sub>	<sup>9</sup> / <sub>32</sub>	1 <sup>27</sup> / <sub>32</sub>	13/16	0.689	0.236	1/4	UP003	P003	SU003	0.15	6.00	3.25	14.4	UP003C	UP003CD	33
17	24	85	18	67	7	7	47	21	17.5	6	M6	0F005	F003	30003	0.15	0.00	5.25	14.4	OF005C	OFOUSCD	33
20	1 <sup>7</sup> /64	3 <sup>15</sup> /16	<sup>25</sup> / <sub>32</sub>	3 <sup>5</sup> /32	13/32	11/32	<b>2</b> <sup>5</sup> / <sub>32</sub>	31/32	0.827	0.276	5/16	UP004	P004	SU004	0.23	9.40	5.05	13.9	UP004C	UP004CD	38
20	28	100	20	80	10	9	55	25	21	7	M8	01004	F 004	30004	0.25	9.40	5.05	13.9	0F004C	0F004CD	50
25	1 <sup>17</sup> /64	4 <sup>13</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	3 <sup>35</sup> /64	13/32	13/32	2 <sup>7</sup> /16	1 <sup>3</sup> /32	0.866	0.276	5/16	UP005	P005	SU005	0.28	10.1	5.85	14.5	UP005C	UP005CD	40
25	32	112	20	90	10	10	62	28	22	7	M8	01003	FUUS	30003	0.28	10.1	5.05	14.5	OFOOSC	OFOUSCD	40
30	1 <sup>27</sup> / <sub>64</sub>	5 <sup>3</sup> /16	<b>1</b> <sup>1</sup> / <sub>32</sub>	<b>4</b> <sup>11</sup> / <sub>64</sub>	1/2	7/16	<b>2</b> <sup>3</sup> / <sub>4</sub>	1 <sup>11</sup> /32	0.965	0.295	3/8	UP006	P006	SU006	0.42	13.2	8.25	14.7	UP006C	UP006CD	44
50	36	132	26	106	13	11	70	34	24.5	7.5	M10	01000	F 000	30000	0.42	13.2	0.25	14./	0F000C	UFUUUCD	- 44

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{Hs})$  and variations of tolerance of distance between centers of bolt holes  $(\varDelta_{Js})$ 

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{S}$
P000~P006	±0.15	±0.3



ed Co		
	nsion	Mass
nm	inch	
A	$l_{\rm s}$	kg
29	1 5/32	0.07
29	1 <sup>5</sup> /32	0.09
31	1 <sup>7</sup> / <sub>32</sub>	0.11
33	1 <sup>5</sup> /16	0.15
38	1 <sup>1</sup> /2	0.23
40	1 <sup>9</sup> /16	0.28
44	1 <sup>23</sup> / <sub>32</sub>	0.42

#### UCSP-H1S6

Cylindrical bore (with set screws)

*d* 12 ~ 60 mm









Sha	ft Dia.					Di	mensio	ons					В	lolt	Sta	ndard				Basic	Factor	With	Pressed Stainless S	teel Co	ver	
mm	inch						inch						s	ize	Unit	Housing	Bearing	Mass	s Lo	ad Ratings		Uni	t No.	Dime	ension	Mass
							mm							h	No.	No.	No.			kN		On an Tuna	One Side	mm	inch	1
	1	77	7	4	7	3.7	3.7		77	7		<b>D</b> 0		nch				1				Open Type	One Side		٨	1
	d	H	L	Α	J	IN	<i>I</i> V1	$H_1$	$H_2$	$L_1$	1	B S	n	nm				kg	0	$C_{\rm r}$ $C_{\rm 0r}$	fo		Closed Type		$4_{s}$	kg
12															UCSP201XH1S6		UC201XS6					-	-	-	-	-
	1/2	13/	-	13/	3 <sup>3</sup> /4	17.	23 /	7/	274	1 21/	1.0	070 0.4		37.	UCSP201-8XH1S6		UC201-8XS6					-	-	-	-	- 1
15		1 <sup>3</sup> / <sub>16</sub> 30.2	5 127	1 <sup>3</sup> / <sub>16</sub> 30	3 <sup>3</sup> /4 95	<sup>1</sup> / <sub>2</sub> 13	<sup>23</sup> / <sub>32</sub> 18	<sup>7</sup> / <sub>16</sub>	2 ·/3	2 1 - ·/: 42		079 0.4 7.4 11		<sup>3</sup> /8 /10	UCSP202XH1S6	SP203H1	UC202XS6	0.47	8	3.15 3.85	13.2	-	-	_	-	- 1
	5/8	50.2	127	50	95	15	10		50	42	27	/.4 11.	.5   10		UCSP202-10XH1S6		UC202-10XS6					-	-	_	-	- 1
17															UCSP203XH1S6		UC203XS6					-	-	-	-	-
20	3/4	1 5/16	5	<b>1</b> <sup>3</sup> /16	3 <sup>3</sup> /4	1/2	23/32	7/16	<b>2</b> <sup>15</sup> /3	2 1 <sup>21</sup> /	32 1.2	220 0.5	00	3/8	UCSP204-12H1S6	SP204H1	UC204-12S6	0.6	10	).9 5.35	13.2	UCSP204H1CS6	UCSP204H1CDS6	45	1 <sup>25</sup> / <sub>32</sub>	0.6
20		33.3	127	30	95	13	18	11	63	42	3	31 12	.7 N	/10	UCSP204H1S6	51 20 - 111	UC204S6	0.0			13.2	005120411050	0031204110030	45	1 / 52	0.0
	7/8														UCSP205-14H1S6		UC205-14S6					-	-	-	-	- 1
25	15/16	1 7/16			4 <sup>1</sup> / <sub>8</sub>	1/2	3/4	15/32				343 0.5			UCSP205-15H1S6	SP205H1	UC205-15S6	0.7	11	.9 6.3	13.9	-	-	-	-	-
		36.5	140	30	105	13	19	12	69	46	34	4.1 14	.3   N	/10	UCSP205H1S6	2. 200.11	UC205S6	0.7		0.5		UCSP205H1CS6	UCSP205H1CDS6	49	1 <sup>15</sup> / <sub>16</sub>	0.7
_	1	_												_	UCSP205-16H1S6		UC205-16S6					-	-	-	-	-
	1 <sup>1</sup> / <sub>8</sub>														UCSP206-18H1S6		UC206-18S6					-	-	-	_	-
30				1 <sup>13</sup> / <sub>32</sub>		<sup>21</sup> / <sub>32</sub>					-	500 0.6			UCSP206H1S6	SP206H1	UC206S6	1.1	16	5.5 9.05	13.9	UCSP206H1CS6	UCSP206H1CDS6	53	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.1
	1 <sup>3</sup> /16	42.9	165	36	121	17	21	13	81	54	38	8.1 15	.9   N	/14	UCSP206-19H1S6		UC206-19S6					-	-	_	-	-
	1 1/4													_	UCSP206-20H1S6		UC206-2056		_			-	-	-	-	-
	1 <sup>1</sup> /4														UCSP207-20H1S6		UC207-2056					-	-	-	-	-
	1 5/16	1 7/8	6 <sup>9</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>2</sub>	5	21/32	13/16	<sup>9/</sup> 16	<b>3</b> 19/3	2 <b>2</b>	1.6	689 0.68	89 1	1/2	UCSP207-21H1S6	60007114	UC207-21S6				12.0	-	-	_	-	-
35	1 3/8	47.6	167	38	127	17	21	14		51	42	2.9 17	.5 N	/14	UCSP207-22H1S6	SP207H1	UC207-2256	1.4	21	1.8 12.3	13.9	-	-	-	-	_
	1.7/														UCSP207H1S6		UC207S6					UCSP207H1CS6	UCSP207H1CDS6	60	2 <sup>3</sup> /8	1.4
	1 7/16												_	-	UCSP207-23H1S6		UC207-2356					-	-	-	-	-
40	1 <sup>1</sup> / <sub>2</sub> 1 <sup>9</sup> / <sub>16</sub>	1 <sup>15</sup> / <sub>16</sub>	<b>7</b> <sup>1</sup> / <sub>4</sub>	1 <sup>9</sup> /16	5 <sup>13</sup> / <sub>32</sub>	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> / <sub>16</sub>	<sup>9</sup> /16	<b>3</b> <sup>13</sup> / <sub>1</sub>	6 2 <sup>3</sup> /	8 1.9	937 0.74	48 1	1/2	UCSP208-24H1S6 UCSP208-25H1S6	SP208H1	UC208-24S6	17	1	10 142	14.0	_	-	_	-	-
40	I 7/16	49.2	184	40	137	17	21	14	97	60	49	9.2 19	9 N	/14	UCSP208-25H156	SP208H1	UC208-2556	1.7	24	4.8 14.3	14.0	-		-	-	17
	1 5/8													-	UCSP208H156		UC208S6 UC209-26S6					UCSP208H1CS6	UCSP208H1CDS6	69	2 <sup>23</sup> / <sub>32</sub>	1.7
	1 11/16	21/2	7 15/~~	<b>1</b> %16	5 <sup>3</sup> /4	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> / <sub>16</sub>	19/32	13/-	<b>2</b> 13/	. 10	937 0.74			UCSP209-27H1S6		UC209-2030 UC209-27S6					_	-	_	_	-
45	1 3/4	54	190	40	146	17	21	15				9.2 19			UCSP209-28H1S6	SP209H1	UC209-2730	2	27	7.8 16.2	14.0	_	-	_	_	_
	1 74	54	190	40	140	17	21	15	104	01	43	<b>7.</b> 2 13	2   IV	114	UCSP209-281136		UC209-2830					UCSP209H1CS6	UCSP209H1CDS6	69	2 <sup>23</sup> /32	2.0
	1 7/8														UCSP209H156		UC20956 UC210-3056		-			003F209F1030	003F209F10030	09	∠/32	2.0
	1 15/16	21/4	8 <sup>1</sup> /•	1 <sup>25</sup> / <sub>32</sub>	6 <sup>1</sup> / <sub>4</sub>	<sup>25</sup> / <sub>32</sub>	7/8	5/8	4 <sup>3</sup> /8	2 %	16 20	031 0.74	48 5		UCSP210-31H1S6		UC210-3156					-	-	-	-	- 1
50	' /10	57.2	206	45	159	20	22	16				1.6 19			UCSP210H1S6	SP210H1	UC21056	2.5	29	9.8 18.6	14.4	-	-	_	-	-
	2	57.2	200	15	135	20	22	10		00	5	1.0 1.			UCSP210-32H1S6		UC210-3256					UCSP210H1CS6	UCSP210H1CDS6	74	2 <sup>29</sup> / <sub>32</sub>	2.5
	2														UCSP211-32H1S6		UC211-3256					_	_	_	_	_
	2 <sup>1</sup> /8	2 1/2	<b>8</b> <sup>5</sup> /8	1 7/8	6 <sup>23</sup> /32	25/32	7/8	5/8	4 <sup>29</sup> /3	2 2 3/4	4 2 1	189 0.8	74 5		UCSP211-34H1S6		UC211-34S6					_	_	_	_	i –
55		63.5	219	48	171	20	22	16				5.6 22			UCSP211H1S6	SP211H1	UC21156	3.4	36	5.8 23.5	14.4	UCSP211H1CS6	UCSP211H1CDS6	76	3	3.4
	2 <sup>3</sup> /16	00.0	2.7						.25				_   "		UCSP211-35H1S6		UC211-3556					-	-	_	_	_
	2 1/4														UCSP212-36H1S6		UC212-3656					-	_	_	-	-
		2 <sup>3</sup> / <sub>4</sub>	<b>9</b> 1/ <sub>2</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	7 <sup>1</sup> /4	<sup>25</sup> / <sub>32</sub>	31/32	7/8	5 7/10	6 <b>3</b>	2.5	563 1.0	00 5		UCSP212H1S6		UC212S6					UCSP212H1CS6	UCSP212H1CDS6	89	<b>3</b> <sup>1</sup> / <sub>2</sub>	4.5
60	2 3/8	69.8	241	55	184	20	25	17	138			5.1 25			UCSP212-38H1S6	SP212H1	UC212-3856	4.5	44	1.5 29	14.4	-	-	_	_	-
	2 7/16														UCSP212-39H1S6		UC212-3956					_	_	_	_	-
	- /10												1		0.001 212 0011100		0.0212 0750									



	Unit: mm
Housing No.	⊿Hs
SP203H1~SP210H1	±0.15
SP211H1~SP212H1	±0.2

#### UCSPA-H1S6

Cylindrical bore (with set screws)

*d* 12 ~ 40 mm











Sha	ft Dia.					Din	nensio	ns					Sta	andard				Bas	ic	Factor	Wit	h Pressed Stainless S	teel Co	ver	
mm	inch			inch					Unit	Housing	Bearing		Mass	Load Ra				it No.		ension	Mass				
							mm						No.	No.	No.			kN	-		Open Type	One Side	mm	inch	
	d	H	L	Α	J	N	$H_1$	$H_2$	$H_3$	$L_1$	В	S					kg	$C_{ m r}$	$C_{0\mathrm{r}}$	$f_0$		Closed Type		$A_{\rm s}$	kg
12	1/2												UCSPA201XH1S6 UCSPA201-8XH1S6		UC201XS6 UC201-8XS6						-	-	-	-	-
15	12	1 <sup>3</sup> / <sub>16</sub> 30.2	3 76	1 <sup>3</sup> /16 30	2 <sup>3</sup> / <sub>64</sub> 52	M10×1.5	<sup>13</sup> / <sub>32</sub> 10	2 <sup>1</sup> /4	<sup>33</sup> / <sub>64</sub> 13	<sup>7</sup> /8 22	1.079 27.4	0.453 11.5	UCSPA202XH1S6	SPA203H1	UC202XS6		0.43	8.15	3.85	13.2	-	_	_	_	_
17	5/8	50.2	70	50	52	WITO X 1.5	10	57	15	22	27.4	11.5	UCSPA202-10XH1S6 UCSPA203XH1S6		UC202-10XS6 UC203XS6						-	-	_	_	-
20	3/4	1 <sup>3</sup> / <sub>16</sub> 30.2	3 76	1 <sup>3</sup> / <sub>16</sub> 30	2 <sup>3</sup> / <sub>64</sub> 52	M10×1.5	<sup>13</sup> / <sub>32</sub> 10	2 <sup>3</sup> / <sub>8</sub> 60	<sup>33</sup> / <sub>64</sub>	<sup>7</sup> / <sub>8</sub> 22	1.220 31	0.500	UCSPA204-12H1S6 UCSPA204H1S6	SPA204H1	UC204-12S6 UC204S6	(	0.47	10.9	5.35	13.2	-		-	- 1 <sup>25</sup> /32	-
	7/8			30	52	WITUX 1.5	10	00	13	22	31	12.7	UCSPA205-14H1S6		UC205-14S6						- -	UCSPA204H1CDS6 –	45 -	-	0.46
25	15/16	1 <sup>7</sup> / <sub>16</sub> 36.5	3 <sup>5</sup> / <sub>16</sub> 84	1 <sup>3</sup> / <sub>16</sub> 30	2 <sup>13</sup> / <sub>64</sub> 56	M10×1.5	<sup>15</sup> / <sub>32</sub> 12	2 <sup>23</sup> / <sub>32</sub> 69	<sup>33</sup> / <sub>64</sub> 13	<sup>15/</sup> 16 24	1.343 34.1	0.563 14.3	UCSPA205-15H1S6 UCSPA205H1S6	SPA205H1	UC205-15S6 UC205S6		0.63	11.9	6.3	13.9	– UCSPA205H1CS6	UCSPA205H1CDS6	- 49	- 1 <sup>15</sup> /16	0.63
	1												UCSPA205-16H1S6		UC205-16S6						-	-	_	_	_
20	1 <sup>1</sup> /8	1 11/16	3 11/16	1 <sup>13</sup> /32	<b>2</b> <sup>19</sup> / <sub>32</sub>		15/32	3 <sup>3</sup> / <sub>16</sub>	45/64	1 <sup>3</sup> / <sub>32</sub>	1.500	0.626	UCSPA206-18H1S6 UCSPA206H1S6	SPA206H1	UC206-18S6 UC206S6		0.91	16.5	9.05	13.9	– UCSPA206H1CS6	– UCSPA206H1CDS6	- 53	- 2 <sup>3</sup> / <sub>32</sub>	- 0.91
30	1 <sup>3</sup> /16 1 <sup>1</sup> /4	42.9	94	36	66	M14×2	12	81	18	28	38.1	15.9	UCSPA206-19H1S6 UCSPA206-20H1S6	SPAZUOHI	UC206-19S6 UC206-20S6		0.91	10.5	9.05	13.9	-	-	-	_	-
	1 <sup>1</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>16</sub>												UCSPA207-20H1S6 UCSPA207-21H1S6		UC207-20S6 UC207-21S6						-	-	-	-	-
35	1 <sup>3</sup> /8	1 <sup>7</sup> /8 47.6	4 <sup>11</sup> / <sub>32</sub> 110	1 <sup>1</sup> / <sub>2</sub> 38	3 <sup>5</sup> / <sub>32</sub> 80	M14×2	1/ <sub>2</sub> 13	3 <sup>19</sup> / <sub>32</sub> 91	<sup>25</sup> / <sub>32</sub> 20	1 <sup>3</sup> / <sub>16</sub> 30	1.689 42.9	0.689 17.5	UCSPA207-22H1S6	SPA207H1	UC207-22S6		1.3	21.8	12.3	13.9	-	-	-	-	-
	1 7/16												UCSPA207H1S6 UCSPA207-23H1S6		UC207S6 UC207-23S6						UCSPA20/H1CS6 -	UCSPA207H1CDS6 –	60 -	2 <sup>3</sup> / <sub>8</sub>	1.3
40	$1^{1/2}$ $1^{9/16}$	1 <sup>15</sup> / <sub>16</sub>	4 <sup>9</sup> / <sub>16</sub>	1 <sup>9</sup> /16	<b>3</b> <sup>5</sup> / <sub>16</sub>		1/2	3 13/16	<sup>25</sup> / <sub>32</sub>	1 <sup>1</sup> /4	1.937	0.748	UCSPA208-24H1S6 UCSPA208-25H1S6	SPA208H1	UC208-24S6 UC208-25S6		1.6	24.8	14.3	14.0	-	-	-	-	_
	. , 10	49.2	116	40	84	M14×2	13	97	20	32	49.2	19	UCSPA208H1S6	5.7200711	UC20856			21.0	. 1.5		UCSPA208H1CS6	UCSPA208H1CDS6	69	2 <sup>23</sup> /32	1.5

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{Hs})$  and variations of tolerance of distance between centers of bolt holes  $(\varDelta_{Js})$ 

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{s}$
SPA203H1~SPA208H1	±0.15	±0.5

## USP-S6

Cylindrical bore (with set screws)











Shaft Dia.	Dimensions										Bolt				Basic	Factor	r With Rubber Coated Cover						
mm		inch						Size	Unit	Unit Housing		Mass	Mass Load Ratin			Unit No.		Dimension		Mas			
					m	m					inch	No.	No.	No.			kN		Open Type	One Side	mm	inch	
d	H	L	Α	J	Ν	$H_1$	$H_2$	$L_1$	В	S	mm				kg	0	$C_{ m r}$ $C_{ m 0r}$	fo		Closed Type	Æ	$\mathbf{A}_{\mathbf{s}}$	kg
10	<sup>45</sup> / <sub>64</sub>	2 <sup>5</sup> /8	<sup>5</sup> /8	2 <sup>3</sup> / <sub>32</sub>	9/ <sub>32</sub>	<sup>3</sup> / <sub>16</sub>	1 <sup>3</sup> /8	23/32	0.591	0.197	1/4		<b>USP00056</b> SP000		0.076		.9 1.55	12.3	USP000CS6	USP000CDS6	29	1 5/32	0.08
10	18	67	16	53	7	5	35	18	15	5	M6	03100030			0.070		.9 1.55	12.5	051000050	031 0000030	29	1 7 32	0.00
12	3/4	2 <sup>25</sup> / <sub>32</sub>	5/8	2 <sup>7</sup> / <sub>32</sub>	9/ <sub>32</sub>	<sup>3</sup> / <sub>16</sub>	1 <sup>15</sup> / <sub>32</sub>	23/32	0.591	0.197	1/4		USP001S6 SP001		0.08		.3 1.9	13.2	USP001CS6	USP001CDS6	29	1 5/32	0.08
12	19	71	16	56	7	5	37	18.5	15	5	M6	03F00130	51 001	SU001S6	0.08		.5 1.9	13.2	03F001C30	03F001CD30	29	1 7 32	0.00
15	<sup>55</sup> /64	3 5/32	5/8	2 <sup>15</sup> / <sub>32</sub>	9/ <sub>32</sub>	1/4	<b>1</b> <sup>11</sup> / <sub>16</sub>	13/16	0.650	0.217	1/4	USP002S6 SP002	SU002S6	0.11		.7 2.25	13.9	USP002CS6	USP002CDS6	31	1 7/32	0.11	
15	22	80	16	63	7	6	42.5	20.5	16.5	5.5	M6	03F00230	<b>USPUU230</b> SPUU2		0.11		./ 2.25	13.9	03F002C30	03F002CD30	51	1 / 32	0.11
17	<sup>15</sup> /16	<b>3</b> <sup>11</sup> / <sub>32</sub>	<sup>23</sup> / <sub>32</sub>	2 <sup>5</sup> /8	9/ <sub>32</sub>	1/4	1 <sup>13</sup> / <sub>16</sub>	13/16	0.689	0.236	1/4	USP003S6	SP003	SP003 SU003S6	0.14		.1 2.6	14.4	USP003CS6	USP003CDS6	33	1 5/16	0.14
17	24	85	18	67	7	6	46	21	17.5	6	M6	03100330	3F003	000000		-	.1 2.0	14.4	03F003C30	03F003CD30	22	1 7 16	0.14
20	1 <sup>7</sup> /64	3 <sup>15</sup> /16	<sup>25</sup> / <sub>32</sub>	<b>3</b> <sup>5</sup> / <sub>32</sub>	<sup>13</sup> /32	5/16	2 <sup>5</sup> /32	<sup>31</sup> / <sub>32</sub>	0.827	0.276	5/16	USP004S6	SP004	SU004S6	0.23		.9 4	13.9	USP004CS6	USP004CDS6	38	1 1/2	0.23
20	28	100	20	80	10	8	54.5	25	21	7	M8	03P00430	5P004	3000430	0.25		.9 4	15.9	03P004C30	03P004CD30	20	1 .72	0.25
25	1 <sup>17</sup> /64	4 <sup>13</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	3 <sup>17</sup> / <sub>32</sub>	<sup>13</sup> / <sub>32</sub>	11/32	<b>2</b> <sup>13</sup> / <sub>32</sub>	1 <sup>3</sup> /32	0.866	0.276	5/16		SP005	CLIDOECC	0.28		.5 4.65	14.5		USP005CDS6	40	19/	0.20
23	32	112	20	90	10	9	61	27.5	22	7	M8	USP005S6	58005	SU005S6	0.28		.5 4.05	14.5	USP005CS6	03F005CD50	40	1 9/16	0.28
20	1 <sup>27</sup> /64	5 <sup>3</sup> /16	1 <sup>1</sup> / <sub>32</sub>	4 <sup>3</sup> / <sub>16</sub>	1/2	13/32	2 <sup>23</sup> / <sub>32</sub>	1 <sup>11</sup> / <sub>32</sub>	0.965	0.295	3/8		CDOOC	CLIDOCCC	0.42	1.	2 66	147			44	1 23/	0.43
30	36	132	26	106	13	10	69	34	24.5	7.5	M10	USP006S6	SP006	SU006S6	0.43	11	.2 6.6	14.7	USP006CS6	USP006CDS6	44	1 <sup>23</sup> / <sub>32</sub>	0.43

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See **Table 10.5** in P.62.) 2. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



With One Side Sealed Cover



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{Hs})$  and variations of tolerance of distance between centers of bolt holes  $(\varDelta_{Js})$ 

		Unit: mm
Housing No.	$\Delta_{Hs}$	$\Delta J_{s}$
SP000~SP006	±0.15	±0.3

#### UCVP-S6

Cylindrical bore (with set screws)

*d* 20 ~ 50 mm







Sha	ft Dia.					Dime	nsions					Bolt	S	tandard				Bas	ic	Factor		With Plastic Cover	r		
mm							nch					Size	Unit	Housing	Bearing	Mass	ss I	.oad Ra			Uni	t No.		nsion	Mass
							nm						No.	No.	No.			kN	-				mm	inch	
			-		-						~	inch						~	~		Open Type	One Side			
	d	H	L	Α	J	Ν	$N_1$	$H_1$	$H_2$	В	S	mm				kg	5	$C_{\mathrm{r}}$	$C_{0\mathrm{r}}$	fo		Closed Type	A	s	kg
20	3/4	1 <sup>5</sup> / <sub>16</sub>	5	1 <sup>1</sup> / <sub>2</sub>	<b>3</b> <sup>3</sup> / <sub>4</sub>	7/16	<sup>9</sup> /16	<sup>9</sup> /16	2 <sup>19</sup> / <sub>32</sub>	1.220	0.500	<sup>3</sup> /8	UCVP204-12S6	VP204	UC204-1256	0.29	_	10.9	5.35	13.2	UCVP204-12CS6	UCVP204-12CDS6	63	2 <sup>15</sup> / <sub>32</sub>	0.31
20		33.3	127	38	95	11	14	14.2	65.5	31	12.7	M10	UCVP204S6	VFZ04	UC204S6	0.29	°	10.9	5.55	13.2	UCVP204CS6	UCVP204CDS6	03	Z ·-/32	0.51
	7/8												UCVP205-14S6		UC205-14S6						UCVP205-14CS6	UCVP205-14CDS6			
25	15/16	1 7/16	5 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> /2	<b>4</b> <sup>1</sup> / <sub>8</sub>	7/16	9/16	5/8	2 <sup>25</sup> / <sub>32</sub>	1.343	0.563	<sup>3</sup> /8	UCVP205-15S6	VP205	UC205-15S6	0.41	1	11.9	62	13.9	UCVP205-15CS6	UCVP205-15CDS6	69	2 11/16	0.43
25		36.5	140.5	38	105	11	14	16	71	34.1	14.3	M10	UCVP205S6	VFZUJ	UC205S6	0.41	'	11.7	6.3	13.9	UCVP205CS6	UCVP205CDS6	68 2	2/16	0.45
	1												UCVP205-16S6		UC205-16S6						UCVP205-16CS6	UCVP205-16CDS6			
	1 <sup>1</sup> /8												UCVP206-18S6		UC206-1856						UCVP206-18CS6	UCVP206-18CDS6			
30		1 <sup>11</sup> / <sub>16</sub>	6 <sup>13</sup> / <sub>32</sub>	1 <sup>13</sup> / <sub>16</sub>	4 <sup>11</sup> / <sub>16</sub>	<sup>9/</sup> 16	23/32	11/16	<b>3</b> <sup>5</sup> / <sub>16</sub>	1.500	0.626	1/2	UCVP206S6	VP206	UC206S6	0.6		16.5	9.05	13.9	UCVP206CS6	UCVP206CDS6	79	3 <sup>1</sup> /8	0.63
50	1 <sup>3</sup> /16	42.9	163	46	119	14	18	17.8	84	38.1	15.9	M12	UCVP206-19S6	VP200	UC206-19S6	0.0		10.5	9.05	15.9	UCVP206-19CS6	UCVP206-19CDS6	79	<b>3</b> 78	0.05
	1 <sup>1</sup> /4												UCVP206-20S6		UC206-20S6						UCVP206-20CS6	UCVP206-20CDS6			
	1 <sup>1</sup> / <sub>4</sub>												UCVP207-20S6		UC207-20S6						UCVP207-20CS6	UCVP207-20CDS6			
	1 <sup>5</sup> /16	1 7/8	6 5/8	17/2	5	9/14	23/22	23/22	3 23/22	1.689	0.689	1/2	UCVP207-21S6		UC207-21S6						UCVP207-21CS6	UCVP207-21CDS6			
35	1 <sup>3</sup> /8	47.6	168	48	127	14	10	18	94.5	42.9	17.5	M12	UCVP207-22S6	VP207	UC207-22S6	0.84	4	21.8	12.3	13.9	UCVP207-22CS6	UCVP207-22CDS6	85	3 <sup>11</sup> / <sub>32</sub>	0.89
		47.0	100	40	127	14	10	10	94.J	42.9	17.5	IVITZ	UCVP207S6		UC207S6						UCVP207CS6	UCVP207CDS6			
	1 <sup>7</sup> /16												UCVP207-23S6		UC207-23S6						UCVP207-23CS6	UCVP207-23CDS6			
	1 <sup>1</sup> / <sub>2</sub>	1 15/16	7 1/4	$2^{1/8}$	5 <sup>13</sup> / <sub>32</sub>	<sup>9</sup> /16	23/22	25/32	<b>3</b> <sup>31</sup> / <sub>32</sub>	1.937	0.748	1/2	UCVP208-24S6		UC208-24S6						UCVP208-24CS6	UCVP208-24CDS6			
40	1 <sup>9</sup> /16	49.2	184	54	137	14	18	19.5	101	49.2	19	M12	UCVP208-25S6	VP208	UC208-2556	1.1		24.8	14.3	14.0	UCVP208-25CS6	UCVP208-25CDS6	96	3 <sup>25</sup> / <sub>32</sub>	1.16
		77.2	104	54	157	14	10	17.5	101	47.2	12	1112	UCVP208S6		UC208S6						UCVP208CS6	UCVP208CDS6			
	1 5/8												UCVP209-26S6		UC209-2656						UCVP209-26CS6	UCVP209-26CDS6			
45	1 11/16	2 <sup>1</sup> /8	7 <sup>9</sup> /16	2 <sup>1</sup> /8	5 <sup>3</sup> /4	<sup>21</sup> / <sub>32</sub>	<sup>25</sup> /32	<sup>29</sup> /32	4 <sup>3</sup> /16	1.937	0.748	5/8	UCVP209-27S6	VP209	UC209-27S6	1.2		27.8	16.2	14.0	UCVP209-27CS6	UCVP209-27CDS6	107	4 7/32	1.26
	1 <sup>3</sup> / <sub>4</sub>	54	192	54	146	17	20	23	106	49.2	19	M14	UCVP209-28S6	1205	UC209-2856	1.2		27.0	10.2	14.0	UCVP209-28CS6	UCVP209-28CDS6	107	- 1 / 32	1.20
													UCVP209S6		UC209S6						UCVP209CS6	UCVP209CDS6			<u> </u>
	1 7/8												UCVP210-30S6		UC210-30S6						UCVP210-30CS6	UCVP210-30CDS6			
50	1 <sup>15</sup> /16	2 <sup>1</sup> /4	8 <sup>1</sup> /8	2 <sup>3</sup> /8	6 <sup>1</sup> /4	21/32	<sup>25</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	<b>4</b> 1/2	2.031	0.748	5/8	UCVP210-31S6	VP210	UC210-31S6	1.4		29.8	18.6	14.4	UCVP210-31CS6	UCVP210-31CDS6	120	4 <sup>23</sup> / <sub>32</sub>	1.46
50		57.2	206	60	159	17	20	23	114	51.6	19	M14	UCVP210S6	1 210	UC210S6	1.4		27.0		1.1.4	UCVP210CS6	UCVP210CDS6	120	• 732	
	2												UCVP210-32S6		UC210-32S6						UCVP210-32CS6	UCVP210-32CDS6			

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Unit: mm
$\Delta H_{\rm B}$
±0.15
±0.2
### UCVP-ES7

Cylindrical bore (with set screws)









Shat	t Dia.					Dime	ensions					Bolt	c	tandard				Bas	ic	Factor		With Plastic Cove	r		
mm	inch						nch					Size	Unit	Housing	Bearing	Mass	cc	Load Ra		ractor	Uni	t No.		ension	Mass
111111	men						nm					5120	No.	No.	No.	Wid33	33	kN	-		om		mm	inch	Mass
						1						inch	110.	NO.	140.			KI	`		Open Type	One Side		men	
	d	Н	L	A	J	N	$N_1$	$H_1$	$H_2$	В	S	mm				kg	g	$C_{ m r}$	$C_{0\mathrm{r}}$	$f_0$		Closed Type	1	$A_{s}$	kg
	3/4	1 <sup>5</sup> /16	5	1 <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>4</sub>	7/16	<sup>9</sup> /16	<sup>9</sup> / <sub>16</sub>	2 <sup>19</sup> / <sub>32</sub>	1.220	0.500	3/8	UCVP204-12ES7	1000045	UC204-1257			12.0		12.2	UCVP204-12ECS7	UCVP204-12ECDS7	62	0.15/	0.21
20		33.3	127	38	95	11	14	14.2	65.5	31	12.7	M10	UCVP204ES7	VP204E	UC204S7	0.29	9	12.8	6.65	13.2	UCVP204ECS7	UCVP204ECDS7	63	2 <sup>15</sup> / <sub>32</sub>	0.31
	7/8												UCVP205-14ES7		UC205-14S7						UCVP205-14ECS7	UCVP205-14ECDS7			
25	15/16	1 7/16	5 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	4 <sup>1</sup> /8	7/16	<sup>9</sup> /16	5/8	2 <sup>25</sup> / <sub>32</sub>	1.343	0.563	3/8	UCVP205-15ES7	VP205E	UC205-15S7	0.41	1	14.0	7.05	13.9	UCVP205-15ECS7	UCVP205-15ECDS7	68	2.11/	0.42
25		36.5	140.5	38	105	11	14	16	71	34.1	14.3	M10	UCVP205ES7	VP205E	UC205S7	0.41		14.0	7.85	13.9	UCVP205ECS7	UCVP205ECDS7	08	2 11/16	0.43
	1												UCVP205-16ES7		UC205-16S7						UCVP205-16ECS7	UCVP205-16ECDS7			
	1 <sup>1</sup> /8												UCVP206-18ES7		UC206-1857						UCVP206-18ECS7	UCVP206-18ECDS7			
30		1 <sup>11</sup> / <sub>16</sub>	6 <sup>13</sup> / <sub>32</sub>	<b>1</b> <sup>13</sup> / <sub>16</sub>	4 <sup>11</sup> / <sub>16</sub>	<sup>9</sup> / <sub>16</sub>	23/32	11/16	<b>3</b> <sup>5</sup> / <sub>16</sub>	1.500	0.626	1/2	UCVP206ES7	VP206E	UC206S7	0.6		19.5	11.3	13.9	UCVP206ECS7	UCVP206CDS7	79	3 <sup>1</sup> /8	0.63
50	1 <sup>3</sup> /16	42.9	163	46	119	14	18	17.8	84	38.1	15.9	M12	UCVP206-19ES7	VF200L	UC206-19S7	0.0	'	19.5	11.5	13.9	UCVP206-19ECS7	UCVP206-19ECDS7	79	J /8	0.03
	1 <sup>1</sup> /4												UCVP206-20ES7		UC206-20S7						UCVP206-20ECS7	UCVP206-20ECDS7			
	1 <sup>1</sup> / <sub>4</sub>												UCVP207-20ES7		UC207-2057					I	UCVP207-20ECS7	UCVP207-20ECDS7			
	1 5/16	1 7/8	6 5/8	1 7/。	5	9/16	23/22	23/22	3 23/22	1.689	0.689	1/2	UCVP207-21ES7		UC207-2157					I	UCVP207-21ECS7	UCVP207-21ECDS7			
35	1 3/8	47.6	168	48	127	14	18	18	94.5	42.9	17.5	M12	UCVP207-22ES7	VP207E	UC207-2257	0.84	4	25.7	15.4		UCVP207-22ECS7	UCVP207-22ECDS7	85	<b>3</b> <sup>11</sup> / <sub>32</sub>	0.89
		17.0	100	10	127		10	10	21.5	12.9	17.5		UCVP207ES7		UC207S7					I	UCVP207ECS7	UCVP207ECDS7			
	1 7/16												UCVP207-23ES7		UC207-2357						UCVP207-23ECS7	UCVP207-23ECDS7			
	1 <sup>1</sup> / <sub>2</sub>	1 <sup>15</sup> /16	7 <sup>1</sup> / <sub>4</sub>	2 <sup>1</sup> /8	5 <sup>13</sup> / <sub>32</sub>	9/16	23/32	25/32	3 31/32	1.937	0.748	1/2	UCVP208-24ES7		UC208-24S7					I	UCVP208-24ECS7	UCVP208-24ECDS7			
40	1 <sup>9</sup> /16	49.2	184	54	137	14	18	19.5	101	49.2	19	M12	UCVP208-25ES7	VP208E	UC208-25S7	1.1		29.1	17.8		UCVP208-25ECS7	UCVP208-25ECDS7	96	3 <sup>25</sup> / <sub>32</sub>	1.16
	15/												UCVP208ES7		UC20857						UCVP208ECS7	UCVP208ECDS7			
	1 5/8	21/	7.07	21/	= 27	21.4	25.4	20.4	4.27	1 0 0 7	0.740	5.	UCVP209-26ES7		UC209-26S7						UCVP209-26ECS7	UCVP209-26ECDS7			
45	''/16	2 <sup>1</sup> /8	/ 3/16	2 1/8	5 3/4	21/32	23/32	23/32	4 3/16	1.937	0.748	3/8	UCVP209-27ES7	VP209E	UC209-2757	1.2	2	34.1	21.3	14.0	UCVP209-27ECS7	UCVP209-27ECDS7	107	<b>4</b> <sup>7</sup> / <sub>32</sub>	1.26
	1 <sup>3</sup> / <sub>4</sub>	54	192	54	146	17	20	23	106	49.2	19	M14	UCVP209-28ES7		UC209-2857					I	UCVP209-28ECS7	UCVP209-28ECDS7			
	1 7/8												UCVP209ES7 UCVP210-30ES7		UC209S7 UC210-30S7						UCVP209ECS7 UCVP210-30ECS7	UCVP209ECDS7 UCVP210-30ECDS7			<u> </u>
	1 <sup>1</sup> / <sub>8</sub> 1 <sup>15</sup> / <sub>16</sub>	2 1/4	0.1/-	23/	61/	21/-	25 /	29/-	416	2.031	0.748	5/-	UCVP210-30ES7		UC210-3057						UCVP210-30ECS7 UCVP210-31ECS7				
50	1 13/16		8 <sup>1</sup> /8 206	2 <sup>3</sup> /8	6 <sup>1</sup> /4	<sup>2</sup> '/32	23/32	<sup>29</sup> /32 23	4 '/2			M14		VP210E		1.4	+	35.1	23.3	14.4		UCVP210-31ECDS7	120	4 <sup>23</sup> / <sub>32</sub>	1.46
	2	57.2	206	60	159	17	20	23	114	51.6	19	1/114	UCVP210ES7		UC21057					I	UCVP210ECS7	UCVP210ECDS7			
	2												UCVP210-32ES7		UC210-32S7						UCVP210-32ECS7	UCVP210-32ECDS7			1

Remarks
 In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
 Part No. of the applicable grease fitting is A-1/4-28UNFN12.
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{\rm Hs})$ 

	Unit: mm
Housing No.	∆Hs
VP204E~VP208E	±0.15
VP209E~VP210E	±0.2

### UCVPAN-ES7

Cylindrical bore (with set screws) d 20 ~ 35 mm









Sha	ft Dia.					Dimensions						Standard				Bas	ic	Factor		With Plastic Cover			
mm	inch					inch					Unit	Housing	Bearing	Mass	is I	Load Ra	atings		Uni	t No.	Dimer	nsion	Mass
						mm					No.	No.	No.			kN	4		Open Type	One Side	mm	inch	
	d	H	L	A	J	N	$H_2$	$H_3$	В	S				kg		$C_{ m r}$	$C_{0r}$	fo		Closed Type	A	s	kg
20	3/4	1 5/16	2 7/8	1 <sup>11</sup> / <sub>32</sub>	2	3/8-16UNC	2 <sup>19</sup> / <sub>32</sub>	<sup>13</sup> / <sub>32</sub>	1.220	0.500	UCVPAN204-12ES7	VPAN204E	UC204-1257	0.36	-	12.0	6.65	13.2	UCVPAN204-12ECS7	UCVPAN204-12ECDS7	505	2.11/	0.27
20		33.3	73	34.5	50.8	3/8-10UNC	66	10.5	31	12.7	UCVPAN204ES7	VPAN204E	UC204S7	0.26		12.8	6.65	13.2	UCVPAN204ECS7	UCVPAN204ECDS7	59.5	2 <sup>11</sup> / <sub>32</sub>	0.27
	7/8										UCVPAN205-14ES7		UC205-14S7						UCVPAN205-14ECS7	UCVPAN205-14ECDS7			
25	15/16	1 7/16	2 <sup>25</sup> / <sub>32</sub>	1 7/16	2	3/ 161100	2 <sup>25</sup> /32	<sup>13</sup> / <sub>32</sub>	1.343	0.563	UCVPAN205-15ES7	VPAN205E	UC205-15S7	0.36	-	14.0	7.85	13.9	UCVPAN205-15ECS7	UCVPAN205-15ECDS7	66.5	25/	0.37
25		36.5	71	36.5	50.8	<sup>3</sup> /8-16UNC	71	10.5	34.1	14.3	UCVPAN205ES7	VPAN205E	UC205S7	0.30		14.0	7.85	13.9	UCVPAN205ECS7	UCVPAN205ECDS7	00.5	2 <sup>5</sup> /8	0.37
	1										UCVPAN205-16ES7		UC205-16S7						UCVPAN205-16ECS7	UCVPAN205-16ECDS7			i
	1 <sup>1</sup> /8										UCVPAN206-18ES7		UC206-18S7						UCVPAN206-18ECS7	UCVPAN206-18ECDS7			
20		1 11/16	4	1 <sup>11</sup> / <sub>16</sub>	3	7/ 14110	<b>3</b> <sup>5</sup> / <sub>16</sub>	15/32	1.500	0.626	UCVPAN206ES7	VDANDOCE	UC206S7	0.54	.	105	11.2	12.0	UCVPAN206ECS7	UCVPAN206CDS7	75.5	2 31 /	0.55
30	1 <sup>3</sup> /16	42.9	101.6	42.5	76.2	<sup>7</sup> / <sub>16</sub> -14UNC	84	12.1	38.1	15.9	UCVPAN206-19ES7	VPAN206E	UC206-1957	0.54	+	19.5	11.3	13.9	UCVPAN206-19ECS7	UCVPAN206-19ECDS7	75.5	2 <sup>31</sup> /32	0.55
	1 <sup>1</sup> /4										UCVPAN206-20ES7		UC206-2057						UCVPAN206-20ECS7	UCVPAN206-20ECDS7			i
	1 <sup>1</sup> / <sub>4</sub>										UCVPAN207-20ES7		UC207-20S7						UCVPAN207-20ECS7	UCVPAN207-20ECDS7			
	1 <sup>5</sup> /16	17/	4 11 /	17/	21/		23/	17/	1 600	0.690	UCVPAN207-21ES7		UC207-21S7						UCVPAN207-21ECS7	UCVPAN207-21ECDS7			i
35	1 <sup>3</sup> /8	1 7/8	4 <sup>11</sup> / <sub>32</sub>	1 7/8	3 <sup>1</sup> / <sub>4</sub>	<sup>1</sup> / <sub>2</sub> -13UNC	3 3/4	<sup>17</sup> / <sub>32</sub>	1.689	0.689	UCVPAN207-22ES7	VPAN207E	UC207-22S7	0.84	1	25.7	15.4	13.9	UCVPAN207-22ECS7	UCVPAN207-22ECDS7	85	<b>3</b> <sup>11</sup> / <sub>32</sub>	0.86
		47.6	110	48	82.6		95	13.7	42.9	17.5	UCVPAN207ES7		UC20757						UCVPAN207ECS7	UCVPAN207ECDS7			i
	1 7/16										UCVPAN207-23ES7		UC207-2357						UCVPAN207-23ECS7	UCVPAN207-23ECDS7			i

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

# FYH



	Shaf	t Dia					Dime	nsions					Bolt	Unit	Bearing	Unit	Bearing	Housing	Ba	sic	Factor	Mas
1	mm	inch					in	ch					Size	No.	No.	No.	No.	No.	Load R	atings		
							m	ım					inch						k	N		kg
											SBPP	SAPP	mm						Cr	$C_{0r}$	fo	SBPP
	a	l	Н	L	Α	J	N	$H_1$	$H_2$	S	B	$B_1$							Or	Cor	50	5011
	12													SBPP201	SB201	SAPP201	SA201					
		1/2	7/8	3 3/8	31/32	2 <sup>43</sup> / <sub>64</sub>	3/8	1/8	1 <sup>23</sup> / <sub>32</sub>	0.236	0.866	1.122	5/16	SBPP201-8	SB201-8	SAPP201-8	SA201-8					
	15													SBPP202	SB202	SAPP202	SA202	PP203	9.55	4.80	13.2	0.16
		5/8	22.2	86	25	68	9.5	3.2	43.8	6	22	28.5	M8	SBPP202-10	SB202-10	SAPP202-10	SA202-10					
	17													SBPP203	SB203	SAPP203	SA203					
	20	3/4	1	3 <sup>27</sup> / <sub>32</sub>	1 1/4	2 <sup>63</sup> / <sub>64</sub>	<sup>3</sup> /8	1/8	2	0.276	0.984	1.161	<sup>5</sup> /16	SBPP204-12	SB204-12	SAPP204-12	SA204-12	PP204	12.8	6.65	12.2	0.22
	20		25.4	98	32	76	9.5	3.2	50.5	7	25	29.5	M8	SBPP204	SB204	SAPP204	SA204	PP204	12.8	6.65	13.2	0.23
		7/8												SBPP205-14	SB205-14	SAPP205-14	SA205-14					
	25	15/16	1 <sup>1</sup> /8	<b>4</b> <sup>1</sup> / <sub>4</sub>	<b>1</b> <sup>1</sup> / <sub>4</sub>	3 <sup>25</sup> / <sub>64</sub>	<sup>29</sup> / <sub>64</sub>	5/32	2 7/32	0.295	1.063	1.201	3/8	SBPP205-15	SB205-15	SAPP205-15	SA205-15	PP205	14.0	7.85	13.9	0.28
	25		28.6	108	32	86	11.5	4	56.6	7.5	27	30.5	M10	SBPP205	SB205	SAPP205	SA205	PP205	14.0	7.85	13.9	0.28
		1												SBPP205-16	SB205-16	SAPP205-16	SA205-16					
		1 <sup>1</sup> /8												SBPP206-18	SB206-18	SAPP206-18	SA206-18					
			1 5/16	4 <sup>19</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>4</sub>	<sup>29</sup> / <sub>64</sub>	5/32	2 5/8	0.315	1.181	1.335	3/8	SBPP206	SB206	SAPP206	SA206	DDDDC	10.5		12.0	0.47
	30	<b>1</b> <sup>3</sup> /16	33.3	117	38	95	11.5	4	66.3	8	30	33.9	M10	SBPP206-19	SB206-19	SAPP206-19	SA206-19	PP206	19.5	11.3	13.9	0.47
		1 <sup>1</sup> /4												SBPP206-20	SB206-20	SAPP206-20	SA206-20					

Remark For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance between centers of bolt holes ( $\Delta_{Js}$ ) and variations of tolerance of bolt hole diameter ( $\Delta_{Ns}$ )

		Unit: mm
Housing No.	$\Delta J_{s}$	$\Delta N_{\rm Ns}$
PP203~PP206	±0.4	±0.5

Ma	ass	
k	g	
PP	SAPP	
16	0.19	
23	0.23	
28	0.32	
47	0.50	

### UCF

Cylindrical bore (with set screws)

d 12 ~ (45) mm









Shaft	Dia.					Dimensi	ons				Bolt		Standard				Basic	Fa	actor	v	Vith Pressed St	teel Cover			With Cast Iro	n Cover		
mm	inch					inch					Size	Unit	Housing	Bearing	Mass	s Lo	oad Ratin	gs		Unit	No.	Dimension	Mass	Uni	t No.	Dime	nsion	Mass
						mm					inch	No.	No.	No.			kN			Open Type	Closed Type	mm inch		Open Type	Closed Type	mm	inch	
d		L	Α	J	N	$A_1$	$A_2$	$A_0$	В	S	inch mm				kg		C <sub>r</sub> C	Or	f0			$A_{ m s}$	kg			A	A <sub>c</sub>	kg
12												UCF201		UC201	0.64			_		UCF201C	UCF201D	37.5 1 <sup>15</sup> / <sub>32</sub>	0.64					
12	1/2											UCF201-8		UC201-8	0.64					-	0012010	J7.J 1 732	0.04	_	_	_	_	_
15	12											UCF202		UC202	0.62					UCF202C	UCF202D	37.5 1 <sup>15</sup> / <sub>32</sub>	0.62		_	_		_
15	<sup>5</sup> /8	3 <sup>3</sup> /8	1	2 <sup>33</sup> / <sub>64</sub>	15/32	7/16	<sup>19</sup> / <sub>32</sub>	1 <sup>5</sup> / <sub>16</sub>	1.220	0.500	3/8	UCF202-10	F204	UC202-10	0.62		12.8 6	6.65 1	13.2	-	0012020	57.5 1 732	0.02					
17	/ 0	86	25.5	64	12	11	15	33.3	31	12.7	M10	UCF203	1204	UC203	0.61		12.0		13.2	UCF203C	UCF203D	37.5 1 <sup>15</sup> / <sub>32</sub>	0.61					
	3/4											UCF204-12		UC204-12	0.61					-	-		-		_	_		_
20	74											UCF204		UC204 12	0.59					UCF204C	UCF204D	37.5 1 <sup>15</sup> / <sub>32</sub>	0.59	UCF204FC	UCF204FD	46	1 <sup>13</sup> /16	0.74
	7/8											UCF205-14		UC205-14	0.83	_				-	-		-	-	-	-	-	-
	15/16	3 <sup>3</sup> /4	1 <sup>1</sup> / <sub>16</sub>	2 <sup>3</sup> /4	15/32	1/2	5/8	1 <sup>13</sup> / <sub>32</sub>	1.343	0.563	3/8	UCF205-15		UC205-15	0.83	3				_	_		_	_	_	_	_	_
		95	27	70	12	13	16	35.8	34.1	14.3	M10	UCF205	F205	UC205	0.83		14.0	.85 1	13.9	UCF205C	UCF205D	40.5 1 <sup>19</sup> / <sub>32</sub>	0.83	UCF205FC	UCF205FD	49	1 <sup>15</sup> /16	1.0
	1											UCF205-16		UC205-16	0.83					_	_		_	_	_	_	_	_
25		<b>4</b> <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> /16	3 17/64	15/32	1/2	45/64	1 <sup>19</sup> /32	1.500	0.626	3/8	UCFX05	EVOE	UCX05	1.2		105 11		12.0	UCFX05C	UCFX05D	44.5 1 <sup>3</sup> / <sub>4</sub>	1.2	-	-	-	-	-
	1	108	30	83	12	13	18	40.2	38.1	15.9	M10	UCFX05-16	FX05	UCX05-16	1.2		19.5 11	.3	13.9	-	-		-	_	-	_	_	_
F		4 <sup>11</sup> / <sub>32</sub>	1 5/32	3 5/32	5/8	1/2	5/8	1 <sup>17</sup> / <sub>32</sub>	1.496	0.591	1/2	UCF305	E205	UC305	1.3		21.2 1/		12.6	-	-		-	UCF305C	UCF305D	54	2 <sup>1</sup> /8	1.6
	1	110	29	80	16	13	16	39	38	15	M14	UCF305-16	F305	UC305-16	1.3	- 1 <sup>-</sup>	21.2 10	1.9	12.6	-	-		-	_	-	-	_	-
	1 <sup>1</sup> /8											UCF206-18		UC206-18	1.1					-	-		-	-	-	-	-	-
		<b>4</b> <sup>1</sup> / <sub>4</sub>	1 <sup>7</sup> /32	3 <sup>17</sup> / <sub>64</sub>	15/32	1/2	<sup>45</sup> / <sub>64</sub>	1 <sup>19</sup> /32	1.500	0.626	3/8	UCF206	F206	UC206	1.1		19.5 11	3 1	13.9	UCF206C	UCF206D	44.5 1 <sup>3</sup> / <sub>4</sub>	1.1	UCF206FC	UCF206FD	53	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.4
	1 <sup>3</sup> /16	108	31	83	12	13	18	40.2	38.1	15.9	M10	UCF206-19	1200	UC206-19	1.1		19.5		13.2	-	-		-	-	-	-	-	-
	1 <sup>1</sup> / <sub>4</sub>											UCF206-20		UC206-20	1.1					-	-		-	-	-	-	-	_
30		4 <sup>19</sup> / <sub>32</sub>	1 <sup>11</sup> /32	3 5/8	5/8	<sup>9</sup> /16	3/4	1 <sup>3</sup> /4	1.689	0.689	1/2	UCFX06		UCX06	1.6					UCFX06C	UCFX06D	49 1 <sup>15</sup> / <sub>16</sub>	1.6	-	-	-	-	-
	1 <sup>3</sup> / <sub>16</sub>	117	34	92	16	14	19	44.4	42.9	17.5	M14	UCFX06-19	FX06	UCX06-19	1.6		25.7 15	5.4   1	13.9	-	-		-	-	-	-	-	-
-	1 <sup>1</sup> / <sub>4</sub>		1.1/			10 (						UCFX06-20		UCX06-20	1.6					-	-		-	-	-	-	-	
	-	4 <sup>29</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>4</sub>	3 <sup>47</sup> / <sub>64</sub>	<sup>5</sup> /8	<sup>19</sup> / <sub>32</sub>	<sup>45</sup> / <sub>64</sub>	1 <sup>23</sup> / <sub>32</sub>	1.693	0.669	<sup>1/2</sup> M14	UCF306	F306	UC306	1.9		26.7 15	5.0 1	13.3	-	-		-	UCF306C	UCF306D	59	2 <sup>5</sup> /16	2.2
	1 <sup>1</sup> /4	125	32	95	16	15	18	44	43	17	1/114	UCF207-20		UC207-20	1.5						_			_			_	
	1 <sup>5</sup> / <sub>16</sub>											UCF207-21		UC207-21	1.5					_								
	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	1 11/32	3 5/8	<sup>35</sup> / <sub>64</sub>	19/32	3/4	1 <sup>3</sup> /4	1.689	0.689	7/16	UCF207-22	F207	UC207-22	1.5		25.7 15	4 1	13.9	_	_		_	_	_	_	_	_
	1 /0	117	34	92	14	15	19	44.4	42.9	17.5	M12	UCF207	1207	UC207	1.5		23.7 1.		13.5	UCF207C	UCF207D	49 1 <sup>15</sup> / <sub>16</sub>	1.5	UCF207FC	UCF207FD	58	2 <sup>9</sup> / <sub>32</sub>	1.9
	1 7/16											UCF207-23		UC207-23	1.5					-	-		_	-	-	_	_ / 32	_
35	1 <sup>3</sup> /8											UCFX07-22		UCX07-22	2.0					_	_		-	_	_	_	_	_
		5 <sup>1</sup> / <sub>8</sub>	1 <sup>1</sup> / <sub>2</sub>	4 <sup>1</sup> / <sub>64</sub>	5/8	9/16	53/64		1.937	0.748	1/2	UCFX07	FX07	UCX07	2.0		29.1 17	.8 1	14.0	UCFX07C	UCFX07D	55.5 2 <sup>3</sup> / <sub>16</sub>	2.0	_	_	_	_	_
	1 <sup>7</sup> /16	130	38	102	16	14	21	51.2	49.2	19	M14	UCFX07-23		UCX07-23	2.0					_	_		_	_	_	_	_	_
ŀ		5 <sup>5</sup> / <sub>16</sub>	1 <sup>13</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>16</sub>	3/4	5/8	<sup>25</sup> / <sub>32</sub>	<b>1</b> <sup>15</sup> / <sub>16</sub>	1.890	0.748	5/8		E207				22/ 1/		12.2					LICE207C		64	<b>2</b> 17/	27
	-	135	36	100	19	16	20	49	48	19	M16	UCF307	F307	UC307	2.3		33.4 19		13.2	-	-		-	UCF307C	UCF307D	64	2 <sup>17</sup> / <sub>32</sub>	2.7
	1 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> /8	1 <sup>13</sup> /32	<b>4</b> <sup>1</sup> / <sub>64</sub>	5/8	19/32	<sup>53</sup> / <sub>64</sub>	<b>2</b> <sup>1</sup> / <sub>32</sub>	1.937	0.748	1/2	UCF208-24		UC208-24	1.9					-	-		-	-	-	-	-	-
	1 <sup>9</sup> /16	130	36	102	16	15	21	51.2	49.2	19	M14	UCF208-25	F208	UC208-25	1.9		29.1 17	'.8   1	14.0	-	-		-	-	-	-	-	-
												UCF208		UC208	1.9					UCF208C	UCF208D	55.5 2 <sup>3</sup> / <sub>16</sub>	1.9	UCF208FC	UCF208FD	64	2 <sup>17</sup> / <sub>32</sub>	2.3
40	1 <sup>1</sup> / <sub>2</sub>	5 <sup>13</sup> / <sub>32</sub>	1 %16	4 <sup>9</sup> / <sub>64</sub>	3/4	9/16	<sup>55</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	5/8	UCFX08-24	FX08	UCX08-24	2.4		34.1 21	.3 1	14.0	-	-		-	-	-	-	-	-
-	. 1.(	137	40	105	19	14	22	52.2	49.2	19	M16	UCFX08		UCX08	2.4					UCFX08C	UCFX08D	56.5 2 <sup>7</sup> / <sub>32</sub>	2.4	-	-	-	-	
	1 <sup>1</sup> / <sub>2</sub>	5 <sup>29</sup> / <sub>32</sub>	1 %16	4 <sup>13</sup> / <sub>32</sub>	3/4	<sup>21</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	2 <sup>7</sup> / <sub>32</sub>	2.047	0.748	5/8	UCF308-24	F308	UC308-24	3.1	4	40.7 24	.0 1	13.2	-	-		-	-	-	_	-	-
	15/	150	40	112	19	17	23	56	52	19	M16	UCF308		UC308	3.1					-	-		-	UCF308C	UCF308D	71	2 <sup>25</sup> / <sub>32</sub>	3.6
	1 <sup>5</sup> /8	E 13/	1.17	4.97	57	57	55 /	21/	1 0 2 7	0.740	17	UCF209-26		UC209-26	2.2					-	-		-	-	-	_	-	_
	1 <sup>11</sup> / <sub>16</sub>	5 <sup>13</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	4 <sup>9</sup> / <sub>64</sub>	-/8 1.6	-7/8 1.6	33/64	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	<sup>1</sup> / <sub>2</sub>	UCF209-27	F209	UC209-27	2.2		34.1 21	.3   1	14.0	-	-		-	-	-	_	-	-
	1 <sup>3</sup> /4	137	38	105	16	16	22	52.2	49.2	19	M14	UCF209-28		UC209-28	2.2					-	-		-			-	- 2 19/	-
45	<b>1</b> <sup>11</sup> / <sub>16</sub>											UCF209 UCFX09-27		UC209 UCX09-27	2.2					UCF209C	UCF209D	56.5 2 <sup>7</sup> / <sub>32</sub>	2.2	UCF209FC	UCF209FD	66	2 <sup>19</sup> / <sub>32</sub>	2.6
	$1^{-1/16}$ $1^{-3/4}$	5 <sup>5</sup> /8	1 <sup>9</sup> /16	4 <sup>3</sup> / <sub>8</sub>	3/4	9/16	<sup>29</sup> / <sub>32</sub>	2 <sup>3</sup> /16	2.031	0.748	5/8	UCFX09-27	FX09	UCX09-27	2.7		35.1 23	3 1	14.4		_		_			_	_	_
	1 /4	143	40	111	19	14	23	55.6	51.6	19	M16	UCFX09-28	1 109	UCX09-28	2.7		JJ.1 Z.		14.4	UCFX09C	UCFX09D	 60 2 <sup>3</sup> / <sub>8</sub>	2.7			_	_	_
								e diameter						00009							are the double			-	-	_	-	

... 211~218, X10~X20, 309~328

A-R1/8..

138

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCF206JL3, UC206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.

With Pressed Steel Cover



With Cast Iron Cover



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\varDelta_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

				Unit: mm
	Housing No.		⊿A2s	X
F204~F210	FX05~FX10	F305~F310	±0.5	0.7
F211~F218	FX11~FX20	F311~F328	±0.8	1

			Unit: mm
	Housing No.		$\Delta N_{\rm Ns}$
F204~F218	FX05~FX18	F305~F315	±0.2
	FX20	F316~F328	±0.3

### UCF

Cylindrical bore (with set screws)

d (45) ~ (75) mm









1

 $\frac{\overline{A_1}}{\overline{A_2}}$ A



						<u> </u>	-1												-	A								
Sha	ft Dia.				[	Dimensio	ns				Bolt		Standard				Bas	sic	Factor		With Pressed S	teel Cover			With Cast Iro	n Cover		
mm	inch					inch					Size	Unit	Housing	Bearing	Ma	ass	Load R	atings		Unit	t No.	Dimension	Mass	Uni	t No.	Dimens	ion l	Mass
						mm					inch	No.	No.	No.			kl	N		Open Type	Closed Type	mm inch		Open Type	Closed Type	mm	inch	
	d	L	A	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg	g	$C_{\rm r}$	$C_{0\mathrm{r}}$	fo			$A_{ m s}$	kg			$A_{ m c}$		kg
	1 <sup>3</sup> / <sub>4</sub>	6 <sup>5</sup> /16	1 <sup>23</sup> /32	4 <sup>59</sup> / <sub>64</sub>	3/4	<sup>23</sup> / <sub>32</sub>	<sup>63</sup> / <sub>64</sub>	2 <sup>3</sup> /8	2.244	0.866	5/8	UCF309-28	5200	UC309-28	4.0	ł.0	40.0	20.5	12.2	-	-		-	-	-	-	-	_
45		160	44	125	19	18	25	60	57	22	M16	UCF309	F309	UC309	4.0	1.0	48.9	29.5	13.3	_	-		-	UCF309C	UCF309D	76 3	3	4.6
	1 <sup>7</sup> /8											UCF210-30		UC210-30	2.5	2.5				-	-		-	-	-	-	-	-
	1 <sup>15</sup> /16	5 <sup>5</sup> /8	1 <sup>9</sup> / <sub>16</sub>	4 <sup>3</sup> / <sub>8</sub>	<sup>5</sup> /8	5/8	55/64	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.031	0.748	1/2	UCF210-31	F210	UC210-31	2.5		35.1	23.3	14.4	-	-		-	-	-	-	-	-
		143	40	111	16	16	22	54.6	51.6	19	M14	UCF210	1210	UC210	2.5		55.1	23.5		UCF210C	UCF210D	59 2 <sup>5</sup> / <sub>16</sub>	2.5	UCF210FC	UCF210FD	70.5 2	2 <sup>25</sup> / <sub>32</sub>	3.0
= 0	2											UCF210-32		UC210-32	2.5					-	-		-	-	-	-		
50	1 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> /8	1 <sup>23</sup> / <sub>32</sub>	5 <sup>1</sup> /8	3/4	25/32	1 <sup>1</sup> / <sub>32</sub>	2 <sup>11</sup> / <sub>32</sub>	2.189	0.874	5/8	UCFX10-31	51/10	UCX10-31	3.7		42.4	20.4		-	-		-	-	-	-	-	_
	2	162	44	130	19	20	26	59.4	55.6	22.2	M16	UCFX10	FX10	UCX10	3.7		43.4	29.4	14.4	UCFX10C	UCFX10D	64 2 <sup>17</sup> / <sub>32</sub>	3.7	-	-	-	-	-
	2	6 7/8	1 7/8	5 <sup>13</sup> / <sub>64</sub>	29/32	3/4	1 7/64	2 5/8	2.402	0.866	3/4	UCFX10-32		UCX10-32	3.7	5./				-	_		-	-		-		
	-	175	48	132	23	19	28	67	61	22	M20	UCF310	F310	UC310	5.1	5.1	62.0	38.3	13.2	-	-		-	UCF310C	UCF310D	83 3	3 <sup>9</sup> / <sub>32</sub>	5.9
	2	175	10	152	2.5	12	20			~~~		UCF211-32		UC211-32	3.4	3.4				-	-		-	-	_	_	_	_
	2 <sup>1</sup> /8	6 <sup>3</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	3/4	23/32	<sup>63</sup> / <sub>64</sub>	2 5/16	2.189	0.874	5/8	UCF211-34	5344	UC211-34	3.4					-	-		_	_	_	_	-	_
		162	43	130	19	18	25	58.4	55.6	22.2	M16	UCF211	F211	UC211	3.4	3.4	43.4	29.4	14.4	UCF211C	UCF211D	63 2 <sup>15</sup> / <sub>32</sub>	3.4	UCF211FC	UCF211FD	74.5 2	2 15/16	4.0
	2 <sup>3</sup> /16											UCF211-35		UC211-35	3.4	3.4				-	-		-	-	-	-	-	-
55		6 7/8	1 <sup>15</sup> / <sub>16</sub>	5 <sup>5</sup> /8	3/4	<sup>25</sup> / <sub>32</sub>	1 <sup>9</sup> /64	2 <sup>23</sup> / <sub>32</sub>	2.563	1.000	5/8	UCFX11		UCX11	4.9	1.9				UCFX11C	UCFX11D	73.5 2 <sup>29</sup> / <sub>32</sub>	4.9	-	-	-	-	-
55	2 <sup>3</sup> /16	175	49	143	19	20	29	68.7	65.1	25.4	M16	UCFX11-35	FX11	UCX11-35	4.9	1.9	52.4	36.2	14.4	-	-		-	-	-	-	-	-
	2 <sup>1</sup> /4	175	42	145	12	20	27	00.7	05.1	23.4	14110	UCFX11-36		UCX11-36	4.9					-	-		-	_	_	-	-	
	2	7 <sup>9</sup> /32	2 <sup>1</sup> / <sub>16</sub>	5 <sup>33</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>25</sup> /32	1 <sup>3</sup> /16	2 <sup>25</sup> /32	2.598	0.984	3/4	UCF311-32	_	UC311-32	5.6					-	-		-	-	-	-	-	-
		185	52	140	23	20	30	71	66	25	M20	UCF311	F311	UC311	5.6		71.6	45.0	13.2	-	-		-	UCF311C	UCF311D	87 3	3 <sup>7</sup> / <sub>16</sub>	6.5
_	$2^{3}/_{16}$											UCF311-35		UC311-35	5.0					-	-		-	-	-	-	-	-
	2 <sup>1</sup> /4	671	17/	E 57	37	23 /	19/	<b>2</b> 23 /	2562	1 000	57.	UCF212-36		UC212-36	4.2					-	-	72 5 2 29/	-	-	-	-	33/	-
	2 3/8	6 <sup>7</sup> /8 175	1 <sup>7</sup> /8 48	5 <sup>5</sup> /8 143	<sup>3</sup> / <sub>4</sub> 19	<sup>23</sup> / <sub>32</sub> 18	1 <sup>9</sup> / <sub>64</sub> 29	2 <sup>23</sup> / <sub>32</sub> 68.7	2.563 65.1	1.000 25.4	<sup>5</sup> /8 M16	UCF212 UCF212-38	F212	UC212 UC212-38	4.2		52.4	36.2	14.4	UCF212C	UCF212D	73.5 2 <sup>29</sup> / <sub>32</sub>	4.2	UCF212FC	UCF212FD	86 3	3 3/8	5.0
	2 <sup>-7</sup> / <sub>16</sub>	175	40	145	19	10	29	00.7	05.1	25.4	IVITO	UCF212-38		UC212-38	4.2					-	-		-	-	-	-	-	-
60	2 / 16	7 <sup>3</sup> /8	2 <sup>5</sup> / <sub>16</sub>	5 <sup>55</sup> / <sub>64</sub>	3/4	13/16	1 11/32	2 <sup>29</sup> / <sub>32</sub>	2.563	1.000	5/8	UCFX12-39		UCX12	5.7					UCFX12C	UCFX12D	78.5 3 <sup>3</sup> / <sub>32</sub>	5.7			_	_	
	2 7/16	187	59	149	19	21	34	73.7	65.1	25.4	M16	UCFX12-39	FX12	UCX12-39	5.7		57.2	40.1	14.4	_	_		_	_	_	_	_	_
		7 11/16	<b>2</b> <sup>7</sup> / <sub>32</sub>	5 <sup>29</sup> / <sub>32</sub>	29/32	7/8	1 <sup>19</sup> / <sub>64</sub>	3 1/16	2.795	1.024	3/4	UCF312	5242	UC312	6.9	5.9	01.0	53.3	12.2	-	-		-	UCF312C	UCF312D	95 3	3 <sup>3</sup> /4	8.1
	2 7/16	195	56	150	23	22	33	78	71	26	M20	UCF312-39	F312	UC312-39	6.9	i.9	81.9	52.2	13.2	-	-		-	-	-	-	-	-
	2 <sup>1</sup> / <sub>2</sub>	7 <sup>3</sup> /8	1 <sup>31</sup> / <sub>32</sub>	5 <sup>55</sup> / <sub>64</sub>	3/4	7/8	1 <sup>3</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	2.563	1.000	5/8	UCF213-40	F213	UC213-40	5.2	5.2	57.2	40.1	14.4	-	-		-	-	-	-	-	-
		187	50	149	19	22	30	69.7	65.1	25.4	M16	UCF213	.215	UC213	5.2		57.2		1 1.7	UCF213C	UCF213D	74.5 2 <sup>15</sup> / <sub>16</sub>	5.2	UCF213FC	UCF213FD	87 3	3 <sup>7</sup> / <sub>16</sub>	6.0
65	2 <sup>1</sup> / <sub>2</sub>	7 <sup>3</sup> /8	2 <sup>5</sup> / <sub>16</sub>	5 <sup>55</sup> / <sub>64</sub>	3/4	13/16	1 <sup>11</sup> / <sub>32</sub>	3 <sup>3</sup> / <sub>32</sub>	2.937	1.189	5/8	UCFX13-40	FX13	UCX13-40	6.3		62.2	44.1	14.5	-	-		-	-	-	-	-	-
	21/	187	59	149	19	21	34	78.4	74.6	30.2	M16	UCFX13		UCX13	6.3					UCFX13C	UCFX13D	83.5 3 <sup>9</sup> / <sub>32</sub>	6.3	-	_	-	-	
	2 <sup>1</sup> / <sub>2</sub>	8 <sup>3</sup> / <sub>16</sub>	2 %/32 58	6 <sup>17</sup> / <sub>32</sub> 166	<sup>29</sup> / <sub>32</sub> 23	<sup>7</sup> / <sub>8</sub> 22	1 <sup>19</sup> / <sub>64</sub> 33	3 <sup>1</sup> / <sub>16</sub> 78	2.953 75	1.181 30	<sup>3</sup> / <sub>4</sub>	UCF313-40 UCF313	F313	UC313-40 UC313	7.8		92.7	59.9	13.2	_	_		-		– UCF313D	- 04 7	- 3 <sup>11</sup> / <sub>16</sub>	-
	2 <sup>3</sup> /4	208 7 <sup>19</sup> / <sub>32</sub>	2 <sup>1</sup> /8	5 <sup>63</sup> / <sub>64</sub>	23 <sup>3</sup> /4	7/8	33 1 <sup>7</sup> /32	2 <sup>31</sup> /32	2.937	30 1.189	M20	UCF313 UCF214-44		UC313 UC214-44	5.5									UCF313C	UCF313D -	94 3	116	8.9
	2 /4	193	2 /8 54	152	19	22	31	75.4	74.6	30.2	M16	UCF214-44	F214	UC214-44	5.5		62.2	44.1	14.5	UCF214C	UCF214D	80.5 3 <sup>5</sup> / <sub>32</sub>	5.9	UCF214FC	UCF214FD	93 3	3 <sup>21</sup> / <sub>32</sub>	6.8
	2 <sup>3</sup> /4	7 <sup>3</sup> /4	2 3/8	5 <sup>63</sup> / <sub>64</sub>	29/32	7/8	1 <sup>29</sup> / <sub>64</sub>	3 7/32	3.063	1.331	3/4	UCFX14-44		UCX14-44	7.0					-	-		-	-	-	-	-	_
70		197	60	152	23	22	37	81.5	77.8	33.3	M20	UCFX14	FX14	UCX14	7.0		67.4	48.3	14.5	UCFX14C	UCFX14D	86.5 3 <sup>13</sup> / <sub>32</sub>	7.0	_	_	_	_	_
	2 <sup>3</sup> /4	8 <sup>29</sup> / <sub>32</sub>	2 <sup>13</sup> / <sub>32</sub>	<b>7</b> <sup>1</sup> / <sub>64</sub>	<sup>63</sup> / <sub>64</sub>	31/32	1 <sup>27</sup> / <sub>64</sub>	3 <sup>3</sup> / <sub>16</sub>	3.071	1.299	7/8	UCF314-44	E214	UC314-44	10.1		104	60.2	12.2	-	-		-	-	-	_	-	-
		226	61	178	25	25	36	81	78	33	M22	UCF314	F314	UC314	10.1	).1	104	68.2	13.2	-	_		-	UCF314C	UCF314D	98 3	3 <sup>27</sup> / <sub>32</sub>	11.2
	2 15/16	7 7/8	<b>2</b> <sup>7</sup> / <sub>32</sub>	6 <sup>17</sup> / <sub>64</sub>	3/4	7/。	1 11/32	<b>3</b> <sup>3</sup> / <sub>32</sub>	3.063	1.311	5/8	UCF215-47		UC215-47	6.4	5.4				-	-		-	-	-	-	-	-
		200	56	159	19	22	34	78.5	77.8	33.3	M16	UCF215	F215	UC215	6.4		67.4	48.3	14.5	UCF215C	UCF215D	83.5 3 <sup>9</sup> / <sub>32</sub>	6.4	UCF215FC	UCF215FD	96 3	3 <sup>25</sup> / <sub>32</sub>	7.4
75	3	200	50	1.57		~~	51	, 0.5	,,	55.5		UCF215-48		UC215-48	6.4					-	-		-	-	-	-		
	2 <sup>15</sup> / <sub>16</sub>	7 <sup>3</sup> /4	<b>2</b> <sup>11</sup> / <sub>16</sub>	5 <sup>63</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>15</sup> /16	1 <sup>9</sup> /16	3 17/32	3.252	1.311	3/4	UCFX15-47	E)// -	UCX15-47	8.4					-	-		-	-	-	-	-	-
		197	68	152	23	24	40	89.3	82.6	33.3	M20	UCFX15	FX15	UCX15	8.4		72.7	53.0	14.6	UCFX15C	UCFX15D	94.5 3 <sup>23</sup> / <sub>32</sub>	8.4	-	-	-	-	-
	3 ic 1 ln Pi											UCFX15-48		UCX15-48	8.4					-	-		-	-	- llows the Part No	_	_	

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.) 2. Part No. of applicable grease fittings are shown below.

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCF206JL3, UC206L3)

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



With Cast Iron Cover



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\varDelta_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

				Unit: mm
	Housing No.		⊿A2s	X
F204~F210	FX05~FX10	F305~F310	±0.5	0.7
F211~F218	FX11~FX20	F311~F328	±0.8	1

			Unit: mm
	Housing No.		$\Delta N_{\rm Ns}$
F204~F218	FX05~FX18	F305~F315	±0.2
	FX20	F316~F328	±0.3

### UCF

Cylindrical bore (with set screws)

*d* (75) ~ 140 mm









Shaft	Dia.				[	Dimensi	ions					Bolt		Standard				Basi	c	Factor		With Pressed St	eel Co	over			With Cast Iro	n Cover		
mm	inch					inch	L					Size	Unit	Housing	Bearing	Mas	ss L	.oad Rat	tings		Unit	No.	Dim	nension	Mass	Unit	No.	Dime	ension	Mass
						mm	L					· 1	No.	No.	No.			kN	-		Open Type	Closed Type	mm	inch		Open Type	<b>Closed Type</b>	mm	inch	í.
a		L	A	J	N	$A_1$	A	12	$A_0$	В	S	inch mm				kg	g	$C_{\rm r}$	$C_{0r}$	$f_0$				$A_{ m s}$	kg			1	<b>4</b> <sub>c</sub>	kg
	2 <sup>15</sup> / <sub>16</sub>												UCF315-47		UC315-47	11.6	6				_	_	_	_	_	_	_	_	_	_
75	- /10	<b>9</b> % 9/32	2 <sup>19</sup> / <sub>32</sub>	7 <sup>1</sup> / <sub>4</sub>	<sup>63</sup> / <sub>64</sub>	31/32		7/32	3 <sup>1</sup> / <sub>2</sub>	3.228	1.260	7/8	UCF315	F315	UC315	11.6		13	77.2	13.2	_	_	_	_	_	UCF315C	UCF315D	106	4 <sup>3</sup> /16	12.9
	3	236	66	184	25	25	3	19	89	82	32	M22	UCF315-48		UC315-48	11.6					_	_	_	_	_	_	-	_	_	
	3 <sup>1</sup> /8	8 <sup>3</sup> / <sub>16</sub>	2 <sup>9</sup> / <sub>32</sub>	6 <sup>1</sup> / <sub>2</sub>	<sup>29</sup> / <sub>32</sub>	7/8	1 1	1/32	3 <sup>9</sup> / <sub>32</sub>	3.252	1.311	3/4	UCF216-50	5016	UC216-50	7.3	3		52.0		-	_	-	_	-	-	-	-	_	-
		208	58	165	23	22	3	4	83.3	82.6	33.3	M20	UCF216	F216	UC216	7.3	3	72.7	53.0	14.6	UCF216C	UCF216D	88.5	3 <sup>15</sup> / <sub>32</sub>	7.3	UCF216FC	UCF216FD	103	4 <sup>1</sup> / <sub>16</sub>	8.5
80		8 <sup>7</sup> /16	2 <sup>3</sup> / <sub>4</sub>	6 <sup>47</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>15</sup> /16	1 <sup>g</sup>	9/16	3 <sup>19</sup> / <sub>32</sub>	3.374	1.343	3/4		EV16	UCX16	9.4	4	04.0	61.0	145		UCFX16D	06 E	2 13/	0.4					í
80	_	214	70	171	23	24	4	0	91.6	85.7	34.1	M20	UCFX16	FX16	UCX10	9.4	4	84.0	61.9	14.5	UCFX16C	UCFXTOD	90.5	3 <sup>13</sup> / <sub>16</sub>	9.4		-	-	_	
	_	9 <sup>27</sup> / <sub>32</sub>	2 <sup>11</sup> /16	7 <sup>23</sup> / <sub>32</sub>	1 <sup>7</sup> /32	1 <sup>1</sup> /16	5 1	1/2	3 <sup>17</sup> / <sub>32</sub>	3.386	1.339	1	UCF316	F316	UC316	12.8	8 1	23	86.7	13.3	_	_	_	_		UCF316C	UCF316D	107	4 7/32	14.2
		250	68	196	31	27		8	90	86	34	M27		1510				23	00.7	15.5						0010100	0015100	107	1 / 32	
	3 1/4	8 <sup>21</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>32</sub>	6 <sup>57</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	15/16		3/32	3 7/16	3.374	1.343	3/4	UCF217-52	F217	UC217-52	8.9		84.0	61.9	14.5	-	-	-	-	-	-	-	-	_	-
		220	63	175	23	24		6	87.6	85.7	34.1	M20	UCF217		UC217	8.9	9				UCF217C	UCF217D		3 <sup>21</sup> / <sub>32</sub>	8.9	UCF217FC	UCF217FD	107	4 <sup>7</sup> / <sub>32</sub>	10.3
85	27/	8 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	6 <sup>47</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	15/16			3 <sup>25</sup> / <sub>32</sub>	3.780	1.563	3/4	UCFX17	FX17	UCX17	10.8		96.1	71.5	14.5	UCFX17C	UCFX17D	101.5	4	10.8	-	-	_	-	
	3 <sup>7</sup> / <sub>16</sub>	214	70 2 <sup>29</sup> /32	171 8 <sup>1</sup> / <sub>32</sub>	23 1 <sup>7</sup> / <sub>32</sub>	24 1 <sup>1</sup> /16		0 <sup>7</sup> / <sub>64</sub>	96.3 3 <sup>15</sup> /16	96 3.780	39.7	M20	UCFX17-55		UCX17-55	10.8	8				_	-	-	-	-	_	-	-	_	
	-	10 <sup>1</sup> / <sub>4</sub> 260	2 - 3/32 74	204	31	27		-764   <b>4</b>	100	96	1.575 40	M27	UCF317	F317	UC317	15.3	3   1	33	96.8	13.3	-	-	-	-	-	UCF317C	UCF317D	117	4 <sup>19</sup> / <sub>32</sub>	16.9
	3 <sup>1</sup> / <sub>2</sub>	9 <sup>1</sup> / <sub>4</sub>	2 <sup>11</sup> / <sub>16</sub>	7 <sup>23</sup> / <sub>64</sub>	29/32	31/32			3 <sup>25</sup> / <sub>32</sub>	3.780	1.563	3/4	UCF218-56		UC218-56	11.4	4					_		_	_		_	_		
	5 12	235	68	187	23	25		0	96.3	96	39.7	M20	UCF218	F218	UC218	11.4		96.1	71.5	14.5	UCF218C	UCF218D	101.5		11.4	UCF218FC	UCF218FD	116	4 <sup>9</sup> / <sub>16</sub>	12.9
		8 7/16	3	6 47/64	29/32	15/16		<sup>9</sup> /64	4 <sup>3</sup> /16	4.094	1.689	3/4									0012100	0012100	101.5							
90	-	214	76	171	23	24		5	106.1	104	42.9	M20	UCFX18	FX18	UCX18	11.9	9   1	09	81.9	14.4	-	-	-	-	-	UCFX18C	UCFX18C	124	4 <sup>7</sup> /8	13.6
	3 <sup>1</sup> / <sub>2</sub>	11 <sup>1</sup> / <sub>32</sub>	3	<b>8</b> <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> /8	1 <sup>3</sup> /16	5 1 <sup>43</sup>	7/64	3 15/16	3.780	1.575	1 <sup>1</sup> /8	UCF318-56	524.0	UC318-56	18.9	9	42 4		12.2	-	-	-	-	-	-	-	-	-	-
		280	76	216	35	30	4	4	100	96	40	M30	UCF318	F318	UC318	18.9	9   '	43 1	07	13.3	-	-	_	_	-	UCF318C	UCF318D	119	4 <sup>11</sup> / <sub>16</sub>	20.8
95		11 <sup>13</sup> / <sub>32</sub>	<b>3</b> <sup>11</sup> / <sub>16</sub>	8 <sup>31</sup> / <sub>32</sub>	1 <sup>3</sup> /8	<b>1</b> <sup>3</sup> /16	5 <b>2</b> <sup>2</sup>	1/64	<b>4</b> <sup>3</sup> / <sub>4</sub>	4.055	1.614	1 <sup>1</sup> /8	UCF319	F319	UC319	21.6	6 1	53 1	19	13.3		_		_		UCF319C	UCF319D	140	5 <sup>1</sup> / <sub>2</sub>	23.8
33	_	290	94	228	35	30	5	9	121	103	41	M30	001313	1319	00319	21.0		33 1	19	15.5		_	_	_	_	0013190	0013190	140	<b>J</b> 72	23.0
		10 <sup>9</sup> /16	3 13/16	8 5/16	1 7/32	1 <sup>3</sup> /32	2 <sup>2</sup>	1/64	5	4.626	1.937	1	UCFX20		UCX20	19.4					-	-	-	-	-	UCFX20C	UCFX20D	152	5 <sup>31</sup> / <sub>32</sub>	21.6
	3 <sup>15</sup> / <sub>16</sub>	268	97	211	31	28	5		127.3	117.5	49.2	M27	UCFX20-63	FX20	UCX20-63	19.4		33 1	05	14.4	-	-	-	-	-	-	-	-	-	
100	4						-	-					UCFX20-64		UCX20-64	19.4					-	-	-	-	-	-	-	-	-	-
	2.15/	12 <sup>7</sup> / <sub>32</sub>	3 <sup>11</sup> / <sub>16</sub>	9 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>4</sub>	2 <sup>2</sup>	1/64	4 <sup>29</sup> / <sub>32</sub>	4.252	1.654	1 <sup>1</sup> / <sub>4</sub>	UCF320		UC320	25.8					-	-	-	-	-	UCF320C	UCF320D	146	5 <sup>3</sup> / <sub>4</sub>	28.6
	3 <sup>15</sup> / <sub>16</sub>	310	94	242	38	32	5	9	125	108	42	M33	UCF320-63	F320	UC320-63	25.8		73 1	41	13.2	-	-	-	-	-	-	-	-	-	
	4	127/	3 11/16	<b>9</b> <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>4</sub>	2 <sup>2</sup>	1/	5	4.409	1.732	1 1/.	UCF320-64		UC320-64	25.8	8				-	-	-	-	-	-	-	-		
105	-	12 <sup>7</sup> / <sub>32</sub> 310	94	242	38	32		·764 i9	127	112	44	1 <sup>1</sup> / <sub>4</sub> M33	UCF321	F321	UC321	30.2	2   1	84 1	53	13.2	-	-	-	-	-	UCF321C	UCF321D	148	5 <sup>13</sup> / <sub>16</sub>	33.2
		13 3/8	3 <sup>25</sup> / <sub>32</sub>	10 15/32	1 <sup>39</sup> / <sub>64</sub>	1 <sup>3</sup> /8		<sup>3</sup> /64	5 <sup>5</sup> / <sub>32</sub>	4.606	1.811	1 <sup>3</sup> / <sub>8</sub>																		
110	-	340	96	266	41	35		i0	131	117	46	M36	UCF322	F322	UC322	35.3	3   2	.05 1	80	13.2	-	-	-	-	-	UCF322C	UCF322D	154	6 <sup>1</sup> / <sub>16</sub>	41.7
		14 <sup>9</sup> /16	4 <sup>11</sup> / <sub>32</sub>	11 <sup>27</sup> /64	1 <sup>39</sup> /64	1 <sup>9</sup> /16		9/16	5 <sup>1</sup> /2	4.961	2.008	1 3/8								4.0 -										
120	-	370	110	290	41	40		5	140	126	51	M36	UCF324	F324	UC324	47.3	3   2	.07 1	85	13.5	-	-	-	-	-	UCF324C	UCF324D	163	6 <sup>13</sup> / <sub>32</sub>	52.1
120		16 <sup>5</sup> /32	4 17/32	12 <sup>19</sup> /32	1 <sup>39</sup> /64	1 <sup>25</sup> /3		9/16	5 <sup>3</sup> /4	5.315	2.126	1 <sup>3</sup> /8	1105226	5226	110226			20 2	14	12.6								172	6 25/	71.0
130	-	410	115	320	41	45	6	5	146	135	54	M36	UCF326	F326	UC326	65.5	2	29 2	214	13.6	-	-	_	-	-	UCF326C	UCF326D	1/2	6 <sup>25</sup> / <sub>32</sub>	71.6
140		17 <sup>23</sup> / <sub>32</sub>	4 <sup>29</sup> / <sub>32</sub>	13 <sup>25</sup> / <sub>32</sub>	1 <sup>39</sup> /64	<b>2</b> <sup>5</sup> / <sub>32</sub>	2 6	<sup>1</sup> /64	6 <sup>11</sup> / <sub>32</sub>	5.709	2.323	1 <sup>3</sup> /8	UCF328	F328	UC328	80.4	4 7	253 2	246	13.6			_	_		UCF328C	UCF328D	186	7 <sup>5</sup> / <sub>16</sub>	89
140	_	450	125	350	41	55	7	5	161	145	59	M36	001320	1320	00320	80.4	-   <sup>2</sup>			15.0	_	_	-	-	-	0013200	0013200	100	/ -/ 16	07

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCF206JL3, UC206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



With Cast Iron Cover



 $\overline{\underline{A}_1}$  $\overline{\underline{A}_2}$ 

Variations of tolerance of distance from mounting surface to center of spherical bore ( $\varDelta_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

				Unit: mm
	Housing No.		⊿A2s	X
F204~F210	FX05~FX10	F305~F310	±0.5	0.7
F211~F218	FX11~FX20	F311~F328	±0.8	1

			Unit: mm
	Housing No.		$\Delta N_{\rm Ns}$
F204~F218	FX05~FX18	F305~F315	±0.2
	FX20	F316~F328	±0.3

### UCF-E

Cylindrical bore (with set screws)

d 12 ~ 50 mm







	f <b>t Dia.</b> inch				[	Dimension inch	ns				Bolt Size	Unit No.	Housing No.	Bearing No.			sic Ratings	Factor	Mass
						mm											N		
	d	L	A	J	Ν	$A_1$	$A_2$	$A_0$	В	S	inch					$C_{\mathrm{r}}$	$C_{0\mathrm{r}}$	fo	kg
12												UCF201E		UC201					0.64
	1/2											UCF201-8E		UC201-8					
15		224		0.227	7.4	77	10.4	4.57	4 220	0.500		UCF202E		UC202					0.62
	5/8	3 3/8	1	2 <sup>33</sup> /64	7/16	7/16	<sup>19</sup> / <sub>32</sub>	1 5/16	1.220	0.500	3/8	UCF202-10E	F204E	UC202-10		12.8	6.65	13.2	
17		86	25.5	64	11	11	15	33.3	31	12.7		UCF203E		UC203					0.61
	3/4											UCF204-12E		UC204-12					
20												UCF204E		UC204					0.59
	7/8											UCF205-14E		UC205-14					
	15/16	3 <sup>3</sup> /4	1 <sup>1</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	15/32	1/2	5/8	1 <sup>13</sup> / <sub>32</sub>	1.343	0.563	3/8	UCF205-15E	F205E	UC205-15		14.0	7.85	13.9	0.83
25		95	27	70	12	13	16	35.8	34.1	14.3	/°	UCF205E	12056	UC205		14.0	7.05	13.5	0.05
	1											UCF205-16E		UC205-16					
		<b>4</b> <sup>1</sup> / <sub>4</sub>	<b>1</b> <sup>3</sup> /16	3 <sup>17</sup> / <sub>64</sub>	15/32	1/2	45/64	1 <sup>19</sup> /32	1.500	0.626	3/8	UCFX05E	FX05E	UCX05		19.5	11.3	13.9	1.2
	1	108	30	83	12	13	18	40.2	38.1	15.9		UCFX05-16E		UCX05-16					
	1 <sup>1</sup> /8	. 1/	. 7/	2.17/	22.4	17	45.4	1 10 /	1 500	0.000		UCF206-18E		UC206-18					
		4 <sup>1</sup> / <sub>4</sub>	1 <sup>7</sup> /32	3 <sup>17</sup> / <sub>64</sub>	33/64	1/2	45/64	1 <sup>19</sup> /32	1.500	0.626	7/16	UCF206E	F206E	UC206		19.5	11.3	13.9	1.1
20	1 <sup>3</sup> / <sub>16</sub>	108	31	83	13	13	18	40.2	38.1	15.9		UCF206-19E		UC206-19					
30	1 <sup>1</sup> / <sub>4</sub>											UCF206-20E UCFX06E		UC206-20 UCX06					
	1 3/16	4 <sup>19</sup> / <sub>32</sub>	<b>1</b> <sup>11</sup> / <sub>32</sub>	3 <sup>5</sup> /8	33/64	<sup>9</sup> /16	3/4	1 <sup>3</sup> /4	1.689	0.689	7/16	UCFX06-19E	FX06E	UCX06-19		25.7	15.4	13.9	1.6
	1 <sup>3</sup> /16 1 <sup>1</sup> /4	117	34	92	13	14	19	44.4	42.9	17.5	1/16	UCFX06-19E	FAUGE	UCX06-19		25./	15.4	15.9	1.0
	1 /4 1 <sup>1</sup> /4											UCF207-20E		UC207-20					
	1 5/16											UCF207-21E		UC207-21					
	1 3/8	4 <sup>19</sup> / <sub>32</sub>	<b>1</b> <sup>11</sup> / <sub>32</sub>	3 5/8	33/64	19/32	3/4	1 <sup>3</sup> / <sub>4</sub>	1.689	0.689	7/16		F207E	UC207-22		25.7	15.4	13.9	1.5
	' '	117	34	92	13	15	19	44.4	42.9	17.5	/10	UCF207E	12072	UC207		23.7	13.1	13.5	1.5
35	1 7/16											UCF207-23E		UC207-23					
	1 3/8				22.4		52.6					UCFX07-22E		UCX07-22					
		5 <sup>1</sup> /8	1 <sup>1</sup> / <sub>2</sub>	4 <sup>1</sup> / <sub>64</sub>	33/64	9/16	53/64	2 <sup>1</sup> / <sub>32</sub>	1.937	0.748	7/16	UCFX07E	FX07E	UCX07		29.1	17.8	14.0	2.0
	1 7/16	130	38	102	13	14	21	51.2	49.2	19		UCFX07-23E		UCX07-23					
	1 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> /8	1 13/32	4 <sup>1</sup> / <sub>64</sub>	35/64	19/32	53/64	<b>2</b> <sup>1</sup> / <sub>32</sub>	1.937	0.748		UCF208-24E		UC208-24					
	1 <sup>9</sup> /16	130		4 ·/64 102	14	15	21	2 ·/32 51.2	49.2	19	1/2	UCF208-25E	F208E	UC208-25		29.1	17.8	14.0	1.9
40		150	36	102		15		51.2	49.2	19		UCF208E		UC208					
	1 <sup>1</sup> / <sub>2</sub>	5 <sup>13</sup> / <sub>32</sub>	1 <sup>9</sup> /16	<b>4</b> <sup>9</sup> / <sub>64</sub>	19/32	9/16	55/64	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	1/2	UCFX08-24E	FX08E	UCX08-24		34.1	21.3	14.0	2.4
		137	40	105	15	14	22	52.2	49.2	19	'2	UCFX08E		UCX08			2.13		
	1 5/8	E 13 (		4.04	E /	E /	FF (	2.14	4 6 6 7 7			UCF209-26E		UC209-26					
	1 11/16	5 <sup>13</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	4 <sup>9</sup> / <sub>64</sub>	5/8	5/8	55/64	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	1/2	UCF209-27E	F209E	UC209-27		34.1	21.3	14.0	2.2
45	1 3/4	137	38	105	16	16	22	52.2	49.2	19		UCF209-28E		UC209-28					
45	1 11/16											UCF209E UCFX09-27E		UC209 UCX09-27					
	1 <sup>3</sup> /4	5 <sup>5</sup> /8	1 <sup>9</sup> /16	4 <sup>3</sup> /8	<sup>19</sup> /32	<sup>9</sup> /16	<sup>29</sup> / <sub>32</sub>	2 <sup>3</sup> /16	2.031	0.748	1/2	UCFX09-27E	FX09E			25.1	22.2	14.4	27
	1 3/4	143	40	111	15	14	23	55.6	51.6	19	1/2	UCFX09-28E	FAUSE	UCX09-28 UCX09		35.1	23.3	14.4	2.7
	1 7/8											UCF210-30E		UC210-30					
	1 <sup>15</sup> /16	5 5/8	1 <sup>9</sup> /16	4 <sup>3</sup> /8	<sup>5</sup> /8	5/8	55/64	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.031	0.748		UCF210-31E		UC210-31					
	1 /10	143	40	111	16	16	22	54.6	51.6	19	1/2		F210E	UC210-51		35.1	23.3	14.4	2.5
50	2		10			10	~~	51.0	51.0		UCF210E UCF210-32E		UC210-32						
	1 <sup>15</sup> /16											UCFX10-31E		UCX10-31					
		6 <sup>3</sup> /8	1 <sup>23</sup> /32	5 <sup>1</sup> /8	21/32	<sup>25</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>32</sub>	<b>2</b> <sup>11</sup> / <sub>32</sub>	2.189	0.874	<sup>9</sup> / <sub>16</sub>	UCFX10E	FX10E	UCX10		43.4	29.4	14.4	3.7
	2	162	44	130	16.5	20	26	59.4	55.6	22.2		UCFX10-32E		UCX10-32					
	2											OCIAI0-32E		00010-52	1				

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCF206EJL3, UC206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\varDelta_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

noic (at)			Unit: mm
Hous	ing No.	⊿A2s	X
F204E~F210E	FX05E~FX10E	±0.5	0.7
F211E~F217E	FX11E~FX17E	±0.8	1

		Unit: mm
Housi	ng No.	ΔNs
F204E~F217E	FX05E~FX17E	±0.2

### UCF-E

Cylindrical bore (with set screws)

*d* 55 ~ 85 mm







Shaf	t Dia.		Dimensions						Bolt	Unit	Housing	Bearing	Ba	sic	Factor	Mass		
mm	inch					inch					Size	No.	No.	No.	Load F	Ratings		
						mm									k	Ν		
		_		_					_		inch							
	d	L	A	J	N	$A_1$	$A_2$	$A_0$	В	S					$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$	kg
	2											UCF211-32E		UC211-32				
	2 <sup>1</sup> /8	6 <sup>3</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	43/64	<sup>23</sup> / <sub>32</sub>	<sup>63</sup> / <sub>64</sub>	2 <sup>5</sup> /16	2.189	0.874		UCF211-34E		UC211-34				
		162	43	130	17	18	25	58.4	55.6	22.2	5/8	UCF211E	F211E	UC211	43.4	29.4	14.4	3.4
55	2 3/16											UCF211-35E		UC211-35				
	2 /10											UCFX11E		UCX11				
	2 3/16	6 7/8	1 <sup>15</sup> /16	5 5/8	21/32	<sup>25</sup> / <sub>32</sub>	1 9/64	2 <sup>23</sup> / <sub>32</sub>	2.563	1.000	9/16	UCFX11-35E	FX11E	UCX11-35	52.4	36.2	14.4	4.9
	2 1/4	175	49	143	16.5	20	29	68.7	65.1	25.4	/10	UCFX11-36E		UCX11-36	5211	5012		
	2 1/4											UCF212-36E		UC212-36				
		6 7/8	1 7/8	5 <sup>5</sup> /8	43/64	23/32	1 9/64	2 <sup>23</sup> /32	2.563	1.000		UCF212E		UC212				
	2 3/8	175	48	143	17	18	29	68.7	65.1	25.4	5/8	UCF212-38E	F212E	UC212-38	52.4	36.2	14.4	4.2
60	2 7/16	175	10	115	17	10	27	00.7	00.1	23.1		UCF212-39E		UC212-39				
	2 710	7 <sup>3</sup> /8	2 <sup>5</sup> /16	5 <sup>55</sup> /64	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> /16	1 11/32	2 <sup>29</sup> /32	2.563	1.000		UCFX12E		UCX12				
	2 7/16	187	59	149	16.5	21	34	73.7	65.1	25.4	9/16	UCFX12-39E	FX12E	UCX12-39	57.2	40.1	14.4	5.7
	2 <sup>1</sup> /2	7 3/8	1 <sup>31</sup> / <sub>32</sub>	5 55/64	43/64	7/8	1 3/16	2 <sup>3</sup> /4	2.563	1.000	- /	UCF213-40E		UC213-40				
		187	50	149	17	22	30	69.7	65.1	25.4	5/8	UCF213E	F213E	UC213	57.2	40.1	14.4	5.2
65	2 <sup>1</sup> /2	7 <sup>3</sup> /8	1 <sup>31</sup> / <sub>32</sub>	5 <sup>55</sup> / <sub>64</sub>	<sup>21</sup> / <sub>32</sub>	<sup>13</sup> /16	1 <sup>11</sup> / <sub>32</sub>	<b>3</b> <sup>3</sup> / <sub>32</sub>	2.937	1.189		UCFX13-40E	51125	UCX13-40	(2.2	44.1	145	( )
		187	59	149	16.5	21	34	78.4	74.6	30.2	<sup>9/</sup> 16	UCFX13E	FX13E	UCX13	62.2	44.1	14.5	6.3
	2 <sup>3</sup> / <sub>4</sub>	7 <sup>19</sup> / <sub>32</sub>	2 <sup>1</sup> /8	5 <sup>63</sup> / <sub>64</sub>	3/4	7/8	1 7/32	2 <sup>31</sup> / <sub>32</sub>	2.937	1.189	5/8	UCF214-44E	F214E	UC214-44	62.2	44.1	14.5	5.9
70		193	54	152	19	22	31	75.4	74.6	30.2	-78	UCF214E	FZ14E	UC214	02.2	44.1	14.5	5.9
70	2 <sup>3</sup> /4	7 <sup>3</sup> /4	2 <sup>3</sup> /8	5 <sup>63</sup> / <sub>64</sub>	<sup>25</sup> / <sub>32</sub>	7/8	1 <sup>29</sup> / <sub>64</sub>	3 <sup>7</sup> / <sub>32</sub>	3.063	1.331	11/16	UCFX14-44E	FX14E	UCX14-44	67.4	48.3	14.5	7.0
		197	60	152	20	22	37	81.5	77.8	33.3	/ 16	UCFX14E	TA14L	UCX14	07.4	40.3	14.5	7.0
	2 15/16	7 7/8	<b>2</b> <sup>7</sup> / <sub>32</sub>	6 <sup>17</sup> / <sub>64</sub>	3/4	7/8	1 11/32	3 <sup>3</sup> / <sub>32</sub>	3.063	1.311		UCF215-47E		UC215-47				
		200	56	159	19	22	34	78.5	77.8	33.3	5/8	UCF215E	F215E	UC215	67.4	48.3	14.5	6.4
75	3	200	50	155	12	22	51	70.5	77.0	55.5		UCF215-48E		UC215-48				
	2 15/16	7 <sup>3</sup> /4	2 11/16	5 <sup>63</sup> / <sub>64</sub>	<sup>25</sup> / <sub>32</sub>	15/16	1 9/16	3 <sup>17</sup> / <sub>32</sub>	3.252	1.311		UCFX15-47E		UCX15-47				
		197	68	152	20	24	40	89.3	82.6	33.3	11/16	UCFX15E	FX15E	UCX15	72.7	53.0	14.6	8.4
	3			_	-							UCFX15-48E		UCX15-48				
	3 <sup>1</sup> /8	8 <sup>3</sup> /16	<b>2</b> <sup>9</sup> / <sub>32</sub>	<b>6</b> <sup>1</sup> / <sub>2</sub>	3/4	7/8	1 <sup>11</sup> / <sub>32</sub>	<b>3</b> 9/32	3.252	1.311	11/16	UCF216-50E	F216E	UC216-50	72.7	53.0	14.6	7.3
80		208	58	165	19	22	34	83.3	82.6	33.3		UCF216E		UC216	 			
	_	8 <sup>7</sup> /16	<b>2</b> <sup>3</sup> / <sub>4</sub>	6 <sup>47</sup> / <sub>64</sub>	25/32	15/16	1 9/16	3 <sup>19</sup> / <sub>32</sub>	3.374	1.343	11/16	UCFX16E	FX16E	UCX16	84.0	61.9	14.5	9.4
	21/	214	70	171	20	24	40	91.6	85.7	34.1			-					
	3 1/4	8 <sup>21</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>32</sub>	6 57/64	3/4	15/16	1 <sup>13</sup> / <sub>32</sub>	3 7/16	3.374	1.343	11/16	UCF217-52E	F217E	UC217-52	84.0	61.9	14.5	8.9
85		220	63	175	19	24	36	87.6	85.7	34.1		UCF217E UCFX17E		UC217				
	27/	8 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	6 <sup>47</sup> / <sub>64</sub>	<sup>25</sup> / <sub>32</sub>	15/16	1 <sup>9</sup> / <sub>16</sub>	3 <sup>25</sup> / <sub>32</sub>	3.780	1.563	11/16		FX17E	UCX17	96.1	71.5	14.5	10.8
	3 7/16	214	70	171	20	24	40	96.3	96	39.7		UCFX17-55E		UCX17-55				



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\varDelta_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

			Unit: mm
Housi	ng No.	⊿A2s	X
F204E~F210E	FX05E~FX10E	±0.5	0.7
F211E~F217E	FX11E~FX17E	±0.8	1

Variations of tolerance of bolt hole diameter ( $\varDelta_{Ns}$ )

		Unit: mm
Housir	ng No.	$\Delta N_{\rm Ns}$
F204E~F217E	FX05E~FX17E	±0.2

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCF206EJL3, UC206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.

### NANF

### Cylindrical bore

(with eccentric locking collar) *d* 12 ~ 60 mm







Sh	aft Dia				[	Dimensio	ns				Bolt	Unit	Housing	Bearing	1	sic	Factor	Mass
mm	inch					inch					Size	No.	No.	No.	Load F	-		
						mm					inch				k	N		
	d	L	A	J	N	$A_1$	$A_2$	$A_0$	$B_1$	S					Cr	$C_{0\mathrm{r}}$	f0	kg
12												NANF201		NA201				
	1/2											NANF201-8		NA201-8				
15		3 3/8	1 5/32	2 <sup>33</sup> /64	7/16	<sup>19</sup> / <sub>32</sub>	3/4	1 <sup>25</sup> / <sub>32</sub>	1.720	0.673		NANF202		NA202				
	5/8	86	29.5	64	11	15	19	45.6	43.7	17.1	3/8	NANF202-10	NF204	NA202-10	12.8	6.65	13.2	0.73
17			27.5	01		15	15	15.0	13.7			NANF203		NA203				
	3/4											NANF204-12		NA204-12				
20												NANF204		NA204				
	7/8	2.2/	4.7/	23/	15.4	10 (	25.4	4.37/	1 7 4 9	0.000		NANF205-14		NA205-14				
25	15/16		1 7/32	2 <sup>3</sup> / <sub>4</sub>	15/32	<sup>19</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 <sup>27</sup> / <sub>32</sub>	1.748	0.689	7/16	NANF205-15	NF205	NA205-15	14.0	7.85	13.9	0.95
	1	95	31	70	12	15	20	46.9	44.4	17.5		NANF205		NA205				
	1 <sup>1</sup> /8											NANF205-16 NANF206-18		NA205-16 NA206-18				
	1 /0	4 <sup>1</sup> / <sub>4</sub>	1 <sup>11</sup> /32	3 17/64	33/64	5/8	<sup>53</sup> /64	2	1.906	0.720		NANF206		NA206				
30	1 <sup>3</sup> / <sub>16</sub>	108	34	83	13	16	21	51.1	48.4	18.3	7/16	NANF206-19	NF206	NA206-19	19.5	11.3	13.9	1.4
	1 <sup>1</sup> /4	100	34	05	15	10	21	51.1	-0	10.5		NANF206-20		NA206-20				
	1 <sup>1</sup> / <sub>4</sub>											NANF207-20		NA207-20				
	1 5/16				22.4	22.6	27.4					NANF207-21		NA207-21				
35	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	1 7/16	3 5/8	33/64	<sup>21</sup> / <sub>32</sub>	27/32	2 <sup>1</sup> /8	2.012	0.740	7/16	NANF207-22	NF207	NA207-22	25.7	15.4	13.9	1.8
		117	36.5	92	13	17	21.5	53.8	51.1	18.8		NANF207		NA207				
	1 7/16											NANF207-23		NA207-23				
	1 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> /8	1 <sup>17</sup> /32	4 <sup>1</sup> / <sub>64</sub>	35/64	<sup>21</sup> / <sub>32</sub>	<sup>15</sup> /16	2 <sup>5</sup> /16	2.217	0.843		NANF208-24		NA208-24				
40	1 <sup>9</sup> / <sub>16</sub>	130	39	102	14	17	24	58.9	56.3	21.4	1/2	NANF208-25	NF208	NA208-25	29.1	17.8	14.0	2.2
		150	57	102	14	17	24	50.5	50.5	21.4		NANF208		NA208				
	1 5/8											NANF209-26		NA209-26				
45	1 11/16		1 <sup>9</sup> /16	4 <sup>9</sup> / <sub>64</sub>	5/8	23/32	15/16	2 5/16	2.217	0.843	9/16	NANF209-27	NF209	NA209-27	34.1	21.3	14.0	2.6
	1 <sup>3</sup> / <sub>4</sub>	137	40	105	16	18	24	58.9	56.3	21.4		NANF209-28		NA209-28				
	1 7/8											NANF209 NANF210-30		NA209 NA210-30				
	1 <sup>7</sup> /8 1 <sup>15</sup> /16	5 ⁵/ <sub>8</sub>	1 <sup>27</sup> / <sub>32</sub>	4 <sup>3</sup> /8	43/64	<sup>25</sup> / <sub>32</sub>	1 <sup>1</sup> /8	2 5/8	2.469	0.969		NANF210-30 NANF210-31		NA210-30 NA210-31				
50	1 '3/16	143	46.5	4 %	17	20	28.5	2 °/8 66.6		24.6	<sup>9</sup> /16	NANF210-31	NF210	NA210-31 NA210	35.1	23.3	14.4	3.0
	2	145	40.5	111	17	20	20.5	00.0	62.7	24.0		NANF210-32		NA210 NA210-32				
	2											NANF210-32		NA210-32 NA211-32				
	2 <sup>1</sup> /8	6 <sup>3</sup> /8	1 <sup>31</sup> /32	5 <sup>1</sup> /8	43/64	13/16	1 <sup>17</sup> /64	<b>2</b> <sup>31</sup> / <sub>32</sub>	2.811	1.094		NANF211-34		NA211-34				
55	_ /0	162	50	130	17	21	32	75.6	71.4	27.8	5/8	NANF211	NF211	NA211	43.4	29.4	14.4	4.1
	2 <sup>3</sup> /16						52	. 510				NANF211-35		NA211-35				
	2 1/4											NANF212-36		NA212-36				
		6 7/8	<b>2</b> <sup>5</sup> / <sub>32</sub>	5 <sup>5</sup> /8	43/64	13/16	1 <sup>27</sup> / <sub>64</sub>	3 <sup>1</sup> / <sub>4</sub>	3.063	1.220	54	NANF212	NEDAG	NA212	50.4	26.2		
60	2 <sup>3</sup> /8	175	55	143	17	21	36	82.8	77.8	31	5/8	NANF212-38	NF212	NA212-38	52.4	36.2	14.4	4.9
	2 7/16											NANF212-39		NA212-39				

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ) and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
NF204~NF210	±0.5	0.7
NF211~NF212	±0.8	1

	Unit: mm
Housing No.	⊿Ns
NF204~NF212	±0.2

### NCF

Cylindrical bore

(with concentric locking collar) *d* 20 ~ 60 mm







Shaf mm	<b>t Dia.</b> inch					in	nsions ch m					Bolt Size	Unit No.	Housing No.	Bearing No.	Load F	sic Ratings N	Factor	Mass
	d	L	A	J	Ν	$A_1$	$A_2$	$A_0$	$B_1$	S	$d_1$	inch mm				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo	kg
20	3/4	3 <sup>3</sup> / <sub>8</sub> 86	1 25.5	2 <sup>33</sup> / <sub>64</sub> 64	<sup>15</sup> / <sub>32</sub> 12	<sup>7</sup> / <sub>16</sub> 11	<sup>19</sup> / <sub>32</sub> 15	1 <sup>3</sup> / <sub>8</sub> 34.8	1 <sup>9</sup> / <sub>32</sub> 32.5	0.500 12.7	1 <sup>3</sup> / <sub>4</sub> 44.5	<sup>3</sup> /8 M10	NCF204-12 NCF204	F204	NC204-12 NC204	12.8	6.65	13.2	0.73
25	<sup>7</sup> / <sub>8</sub> <sup>15</sup> / <sub>16</sub>	3 <sup>3</sup> /4 95	1 <sup>1</sup> / <sub>16</sub> 27	2 <sup>3</sup> / <sub>4</sub> 70	<sup>15</sup> / <sub>32</sub> 12	1/ <sub>2</sub> 13	<sup>5</sup> /8 16	1 <sup>1</sup> / <sub>2</sub> 38.2	1 <sup>7</sup> / <sub>16</sub> 36.5	0.563 14.3	1 <sup>15</sup> / <sub>16</sub> 49.2	<sup>3/8</sup> M10	NCF205-14 NCF205-15 NCF205 NCF205-16	F205	NC205-14 NC205-15 NC205 NC205-16	14.0	7.85	13.9	1.0
30	1 <sup>1</sup> /8 1 <sup>3</sup> /16 1 <sup>1</sup> /4	4 <sup>1</sup> / <sub>4</sub> 108	1 <sup>7</sup> / <sub>32</sub> 31	3 <sup>17</sup> / <sub>64</sub> 83	<sup>15</sup> / <sub>32</sub> 12	1/ <sub>2</sub> 13	<sup>45</sup> / <sub>64</sub> 18	1 <sup>21</sup> / <sub>32</sub> 41.8	1 <sup>9/</sup> 16 39.7	0.626 15.9	2 <sup>3</sup> / <sub>16</sub> 55.6	<sup>3</sup> / <sub>8</sub> M10	NCF206-18 NCF206 NCF206-19 NCF206-20	F206	NC206-18 NC206 NC206-19 NC206-20	19.5	11.3	13.9	1.3
	1 <sup>1</sup> / <sub>4</sub>	4 <sup>19</sup> / <sub>32</sub> 117	1 <sup>11</sup> / <sub>32</sub> 34	3 <sup>5</sup> /8 92	<sup>35</sup> / <sub>64</sub> 14	<sup>19</sup> / <sub>32</sub> 15	<sup>3</sup> / <sub>4</sub> 19	1 <sup>13</sup> / <sub>16</sub> 46	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>7</sup> / <sub>16</sub> 61.9	<sup>7</sup> / <sub>16</sub> M12	NCF207-20	F207	NC207-20	25.7	15.4	13.9	1.8
35	1 <sup>3</sup> / <sub>8</sub>	4 <sup>19</sup> / <sub>32</sub> 117	1 <sup>11</sup> / <sub>32</sub> 34	3 <sup>5</sup> /8 92	<sup>35</sup> / <sub>64</sub> 14	<sup>19</sup> / <sub>32</sub> 15	<sup>3</sup> / <sub>4</sub> 19	1 <sup>13</sup> / <sub>16</sub> 46	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>9</sup> / <sub>16</sub> 65.1	<sup>7</sup> / <sub>16</sub> M12	NCF207-22 NCF207 NCF207-23	F207	NC207-22 NC207 NC207-23	25.7	15.4	13.9	1.8
40	1 1/2	5 <sup>1</sup> / <sub>8</sub> 130	1 <sup>13</sup> / <sub>32</sub> 36	4 <sup>1</sup> / <sub>64</sub> 102	<sup>5</sup> /8 16	<sup>19</sup> / <sub>32</sub> 15	<sup>53</sup> / <sub>64</sub> 21	2 <sup>3</sup> / <sub>32</sub> 52.8	2 50.8	0.748 19	2 <sup>11</sup> / <sub>16</sub> 68.3	<sup>1/2</sup> M14	NCF208-24 NCF208	F208	NC208-24 NC208	29.1	17.8	14.0	2.3
	1 5/8	5 <sup>13</sup> / <sub>32</sub> 137	1 <sup>1</sup> / <sub>2</sub> 38	4 <sup>9</sup> / <sub>64</sub> 105	⁵/ <sub>8</sub> 16	<sup>5</sup> / <sub>8</sub> 16	<sup>55</sup> / <sub>64</sub> 22	2 <sup>1</sup> / <sub>8</sub> 53.8	2 50.8	0.748 19	2 <sup>13</sup> / <sub>16</sub> 71.4	<sup>1</sup> / <sub>2</sub> M14	NCF209-26	F209	NC209-26	34.1	21.3	14.0	2.6
45	1 <sup>11</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>4</sub>	5 <sup>13</sup> / <sub>32</sub> 137	1 <sup>1</sup> / <sub>2</sub> 38	4 <sup>9</sup> / <sub>64</sub> 105	<sup>5</sup> /8 16	<sup>5</sup> / <sub>8</sub> 16	<sup>55</sup> / <sub>64</sub> 22	2 <sup>1</sup> / <sub>8</sub> 53.8	2 50.8	0.748 19	2 <sup>15</sup> / <sub>16</sub> 74.6	<sup>1</sup> / <sub>2</sub> M14	NCF209-27 NCF209-28 NCF209	F209	NC209-27 NC209-28 NC209	34.1	21.3	14.0	2.6
50	1 <sup>15</sup> / <sub>16</sub>	5 <sup>5</sup> /8 143	1 <sup>9</sup> / <sub>16</sub> 40	4 <sup>3</sup> / <sub>8</sub> 111	<sup>5</sup> / <sub>8</sub> 16	<sup>5</sup> / <sub>8</sub> 16	<sup>55</sup> / <sub>64</sub> 22	2 <sup>7</sup> / <sub>32</sub> 56.1	2 <sup>3</sup> / <sub>32</sub> 53.1	0.748 19	3 <sup>3</sup> / <sub>8</sub> 85.7	1/ <sub>2</sub> M14	NCF210-31 NCF210 NCF210-32	F210	NC210-31 NC210 NC210-32	35.1	23.3	14.4	3.1
55	2	6 <sup>3</sup> /8 162	1 <sup>11</sup> / <sub>16</sub> 43	5 <sup>1</sup> /8 130	<sup>3</sup> / <sub>4</sub> 19	<sup>23</sup> / <sub>32</sub> 18	<sup>63</sup> / <sub>64</sub> 25	2 <sup>11</sup> / <sub>32</sub> 59.9	2 <sup>1</sup> /4 57.1	0.874 22.2	3 <sup>1</sup> / <sub>2</sub> 88.9	<sup>5</sup> /8 M16	NCF211-32	F211	NC211-32	43.4	29.4	14.4	3.8
	2 <sup>3</sup> /16	6 <sup>3</sup> /8 162	1 <sup>11</sup> / <sub>16</sub> 43	5 <sup>1</sup> /8 130	<sup>3</sup> / <sub>4</sub> 19	<sup>23</sup> / <sub>32</sub> 18	<sup>63</sup> / <sub>64</sub> 25	2 <sup>11</sup> / <sub>32</sub> 59.9	2 <sup>1</sup> / <sub>4</sub> 57.1	0.874	3 <sup>5</sup> /8 92.1	<sup>5</sup> /8 M16	NCF211 NCF211-35	F211	NC211 NC211-35	43.4	29.4	14.4	3.8
60	2 1/4	6 <sup>7</sup> /8 175	1 <sup>7</sup> /8 48	5 <sup>5</sup> /8 143	<sup>3</sup> / <sub>4</sub> 19	<sup>23</sup> / <sub>32</sub> 18	1 %64 29	2 <sup>25</sup> / <sub>32</sub> 70.3	2 <sup>5</sup> /8 66.7	1.000 25.4	4 <sup>1</sup> / <sub>16</sub> 103.2	<sup>5</sup> /8 M16	NCF212-36	F212	NC212-36	52.4	36.2	14.4	4.9
	2 <sup>7</sup> /16	6 <sup>7</sup> / <sub>8</sub> 175	1 <sup>7</sup> / <sub>8</sub> 48	5 <sup>5</sup> /8 143	<sup>3</sup> / <sub>4</sub> 19	<sup>23</sup> / <sub>32</sub> 18	1 % <sub>64</sub> 29	2 <sup>25</sup> / <sub>32</sub> 70.3	2 <sup>5</sup> / <sub>8</sub> 66.7	1.000 25.4	4 <sup>1</sup> / <sub>8</sub> 104.8	<sup>5</sup> /8 M16	NCF212 NCF212-39	F212	NC212 NC212-39	52.4	36.2	14.4	4.9

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-R1/8

 211~212

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ) and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
F204~F210	±0.5	0.7
F211~F212	±0.8	1

	Unit: mm
Housing No.	ΔNs
F204~F212	±0.2

### NCF-E

Cylindrical bore

(with concentric locking collar) *d* 20 ~ 60 mm







Shat	t Dia.					Dime	nsions					Bolt	Unit	Housing	Bearing	Ba	sic	Factor	Mass
mm	inch					in	ch					Size	No.	No.	No.	Load F	Ratings		
						m	m					· 1				k	N		
	d		A	J	N	$A_1$	$A_2$	$A_0$	$B_1$	S	$d_1$	inch				Cr	$C_{0\mathrm{r}}$	fo	kg
			А	-							<i>u</i> 1					Cr	Cor	50	
20	3/4	3 <sup>3</sup> /8	1	2 <sup>33</sup> / <sub>64</sub>	7/16	7/16	19/32	1 <sup>3</sup> /8	1 9/32	0.500	1 <sup>3</sup> / <sub>4</sub>	3/8	NCF204-12E	F204E	NC204-12	12.8	6.65	13.2	0.73
	7/	86	25.5	64	11	11	15	34.8	32.5	12.7	44.5		NCF204E		NC204				
	7/8 15/16	2.2/	11/	23/	15/32	17	5/	11/	17/	0.563	1 15/		NCF205-14E NCF205-15E		NC205-14				
25	13/16	3 3/4	1 <sup>1</sup> /16	2 <sup>3</sup> /4		1/2	5/8	1 <sup>1</sup> / <sub>2</sub>	1 7/16	0.563	1 <sup>15</sup> /16	3/8		F205E	NC205-15	14.0	7.85	13.9	1.0
	1	95	27	70	12	13	16	38.2	36.5	14.3	49.2		NCF205E NCF205-16E		NC205 NC205-16				
	1 <sup>1</sup> /8												NCF205-18E		NC205-18				
	. , .	4 1/4	1 7/32	3 17/64	33/64	1/2	45/64	1 <sup>21</sup> / <sub>32</sub>	1 <sup>9</sup> /16	0.626	2 <sup>3</sup> /16		NCF206E		NC206				
30	1 <sup>3</sup> /16	108	31	83	13	13	18	41.8	39.7	15.9	55.6	7/16	NCF206-19E	F206E	NC206-19	19.5	11.3	13.9	1.3
	1 <sup>1</sup> /4												NCF206-20E		NC206-20				
	1 <sup>1</sup> / <sub>4</sub>	4 <sup>19</sup> / <sub>32</sub>	<b>1</b> <sup>11</sup> / <sub>32</sub>	3 5/8	<sup>33</sup> / <sub>64</sub>	19/32	3/4	<b>1</b> <sup>13</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>4</sub>	0.689	2 7/16	7/	NCF207-20E	F207E	NC207-20	25.7	15.4	13.9	1.8
		117	34	92	13	15	19	46	44.5	17.5	61.9	7/16	NCF207-20E	F20/E	INC207-20	25.7	15.4	13.9	1.8
35	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	1 <sup>11</sup> /32	3 5/8	33/64	<sup>19</sup> / <sub>32</sub>	3/4	<b>1</b> <sup>13</sup> /16	1 <sup>3</sup> /4	0.689	2 <sup>9</sup> /16		NCF207-22E		NC207-22				
		117	34	92	13	15	19	46	44.5	17.5	65.1	7/16	NCF207E	F207E	NC207	25.7	15.4	13.9	1.8
	1 <sup>7</sup> /16												NCF207-23E		NC207-23				
40	1 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> /8	1 <sup>13</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>64</sub>	35/64	19/32	53/64	2 <sup>3</sup> / <sub>32</sub>	2	0.748	2 11/16	1/2	NCF208-24E	F208E	NC208-24	29.1	17.8	14.0	2.3
	1 5/8	130 5 <sup>13</sup> / <sub>32</sub>	36 1 <sup>1</sup> / <sub>2</sub>	102 4 <sup>9</sup> / <sub>64</sub>	14 <sup>5</sup> /8	15 <sup>5</sup> /8	21 <sup>55/64</sup>	52.8 2 <sup>1</sup> /8	50.8 2	19 0.748	68.3 2 <sup>13</sup> / <sub>16</sub>		NCF208E		NC208				
	1-78	137	38	105	16	16	22	53.8	2 50.8	19	71.4	1/2	NCF209-26E	F209E	NC209-26	34.1	21.3	14.0	2.6
45	<b>1</b> <sup>11</sup> / <sub>16</sub>									-			NCF209-27E		NC209-27				
	1 3/4	5 <sup>13</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	4 <sup>9</sup> / <sub>64</sub>	5/8	5/8	55/64	2 <sup>1</sup> /8	2	0.748	2 <sup>15</sup> / <sub>16</sub>	1/2	NCF209-28E	F209E	NC209-28	34.1	21.3	14.0	2.6
		137	38	105	16	16	22	53.8	50.8	19	74.6		NCF209E		NC209				
	<b>1</b> <sup>15</sup> / <sub>16</sub>	5 5/8	1 <sup>9</sup> /16	4 <sup>3</sup> /8	5/8	5/8	55/64	2 7/32	2 <sup>3</sup> / <sub>32</sub>	0.748	3 <sup>3</sup> /8		NCF210-31E		NC210-31				
50		143	40	4 7/8	16	16	22	2 ·/32 56.1	2 <sup>3</sup> /32 53.1	19	85.7	1/2	NCF210E	F210E	NC210	35.1	23.3	14.4	3.1
	2	145								19			NCF210-32E		NC210-32				
	2	6 <sup>3</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	43/64	23/32	<sup>63</sup> / <sub>64</sub>	<b>2</b> <sup>11</sup> / <sub>32</sub>	2 <sup>1</sup> / <sub>4</sub>	0.874	3 <sup>1</sup> /2	5/8	NCF211-32E	F211E	NC211-32	43.4	29.4	14.4	3.8
55		162	43	130	17	18	25	59.9	57.1	22.2	88.9								
	234	6 3/8	1 11/16	5 <sup>1</sup> /8	43/64	23/32	<sup>63</sup> / <sub>64</sub>	2 <sup>11</sup> / <sub>32</sub>	2 <sup>1</sup> /4	0.874	3 5/8	5/8	NCF211E	F211E	NC211	43.4	29.4	14.4	3.8
	2 <sup>3</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>4</sub>	162 6 <sup>7</sup> /8	43	130 5 <sup>5</sup> /8	17 <sup>43</sup> / <sub>64</sub>	18 <sup>23</sup> / <sub>32</sub>	25 1 <sup>9</sup> / <sub>64</sub>	59.9 2 <sup>25</sup> /32	57.1 2 <sup>5</sup> /8	22.2	92.1 4 <sup>1</sup> / <sub>16</sub>		NCF211-35E		NC211-35				
	2 74	175	48	143	17	18	29	70.3	2 <sup>3</sup> /8 66.7	25.4	103.2	<sup>5</sup> /8	NCF212-36E	F212E	NC212-36	52.4	36.2	14.4	4.9
60		67/8	1 7/8	5 <sup>5</sup> /8	43/64	23/32	1 9/64	2 <sup>25</sup> / <sub>32</sub>	2 5/8	1.000	4 1/8		NCF212E	F212E	NC212				
	2 7/16	175	48	143	17	18	29	70.3	66.7	25.4	104.8	5/8	NCF212-39E	F212E	NC212-39	52.4	36.2	14.4	4.9
	2 /10	175	10	115		10	27	, 0.5	00.7	23.1	101.0			1	1.10212 37	1			

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.

A-R1/8..... ..... 211~212



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ) and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
F204E~F208E	±0.5	0.7
F211E~F212E	±0.8	1

	Unit: mm
Housing No.	ΔNs
F204E~F212E	±0.2

### UKF

Tapered bore (with adapter)

*d*<sup>1</sup> **20 ∼ (50) mm** 









						<u>, A</u>	-											<u> </u>			<u> </u>						
	Shaft Dia. Dimensions							Bolt		Standard					Basic	Factor	V	Vith Pressed St	eel Cover			With Cast Iro	n Cover				
n	nm inc	1				inch					Size	Unit	Housing	Bearing	Adapter	r Ma	lass	Load Ratings		Unit	t No.	Dimension	Mass	Uni	t No.	Dimension	Mass
						mm						No.	No.	No.	No.			kN		Open Type	Closed Type	mm inch		Open Type	<b>Closed Type</b>	mm inch	
	1	T	٨	Ţ	77	٨	Δ	Δ	D	$d_{ m e}$	inch					1	h	0 0	£			4	1			٨	ha
	$d_1$		Α	J	Ν	$A_1$	$A_2$	$A_0$	$B_1$	(min.)	mm					L R	kg	$C_{\rm r}$ $C_{\rm 0r}$	fo			$A_{ m s}$	kg			$A_{ m c}$	kg
	3/2	3 <sup>3</sup> /4	<b>1</b> <sup>1</sup> /16	2 <sup>3</sup> /4	<sup>15</sup> / <sub>32</sub>	1/2	<sup>5</sup> /8	1 <sup>13</sup> /32	1 <sup>3</sup> /8	1 <sup>3</sup> /16	3/8	UKF205	F205	UK205	HE2305X	0	0.87	14.0 7.85	13.9	-	-		-	-	-		-
		95	27	70	12	13	16	36	35	30	M10	0KF205	F205	0K205	H2305X	0	0.87	14.0 7.65	15.9	UKF205C	UKF205D	40.5 1 <sup>19</sup> / <sub>32</sub>	0.87	UKF205FC	UKF205FD	49 1 <sup>15</sup> /16	1.1
	20		1 <sup>3</sup> /16	3 <sup>17</sup> / <sub>64</sub>	15/32	1/2	45/64	1 <sup>9</sup> /16	1 <sup>3</sup> /8	1 <sup>3</sup> /16	3/8	UKFX05	FX05	UKX05	HE2305X		1.2	19.5 11.3	13.9	-	-		-	-	-		-
		108	30	83	12	13	18	39.5	35	30	M10			0.000	H2305X		1.2			UKFX05C	UKFX05D	44.5 1 <sup>3</sup> / <sub>4</sub>	1.2	-	-		-
	3/2		1 5/32	3 5/32	5/8	1/2	5/8	1 15/32	1 3/8	-	1/2	UKF305	F305	UK305	HE2305X		1.4	21.2 10.9	12.6	-	-		-	-	-		-
_		110 4 <sup>1</sup> / <sub>4</sub>	29 1 <sup>7</sup> /32	80 3 <sup>17</sup> / <sub>64</sub>	16 <sup>15/32</sup>	13 1/2	16 <sup>45</sup> / <sub>64</sub>	37.5 1 <sup>9</sup> /16	35 1 <sup>1</sup> / <sub>2</sub>	- 1 <sup>13</sup> /32	M14 3/8				H2305X H2306X	_	1.4 1.3			 UKF206C	– UKF206D	 44.5 1 <sup>3</sup> / <sub>4</sub>	- 1.3	UKF305C UKF206FC	UKF305D UKF206FD	54         2 <sup>1</sup> / <sub>8</sub> 53         2 <sup>3</sup> / <sub>32</sub>	1.7
	1	108	31	83	12	13	18	39.5	38	36	M10	UKF206	F206	UK206	HE2306X		1.3	19.5 11.3	13.9	UKI 200C	0KI 200D	44.J 1-/4	1.5	UKI 2001 C	0KI 2001 D	<b>JJ Z</b> -/32	1.0
		4 19/32	1 <sup>11</sup> /32	3 5/8	5/8	9/16	3/4	1 <sup>21</sup> /32	1 <sup>1</sup> /2	1 <sup>13</sup> /32	1/2				H2306X		1.6			UKFX06C	UKFX06D	49 1 <sup>15</sup> /16	1.6				
	<b>25</b>	117	34	92	16	14	19	42	38	36	M14	UKFX06	FX06	UKX06	HE2306X		1.6	25.7 15.4	13.9	_	_		_	_	_		_
		4 <sup>29</sup> / <sub>32</sub>	<b>1</b> <sup>1</sup> / <sub>4</sub>	3 47/64	<sup>5</sup> /8	<sup>19</sup> / <sub>32</sub>	45/64	1 <sup>5</sup> /8	1 <sup>1</sup> / <sub>2</sub>	-	1/2	11// 5206	5200	11//20/	H2306X	1	1.9	267 150	12.2	-	-		-	UKF306C	UKF306D	59 2 <sup>5</sup> / <sub>16</sub>	2.2
	1	125	32	95	16	15	18	41	38	-	M14	UKF306	F306	UK306	HE2306X	1	1.9	26.7 15.0	13.3	-	-		-	-	-		-
	1 <sup>1</sup> /8	4 <sup>19</sup> / <sub>32</sub>	1 11/32	3 5/8	<sup>35</sup> / <sub>64</sub>	<sup>19</sup> / <sub>32</sub>	3/4	1 11/16	1 <sup>11</sup> / <sub>16</sub>	1 5/8	<sup>7</sup> / <sub>16</sub>	UKF207	F207	UK207	HS2307X	(   1	1.6	25.7 15.4	13.9	-	-		-	-	-		-
		117	34	92	14	15	19	43	43	41	M12	0101 207	1207	011207	H2307X		1.6	23.7 13.4	13.5	UKF207C	UKF207D	49 1 <sup>15</sup> / <sub>16</sub>	1.6	UKF207FC	UKF207FD	58 2 <sup>9</sup> / <sub>32</sub>	2.0
	<b>30</b>   1 <sup>1</sup> / <sub>8</sub>	5 <sup>1</sup> /8	1 <sup>1</sup> / <sub>2</sub>	4 <sup>1</sup> / <sub>64</sub>	5/8	9/16	<sup>53</sup> / <sub>64</sub>	1 <sup>27</sup> / <sub>32</sub>	1 <sup>11</sup> / <sub>16</sub>	1 5/8	1/2	UKFX07	FX07	UKX07	HS2307X		2.0	29.1 17.8	14.0	-	-		-	-	-		-
	1.1/	130	38	102	16	14	21	47	43	41	M14				H2307X		2.0			UKFX07C	UKFX07D	55.5 2 <sup>3</sup> / <sub>16</sub>	2.0	_	-		-
	1 <sup>1</sup> /8		1 <sup>13</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>16</sub>	<sup>3</sup> / <sub>4</sub>	<sup>5</sup> /8	<sup>25</sup> / <sub>32</sub>	1 <sup>25</sup> / <sub>32</sub>	1 <sup>11</sup> / <sub>16</sub>	-	<sup>5</sup> /8	UKF307	F307	UK307	HS2307X		2.3	33.4 19.3	13.2	-	-		-				-
_	1 1/2	135	36	100	19	16	20	45.5	43	-	M16				H2307X HE2308X		2.3 1.9				-		-	UKF307C	UKF307D	64 2 <sup>17</sup> / <sub>32</sub>	2.8
	1 3/8	5 <sup>1</sup> /8	1 <sup>13</sup> /32	4 <sup>1</sup> / <sub>64</sub>	5/8	<sup>19</sup> /32	<sup>53</sup> /64	1 7/8	1 <sup>13</sup> /16	1 <sup>13</sup> /16	1/2	UKF208	F208	UK208	HS2308X			29.1 17.8	14.0	_	_		_	_	_		
		130	36	102	16	15	21	48	46	46	M14	0101200	1200	011200	H2308X		1.9	29.1 17.0	14.0	UKF208C	UKF208D	55.5 2 <sup>3</sup> /16	1.9	UKF208FC	UKF208FD	64 2 <sup>17</sup> / <sub>32</sub>	2.3
	1 1/2														HE2308X		2.3			-	-		-	-	-		-
	<b>35</b>   1 <sup>3</sup> / <sub>8</sub>	5 <sup>13</sup> / <sub>32</sub>		4 <sup>9</sup> / <sub>64</sub>	3/4	9/16	55/64	1 <sup>31</sup> / <sub>32</sub>	1 <sup>13</sup> / <sub>16</sub>	1 <sup>13</sup> / <sub>16</sub>	5/8	UKFX08	FX08	UKX08	HS2308X			34.1 21.3	14.0	-	-		-	_	-		_
		137	40	105	19	14	22	50	46	46	M16				H2308X	2	2.3			UKFX08C	UKFX08D	56.5 2 <sup>7</sup> / <sub>32</sub>	2.3	-	-		_
	1 <sup>1</sup> /2	5 <sup>29</sup> / <sub>32</sub>	1 %/16	4 <sup>13</sup> / <sub>32</sub>	3/4	21/32	<sup>29</sup> / <sub>32</sub>	2	1 <sup>13</sup> /16		5/8				HE2308X	3	3.1			-	-		-	-	-		-
	1 <sup>3</sup> /8	150	40	112	-74 19	17	23	50.5	46	_	M16	UKF308	F308	UK308	HS2308X	: 3	3.1	40.7 24.0	13.2	-	-		-	-	-		-
_															H2308X		3.1			-	-		-	UKF308C	UKF308D	71 2 <sup>25</sup> / <sub>32</sub>	3.6
	1 1/2			4 <sup>9</sup> / <sub>64</sub>	5/8	5/8	<sup>55</sup> / <sub>64</sub>	2	1 <sup>31</sup> / <sub>32</sub>	2 <sup>1</sup> / <sub>16</sub>	1/2	UKF209	F209	UK209	HE2309X		2.3	34.1 21.3	14.0	-	-		-	_	-		-
	11/	137	38	105	16	16	22	51	50	52	M14				H2309X		2.3			UKF209C	UKF209D	56.5 2 <sup>7</sup> / <sub>32</sub>	2.3	UKF209FC	UKF209FD	66 2 <sup>19</sup> / <sub>32</sub>	2.8
	<b>40</b>   <sup>1 1/2</sup>	5 <sup>5</sup> /8	1 <sup>9</sup> / <sub>16</sub> 40	4 <sup>3</sup> / <sub>8</sub> 111	<sup>3</sup> / <sub>4</sub> 19	<sup>9/16</sup> 14	<sup>29</sup> / <sub>32</sub> 23	2 <sup>1</sup> / <sub>16</sub> 52	1 <sup>31</sup> / <sub>32</sub> 50	2 <sup>1</sup> / <sub>16</sub> 52	<sup>5</sup> /8 M16	UKFX09	FX09	UKX09	HE2309X H2309X		2.7	35.1 23.3	14.4	– UKFX09C	– UKFX09D	 60 2 <sup>3</sup> / <sub>8</sub>	2.7	_	_		-
	1 1/2	-	1 <sup>23</sup> / <sub>32</sub>	4 59/64	3/4	23/32	<sup>63</sup> / <sub>64</sub>	2 <sup>5</sup> / <sub>32</sub>	1 <sup>31</sup> / <sub>32</sub>		5/8				HE2309X		4.1			-	-				_		
	. /.	160	44	125	19	18	25	55	50	_	M16	UKF309	F309	UK309	H2309X		4.1	48.9 29.5	13.3	_	_		_	UKF309C	UKF309D	76 3	4.7
	1 <sup>3</sup> /4		1 9/16	4 <sup>3</sup> / <sub>8</sub>	5/8	5/8	55/64	2 <sup>1</sup> /16	2 <sup>5</sup> /32	<b>2</b> 9/32	1/2		5310	1.11/21.0	HE2310X	2	2.6	25.4 22.2		-	-		-	-	-		-
		143	40	111	16	16	22	52	55	58	M14	UKF210	F210	UK210	H2310X	2	2.6	35.1 23.3	14.4	UKF210C	UKF210D	59 2 <sup>5</sup> / <sub>16</sub>	2.6	UKF210FC	UKF210FD	70.5 2 <sup>25</sup> / <sub>32</sub>	3.1
	<b>45</b> 1 3/2	6 <sup>3</sup> /8	1 <sup>23</sup> / <sub>32</sub>	5 <sup>1</sup> /8	3/4	<sup>25</sup> / <sub>32</sub>	<b>1</b> <sup>1</sup> / <sub>32</sub>	<b>2</b> <sup>9</sup> / <sub>32</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	<b>2</b> 9/32	5/8	UKFX10	FX10	UKX10	HE2310X	3	3.6	43.4 29.4	14.4	-	-		-	-	-		-
		162	44	130	19	20	26	58	55	58	M16	ORIATO	TAIO	UKATU	H2310X		3.6		14.4	UKFX10C	UKFX10D	64 2 <sup>17</sup> / <sub>32</sub>	3.6	-	-		-
	1 <sup>3</sup> /2		1 7/8	5 <sup>13</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	3/4	1 7/64	2 <sup>3</sup> /8	<b>2</b> <sup>5</sup> / <sub>32</sub>	-	3/4	UKF310	F310	UK310	HE2310X		5.1	62.0 38.3	13.2	-	-		-	-	-		-
_		175	48	132	23	19	28	60	55	-	M20				H2310X	_	5.1			-	-		-	UKF310C	UKF310D	<b>83</b> 3 <sup>9</sup> / <sub>32</sub>	5.9
	1 7/8	6 <sup>3</sup> /8	1 <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	3/4	23/32	<sup>63</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>4</sub>	2 <sup>5</sup> / <sub>16</sub>	<b>2</b> <sup>17</sup> / <sub>32</sub>	5/8		5311		HS2311X		3.5	42.4 20.4		-	-		-	-	-		-
		162	43	130	19	18	25	57.5	59	64	M16	UKF211	F211	UK211	H2311X		3.5	43.4 29.4	14.4	UKF211C	UKF211D	63 2 <sup>15</sup> / <sub>32</sub>	3.5	UKF211FC	UKF211FD	74.5 2 <sup>15</sup> / <sub>16</sub>	4.1
	<b>50</b> 2 1 7/8														HE2311X HS2311X		3.5 4.6				-		-	-	-		
	1 /2	6 7/8	1 <sup>15</sup> /16	5 5/8	3/4	25/32	1 9/64	2 <sup>17</sup> / <sub>32</sub>	2 <sup>5</sup> /16	2 17/32	5/8	UKFX11	FX11	UKX11	H2311X			52.4 36.2	14.4	UKFX11C	UKFX11D	73.5 2 <sup>29</sup> / <sub>32</sub>	4.6	_	_		
	2	175	49	143	19	20	29	64.5	59	64	M16	UNI ATT			HE2311X		4.6	52.1 50.2		-	_			_	_		_
															TILL ST TA	·											1

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

A-R1/8..... ..... 211~218, X10~X20, 309~328 3. In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKF206J + H2306X, UK206 + H2306X)

As for the triple seal type product (205 is the double seal type product), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UKF206JL3 + H2306X, UK206L3 + H2306X)

5. For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.

6. Housings of nodular graphite cast iron are also available.



With Cast Iron Cover

 $B_1$ 



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\varDelta_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

				Unit: mm
	Housing No.		⊿A2s	X
F205~F210	FX05~FX10	F305~F310	±0.5	0.7
F211~F218	FX11~FX20	F311~F328	±0.8	1

			Unit: mm
	Housing No.		$\Delta N_{\rm Ns}$
F205~F218	FX05~FX18	F305~F315	±0.2
	FX20	F316~F328	±0.3

### UKF

Tapered bore (with adapter)

*d*<sub>1</sub> (50) ~ (90) mm







						$A_1$ $A_2$ A	_			·								$A_1$ $A_2$ A		$\begin{array}{c c} A_1 \\ \hline A_2 \\ \hline A \end{array}$							
c	haft Dia.				r	Dimensior	26				Bolt		Standard				Basio	Facto	-	With Pressed St	teel Cover			With Cast Iro	Cover		
	m inch					inch	15				Size	Unit	Housing	Bearing	Adapter	Mass				it No.	Dimension	Mass	Uni	No.	Dimen	sion	Mass
						mm						No.	No.	No.	No.		kN			Closed Type	mm inch			Closed Type	mm		
	1	т	4	T	37		4	4	л	$d_{ m e}$	inch					1						1					1
	$d_1$		Α	J	Ν	$A_1$	$A_2$	$A_0$	$B_1$	(min.)	mm					kg	$C_{\rm r}$	$C_{0r}$ $f_0$			$A_{ m s}$	kg			$A_{ m c}$		kg
	1 7/8	7 9/32	2 <sup>1</sup> /16	5 <sup>33</sup> /64	29/32	25/32	1 <sup>3</sup> /16	<b>2</b> <sup>17</sup> / <sub>32</sub>	2 <sup>5</sup> /16	_	3/4				HS2311X	5.9			-	-		-	-	-	-	-	-
5	0	185	52	140	23	20	30	64	59	_	M20	UKF311	F311	UK311	H2311X	5.9	71.6	13.2	-	-		-	UKF311C	UKF311D	87	3 <sup>7</sup> /16	6.8
	2														HE2311X	5.9			-	-		-	-	-	-		
	2 <sup>1</sup> /8	6 7/8	1 7/8	5 5/8	3/4	<sup>23</sup> / <sub>32</sub>	1 <sup>9</sup> / <sub>64</sub>	2 <sup>19</sup> / <sub>32</sub>	2 7/16	2 <sup>23</sup> / <sub>32</sub>	5/8	UKF212	F212	UK212	HS2312X	4.1	52.4	36.2 14.4	-	-		-	-	-	-	-	-
	2 1/8	175 7 <sup>3</sup> /8	48 2 <sup>5</sup> / <sub>16</sub>	143 5 <sup>55</sup> / <sub>64</sub>	19 <sup>3</sup> /4	18 <sup>13</sup> / <sub>16</sub>	29 1 <sup>11</sup> / <sub>32</sub>	65.5 2 <sup>9</sup> / <sub>16</sub>	62 2 <sup>7</sup> / <sub>16</sub>	69 2 <sup>23</sup> / <sub>32</sub>	M16 5/8				H2312X HS2312X	4.1			UKF212C	UKF212D	73.5 2 <sup>29</sup> / <sub>32</sub>	4.1	UKF212FC	UKF212FD	86	5 3/8	4.9
5	5	187	59	149	19	21	34	65	62	69	M16	UKFX12	FX12	UKX12	H2312X	5.5	57.2	10.1 14.4	UKFX12C	UKFX12D	78.5 3 <sup>3</sup> / <sub>32</sub>	5.5	_	_	_		_
	2 <sup>1</sup> /8	7 <sup>11</sup> / <sub>16</sub>	2 7/32	5 <sup>29</sup> / <sub>32</sub>	29/32	7/8	1 <sup>19</sup> /64	2 <sup>3</sup> / <sub>4</sub>	2 7/16	-	3/4		5949		HS2312X	6.8			-	-		-	-	-	-	-	_
		195	56	150	23	22	33	69.5	62	-	M20	UKF312	F312	UK312	H2312X	6.8	81.9	52.2   13.2	-	-		-	UKF312C	UKF312D	95	3 3/4	8.0
	2 <sup>1</sup> /4	7 <sup>3</sup> /8	1 <sup>31</sup> / <sub>32</sub>	5 <sup>55</sup> / <sub>64</sub>	3/4	7/8	1 <sup>3</sup> / <sub>16</sub>	2 <sup>21</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>16</sub>	2 <sup>29</sup> / <sub>32</sub>	5/8				HE2313X	5.1			-	-		-	-	-	-	-	-
		187	50	149	19	22	30	67.5	65	74	M16	UKF213	F213	UK213	H2313X	5.1	57.2 4	10.1 14.4	UKF213C	UKF213D	74.5 2 <sup>15</sup> / <sub>16</sub>	5.1	UKF213FC	UKF213FD	87	3 7/16	6.0
	2 3/8		50		.,		50	0/10		<i>,</i> .					HS2313X	5.1			-	-		-	-	-	-		
	2 <sup>1</sup> / <sub>4</sub>	7 <sup>3</sup> /8	<b>2</b> <sup>5</sup> /16	5 <sup>55</sup> / <sub>64</sub>	3/4	13/16	1 11/32	2 11/16	2 <sup>9</sup> /16	2 <sup>29</sup> /32	5/8		EV12	11/2/12	HE2313X	6.0	(22)		-	-		-	-	-	-	-	-
6	<b>10</b>	187	59	149	19	21	34	68	65	74	M16	UKFX13	FX13	UKX13	H2313X	6.0	62.2	14.1   14.5	UKFX13C	UKFX13D	83.5 3 <sup>9</sup> / <sub>32</sub>	6.0	-	-	_	-	-
	2 <sup>3</sup> /8 2 <sup>1</sup> /4														HS2313X HE2313X	6.0						_			_		
	2 /4	8 <sup>3</sup> /16	<b>2</b> <sup>9</sup> / <sub>32</sub>	6 <sup>17</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	7/8	1 <sup>19</sup> /64	2 <sup>13</sup> /16	2 <sup>9</sup> /16	-	3/4	UKF313	F313	UK313	H2313X	7.9	92.7	59.9 13.2	_	_		_	UKF313C	UKF313D		3 11/16	9.0
	2 <sup>3</sup> /8	208	58	166	23	22	33	71.5	65	-	M20				HS2313X	7.9			_	_		_	_	_	_	_	_
	2 <sup>1</sup> / <sub>2</sub>	7 7/8	<b>2</b> <sup>7</sup> / <sub>32</sub>	6 <sup>17</sup> / <sub>64</sub>	3/4	7/8	1 11/32	2 <sup>15</sup> /16	2 7/8	3 <sup>11</sup> / <sub>32</sub>	5/8	UKF215	F215	UK215	HE2315X	6.5	67.4	18.3 14.5	-	-		-	-	-	-	-	-
		200	56	159	19	22	34	74.5	73	85	M16	UKF215	F215	UKZIS	H2315X	6.5	67.4	14.5	UKF215C	UKF215D	83.5 3 <sup>9</sup> / <sub>32</sub>	6.5	UKF215FC	UKF215FD	96	3 <sup>25</sup> / <sub>32</sub>	7.5
6	<b>5</b> 2 <sup>1</sup> / <sub>2</sub>	7 <sup>3</sup> /4	2 <sup>11</sup> /16	5 <sup>63</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	15/16	1 <sup>9</sup> /16	3	2 7/8	3 <sup>11</sup> / <sub>32</sub>	3/4	UKFX15	FX15	UKX15	HE2315X	8.1	72.7	53.0 14.6	-	-		-	-	-	-	-	-
		197	68	152	23	24	40	76	73	85	M20				H2315X	8.1			UKFX15C	UKFX15D	94.5 3 <sup>23</sup> / <sub>32</sub>	8.1	_	_	-		
	2 1/2	9 <sup>9</sup> / <sub>32</sub> 236	2 <sup>19</sup> / <sub>32</sub> 66	7 <sup>1</sup> / <sub>4</sub> 184	<sup>63</sup> / <sub>64</sub> 25	<sup>31</sup> / <sub>32</sub> 25	1 <sup>17</sup> / <sub>32</sub> 39	3 <sup>7</sup> / <sub>32</sub> 81.5	2 <sup>7</sup> /8 73	-	<sup>7</sup> / <sub>8</sub> M22	UKF315	F315	UK315	HE2315X H2315X	11.7	113	7.2 13.2	-	-		_	– UKF315C	– UKF315D	- 106 4	-	_ 13.1
	2 <sup>3</sup> / <sub>4</sub>	8 <sup>3</sup> /16	2 <sup>9</sup> /32	6 <sup>1</sup> /2	<sup>29</sup> / <sub>32</sub>	7/8	1 <sup>11</sup> /32	3 <sup>3</sup> /32	3 <sup>1</sup> /16	3 <sup>17</sup> /32	3/4				HE2315X	7.6						_	-	-	-	-	
		208	58	165	23	22	34	78.5	78	90	M20	UKF216	F216	UK216	H2316X	7.6	72.7	53.0   14.6	UKF216C	UKF216D	88.5 3 <sup>15</sup> /32	7.6	UKF216FC	UKF216FD	103 4	4 <sup>1</sup> / <sub>16</sub>	8.9
-	<b>2</b> <sup>3</sup> / <sub>4</sub>	8 <sup>7</sup> /16	2 <sup>3</sup> /4	6 <sup>47</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>15</sup> /16	1 <sup>9</sup> /16	3 <sup>1</sup> /8	3 <sup>1</sup> / <sub>16</sub>	3 <sup>17</sup> / <sub>32</sub>	3/4	UKFX16	FX16	UKX16	HE2316X	9.5	84.0	51.9 14.5	-	-		-	-	-	-	-	-
		214	70	171	23	24	40	79	78	90	M20	UKFATU	FAIO	UKATO	H2316X	9.5	04.0	1.9 14.3	UKFX16C	UKFX16D	96.5 3 <sup>25</sup> / <sub>32</sub>	9.5	-	-	-		
	2 <sup>3</sup> / <sub>4</sub>	9 <sup>27</sup> / <sub>32</sub>	2 <sup>11</sup> /16	7 <sup>23</sup> /32	1 <sup>7</sup> /32	1 <sup>1</sup> /16	1 <sup>1</sup> /2	3 <sup>1</sup> /4	3 <sup>1</sup> /16	-	1	UKF316	F316	UK316	HE2316X	12.9	123 8	36.7 13.3	-	-		-	-	-	-	-	-
_		250	68	196 6 <sup>57</sup> / <sub>64</sub>	31	27	38	82.5 3 <sup>1</sup> / <sub>4</sub>	78	-	M27				H2316X	12.9					 92.5 3 <sup>21</sup> / <sub>32</sub>	-	UKF316C	UKF316D UKF217FD			14.5 10.4
	3	8 <sup>21</sup> / <sub>32</sub> 220	2 <sup>15</sup> / <sub>32</sub> 63	175	<sup>29</sup> / <sub>32</sub> 23	<sup>15</sup> / <sub>16</sub> 24	1 <sup>13</sup> / <sub>32</sub> 36	3 <sup>1</sup> / <sub>4</sub> 82.5	3 <sup>7</sup> / <sub>32</sub> 82	3 <sup>25</sup> / <sub>32</sub> 96	<sup>3</sup> / <sub>4</sub> M20	UKF217	F217	UK217	H2317X HE2317X	9.0 9.0	84.0 0	51.9 14.5	UKF217C	UKF217D		9.0	UKF217FC	-	107 4	4 <sup>7</sup> / <sub>32</sub>	-
		8 <sup>7</sup> /16	2 <sup>3</sup> /4	6 <sup>47</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>15</sup> /16	1 <sup>9</sup> /16	3 7/32	3 7/32	3 <sup>25</sup> /32	<sup>3</sup> /4				H2317X	10.4			UKFX17C	UKFX17D	101.5 4	10.4	_	-	_		_
7	<b>'5</b> 3	214	70	171	23	24	40	82	82	96	M20	UKFX17	FX17	UKX17	HE2317X	10.4	96.1	71.5 14.5	-	-		_	-	-	_	_	_
		10 <sup>1</sup> /4	2 <sup>29</sup> / <sub>32</sub>	8 <sup>1</sup> / <sub>32</sub>	1 <sup>7</sup> /32	1 <sup>1</sup> /16	1 <sup>47</sup> /64	3 <sup>5</sup> /8	3 7/32	-	1	UKF317	F317	UK317	H2317X	15.2	133	96.8 13.3	-	-		-	UKF317C	UKF317D	117 4	4 <sup>19</sup> /32	17.0
	3	260	74	204	31	27	44	92	82	-	M27	UKF317	F31/	01/21/	HE2317X	15.2	1.22	13.3	-	-		-	-	-	-	_	
	_	9 <sup>1</sup> / <sub>4</sub>	2 <sup>11</sup> / <sub>16</sub>	7 <sup>23</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	31/32	1 <sup>9</sup> / <sub>16</sub>	3 17/32	3 <sup>3</sup> /8	4 <sup>1</sup> / <sub>32</sub>	3/4	UKF218	F218	UK218	H2318X	11.4	96.1	1.5 14.5	UKF218C	UKF218D	101.5 4	11.4	UKF218FC	UKF218FD	116 4	4 <sup>9</sup> /16	13.0
		235	68	187	23	25	40	89.5	86	102	M20														-		
8	- 0	8 <sup>7</sup> / <sub>16</sub> 214	3 76	6 <sup>47</sup> / <sub>64</sub> 171	<sup>29</sup> / <sub>32</sub> 23	<sup>15</sup> / <sub>16</sub> 24	1 <sup>49</sup> / <sub>64</sub> 45	3 <sup>15</sup> / <sub>32</sub> 88	3 <sup>3</sup> / <sub>8</sub> 86	4 <sup>1</sup> / <sub>32</sub> 102	<sup>3</sup> / <sub>4</sub> M20	UKFX18	FX18	UKX18	H2318X	11.4	109 8	31.9 14.4	-	-		-	UKFX18C	UKFX18D	124 4	4 7/8	13.3
		11 1/32	3	8 1/2	1 3/8	1 <sup>3</sup> /16	1 <sup>47</sup> /64	3 5/8	3 3/8	-	1 1/8					+	-										
	-	280	76	216	35	30	44	92	86	_	M30	UKF318	F318	UK318	H2318X	19.0	143 10	07 13.3	-	-		-	UKF318C	UKF318D	119 4	<sup>11/</sup> 16	21.1
	<b>3</b> <sup>1/4</sup>	11 <sup>13</sup> /32			1 <sup>3</sup> /8	<b>1</b> <sup>3</sup> /16	2 <sup>21</sup> / <sub>64</sub>		3 17/32	-	1 1/8	UKF319	F319	UK319	HE2319X	21.9	152 1	19 13.3	-	-		-	-	-	-	-	-
8		290	94	228	35	30	59	111	90	-	M30	011319	F219	01/212	H2319X	21.9		13.3	-	-		-	UKF319C	UKF319D	140	5 <sup>1</sup> /2	24.3
9	<b>0</b> 3 <sup>1/2</sup>	10 <sup>9</sup> /16			1 <sup>7</sup> /32		2 <sup>21</sup> / <sub>64</sub>			4 <sup>13</sup> / <sub>32</sub>		UKFX20	FX20	UKX20	HE2320X		1133 10	05 14.4	-	-		-	-	-	-	-	-
		268	97	211	31	28	59	106	97	112	M27				H2320X	18.4			-	-		-	UKFX20C		152		
Rem	arks 1 In F	art No of u	init and ur	nits with co	wers fittin	na codes fa	bllow bore o	diameter n	numbers (	See Table 1	10 5 in P62	7.1			3 In Part No	of unit v	vith adapter	s and hearin	a with adapters	Part No of ann	licable adapter f	tollow th	e Part No show	wn in the dimer	sional ta	OLOS (EV	amnle

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 210, X05~X09, 305~308

 A-R1/8

 211~218, X10~X20, 309~328

In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKF206J + H2306X, UK206 + H2306X)
 As for the triple seal type product (205 is the double seal type product), suffix code L3 (L2) follows the Part No. of unit or bearing.

(Example of Part No. : UKF206JL3 + H2306X, UK206L3 + H2306X)
5. For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
6. Housings of nodular graphite cast iron are also available.



With Cast Iron Cover



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{A}_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

				Unit: mm
	Housing No.		⊿A2s	X
F205~F210	FX05~FX10	F305~F310	±0.5	0.7
F211~F218	FX11~FX20	F311~F328	±0.8	1

			Unit: mm
	Housing No.		$\Delta N_{\rm Ns}$
F205~F218	FX05~FX18	F305~F315	±0.2
	FX20	F316~F328	±0.3

### UKF

Tapered bore (with adapter)











S	haft Dia.				[	Dimensio	ns				Bolt		Standard				Basic	Factor	With Pressed S	teel Cover		W	ith Cast Iron	Cover	
m	m inch					inch					Size	Unit	Housing	Bearing	Adapter	Mass	Load Ratings		Unit No.	Dimension	Mass	Unit No	<b>b.</b>	Dimension	Mass
						mm				d	inch	No.	No.	No.	No.		kN		Open Type Closed Type	mm inch		Open Type Clo	osed Type	mm inch	
	$d_1$	L	Α	J	Ν	$A_1$	$A_2$	$A_0$	$B_1$	(min.)	mm					kg	$C_{ m r}$ $C_{ m 0r}$	$f_0$		$A_{ m s}$	kg			$A_{ m c}$	kg
	<b>3</b> <sup>1</sup> / <sub>2</sub>	12 <sup>7</sup> /32	3 <sup>11</sup> / <sub>16</sub>	9 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> /4	2 <sup>21</sup> / <sub>64</sub>	4 <sup>7</sup> /16	3 <sup>13</sup> /16	-	1 <sup>1</sup> /4	UKF320	F320	UK320	HE2320X	25.4	173 141	13.2			-	-	-		-
	<i>y</i> 0	310	94	242	38	32	59	113	97	-	M33	UKF320	-320 F320 UK		H2320X	25.4	1/5 141	15.2			-	UKF320C U	IKF320D	146 5 <sup>3</sup> / <sub>4</sub>	28.5
14	00	13 <sup>3</sup> /8	3 <sup>25</sup> / <sub>32</sub>	10 <sup>15</sup> / <sub>32</sub>	1 <sup>39</sup> /64	1 <sup>3</sup> /8	2 <sup>23</sup> / <sub>64</sub>	4 <sup>23</sup> / <sub>32</sub>	4 <sup>1</sup> /8	-	1 <sup>3</sup> /8	UKF322	F322	UK322	H2322X	35.2	205 180	13.2			-	UKF322C U	IKF322D	154 6 <sup>1</sup> / <sub>16</sub>	38.7
	4	340	96	266	41	35	60	120	105	-	M36	UKF322	FJZZ	0K322	HE2322X	35.2	205 180	15.2			-	-	-		-
1.	10 –	14 <sup>9</sup> / <sub>16</sub>	4 <sup>11</sup> / <sub>32</sub>	11 <sup>27</sup> / <sub>64</sub>	1 <sup>39</sup> / <sub>64</sub>	<b>1</b> %/16	2 <sup>9</sup> / <sub>16</sub>	5 <sup>1</sup> / <sub>8</sub>	4 <sup>13</sup> / <sub>32</sub>	-	1 <sup>3</sup> /8	UKF324	F324	UK324	H2324	47.6	207 185	13.5				UKF324C U	IKF324D	163 6 <sup>13</sup> / <sub>32</sub>	2 52.7
		370	110	290	41	40	65	130.5	112	-	M36	UKF524	F324	UK324	П2524	47.0	207 185	15.5			-	UKF324C U	INF324D	105 0 . 732	2 52.7
1	<b>4</b> <sup>1/2</sup>	16 <sup>5</sup> / <sub>32</sub>	4 <sup>17</sup> / <sub>32</sub>	12 <sup>19</sup> / <sub>32</sub>	1 <sup>39</sup> / <sub>64</sub>	1 <sup>25</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>16</sub>	5 <sup>3</sup> / <sub>16</sub>	<b>4</b> <sup>3</sup> / <sub>4</sub>	-	1 <sup>3</sup> /8	UKF326	F326	UK326	HE2326	65.3	229 214	13.6			-	-	-		-
1	15	410	115	320	41	45	65	131.5	121	-	M36	UKF320	F320	UK320	H2326	65.3	229 214	13.0			-	UKF326C U	IKF326D	172 6 <sup>25</sup> / <sub>32</sub>	2 71.9
1.	25 –	17 <sup>23</sup> / <sub>32</sub>	4 <sup>29</sup> / <sub>32</sub>	13 <sup>25</sup> / <sub>32</sub>	1 <sup>39</sup> / <sub>64</sub>	2 <sup>5</sup> / <sub>32</sub>	2 <sup>61</sup> / <sub>64</sub>	5 <sup>13</sup> / <sub>16</sub>	5 <sup>5</sup> / <sub>32</sub>	-	1 <sup>3</sup> /8	UKF328	5220	11/220	112220	74.9	252 246	12.6						186 7 <sup>5</sup> /16	02.5
	25 -	450	125	350	41	55	75	147.5	131	-	M36	UKF328	F328	UK328	H2328	/4.9	253 246	13.6			-	UKF328C U	IKF328D	186 7 <sup>5</sup> / <sub>16</sub>	83.5

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKF206J + H2306X, UK206 + H2306X)
 As for the triple seal type product (205 is the double seal type product), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UKF206JL3 + H2306X, UK206L3 + H2306X)

For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Housings of nodular graphite cast iron are also available.



With Cast Iron Cover



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{A}_{\rm A2s}$ ) and tolerance of position of bolt hole (X)

				Unit: mm
	Housing No.		⊿A2s	X
F205~F210	FX05~FX10	F305~F310	±0.5	0.7
F211~F218	FX11~FX20	F311~F328	±0.8	1
		F205~F210 FX05~FX10	F205~F210 FX05~FX10 F305~F310	F205~F210 FX05~FX10 F305~F310 ±0.5

			Unit: mm
	Housing No.		$\Delta N_{\rm Ns}$
F205~F218	FX05~FX18	F305~F315	±0.2
	FX20	F316~F328	±0.3

### UCFS

Cylindrical bore (with set screws) *d* 25 ~ 140 mm





φF

A =





																						AC		_	FS324~FS	-0
Shaf	t Dia.						imensio						Bolt		Standard				Bas	ic	Factor		With Cast Iro	n Covor		
						U	inch	5115					Size			Pearing	1	Mass			Factor	Unit				Mass
mm	inch												Size	Unit	Housing	Bearing		Mass	Load Ra	-					nsion	Mass
							mm						inch	No.	No.	No.			kN			Open Type	Closed Type	mm	inch	
	d	L	$H_3$	J	N	$A_1$	$A_2$	$A_3$	$A_4$	$A_5$	В	S	mm					kg	$C_{ m r}$	$C_{0r}$	fo			A	1 <sub>c</sub>	kg
25		4 <sup>11</sup> / <sub>32</sub>	3.1496	3 <sup>5</sup> / <sub>32</sub>	<sup>5</sup> /8	1/2	<sup>23</sup> / <sub>64</sub>	9/ <sub>32</sub>	7/8	1 <sup>1</sup> / <sub>4</sub>	1.496	0.591	1/2	UCFS305	56205	UC305		1.4	21.2	10.0	12.0	UCFS305C	UCFS305D	47	1 <sup>27</sup> / <sub>32</sub>	1.7
25	1	110	80	80	16	13	9	7	22	32	38	15	M14	UCFS305-16	FS305	UC305-16		1.4	21.2	10.9	12.6	-	-	_	-	_
30	-	4 <sup>29</sup> / <sub>32</sub> 125	3.5433 90	3 <sup>47</sup> / <sub>64</sub> 95	⁵/ <sub>8</sub> 16	<sup>19</sup> / <sub>32</sub> 15	<sup>25</sup> / <sub>64</sub> 10	<sup>5</sup> / <sub>16</sub>	<sup>15/</sup> 16 24	1 <sup>13</sup> / <sub>32</sub> 36	1.693 43	0.669 17	<sup>1</sup> / <sub>2</sub> M14	UCFS306	FS306	UC306		1.9	26.7	15.0	13.3	UCFS306C	UCFS306D	51	2	2.2
35	_	5 5/16	3.9370	3 <sup>15</sup> / <sub>16</sub>	3/4	5/8	7/16	23/64	1 <sup>1</sup> / <sub>16</sub>	1 <sup>9</sup> / <sub>16</sub>	1.890	0.748	5/8	UCFS307	FS307	UC307		2.3	33.4	19.3	13.2	UCFS307C	UCFS307D	55	2 <sup>5</sup> /32	2.7
	11/	135	100	100	19	16	11	9	27	40	48	19	M16	11656200 24		116200.24		2.4								
40	1 <sup>1</sup> / <sub>2</sub>	5 <sup>29</sup> / <sub>32</sub>	4.5276	4 <sup>13</sup> / <sub>32</sub>	3/4	21/32	33/64	<sup>25</sup> /64	1 <sup>3</sup> /16	1 <sup>13</sup> /16	2.047	0.748	5/8	UCFS308-24	FS308	UC308-24		3.4	40.7	24.0	13.2	-	-	_	-	-
	13/	150	115	112	19	17	13	10	30	46	52	19	M16	UCFS308		UC308		3.4				UCFS308C	UCFS308D	61	2 <sup>13</sup> / <sub>32</sub>	3.9
45	1 3/4	6 <sup>5</sup> /16	4.9213	4 <sup>59</sup> / <sub>64</sub>	3/4	23/32	35/64	7/16	1 <sup>5</sup> /16	1 <sup>15</sup> /16	2.244	0.866	5/8	UCFS309-28	FS309	UC309-28		4.4	48.9	29.5	13.3	-	-	_	-	-
		160	125	125	19	18	14	11	33	49	57	22	M16	UCFS309		UC309		4.4				UCFS309C	UCFS309D	65	2 %16	5.0
50	-	6 <sup>7</sup> /8 175	5.5118 140	5 <sup>13</sup> / <sub>64</sub> 132	<sup>29</sup> / <sub>32</sub> 23	<sup>3</sup> / <sub>4</sub> 19	⁵/ <sub>8</sub> 16	<sup>15</sup> / <sub>32</sub> 12	1 <sup>13</sup> / <sub>32</sub> 36	2 <sup>5</sup> / <sub>32</sub> 55	2.402 61	0.866 22	<sup>3</sup> / <sub>4</sub> M20	UCFS310	FS310	UC310		5.3	62.0	38.3	13.2	UCFS310C	UCFS310D	71	2 <sup>25</sup> / <sub>32</sub>	6.1
	2													UCFS311-32		UC311-32		6.1				_	_	_	_	_
55			5.9055	5 <sup>33</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	25/32	<sup>43</sup> / <sub>64</sub>	33/64	1 17/32		2.598	0.984	3/4	UCFS311	FS311	UC311		6.1	71.6	45.0	13.2	UCFS311C	UCFS311D	74	2 <sup>29</sup> /32	7.0
	2 <sup>3</sup> /16	185	150	140	23	20	17	13	39	58	66	25	M20	UCFS311-35		UC311-35		6.1				_	_	_	_	_
		<b>7</b> <sup>11</sup> / <sub>16</sub>	6.2992	5 <sup>29</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	7/8	3/4	<sup>35</sup> / <sub>64</sub>	1 <sup>21</sup> / <sub>32</sub>	2 <sup>17</sup> / <sub>32</sub>	2.795	1.024	3/4	UCFS312	56242	UC312		7.4	01.0	53.3	12.2	UCFS312C	UCFS312D	81	3 <sup>3</sup> / <sub>16</sub>	8.6
60	2 7/16	195	160	150	23	22	19	14	42	64	71	26	M20	UCFS312-39	FS312	UC312-39		7.4	81.9	52.2	13.2	-	-	_	-	_
65	2 <sup>1</sup> / <sub>2</sub>	8 <sup>3</sup> /16	6.8898	6 <sup>17</sup> / <sub>32</sub>	<sup>29</sup> /32	7/8	<sup>19</sup> /32	45/64	1 <sup>9</sup> /16	2 <sup>3</sup> /8	2.953	1.181	3/4	UCFS313-40	56212	UC313-40		8.8	02.7	50.0	12.2	-	-	-	-	_
65		208	175	166	23	22	15	18	40	60	75	30	M20	UCFS313	FS313	UC313		8.8	92.7	59.9	13.2	UCFS313C	UCFS313D	76	3	9.9
70	2 <sup>3</sup> / <sub>4</sub>	8 <sup>29</sup> / <sub>32</sub>	7.2835	7 <sup>1</sup> / <sub>64</sub>	<sup>63</sup> /64	<sup>31</sup> / <sub>32</sub>	<sup>45</sup> /64	<sup>45</sup> /64	1 <sup>11</sup> /16	2 <sup>15</sup> / <sub>32</sub>	3.071	1.299	7/8	UCFS314-44	56214	UC314-44		11.2	104	(0.2	12.2	-	-	-	-	-
70		226	185	178	25	25	18	18	43	63	78	33	M22	UCFS314	FS314	UC314		11.2	104	68.2	13.2	UCFS314C	UCFS314D	80	<b>3</b> <sup>5</sup> / <sub>32</sub>	12.3
	2 15/16	0.9/	7 0740	71/	63 /	31 /	53 /	45 /	17/	2 25/	2 2 2 0	1 260	7/.	UCFS315-47		UC315-47		13.7				-	-	-	-	_
75			7.8740	7 1/4	<sup>63</sup> / <sub>64</sub>	31/32	53/64	45/64	1 7/8	2 <sup>25</sup> / <sub>32</sub>	3.228	1.260	7/8	UCFS315	FS315	UC315		13.7	113	77.2	13.2	UCFS315C	UCFS315D	88	3 <sup>15</sup> / <sub>32</sub>	15.0
	3	236	200	184	25	25	21	18	48	71	82	32	M22	UCFS315-48		UC315-48		13.7				-	-	_	-	-
80		9 <sup>27</sup> / <sub>32</sub>	8.2677	7 <sup>23</sup> / <sub>32</sub>	1 <sup>7</sup> /32	<b>1</b> <sup>1</sup> / <sub>16</sub>	<sup>45</sup> /64	<sup>25</sup> / <sub>32</sub>	1 <sup>7</sup> /8	2 <sup>3</sup> /4	3.386	1.339	1	UCFS316	FS316	UC316		15.1	123	86.7	13.3	UCFS316C	UCFS316D	87	3 7/16	16.5
80	-	250	210	196	31	27	18	20	48	70	86	34	M27	0073310	F3310	00310		15.1	125	00.7	15.5	0053100	0CF3510D	0/	5 1/16	10.5
85	_	10 <sup>1</sup> /4	8.6614	<b>8</b> <sup>1</sup> / <sub>32</sub>	1 7/32	<b>1</b> <sup>1</sup> /16	15/16	<sup>25</sup> / <sub>32</sub>	2 <sup>1</sup> /8	<b>3</b> <sup>5</sup> / <sub>32</sub>	3.780	1.575	1	UCFS317	FS317	UC317		17.3	133	96.8	13.3	UCFS317C	UCFS317D	97	3 <sup>13</sup> / <sub>16</sub>	18.9
		260	220	204	31	27	24	20	54	80	96	40	M27									00.00170			5 /10	
90	3 1/2		9.4488	8 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> /8	1 <sup>3</sup> / <sub>16</sub>	15/16	<sup>25</sup> / <sub>32</sub>	2 7/32	3 <sup>5</sup> / <sub>32</sub>	3.780	1.575	1 <sup>1</sup> /8	UCFS318-56	FS318	UC318-56		21.3	143	107	13.3	-	-	-	-	-
		280	240	216	35	30	24	20	56	80	96	40	M30	UCFS318		UC318		21.3		-		UCFS318C	UCFS318D	99	3 <sup>29</sup> / <sub>32</sub>	23.2
95	-		9.8425	8 <sup>31</sup> / <sub>32</sub>	1 <sup>3</sup> /8	1 <sup>3</sup> /16	1 <sup>17</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	2 <sup>29</sup> /32		4.055	1.614	1 1/8	UCFS319	FS319	UC319		24.5	153	119	13.3	UCFS319C	UCFS319D	120	4 <sup>23</sup> / <sub>32</sub>	26.7
		290	250	228	35	30	39	20	74	101	103	41	M30	UCFS320		UC320		29.5				UCFS320C	UCFS320D	126	4 <sup>31</sup> / <sub>32</sub>	32.3
100	2 15/	12 <sup>7</sup> / <sub>32</sub>	10.2362	<b>9</b> <sup>17</sup> / <sub>32</sub>	<b>1</b> <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> /4	1 <sup>17</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	2 <sup>29</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>8</sub>	4.252	1.654	1 <sup>1</sup> / <sub>4</sub>		56220				172	141	12.2	00133200	00133200	120	4 - 7 32	52.5
100	3 15/16	310	260	242	38	32	39	20	74	105	108	42	M33	UCFS320-63	FS320	UC320-63		29.5	173	141	13.2	-	-	-	-	-
	4	<b>12</b> <sup>7</sup> / <sub>32</sub>	10.2362	9 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> /4	1 <sup>17</sup> / <sub>32</sub>	25/32	2 <sup>29</sup> /32	4 7/32	4.409	1.732	<b>1</b> <sup>1</sup> / <sub>4</sub>	UCFS320-64		UC320-64		29.5				_		-	_	_
105	-	310	260	242	38	32	39	20	74	107	112	44	M33	UCFS321	FS321	UC321		32.7	184	153	13.2	UCFS321C	UCFS321D	128	5 <sup>1</sup> / <sub>32</sub>	35.7
			11.8110		38 1 <sup>39</sup> /64	32 1 <sup>3</sup> /8	1 <sup>3</sup> /8	<sup>63</sup> / <sub>64</sub>	2 <sup>25</sup> /32	4 <sup>3</sup> /16	4.606	1.811	1 3/8													
110	-	340	300	266	41	35	35	25	71	106	4.000	46	M36	UCFS322	FS322	UC322		39.0	205	180	13.2	UCFS322C	UCFS322D	129	5 <sup>3</sup> / <sub>32</sub>	42.4
			12.9921		1 <sup>39</sup> / <sub>64</sub>	1 %16	1 <sup>3</sup> /8	1 <sup>3</sup> / <sub>16</sub>	3 5/32	4 11/32	4.961	2.008	1 3/8													
120	-	370	330	290	41	40	35	30	80	110	126	51	M36	UCFS324	FS324	UC324		50.6	207	185	13.5	UCFS324C	UCFS324D	133	5 <sup>1</sup> / <sub>4</sub>	55.4
			14.1732				1 <sup>3</sup> /8	1 <sup>3</sup> / <sub>16</sub>			5.315	2.126	1 3/8													
130	-	410	360	320	41	45	35	30	85	116	135	54	M36	UCFS326	FS326	UC326		67.7	229	214	13.6	UCFS326C	UCFS326D	142	5 <sup>29</sup> / <sub>32</sub>	73.8
			15.7480		1 39/64	2 <sup>5</sup> / <sub>32</sub>	1 <sup>49</sup> / <sub>64</sub>	1 <sup>3</sup> / <sub>16</sub>	3 3/4	5 <sup>5</sup> / <sub>32</sub>	5.709	2.323	1 3/8													
140	-	450	400	350	41	55	45	30	95	131	145	59	M36	UCFS328	FS328	UC328		94.0	253	246	13.6	UCFS328C	UCFS328D	156	<b>6</b> <sup>5</sup> /32	102

... 309~328 A-R1/8..

As for the triple seal type product, suffix code L3 follows the Part No. of unit or bearing. (Example of Part No. : UCFS307JL3, UC307L3)

The dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.

160



Variations of tolerance of spigot joint outside diameter  $(\varDelta_{B3a})$ , variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2a})$ , tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

Unit: mm Housing No.  $aigsigma_{H3s}$   $aigsigma_{A2s}$  X Y0 --0.046 FS305 ±0.5 0.7 0.2 0 --0.054 FS306~FS308 FS309~FS310 0 --0.063 0.3 FS311~FS313 ~FS318 0 -0.072 FS314~FS319 FS319~ ±0.8 0 --0.081 FS320~FS322 0.4 0 --0.089 FS324~FS328

	Unit: mm
Housing No.	$\Delta_{Ns}$
FS305~315	±0.2
FS316~328	±0.3

### UKFS

Tapered bore (with adapter) *d*<sub>1</sub> **20 ~ 125 mm** 









																									0.089
Shaft	Dia.					Dimer	nsions					Bolt		Standard				Bas	ic	Factor		With Cast Iro	n Cover		
mm	inch					in	ch					Size	Unit	Housing	Bearing	Adapter	Mass	Load R	atings		Unit	No.	Dime	ension	Mass
						m	m					inch	No.	No.	No.	No.		kľ	1		Open Type	Closed Type	$\mathbf{m}\mathbf{m}$	inch	
d	1	L	$H_3$	J	N	$A_1$	$A_2$	$A_3$	$A_4$	$A_5$	$B_1$	mm					kg	$C_{\rm r}$	$C_{0\mathrm{r}}$	f0			A	A <sub>c</sub>	kg
20	3/4	<b>4</b> <sup>11</sup> / <sub>32</sub>	3.1496	3 <sup>5</sup> / <sub>32</sub>	<sup>5</sup> /8	1/2	23/64	9/32	7/8	1 <sup>3</sup> /16	1 <sup>3</sup> /8	1/2	LIVECOOF	56205	11//205	HE2305X	1.4	21.2	10.0	12.0	-	-	-	-	_
20		110	80	80	16	13	9	7	22	30.5	35	M14	UKFS305	FS305	UK305	H2305X	1.4	21.2	10.9	12.6	UKFS305C	UKFS305D	47	1 <sup>27</sup> / <sub>32</sub>	1.7
25		4 <sup>29</sup> / <sub>32</sub>	3.5433	3 <sup>47</sup> / <sub>64</sub>	<sup>5</sup> /8	<sup>19</sup> / <sub>32</sub>	<sup>25</sup> / <sub>64</sub>	<sup>5</sup> / <sub>16</sub>	<sup>15</sup> / <sub>16</sub>	1 <sup>5</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>2</sub>	1/2	UKFS306	FS306	UK306	H2306X	1.9	26.7	15.0	13.3	UKFS306C	UKFS306D	51	2	2.2
23	1	125	90	95	16	15	10	8	24	33	38	M14	0175500	13300	0K300	HE2306X	1.9	26.7	15.0	13.5	-	-	-	-	-
30	1 <sup>1</sup> / <sub>8</sub>	5 <sup>5</sup> /16	3.9370	3 <sup>15</sup> /16	3/4	5/8	7/16	<sup>23</sup> / <sub>64</sub>	1 <sup>1</sup> /16	1 <sup>7</sup> /16	1 <sup>11</sup> /16	5/8	UKFS307	FS307	UK307	HS2307X	2.4	33.4	19.3	13.2	-	-	-	-	-
50		135	100	100	19	16	11	9	27	36.5	43	M16	0113307	13507	01(307	H2307X	2.4	55.4	19.5	13.2	UKFS307C	UKFS307D	55	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.9
	1 <sup>1</sup> / <sub>4</sub>	5 <sup>29</sup> /32	4.5276	4 <sup>13</sup> / <sub>32</sub>	3/4	21/32	33/64	25/64	1 <sup>3</sup> /16	1 <sup>19</sup> /32	1 <sup>13</sup> /16	5/8				HE2308X	3.4				-	-	-	-	-
35	1 <sup>3</sup> /8	150	115	112	19	17	13	10	30	40.5	46	M16	UKFS308	FS308	UK308	HS2308X	3.4	40.7	24.0	13.2	-	-	-	-	-
		150	115	112	19	17	15	10	50	40.5	40	WITO				H2308X	3.4				UKFS308C	UKFS308D	61	2 <sup>13</sup> / <sub>32</sub>	3.9
40	1 <sup>1</sup> / <sub>2</sub>	<b>6</b> <sup>5</sup> / <sub>16</sub>	4.9213	4 <sup>59</sup> / <sub>64</sub>	3/4	<sup>23</sup> / <sub>32</sub>	<sup>35</sup> / <sub>64</sub>	7/16	1 <sup>5</sup> / <sub>16</sub>	1 <sup>23</sup> / <sub>32</sub>	1 <sup>31</sup> / <sub>32</sub>	5/8	UKFS309	FS309	UK309	HE2309X	4.4	48.9	29.5	13.3	-	-	-	-	-
		160	125	125	19	18	14	11	33	44	50	M16	011 3309	13309	01(309	H2309X	4.4	40.9	29.5	13.5	UKFS309C	UKFS309D	65	2 <sup>9</sup> / <sub>16</sub>	5.0
45	1 <sup>3</sup> /4	6 <sup>7</sup> /8	5.5118	5 <sup>13</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	3/4	5/8	15/32	1 <sup>13</sup> / <sub>32</sub>	1 7/8	<b>2</b> <sup>5</sup> / <sub>32</sub>	3/4	UKFS310	FS310	UK310	HE2310X	5.3	62.0	38.3	13.2	-	-	_	-	-
		175	140	132	23	19	16	12	36	48	55	M20	010 35 10	13510	01010	H2310X	5.3	02.0	50.5	13.2	UKFS310C	UKFS310D	71	2 <sup>25</sup> / <sub>32</sub>	6.1
	1 <sup>7</sup> /8	<b>7</b> %/32	5.9055	5 <sup>33</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	43/64	33/64	1 17/32	2	2 <sup>5</sup> /16	3/4				HS2311X	6.3				-	-	-	-	-
50		185	150	140	23	20	17	13	39	51	59	M20	UKFS311	FS311	UK311	H2311X	6.3	71.6	45.0	13.2	UKFS311C	UKFS311D	74	2 <sup>29</sup> / <sub>32</sub>	7.2
	2	105				20					57					HE2311X	6.3				-	-	-	-	
55	2 <sup>1</sup> / <sub>8</sub>	7 <sup>11</sup> /16	6.2992	5 <sup>29</sup> /32	<sup>29</sup> /32	7/8	3/4	35/64	1 <sup>21</sup> /32	2 <sup>3</sup> /16	2 <sup>7</sup> /16	3/4	UKFS312	FS312	UK312	HS2312X		81.9	52.2	13.2	-	-	-	-	-
		195	160	150	23	22	19	14	42	55.5	62	M20	010 00 12	13312	01012	H2312X	7.3	01.5	52.2	13.2	UKFS312C	UKFS312D	81	3 <sup>3</sup> /16	8.5
	2 <sup>1</sup> / <sub>4</sub>	8 <sup>3</sup> /16	6.8898	6 <sup>17</sup> / <sub>32</sub>	29/32	7/8	19/32	45/64	<b>1</b> 9/16	<b>2</b> <sup>3</sup> / <sub>32</sub>	2 <sup>9</sup> /16	3/4				HE2313X					-	-	_	-	-
60		208	175	166	23	22	15	18	40	53.5	65	M20	UKFS313	FS313	UK313	H2313X	8.9	92.7	59.9	13.2	UKFS313C	UKFS313D	76	3	10.0
	2 <sup>3</sup> /8															HS2313X					-	-	-	-	
65	<b>2</b> 1/2	<b>9</b> % 9/32	7.8740	7 <sup>1</sup> / <sub>4</sub>	<sup>63</sup> / <sub>64</sub>	31/32	<sup>53</sup> / <sub>64</sub>	<sup>45</sup> / <sub>64</sub>	1 7/8	2 <sup>1</sup> / <sub>2</sub>	2 7/8	7/8	UKFS315	FS315	UK315	HE2315X		113	77.2	13.2	-	-	_	-	-
	- 24	236	200	184	25	25	21	18	48	63.5	73	M22				H2315X	13.4				UKFS315C	UKFS315D	88	3 <sup>15</sup> / <sub>32</sub>	14.8
70	<b>2</b> <sup>3</sup> / <sub>4</sub>	9 <sup>27</sup> / <sub>32</sub>	8.2677	7 <sup>23</sup> / <sub>32</sub>	1 7/32	1 <sup>1</sup> / <sub>16</sub>	45/64	25/32	1 7/8	2 <sup>15</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>16</sub>	1	UKFS316	FS316	UK316	HE2316X		123	86.7	13.3	-	-	-	_	-
		250	210	196	31	27	18	20	48	62.5	78	M27				H2316X	15.1				UKFS316C	UKFS316D		3 7/16	16.7
75	-	10 <sup>1</sup> /4	8.6614	8 <sup>1</sup> / <sub>32</sub>	1 <sup>7</sup> /32	1 <sup>1</sup> /16	<sup>15</sup> /16	<sup>25</sup> / <sub>32</sub>	2 <sup>1</sup> /8	2 <sup>27</sup> / <sub>32</sub>	3 7/32	1	UKFS317	FS317	UK317	H2317X	17.1	133	96.8	13.3	UKFS317C	UKFS317D	97	3 13/16	18.9
	3	260	220	204	31	27	24 15/16	20	54 2 <sup>7</sup> / <sub>32</sub>	72	82 3 <sup>3</sup> /8	M27				HE2317X	17.1				-	-	-	-	
80	-	11 <sup>1</sup> / <sub>32</sub> 280	9.4488	8 <sup>1/2</sup>	1 <sup>3</sup> /8	1 <sup>3</sup> / <sub>16</sub> 30		<sup>25</sup> / <sub>32</sub> 20	2 <sup>7</sup> /32 56	2 <sup>27</sup> / <sub>32</sub> 72	3 <sup>3</sup> /8 86	1 <sup>1</sup> /8 M30	UKFS318	FS318	UK318	H2318X	21.4	143	107	13.3	UKFS318C	UKFS318D	99	3 <sup>29</sup> / <sub>32</sub>	23.5
	3 <sup>1</sup> / <sub>4</sub>	280 11 <sup>13</sup> / <sub>32</sub>	240 9.8425	216 8 <sup>31</sup> / <sub>32</sub>	35 1 <sup>3</sup> /8	30 1 <sup>3</sup> / <sub>16</sub>	24 1 <sup>17</sup> / <sub>32</sub>	20 25/32	2 <sup>29</sup> / <sub>32</sub>	2 <sup>19</sup> / <sub>32</sub>	3 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>8</sub>		-		HE2319X	24.8								<u> </u>
85	<b>J</b> /4	290	250	228	35	30	39	20	74	91	90	M30	UKFS319	FS319	UK319	H2319X	24.8	153	119	13.3	UKFS319C	UKFS319D	_ 120	- 4 <sup>23</sup> / <sub>32</sub>	26.2
	3 <sup>1</sup> /2	12 7/32	10.2362		1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>4</sub>	1 <sup>17</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	2 <sup>29</sup> / <sub>32</sub>		3 <sup>13</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>4</sub>				HE2320X	-				-	01122130	120	+/ 32	
90	3 12	310	260	242	38	32	39	20	74	93	97	M33	UKFS320	FS320	UK320	H2320X	29.1	173	141	13.2	UKFS320C	UKFS320D	126	4 <sup>31</sup> / <sub>32</sub>	32.2
		13 3/8	11.8110		1 <sup>39</sup> / <sub>64</sub>	1 <sup>3</sup> /8	1 <sup>3</sup> /8	<sup>63</sup> / <sub>64</sub>	2 <sup>25</sup> /32	2 <sup>3</sup> /4	4 1/8	1 3/8				H2322X	38.6	+			UKFS322C	UKFS322D		5 <sup>3</sup> / <sub>32</sub>	42.1
100	4	340	300	266	41	35	35	25	71	95	105	M36	UKFS322	FS322	UK322	HE2322X		205	180	13.2	-	-	_	_	_
	,	14 9/16	12.9921		1 39/64	1 <sup>9</sup> /16	1 3/8	1 <sup>3</sup> /16	3 5/32	3 <sup>21</sup> / <sub>32</sub>	4 13/32	1 3/8													
110	-	370	330	290	41	40	35	30	80	100.5	112	M36	UKFS324	FS324	UK324	H2324	50.9	207	185	13.5	UKFS324C	UKFS324D	133	5 <sup>1</sup> / <sub>4</sub>	56.0
	4 <sup>1</sup> / <sub>2</sub>	16 5/32	14.1732		1 39/64	1 25/32	1 3/8	1 <sup>3</sup> /16	3 <sup>11</sup> /32	4	4 <sup>3</sup> / <sub>4</sub>	1 3/8				HE2326	67.5				_	_	_	-	_
115		410	360	320	41	45	35	30	85	101.5	121	M36	UKFS326	UKFS326 FS326 UK32	UK326	H2326	67.5	229	214	13.6	UKFS326C	UKFS326D	142	5 <sup>29</sup> /32	74.1
					1 39/64	2 5/32	1 <sup>49</sup> / <sub>64</sub>	1 <sup>3</sup> / <sub>16</sub>	3 3/4	4 5/8	5 5/32	1 3/8						1							
125	-	450	400	350	41	55	45	30	95	117.5	131	M36	UKFS328	FS328	UK328	H2328	94.0	253	246	13.6	UKFS328C	UKFS328D	156	6 <sup>5</sup> / <sub>32</sub>	102
																									<u> </u>

A-R1/8..... ..... 309~328 3. In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKFS307J + H2307X, UK307 + H2307X)

As for the triple seal type product, suffix code L3 follows the Part No. of unit or bearing. (Example of Part No. : UKFS307JL3 + H2307X, UK307L3 + H2307X)
 For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of spigot joint outside diameter ( $\varDelta_{\rm H3s}$ ), variations of tolerance of distance from mounting ( $\Delta_{1233}$ ), valuation to the orbit of the

Unit: mm Housing No.  $\Delta_{H3s}$   $\Delta_{A2s}$  X Y FS305 0 -0.046 ±0.5 0.2 0 --0.054 0.7 FS306~FS308 FS309~FS310 0 --0.063 0.3 FS311~FS313 ~FS318 0 -0.072 FS315~FS319 FS319~ ±0.8 1 0 -0.081 FS320~FS322 0.4 0 -0.089 FS324~FS328

	Unit: mm
Housing No.	$\Delta_{Ns}$
FS305~315	±0.2
FS316~328	±0.3

SBF-RKP8 Cylindrical bore (with set screws) *d* 20 ~ 55 mm

## SAF-FP9

Cylindrical bore (with eccentric locking collar)





SAF-FP9

SBF-RKP8



SBF-RKP8

 $A_2$ A



SAF-FP9

<b>Shaft D</b> nm i	<b>Dia.</b> inch						Dimen						Bolt Size	Unit No.	Bearing No.	Unit No.	Bearing No.	Housing No.	Ba Load F	sic Ratings	Factor	Ma	ass
		_		_			mn		_	_	SBF-RKP8	SAF-FP9	inch mm						Cr k	N C <sub>0r</sub>	fo	k SBF-RKP8	g SAF-FP
<i>d</i>		L	A	J	N	$A_1$	$A_2$	$A_0$	В	$B_1$	S	S									J -		-
20	3/4	3 <sup>3</sup> /8	1	2 <sup>33</sup> / <sub>64</sub>	15/32	7/16	19/32	1 <sup>17</sup> / <sub>32</sub>	0.984	1.220	0.276	0.295	3/8	SBF204-12RKP		SAF204-12FP9	SA204-12FP9	F204	12.8	6.65	13.2	0.58	0.62
	7/8	86	25.5	64	12	11	15	38.5	25	31	/	7.5	M10	SBF204RKP8 SBF205-14RKP	SB204RKP8 SB205-14RKP8	SAF204FP9 SAF205-14FP9	SA204FP9 SA205-14FP9						0.85
	<sup>15</sup> /16	3 <sup>3</sup> /4	<b>1</b> <sup>1</sup> / <sub>16</sub>	<b>2</b> <sup>3</sup> / <sub>4</sub>	15/32	1/2	5/8	1 <sup>9</sup> /16	1.063	1.220	0.295	0.295	3/8	SBF205-14RKP		SAF205-14FP9	SA205-14FP9 SA205-15FP9						0.85
25	1	95	27	2 <sup>3</sup> /4 70	12	13	-78 16	39.5	27	31	7.5	7.5	M10	SBF205-15RKP		SAF205-15FP9	SA205-15FP9 SA205-16FP9	F205	14.0	7.85	13.9	0.81	0.86
'	•	95	27	70	12	15	10	59.5	27	21	7.5	7.5	MIU	SBF205RKP8	SB205RKP8	SAF205-16FP9	SA205-10FP9 SA205FP9						0.86
1	1 <sup>1</sup> /8													SBF205-18RKP		SAF206-18FP9	SA205119 SA206-18FP9						0.00
1	1 <sup>3</sup> / <sub>16</sub>	<b>4</b> <sup>1</sup> / <sub>4</sub>	1 7/32	3 17/64	15/32	1/2	45/64	1 3/4	1.181	1.906	0.315	0.354	3/8	SBF206-19RKP		SAF206-19FP9	SA206-19FP9						
30	1 <sup>1</sup> /4	108	31	83	12	13	18	44.7	30	35.7	8	9	M10	SBF206-20RKP		SAF206-20FP9	SA206-20FP9	F206	19.5	11.3	13.9	1.05	1.12
														SBF206RKP8	SB206RKP8	SAF206FP9	SA206FP9						
1	<b>1</b> <sup>1</sup> / <sub>4</sub>													SBF207-20RKP	B SB207-20RKP8	SAF207-20FP9	SA207-20FP9					1.44	
1	<b>1</b> <sup>5</sup> /16	4 10 /	1 11/	25/	25/	10 /	27	1.20/	1 2 6 0	1 501	0.005	0.274	7/	_	-	SAF207-21FP9	SA207-21FP9					_	
35 1	1 3/8	4 <sup>19</sup> / <sub>32</sub>	1 <sup>11</sup> / <sub>32</sub>	3 5/8	<sup>35</sup> / <sub>64</sub>	<sup>19</sup> / <sub>32</sub>	3/4	1 <sup>29</sup> / <sub>32</sub>	1.260	1.531	0.335	0.374	7/16	SBF207-22RKP	B SB207-22RKP8	SAF207-22FP9	SA207-22FP9	F207	25.7	15.4	13.9	1.44	1.59
1	1 7/16	117	34	92	14	15	19	48.4	32	38.9	8.5	9.5	M12	SBF207-23RKP	B SB207-23RKP8	SAF207-23FP9	SA207-23FP9					1.44	
														SBF207RKP8	SB207RKP8	SAF207FP9	SA207FP9					1.44	
	1 1/2	5 <sup>1</sup> /8	1 <sup>13</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>64</sub>	5/8	19/32	53/64	2 <sup>1</sup> /8	1.339	1.720	0.354	0.433	1/2	SBF208-24RKP	<b>B</b> SB208-24RKP8	SAF208-24FP9	SA208-24FP9					1.86	
<b>40</b> 1	<b>1</b> <sup>9</sup> /16	130	36	102	16	15	21	53.7	34	43.7	9	11	M14	-	-	SAF208-25FP9	SA208-25FP9	F208	29.1	17.8	14.0	-	2.01
		150	50	102	10	15	21	55.7	54	45.7	,		IVIT	SBF208RKP8	SB208RKP8	SAF208FP9	SA208FP9					1.85	
	1 5/8													-	-	SAF209-26FP9	SA209-26FP9						
45	1 <sup>11</sup> /16	5 <sup>13</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	<b>4</b> <sup>9</sup> / <sub>64</sub>	5/8	5/8	55/64	<b>2</b> <sup>5</sup> / <sub>32</sub>	-	1.720	-	0.433	1/2	-	-	SAF209-27FP9	SA209-27FP9	F209	34.1	21.3	14.0	_	2.34
1	1 3/4	137	38	105	16	16	22	54.7	-	43.7	-	11	M14	-	-	SAF209-28FP9	SA209-28FP9						
1	1 7/8													-	-	SAF209FP9 SAF210-30FP9	SA209FP9 SA210-30FP9						
	1 <sup>1</sup> /8 1 <sup>15</sup> /16	5 <sup>5</sup> /8	<b>1</b> 9/16	4 <sup>3</sup> /8	5/8	5/8	<sup>55</sup> / <sub>64</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	-	1.720	-	0.433	1/2	_	-	SAF210-30FP9	SA210-30FP9 SA210-31FP9	F210	35.1	23.3	14.4		2.5
30	1 -716	143	40	111	16	16	22	54.7	-	43.7	-	11	M14	_	_	SAF210-51779	SA210-5117-9 SA210FP9	1210	35.1	23.5	14.4	_	2.5.
2	2															SAF210FP9 SAF211-32FP9	SA210FP9 SA211-32FP9		<u> </u>				
2	2 <sup>1</sup> /8	6 <sup>3</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	3/4	23/32	63/64	2 <sup>13</sup> / <sub>32</sub>	_	1.906	_	0.472	5/8		_	SAF211-34FP9	SA211-34FP9						
55	2 <sup>3</sup> / <sub>16</sub>	162	43	130	19	18	25	61.4	_	48.4	_	12	M16	_	_	SAF211-35FP9	SA211-35FP9	F211	43.4	29.4	14.4	-	3.49
-	, 10	102	15	150		10	23	01.1		10.1		12				SAF211FP9	SA211FP9						

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\mathcal{J}_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
F204~F210	±0.5	0.7
F211	±0.8	1

Variations of tolerance of bolt hole diameter  $(\Delta_{Ns})$ 

	Unit: mm
Housing No.	$\Delta_{Ns}$
F204~F211	±0.2



 $4-\phi N$ 

### UCSF-H1S6

Cylindrical bore (with set screws)

*d* 20 ~ 60 mm









												1												
Sha	aft Dia.				0	imensio	ns				Bolt	Sta	andard				Bas	ic	Factor	With	Pressed Stainless S	teel Co	/er	
mm	inch					inch					Size	Unit	Housing	Bearing	Ma	lass	Load Ra	atings		Uni	t No.	Dime	nsion	Mass
						mm					inch	No.	No.	No.			kN	1		Open Type	Closed Type	mm	inch	1
	1	7	4	7	37	Α	4	4	D	a					, l	1	a	a	6				.	1
	d		Α	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				K	kg	$C_{ m r}$	$C_{0\mathrm{r}}$	fo			F	$I_{s}$	kg
	3/4	3 <sup>3</sup> /8	1 <sup>1</sup> /32	2 <sup>33</sup> /64	<sup>15</sup> /32	<sup>13</sup> / <sub>32</sub>	<sup>19</sup> /32	1 <sup>5</sup> /16	1.220	0.500	3/8	UCSF204-12H1S6	6500414	UC204-12S6			10.0	5.95	12.2	-	-	-	-	-
20		86	26	64	12	10	15	33.3	31	12.7	M10	UCSF204H1S6	SF204H1	UC204S6	0.0	0.66	10.9	5.35	13.2	UCSF204H1CS6	UCSF204H1DS6	37.5	1 <sup>15</sup> /32	0.66
	7/8											UCSF205-14H1S6		UC205-14S6						-	-	-	-	-
	15/16	3 <sup>3</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>4</sub>	15/32	13/32	<sup>5</sup> /8	1 <sup>13</sup> / <sub>32</sub>	1.343	0.563	3/8	UCSF205-15H1S6		UC205-15S6						-	-	_	-	- 1
25		95	27.5	70	12	10	16	35.8	34.1	14.3	M10	UCSF205H1S6	SF205H1	UC205S6	0.1	0.85	11.9	6.3	13.9	UCSF205H1CS6	UCSF205H1DS6	40.5	1 <sup>19</sup> / <sub>32</sub>	0.85
	1											UCSF205-16H1S6		UC205-16S6						_	-	_	_	-
	1 <sup>1</sup> / <sub>8</sub>											UCSF206-18H1S6		UC206-1856						-	-	-	-	-
		<b>4</b> <sup>1</sup> / <sub>4</sub>	1 7/32	3 <sup>17</sup> / <sub>64</sub>	15/32	13/32	45/64	1 <sup>19</sup> / <sub>32</sub>	1.500	0.626	3/8	UCSF206H1S6	6596414	UC206S6			1	0.0	12.5	UCSF206H1CS6	UCSF206H1DS6	44.5	1 <sup>3</sup> /4	1.2
30	1 <sup>3</sup> /16	108	31	83	12	10	18	40.2	38.1	15.9	M10	UCSF206-19H1S6	SF206H1	UC206-19S6	1.:	1.2	16.5	9.05	13.9	_	-	_	_	- 1
	1 <sup>1</sup> / <sub>4</sub>											UCSF206-20H1S6		UC206-20S6						_	-	_	_	- 1
	1 <sup>1</sup> / <sub>4</sub>											UCSF207-20H1S6		UC207-20S6						-	-	_	-	-
	1 5/16											UCSF207-21H1S6		UC207-21S6						_	-	_	_	- 1
35	1 3/8	4 <sup>19</sup> / <sub>32</sub>		3 5/8	35/64	7/16	3/4	1 <sup>3</sup> /4	1.689	0.689	7/16	UCSF207-22H1S6	SF207H1	UC207-22S6	1.5	1.5	21.8	12.3	13.9	_	-	_	_	- 1
		117	34	92	14	11	19	44.4	42.9	17.5	M12	UCSF207H1S6		UC207S6						UCSF207H1CS6	UCSF207H1DS6	49	1 <sup>15</sup> /16	1.5
	1 7/16											UCSF207-23H1S6		UC207-2356						_	_	_	_	-
	1 <sup>1</sup> / <sub>2</sub>				5.4							UCSF208-24H1S6		UC208-24S6						-	-	_	-	-
40	1 9/16	5 <sup>1</sup> / <sub>8</sub>		4 <sup>1</sup> / <sub>64</sub>	5/8	15/32	<sup>53</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>32</sub>	1.937	0.748	1/2	UCSF208-25H1S6	SF208H1	UC208-25S6	2	2	24.8	14.3	14.0	_	-	_	_	-
		130	36	102	16	12	21	51.2	49.2	19	M14	UCSF208H1S6		UC208S6						UCSF208H1CS6	UCSF208H1DS6	55.5	2 <sup>3</sup> /16	2.0
	1 5/8											UCSF209-26H1S6		UC209-2656						-	-	-	-	-
	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>13</sup> / <sub>32</sub>	1 1/2	4 <sup>9</sup> / <sub>64</sub>	5/8	1/2	<sup>55</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	1/2	UCSF209-27H1S6		UC209-2756						_	-	_	_	-
45	1 <sup>3</sup> / <sub>4</sub>	137	38	105	16	13	22	52.2	49.2	19	M14	UCSF209-28H1S6	SF209H1	UC209-2856	2	2.3	27.8	16.2	14.0	_	-	_	_	- 1
												UCSF209H1S6		UC20956						UCSF209H1CS6	UCSF209H1DS6	56.5	2 7/32	2.3
	1 7/8											UCSF210-30H1S6		UC210-3056						-	-	-	-	-
	1 <sup>15</sup> /16	5 <sup>5</sup> /8	<b>1</b> <sup>9</sup> / <sub>16</sub>	4 <sup>3</sup> / <sub>8</sub>	<sup>5</sup> /8	1/2	<sup>55</sup> / <sub>64</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.031	0.748	1/2	UCSF210-31H1S6	6524.01/1	UC210-31S6			20.0	10.6		-	-	_	_	i –
50		143	40	111	16	13	22	54.6	51.6	19	M14	UCSF210H1S6	SF210H1	UC210S6	2.0	2.6	29.8	18.6	14.4	UCSF210H1CS6	UCSF210H1DS6	59	2 <sup>5</sup> /16	2.6
	2											UCSF210-32H1S6		UC210-32S6						_	-	_	_	- 1
	2											UCSF211-32H1S6		UC211-32S6						-	-	-	-	-
	2 <sup>1</sup> /8	6 <sup>3</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	3/4	<sup>19</sup> /32	<sup>63</sup> / <sub>64</sub>	2 <sup>5</sup> /16	2.189	0.874	5/8	UCSF211-34H1S6	652441/2	UC211-34S6		.	26.0			-	-	_	-	i –
55		162	43	130	19	15	25	58.4	55.6	22.2	M16	UCSF211H1S6	SF211H1	UC211S6	4	+	36.8	23.5	14.4	UCSF211H1CS6	UCSF211H1DS6	63	2 <sup>15</sup> / <sub>32</sub>	4.0
	2 <sup>3</sup> /16											UCSF211-35H1S6		UC211-35S6						-	_	_	_	-
	2 1/4											UCSF212-36H1S6		UC212-3656						-	-	_	-	-
		6 7/8	1 7/8	5 <sup>5</sup> /8	3/4	<sup>19</sup> / <sub>32</sub>	1 <sup>9</sup> /64	2 <sup>23</sup> /32	2.563	1.000	5/8	UCSF212H1S6		UC212S6						UCSF212H1CS6	UCSF212H1DS6	73.5	2 <sup>29</sup> / <sub>32</sub>	4.7
60	2 <sup>3</sup> /8	175	48	143	19	15	29	68.7	65.1	25.4	M16	UCSF212-38H1S6	SE212H1	UC212-3856	4.1	1.7	44.5	29	14.4	-	-	_	_	- 1
	2 7/16											UCSF212-39H1S6		UC212-39S6						_	_	_	_	- 1
	,																							

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is are shown below.

 A-1/4-28UNFN12

 A-R1/8N12

 2. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
SF204H1~210H1	±0.5	0.7
SF211H1~212H1	±0.8	1

	Unit: mm
Housing No.	ΔNs
SF204H1~212H1	+0.2

### UCSF-EH1S6

Cylindrical bore (with set screws)

*d* 20 ~ 60 mm









Shaf																							
	ft Dia.				D	imensio	ns				Bolt	Sta	andard				Basic	Facto	With	Pressed Stainless S	teel Co	/er	
mm	inch					inch					Size	Unit	Housing	Bearing	Mass	s Lo	oad Ratin	IS	Unit	t No.	Dime	ension	Mass
						mm					inch	No.	No.	No.			kN		Open Type	Closed Type	mm	inch	1
	d	L	Α	J	Ν	$A_1$	$A_2$	$A_0$	В	S	men				kg		$C_{\rm r}$ $C_{\rm r}$	r fo				$A_{\rm s}$	ka
	u		А	9	14	AI	A2	Au	Б	5					мg		Cr Cl	r J0			1	15	kg
20	3/4	3 <sup>3</sup> /8	1 <sup>1</sup> /32	2 <sup>33</sup> / <sub>64</sub>	7/16	13/32	<sup>19</sup> /32	1 <sup>5</sup> /16	1.220	0.500	3/8	UCSF204-12EH1S6	SF204EH1	UC204-12S6	0.66	6 1	0.9 5.	35 13.2	-	-	-	-	-
20		86	26	64	11	10	15	33.3	31	12.7	-78	UCSF204EH1S6	JI 204LITI	UC204S6	0.00		0.9 5.	55 13.2	UCSF204EH1CS6	UCSF204EH1DS6	37.5	1 <sup>15</sup> /32	0.66
	7/8											UCSF205-14EH1S6		UC205-14S6					-	-	-	_ /	-
25	15/16	3 <sup>3</sup> /4	1 <sup>3</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>4</sub>	15/32	13/32	5/8	1 <sup>13</sup> / <sub>32</sub>	1.343	0.563	3/8	UCSF205-15EH1S6	SF205EH1	UC205-15S6	0.85	5   1	1.9 6.	3 13.9	-	-	-	_ /	-
25		95	27.5	70	12	10	16	35.8	34.1	14.3	/ 0	UCSF205EH1S6	JI 205EIII	UC205S6	0.05	´   '	1.2 0.	, 13.5	UCSF205EH1CS6	UCSF205EH1DS6	40.5	1 <sup>19</sup> / <sub>32</sub>	0.85
	1											UCSF205-16EH1S6		UC205-16S6					-	-	-	_	-
	1 <sup>1</sup> / <sub>8</sub>											UCSF206-18EH1S6		UC206-18S6					-	-	-	-	-
30		<b>4</b> <sup>1</sup> / <sub>4</sub>	1 7/32	3 <sup>17</sup> / <sub>64</sub>	<sup>33</sup> / <sub>64</sub>	13/32	45/64	1 <sup>19</sup> / <sub>32</sub>	1.500	0.626	7/16	UCSF206EH1S6	SF206EH1	UC206S6	1.2	1	6.5 9.	13.9	UCSF206EH1CS6	UCSF206EH1DS6	44.5	1 <sup>3</sup> /4	1.2
50	1 <sup>3</sup> /16	108	31	83	13	10	18	40.2	38.1	15.9	/ 10	UCSF206-19EH1S6	JIZOULIII	UC206-1956	1.2		0.5 9.	15.5	-	-	-	_ /	-
	1 <sup>1</sup> / <sub>4</sub>											UCSF206-20EH1S6		UC206-2056					-	-	-	_	-
	1 <sup>1</sup> /4											UCSF207-20EH1S6		UC207-20S6					-	-	-	_ /	-
	1 <sup>5</sup> / <sub>16</sub>	4 <sup>19</sup> / <sub>32</sub>	1 11/32	3 5/8	33/64	7/16	3/4	1 <sup>3</sup> /4	1.689	0.689		UCSF207-21EH1S6		UC207-21S6					-	-	-	_ /	-
35	1 <sup>3</sup> /8	117	34	92	13	11	19	44.4	42.9	17.5	<sup>7</sup> / <sub>16</sub>	UCSF207-22EH1S6	SF207EH1	UC207-22S6	1.5	2	1.8 12.	3 13.9	-	-	-	_ /	-
			54	92	15		19	44.4	42.9	17.5		UCSF207EH1S6		UC207S6					UCSF207EH1CS6	UCSF207EH1DS6	49	<b>1</b> <sup>15</sup> / <sub>16</sub>	1.5
	1 7/16		-									UCSF207-23EH1S6		UC207-23S6					-	-	-	_	-
	1 <sup>1</sup> / <sub>2</sub>	5 1/8	1 <sup>13</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>64</sub>	35/64	15/32	<sup>53</sup> / <sub>64</sub>	<b>2</b> <sup>1</sup> / <sub>32</sub>	1.937	0.748		UCSF208-24EH1S6		UC208-24S6					-	-	-	_ /	-
40	1 <sup>9</sup> / <sub>16</sub>	130	36	102	14	12	21	51.2	49.2	19	1/2	UCSF208-25EH1S6	SF208EH1	UC208-2556	2	2	4.8 14.	3 14.0	-	-	-	_ /	-
		150	50	102	14	12	21	51.2	49.2	19		UCSF208EH1S6		UC20856					UCSF208EH1CS6	UCSF208EH1DS6	55.5	2 <sup>3</sup> /16	2.0
	1 <sup>5</sup> /8											UCSF209-26EH1S6		UC209-26S6					-	-	-	_	-
45	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>13</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	<b>4</b> <sup>9</sup> / <sub>64</sub>	<sup>5</sup> /8	1/2	<sup>55</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	1/2	UCSF209-27EH1S6	SF209EH1	UC209-27S6	2.3		7.8 16.	2 14.0	-	-	-	_ /	-
	1 <sup>3</sup> /4	137	38	105	16	13	22	52.2	49.2	19	12	UCSF209-28EH1S6	JIZUJEIII	UC209-2856	2.5	4	.7.0 10.	14.0	-	-	-	_ /	-
												UCSF209EH1S6		UC209S6					UCSF209EH1CS6	UCSF209EH1DS6	56.5	2 <sup>7</sup> / <sub>32</sub>	2.3
	1 7/8											UCSF210-30EH1S6		UC210-30S6					-	-	-	_	-
50	1 <sup>15</sup> /16	5 <sup>5</sup> /8	<b>1</b> %16	4 <sup>3</sup> / <sub>8</sub>	5/8	1/2	<sup>55</sup> / <sub>64</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.031	0.748	1/2	UCSF210-31EH1S6	SF210EH1	UC210-31S6	2.6	,	9.8 18.	5 14.4	-	-	-	_ /	
50		143	40	111	16	13	22	54.6	51.6	19	12	UCSF210EH1S6	JIZIULIII	UC210S6	2.0	4	.9.0 10.	, , ,,,,	UCSF210EH1CS6	UCSF210EH1DS6	59	2 <sup>5</sup> /16	2.6
	2											UCSF210-32EH1S6		UC210-32S6					-	-	-	-	
	2											UCSF211-32EH1S6		UC211-32S6					-	-	-	_ /	
55	2 <sup>1</sup> / <sub>8</sub>	6 <sup>3</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	43/64	<sup>19</sup> /32	<sup>63</sup> / <sub>64</sub>	2 <sup>5</sup> /16	2.189	0.874	5/8	UCSF211-34EH1S6	SF211EH1	UC211-34S6	4	1	0.7 23.	5 14.4	-	-	-	_ /	-
55		162	43	130	17	15	25	58.4	55.6	22.2	-78	UCSF211EH1S6	JEZTILIII	UC211S6	4		0.7 23.	14.4	UCSF211EH1CS6	UCSF211EH1DS6	63	<b>2</b> <sup>15</sup> / <sub>32</sub>	4.0
	2 <sup>3</sup> /16											UCSF211-35EH1S6		UC211-35S6					-	-	_	-	-
	2 <sup>1</sup> /4											UCSF212-36EH1S6		UC212-36S6					-	-	-	-	-
60		6 7/8	1 7/8	5 <sup>5</sup> /8	43/64	19/32	1 <sup>9</sup> / <sub>64</sub>	2 <sup>23</sup> / <sub>32</sub>	2.563	1.000	5/8	UCSF212EH1S6	SF212EH1	UC212S6	4.7		1.6 29	14.4	UCSF212EH1CS6	UCSF212EH1DS6	73.5	2 <sup>29</sup> / <sub>32</sub>	4.7
00	2 <sup>3</sup> /8	175	48	143	17	15	29	68.7	65.1	25.4	-78	UCSF212-38EH1S6	JEZIZERI	UC212-38S6	4.7	3	1.0 29	14.4	-	-	-	_ /	-
	2 7/16											UCSF212-39EH1S6		UC212-39S6					-	-	-		-

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is are shown below.

 A-1/4-28UNFN12

 A-R1/8N12

 2. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
SF204EH1~208EH1	±0.5	0.7
SF211EH1~212EH1	±0.8	1

	Unit: mm
Housing No.	$\Delta N_{\rm Ns}$
SF204EH1~212EH1	+0.2

### UCVF-S6

Cylindrical bore (with set screws) *d* 20 ~ 40 mm









Sha	aft D	Dia.				D	imensio	ns				Bolt	St	andard				Basic	Factor		With Plastic Cov	/er		
mm		inch					inch					Size	Unit	Housing	Bearing	Mass	Loa	l Ratings		Unit	No.	Dime	nsion	Mass
							mm					inch	No.	No.	No.			kN		Open Type	Closed Type	mm	inch	
	d		L	Α	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg	$C_{\rm r}$	$C_{0\mathrm{r}}$	fo			A	s	kg
		3/4	3 <sup>3</sup> /8	1 <sup>3</sup> / <sub>32</sub>	<b>2</b> <sup>1</sup> / <sub>2</sub>	7/16	17/32	<sup>45</sup> / <sub>64</sub>	1 7/16	1.220	0.500	3/8	UCVF204-12S6	1/5204	UC204-12S6		10/	5.25	12.2	UCVF204-12CS6	UCVF204-12DS6	40	4.7/	0.21
20			86	27.8	63.5	11	13.4	18	36.3	31	12.7	M10	UCVF204S6	VF204	UC204S6	0.3	10.9	5.35	13.2	UCVF204CS6	UCVF204DS6	48	1 7/8	0.31
		7/8											UCVF205-14S6		UC205-14S6					UCVF205-14CS6	UCVF205-14DS6			
25		<sup>15</sup> / <sub>16</sub>	3 <sup>3</sup> /4	1 <sup>1</sup> /8	2 <sup>3</sup> /4	7/16	5/8	43/64	1 7/16	1.343	0.563	<sup>3</sup> /8	UCVF205-15S6	VF205	UC205-15S6	0.41	11.9	62	13.9	UCVF205-15CS6	UCVF205-15DS6	50.7	2	0.42
25			95	28.5	70	11	15.5	17	36.8	34.1	14.3	M10	UCVF205S6	VF205	UC205S6	0.41	11.2	6.3	13.9	UCVF205CS6	UCVF205DS6	50.7	Z	0.42
	1	1											UCVF205-16S6		UC205-16S6					UCVF205-16CS6	UCVF205-16DS6			
	1	1 <sup>1</sup> /8											UCVF206-18S6		UC206-1856					UCVF206-18CS6	UCVF206-18DS6			
30			4 <sup>7</sup> / <sub>32</sub>	1 <sup>1</sup> /4	3 <sup>17</sup> / <sub>64</sub>	7/16	9/16	3/4	1 5/8	1.500	0.626	<sup>3</sup> /8	UCVF206S6	VF206	UC206S6	0.56	16.5	9.05	13.9	UCVF206CS6	UCVF206DS6	58.3	1 <sup>9</sup> /32	0.57
30	1	<b>1</b> <sup>3</sup> /16	107	31.7	83	11	14.5	19.2	41.4	38.1	15.9	M10	UCVF206-19S6	V1200	UC206-19S6	0.50	10.	9.05	13.9	UCVF206-19CS6	UCVF206-19DS6	50.5	1 / 32	0.57
	1	1 <sup>1</sup> /4											UCVF206-20S6		UC206-20S6					UCVF206-20CS6	UCVF206-20DS6			
	1	1 <sup>1</sup> / <sub>4</sub>											UCVF207-20S6		UC207-20S6					UCVF207-20CS6	UCVF207-20DS6			
	1	<b>1</b> <sup>5</sup> /16	4 <sup>21</sup> / <sub>32</sub>	1 <sup>11</sup> / <sub>32</sub>	3 5/8	33/64	5/0	27/32	1 27/32	1.689	0.689	1/2	UCVF207-21S6		UC207-21S6					UCVF207-21CS6	UCVF207-21DS6			
35	1	1 <sup>3</sup> /8	118	34.5	92	13	15.5	21.5	46.9	42.9	17.5	M12	UCVF207-22S6	VF207	UC207-22S6	0.83	21.8	12.3	13.9	UCVF207-22CS6	UCVF207-22DS6	63.7	<b>2</b> <sup>1</sup> / <sub>2</sub>	0.85
			110	54.5	92	15	15.5	21.5	40.9	72.9	17.5	IVIIZ	UCVF207S6		UC207S6					UCVF207CS6	UCVF207DS6			
	_	<b>1</b> <sup>7</sup> /16											UCVF207-23S6		UC207-23S6					UCVF207-23CS6	UCVF207-23DS6			
		1 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> /8	1 7/16	4 <sup>1</sup> / <sub>64</sub>	35/64	21/32	29/22	2 3/32	1.937	0.748	1/2	UCVF208-24S6		UC208-24S6					UCVF208-24CS6	UCVF208-24DS6			
40	1	<b>1</b> <sup>9</sup> /16	130	36.5	102	14	17	23	53.2	49.2	19	M12	UCVF208-25S6	VF208	UC208-25S6	1.08	24.8	14.3	14.0	UCVF208-25CS6	UCVF208-25DS6	70.7	2 <sup>25</sup> / <sub>32</sub>	1.11
			130	50.5	102	14	17	23	55.2	79.2	19	IVITZ	UCVF208S6		UC208S6					UCVF208CS6	UCVF208DS6			

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ) and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
VF204~VF208	±0.5	0.7

### UCVF-ES7

Cylindrical bore (with set screws)  $\frac{A_0}{B}$ *d* 20 ~ 40 mm  $4-\phi N$ 6  $A_1$  $A_2$ A





Shaf	t Dia.				D	imensio	ns				Bolt	St	andard				Basi	c	Factor		With Plastic Cov	/er		
mm	inch					inch					Size	Unit	Housing	Bearing	M	Nass	Load Ra	tings		Unit	No.	Dime	nsion	Mass
						mm					inch	No.	No.	No.			kN	.		Open Type	Closed Type	mm	inch	
	d	L	A	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				1	kg	$C_{ m r}$	$C_{0r}$	fo			A	-s	kg
20	3/4	3 <sup>3</sup> /8	1 <sup>3</sup> / <sub>32</sub>	<b>2</b> <sup>1</sup> / <sub>2</sub>	<sup>7</sup> / <sub>16</sub>	17/32	<sup>45</sup> / <sub>64</sub>	1 7/16	1.220	0.500	3/8	UCVF204-12ES7	VF204E	UC204-12S7	0	0.3	12.8	6.65	13.2	UCVF204-12ECS7	UCVF204-12EDS7	48	1 7/8	0.31
20		86	27.8	63.5	11	13.4	18	36.3	31	12.7	M8	UCVF204ES7	VI 204L	UC204S7	0.	0.5	12.0	0.05	13.2	UCVF204ECS7	UCVF204EDS7	40	1.78	0.51
	7/8											UCVF205-14ES7		UC205-14S7						UCVF205-14ECS7	UCVF205-14EDS7			
25	15/16	<b>3</b> <sup>3</sup> /4	1 <sup>1</sup> /8	2 <sup>3</sup> /4	7/16	5/8	43/64	1 7/16	1.343	0.563	7/16	UCVF205-15ES7	VF205E	UC205-15S7	0	0.41	14.0	7.85	13.9	UCVF205-15ECS7	UCVF205-15EDS7	50.7	2	0.42
25		95	28.5	70	11	15.5	17	36.8	34.1	14.3	M10	UCVF205ES7	VIZUJE	UC205S7	0.		14.0	7.05	13.9	UCVF205ECS7	UCVF205EDS7	50.7	2	0.42
	1											UCVF205-16ES7		UC205-16S7						UCVF205-16ECS7	UCVF205-16EDS7			
	1 <sup>1</sup> /8											UCVF206-18ES7		UC206-18S7						UCVF206-18ECS7	UCVF206-18EDS7			
30		4 <sup>7</sup> / <sub>32</sub>	1 1/4	3 <sup>17</sup> / <sub>64</sub>	7/16	<sup>9</sup> /16	3/4	1 <sup>5</sup> /8	1.500	0.626	7/16	UCVF206ES7	VF206E	UC206S7	0	0.56	19.5	11.3	13.9	UCVF206ECS7	UCVF206EDS7	58.5	1 <sup>5</sup> /16	0.57
50	<b>1</b> <sup>3</sup> / <sub>16</sub>	107	31.7	83	11	14.5	19.2	41.4	38.1	15.9	M10	UCVF206-19ES7	VIZOOL	UC206-19S7	0.	0.50	17.5	11.5	13.2	UCVF206-19ECS7	UCVF206-19EDS7	50.5	1 /10	0.57
	1 <sup>1</sup> /4											UCVF206-20ES7		UC206-2057							UCVF206-20EDS7			
	1 <sup>1</sup> / <sub>4</sub>											UCVF207-20ES7		UC207-20S7						UCVF207-20ECS7	UCVF207-20EDS7			
	1 <sup>5</sup> /16	4 <sup>21</sup> / <sub>32</sub>	1 11/32	3 5/8	33/	5/2	27/32	1 27/32	1.689	0.689	1/2	UCVF207-21ES7		UC207-21S7						UCVF207-21ECS7	UCVF207-21EDS7			
35	1 <sup>3</sup> /8	118	34.5	92	12	15.5	21.5	46.9	42.9	17.5	M12	UCVF207-22ES7	VF207E	UC207-22S7	0.	0.83	25.7	15.4	13.9	UCVF207-22ECS7	UCVF207-22EDS7	63.7	<b>2</b> <sup>1</sup> / <sub>2</sub>	0.85
		110	54.5	92	15	15.5	21.5	40.9	42.9	17.5	11112	UCVF207ES7		UC207S7						UCVF207ECS7	UCVF207EDS7			
	<b>1</b> <sup>7</sup> / <sub>16</sub>											UCVF207-23ES7		UC207-23S7						UCVF207-23ECS7	UCVF207-23EDS7			
	1 <sup>1</sup> / <sub>2</sub>	5 1/8	1 7/16	<b>4</b> <sup>1</sup> / <sub>64</sub>	35/64	21/22	29/32	<b>2</b> 3/22	1.937	0.748	1/2	UCVF208-24ES7		UC208-24S7						UCVF208-24ECS7	UCVF208-24EDS7			
40	1 <sup>9</sup> /16	130	36.5	102	14	17	23	53.2	49.2	19	M12	UCVF208-25ES7	VF208E	UC208-25S7	1.	1.08	29.1	17.8	14.0	UCVF208-25ECS7	UCVF208-25EDS7	70.7	<b>2</b> <sup>25</sup> / <sub>32</sub>	1.11
		150	50.5	102	14	17	25	55.Z	49.2	19		UCVF208ES7		UC208S7						UCVF208ECS7	UCVF208EDS7			

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
VF204E~VF208E	±0.5	0.7

### UCFL

Cylindrical bore (with set screws)

d 12 ~ (45) mm





 $A_2$ 



Shaft	Dia.					Dir	nensions						Bolt	St	andard				Basic	c	Factor		With Pressed St	eel Cov	er			With Cast Iror	Cover		
mm	inch						inch						Size	Unit	Housing	Bearing	Ma	ass L	Load Rat	tings		Unit	No.	Dime	ension	Mass	Unit	No.	Dimen	sion	Mass
							mm							No.	No.	No.			kN	2		Open Type	Closed Type	mm	inch		Open Type	Closed Type	mm	inch	
7			<b>T</b>		7	37					D	a	inch							0	c					,					1
d		H	L	Α	J	Ν	$A_1$	A	2	$A_0$	В	S	mm				k	ĸg	$C_{\rm r}$	$C_{0r}$	fo			A	$\mathbf{I}_{\mathrm{s}}$	kg			$A_{ m c}$	:	kg
12														UCFL201		UC201	0	0.50				UCFL201C	UCFL201D	37.5	1 <sup>15</sup> /32	0.50	-	-	-	-	-
	1/2													UCFL201-8		UC201-8	0	0.50				-	-	-	-	-	-	-	-	-	-
15		4 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> /8	1	3 <sup>35</sup> / <sub>64</sub>	15/32	7/16	19/	/ 1	1 5/16	1.220	0.500	3/8	UCFL202		UC202	0	0.48				UCFL202C	UCFL202D	37.5	<b>1</b> <sup>15</sup> / <sub>32</sub>	0.48	-	-	-	-	-
	<sup>5</sup> /8	113	60	25.5	90	12		15		33.3	31	12.7	M10	UCFL202-10	FL204	UC202-10	0	0.48	12.8	6.65	13.2	-	-	-	-	-	-	-	-	-	-
17		115	00	23.5	50	12		1.	5 5	55.5	51	12.7	WITO	UCFL203		UC203	0	0.47				UCFL203C	UCFL203D	37.5	1 <sup>15</sup> / <sub>32</sub>	0.47	-	-	-	-	-
	3/4													UCFL204-12		UC204-12	0	0.47				-	-	-	-	-	-	-	-	-	-
20														UCFL204		UC204		0.45				UCFL204C	UCFL204D	37.5	1 <sup>15</sup> / <sub>32</sub>	0.45	UCFL204FC	UCFL204FD	46	<b>1</b> <sup>13</sup> / <sub>16</sub>	0.6
	7/8				/									UCFL205-14		UC205-14		0.64				-	-	-	-	-	-	-	-	-	-
	15/16		2 <sup>11</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	3 <sup>57</sup> / <sub>64</sub>	5/8		5/		<sup>13</sup> / <sub>32</sub>	1.343	0.563	1/2	UCFL205-15	FL205	UC205-15		0.64	14.0	7.85	13.9	-	-	-	-	-	-	-	-	_	-
		130	68	27	99	16	13	16	6 3	35.8	34.1	14.3	M14	UCFL205		UC205		0.64				UCFL205C	UCFL205D	40.5	1 <sup>19</sup> / <sub>32</sub>	0.64	UCFL205FC	UCFL205FD	49	1 <sup>15</sup> / <sub>16</sub>	0.83
25	1	5.9/	2.0/	1.27	4 20 /	15 /	1/	45 /	/ 1	10/	1 500	0.626	27	UCFL205-16		UC205-16		0.64						-	-	-	-	-	-	-	
	1	5 <sup>9</sup> /16	3 %32	1 <sup>3</sup> /16	4 <sup>39</sup> / <sub>64</sub>	15/32		45/		<sup>19</sup> / <sub>32</sub>	1.500	0.626	3/8	UCFLX05	FLX05	UCX05		1.1	19.5	11.3	13.9	UCFLX05C	UCFLX05D	44.5	1 <sup>3</sup> /4	1.1	-	-	-	-	-
ŀ	<u> </u>	141 5 <sup>29</sup> /32	83 3 <sup>5</sup> / <sub>32</sub>	30 1 <sup>5</sup> /32	117 4 <sup>29</sup> / <sub>64</sub>	12 3/4		18 5/1		40.2	38.1 1.496	15.9 0.591	M10	UCFLX05-16 UCFL305		UCX05-16 UC305		1.1 1.1				_	-	-	_	-	UCFL305C	UCFL305D	54	- 2 <sup>1</sup> /8	1.4
	1	150	80	29	113	-74		16		39	38	15	M16	UCFL305-16	FL305	UC305-16		1.1	21.2	10.9	12.6	_	_	_	_	_	-	-	_	Z '78	-
	1 <sup>1</sup> /8	150	00	29	115	12	15	I.	0	59	50	15	WITO	UCFL206-18		UC206-18		0.93					_	_		_			_	_	
	. ,.	5 <sup>13</sup> /16	<b>3</b> <sup>5</sup> / <sub>32</sub>	1 <sup>7</sup> /32	4 <sup>39</sup> / <sub>64</sub>	5/8	1/2	45/	64 1	<sup>19</sup> /32	1.500	0.626	1/2	UCFL206		UC206		0.93				UCFL206C	UCFL206D	44.5	1 <sup>3</sup> /4	0.93	UCFL206FC	UCFL206FD	53	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.2
	1 <sup>3</sup> /16	148	80	31	117	16		18		40.2	38.1	15.9	M14	UCFL206-19	FL206	UC206-19		0.93	19.5	11.3	13.9	-	-	_	_	-	-	-	_		_
	1 <sup>1</sup> / <sub>4</sub>													UCFL206-20		UC206-20		0.93				_	_	_	_	_	_	_	_	_	_
30				. 11.4	- 14	5.4		2.4					14	UCFLX06		UCX06		1.5				UCFLX06C	UCFLX06D	49	1 <sup>15</sup> / <sub>16</sub>	1.5	-	-	_	-	-
	1 <sup>3</sup> / <sub>16</sub>	6 5/32	3 3/4	1 <sup>11</sup> / <sub>32</sub>	5 1/8	5/8	9/16	3/.		1 <sup>3</sup> /4	1.689	0.689	1/2	UCFLX06-19	FLX06	UCX06-19	1	1.5	25.7	15.4	13.9	-	-	_	_	-	_	_	_	_	_
	1 <sup>1</sup> / <sub>4</sub>	156	95	34	130	16	14	19	-	44.4	42.9	17.5	M14	UCFLX06-20		UCX06-20	1	1.5				-	-	_	_	-	_	_	_	_	_
Γ		<b>7</b> <sup>3</sup> / <sub>32</sub>	3 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>4</sub>	5 <sup>9</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	19/32	45/	/ <sub>64</sub> 1	<sup>23</sup> / <sub>32</sub>	1.693	0.669	3/4	UCFL306	FL306	UC306	1	1.5	26.7	15.0	13.3		_	_		_	UCFL306C	UCFL306D	59	2 <sup>5</sup> /16	1.8
	_	180	90	32	134	23	15	18	8	44	43	17	M20		TL300				20.7	13.0	13.5		_	-	_	_	00123000	UCILSUOD	39	2 716	1.0
	1 <sup>1</sup> /4													UCFL207-20		UC207-20		1.2				-	-	-	-	-	-	-	-	-	-
	1 5/16	6 11/32	3 <sup>17</sup> / <sub>32</sub>	<b>1</b> <sup>11</sup> / <sub>32</sub>	5 <sup>1</sup> /8	5/8	<sup>9</sup> /16	3/	/ <sub>4</sub> 1	1 <sup>3</sup> /4	1.689	0.689	1/2	UCFL207-21		UC207-21		1.2				-	-	-	-	-	-	-	-	-	-
	1 <sup>3</sup> /8	161	90	34	130	16	14	19	9 4	44.4	42.9	17.5	M14	UCFL207-22	FL207	UC207-22			25.7	15.4	13.9	-	_	_	-	-	-	-	_	_	_
	4 7/													UCFL207		UC207		1.2				UCFL207C	UCFL207D	49	1 <sup>15</sup> / <sub>16</sub>	1.2	UCFL207FC	UCFL207FD	58	2 <sup>9</sup> / <sub>32</sub>	1.6
35	1 <sup>7</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>8</sub>													UCFL207-23 UCFLX07-22		UC207-23		1.2 1.9					_	-	_	-	-	-	_	-	-
	1-78	6 <sup>23</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>8</sub>	1 <sup>1</sup> / <sub>2</sub>	5 <sup>43</sup> / <sub>64</sub>	<sup>5</sup> /8	<sup>9</sup> /16	53/	<sup>64</sup> 2	<b>2</b> 1/ <sub>32</sub>	1.937	0.748	1/2	UCFLX07-22	FLX07	UCX07-22 UCX07			29.1	17.8	14.0	UCFLX07C	UCFLX07D	- 55.5	- 2 <sup>3</sup> /16	- 1.9	-	-	-	-	-
	1 <sup>7</sup> /16	171	105	38	144	16	14	21	1 5	51.2	49.2	19	M14	UCFLX07-23	I LAU7	UCX07-23		1.9	29.1	17.0	14.0	UCILXU/C	UCI LAU/D	55.5	2 -/ 16	1.9	-	_	_	-	_
ŀ	1 / 10	7 9/32	3 <sup>15</sup> /16	1 <sup>13</sup> /32	5 <sup>35</sup> / <sub>64</sub>	29/32	5/8	25/	/32 1	15/16	1.890	0.748	3/4											_		_			_	_	
	-	185	100	36	141	23		20		49	48	19	M20	UCFL307	FL307	UC307	1	1.8	33.4	19.3	13.2	-	-	-	-	-	UCFL307C	UCFL307D	64	2 <sup>17</sup> / <sub>32</sub>	2.2
	1 <sup>1</sup> / <sub>2</sub>									-	-	-		UCFL208-24		UC208-24	1	1.6				-	-	-	-	-	-	-	_	-	
	<b>1</b> <sup>9</sup> /16		3 <sup>15</sup> / <sub>16</sub>	1 <sup>13</sup> / <sub>32</sub>	5 <sup>43</sup> / <sub>64</sub>	5/8		53/		2 <sup>1</sup> / <sub>32</sub>	1.937	0.748	1/2	UCFL208-25	FL208	UC208-25			29.1	17.8	14.0	-	-	_	_	_	-	-	_	_	_
		175	100	36	144	16	14	21	ı 5	51.2	49.2	19	M14	UCFL208		UC208	1	1.6				UCFL208C	UCFL208D	55.5	2 <sup>3</sup> / <sub>16</sub>	1.6	UCFL208FC	UCFL208FD	64	2 <sup>17</sup> / <sub>32</sub>	2.0
40	1 <sup>1</sup> / <sub>2</sub>	7 <sup>1</sup> / <sub>16</sub>	4 <sup>3</sup> /8	1 <sup>9</sup> / <sub>16</sub>	5 <sup>53</sup> / <sub>64</sub>	5/8	<sup>9</sup> / <sub>16</sub>	55/	/ <sub>64</sub> 2	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	1/2	UCFLX08-24		UCX08-24	2	2.1	2/1	21.2	14.0	-	-	-	-	-	-	-	_	-	-
		179	111	40	148	16	14	22	2 5	52.2	49.2	19	M14	UCFLX08	FLX08	UCX08		2.1	34.1	21.3	14.0	UCFLX08C	UCFLX08D	56.5	<b>2</b> <sup>7</sup> / <sub>32</sub>	2.1	-	-	-	-	_
	1 <sup>1</sup> / <sub>2</sub>	7 <sup>7</sup> /8	4 <sup>13</sup> / <sub>32</sub>	1 <sup>9</sup> / <sub>16</sub>	6 7/32	<sup>29</sup> / <sub>32</sub>		29/		2 <sup>7</sup> / <sub>32</sub>	2.047	0.748	3/4	UCFL308-24	FL308	UC308-24		2.5	40.7	24.0	13.2	-	-	-	-	-	-	-	-	-	-
		200	112	40	158	23	17	23	3	56	52	19	M20	UCFL308	1 2000	UC308		2.5			1.3.2	-	-	-	-	-	UCFL308C	UCFL308D	71	2 <sup>25</sup> / <sub>32</sub>	3.0
	1 5/8													UCFL209-26		UC209-26		1.9				-	-	-	-	-	-	-	-	-	-
	<b>1</b> <sup>11</sup> / <sub>16</sub>		<b>4</b> <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> /2		3/4	<sup>19</sup> /32	55/			1.937	0.748	5/8	UCFL209-27	FL209	UC209-27		1.9	34.1	21.3	14.0	-	-	-	-	-	-	-	-	-	-
	1 3/4	188	108	38	148	19	15	22	2 5	52.2	49.2	19	M16	UCFL209-28		UC209-28		1.9	-			-	-	-	_	-	-	-	_	-	-
45	1 11/													UCFL209		UC209		1.9				UCFL209C	UCFL209D		2 <sup>7</sup> / <sub>32</sub>	1.9	UCFL209FC	UCFL209FD	66	2 <sup>19</sup> / <sub>32</sub>	2.3
	1 <sup>11</sup> / <sub>16</sub>	<b>7</b> <sup>7</sup> / <sub>16</sub>	4 <sup>9</sup> /16	1 <sup>9</sup> /16	6 <sup>3</sup> /16	5/8	9/16	29/	/32 2	2 <sup>3</sup> /16	2.031	0.748	1/2	UCFLX09-27	EL VOO	UCX09-27		2.4	25.1		14.4	-	-	-	-	-	-	-	-	-	-
	1 <sup>3</sup> /4		116	40	157	16	14	23		55.6	51.6	19	M14	UCFLX09-28	FLX09	UCX09-28			35.1	23.3	14.4	-	-	-	-	-	-	-	-	-	-
														UCFLX09		UCX09	2	2.4				UCFLX09C	UCFLX09D	60	2 <sup>3</sup> /8	2.4	-	-	-	-	-

.... 211~218, X10, 309~324

A-R1/8..

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFL206JL3, UC206L3)

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.

174



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{I}_{A2s}$ ) and tolerance of position of bolt hole (X) Unit: mm

	Housing No.		⊿A2s	X
FL204~FL210	FLX05~FLX10	FL305~FL310	±0.5	0.7
FL211~FL218		FL311~FL324	±0.8	1

Variations of tole	erance of bolt ho	ble diameter ( $\varDelta_N$	s) Unit: mm
	Housing No.		$\Delta_{Ns}$
FL204~FL218	FLX05~FLX10	FL305~FL311	±0.2
		FL312~FL324	±0.3

Forms and dimensions of  $L_{\rm c}$  of FL204JE3 and FL205JE3 (housing with cast iron cover) are shown below.



FL204JE3  $L_c = 65 \text{ mm}$ FL205JE3  $L_c = 73 \text{ mm}$ 

### UCFL

Cylindrical bore (with set screws)

d (45) ~ (90) mm





 $A_2$ 





Chat	t Dia.					Dim	ensions					Bolt	C	tandard				Basic		Factor	v	Vith Pressed St	aal Covor			With Cast Iro	n Covor		
mm							nch					Size	Unit	Housing	Bearing	Mass	s 10	basic oad Rati		Factor	v Unit		Dimension	Mass	Unit		n Cover Dimer	asion	Mass
111111	men						nm					JIZE	No.	No.	No.	IVI355		kN	iigs		Open Type		mm inch	IVIASS	Open Type			inch	viass
			_		_					_		inch	110.	110.	110.						opentype	closed type	iiiii iiicii		opentype	closed type		men	
	d	H	L	Α	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg		C <sub>r</sub>	$C_{0r}$	fo			$A_{ m s}$	kg			A	2	kg
45	1 <sup>3</sup> / <sub>4</sub>	<b>9</b> <sup>1</sup> / <sub>16</sub>	4 <sup>29</sup> / <sub>32</sub>	1 <sup>23</sup> / <sub>32</sub>	6 <sup>31</sup> / <sub>32</sub>	<sup>63</sup> / <sub>64</sub>	23/32	<sup>63</sup> / <sub>64</sub>	2 <sup>3</sup> /8	2.244	0.866	<sup>7</sup> /8	UCFL309-28	FL309	UC309-28	3.5	; ,	48.9 2	29.5	13.3	-	-		-	-	-	_	-	_
45		230	125	44	177	25	18	25	60	57	22	M22	UCFL309	TL309	UC309	3.5		+0.9 2	29.5	15.5	_	_		-	UCFL309C	UCFL309D	76	3	4.1
	1 7/8	(				24							UCFL210-30		UC210-30	2.2					-	-		-	-	-	_	-	_
	1 <sup>15</sup> /16	7 3/4	4 17/32	1 %	6 <sup>3</sup> / <sub>16</sub>	3/4	19/32	55/64	2 <sup>5</sup> / <sub>32</sub>	2.031	0.748	5/8	UCFL210-31	FL210	UC210-31	2.2		35.1 2	23.3	14.4	-	-		-	-		-	-	-
	2	197	115	40	157	19	15	22	54.6	51.6	19	M16	UCFL210 UCFL210-32		UC210 UC210-32	2.2					UCFL210C	UCFL210D	59 2 <sup>5</sup> / <sub>16</sub>	2.2	UCFL210FC	UCFL210FD	70.5	2 <sup>25</sup> / <sub>32</sub>	2.7
50	1 <sup>15</sup> /16												UCFLX10-31		UCX10-32	2.2 3.8						_		_			_	_	
	. , 10	8 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> / <sub>4</sub>	1 <sup>23</sup> / <sub>32</sub>	7 <sup>1</sup> / <sub>4</sub>	3/4	<sup>25</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>32</sub>	2 <sup>11</sup> / <sub>32</sub>	2.189	0.874	5/8	UCFLX10	FLX10	UCX10	3.8		43.4 2	29.4	14.4	UCFLX10C	UCFLX10D	64 2 <sup>17</sup> / <sub>32</sub>	3.8	_	_	_	_	_
	2	216	133	44	184	19	20	26	59.4	55.6	22.2	M16	UCFLX10-32		UCX10-32	3.8					_	-		-	_	-	_	-	_
	_	9 <sup>7/16</sup> 240	5 <sup>1</sup> / <sub>2</sub> 140	1 <sup>7</sup> /8 48	7 <sup>23</sup> / <sub>64</sub> 187	<sup>63/64</sup> 25	<sup>3</sup> / <sub>4</sub> 19	1 <sup>7</sup> / <sub>64</sub> 28	2 <sup>5</sup> /8 67	2.402 61	0.866 22	<sup>7</sup> /8 M22	UCFL310	FL310	UC310	4.4	+ 6	52.0 3	38.3	13.2	-	-		-	UCFL310C	UCFL310D	83	<b>3</b> %	5.2
	2	240	140	40	107	25	12	20	07	01	22	10122	UCFL211-32		UC211-32	3.3	;				_	_		-	_	_	_	-	
	2 <sup>1</sup> /8	8 <sup>13</sup> / <sub>16</sub>	5 <sup>1</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	<b>7</b> <sup>1</sup> / <sub>4</sub>	3/4	23/32	<sup>63</sup> / <sub>64</sub>	<b>2</b> <sup>5</sup> / <sub>16</sub>	2.189	0.874	<sup>5</sup> /8	UCFL211-34	EL 211	UC211-34	3.3	;	12.4		14.4	-	-		-	-	-	_	_	_
		224	130	43	184	19	18	25	58.4	55.6	22.2	M16	UCFL211	FL211	UC211	3.3	;   1	43.4 2	29.4	14.4	UCFL211C	UCFL211D	63 2 <sup>15</sup> / <sub>32</sub>	3.3	UCFL211FC	UCFL211FD	74.5	2 <sup>15</sup> / <sub>16</sub>	3.9
55	2 <sup>3</sup> / <sub>16</sub>												UCFL211-35		UC211-35	3.3	;				-	-		-	-	-	-		_
	2	9 <sup>27</sup> / <sub>32</sub>	5 <sup>29</sup> / <sub>32</sub>	2 <sup>1</sup> / <sub>16</sub>	<b>7</b> <sup>51</sup> / <sub>64</sub>	<sup>63</sup> / <sub>64</sub>	25/32	1 <sup>3</sup> / <sub>16</sub>	2 <sup>25</sup> /32	2.598	0.984	7/8	UCFL311-32		UC311-32	5.3					-	-		-	-	-	-	-	-
	234	250	150	52	198	25	20	30	71	66	25	M22	UCFL311	FL311	UC311	5.3		71.6 4	45.0	13.2	-	-		-	UCFL311C	UCFL311D	87	3 <sup>7</sup> /16	6.2
	2 <sup>3</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>4</sub>												UCFL311-35 UCFL212-36		UC311-35 UC212-36	5.3	_					-		-		_	_		
	2 74	9 <sup>27</sup> / <sub>32</sub>	5 <sup>1</sup> /2	1 7/8	7 <sup>61</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	23/32	1 <sup>9</sup> /64	2 <sup>23</sup> /32	2.563	1.000	3/4	UCFL212-30		UC212-30	4.2					UCFL212C	UCFL212D	 73.5 2 <sup>29</sup> / <sub>32</sub>	4.2	UCFL212FC	UCFL212FD	- 86	- 3 <sup>3</sup> /8	_ 5.0
	2 3/8	250	140	48	202	23	18	29	68.7	65.1	25.4	M20	UCFL212-38	FL212	UC212-38	4.2		52.4 3	36.2	14.4	-	-		-	-	-	_	_	_
60	2 7/16	230	110	10	202	23	10	27	00.7	05.1	23.1	11120	UCFL212-39		UC212-39	4.2					_	_		_	_	_	_	_	_
		10 5/8	<b>6</b> <sup>5</sup> /16	<b>2</b> <sup>7</sup> / <sub>32</sub>	8 <sup>11</sup> / <sub>32</sub>	1 <sup>7</sup> /32	7/8	1 <sup>19</sup> /64	3 <sup>1</sup> / <sub>16</sub>	2.795	1.024	1	UCFL312	FL 212	UC312	6.5	;	21.0		12.2	-	-		-	UCFL312C	UCFL312D	95	3 <sup>3</sup> /4	7.7
	2 7/16	270	160	56	212	31	22	33	78	71	26	M27	UCFL312-39	FL312	UC312-39	6.5		81.9 5	52.2	13.2	-	-		-	-	-	-		_
	2 <sup>1</sup> / <sub>2</sub>	10 5/32	6 <sup>3</sup> / <sub>32</sub>	1 <sup>31</sup> /32	8 <sup>17</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 <sup>3</sup> /16	2 <sup>3</sup> /4	2.563	1.000	3/4	UCFL213-40	FL213	UC213-40	5.1		57.2	40.1	14.4	-	-		-	-	-	-	-	-
65	2 1/2	258	155	50	210	23	20	30 1 <sup>19</sup> /64	69.7	65.1	25.4	M20	UCFL213		UC213	5.1					UCFL213C	UCFL213D	74.5 2 <sup>15</sup> / <sub>16</sub>	5.1	UCFL213FC	UCFL213FD	87	3 7/16	5.9
	2 ./2	11 <sup>5</sup> /8 295	6 <sup>7</sup> /8 175	2 <sup>9</sup> / <sub>32</sub> 58	9 <sup>29</sup> / <sub>64</sub> 240	1 <sup>7</sup> / <sub>32</sub> 31	<sup>31</sup> / <sub>32</sub> 25	33	3 <sup>1</sup> / <sub>16</sub> 78	2.953 75	1.181 30	M27	UCFL313-40 UCFL313	FL313	UC313-40 UC313	8.5		92.7 5	59.9	13.2	-	-		-	UCFL313C	UCFL313D	94	- 3 <sup>11</sup> / <sub>16</sub>	_ 9.6
	2 3/4	10 7/16	6 <sup>5</sup> / <sub>16</sub>	2 1/8	8 1/2	29/32	25/32	1 7/32	2 <sup>31</sup> / <sub>32</sub>	2.937	1.189	3/4	UCFL214-44		UC214-44	5.7	'					_		_	-	-	-	-	
70		265	160	54	216	23	20	31	75.4	74.6	30.2	M20	UCFL214	FL214	UC214	5.7	16	52.2 4	44.1	14.5	UCFL214C	UCFL214D	80.5 3 <sup>5</sup> / <sub>32</sub>	5.7	UCFL214FC	UCFL214FD	93	3 <sup>21</sup> / <sub>32</sub>	6.6
70	2 <sup>3</sup> / <sub>4</sub>	12 <sup>13</sup> / <sub>32</sub>	<b>7</b> 9/ <sub>32</sub>	2 <sup>13</sup> / <sub>32</sub>	9 <sup>27</sup> / <sub>32</sub>	1 <sup>3</sup> /8	1 <sup>3</sup> / <sub>32</sub>	1 <sup>27</sup> / <sub>64</sub>	3 <sup>3</sup> / <sub>16</sub>	3.071	1.299	1 <sup>1</sup> /8	UCFL314-44	FL314	UC314-44	9.7	1/	04 4	68.2	13.2	-	-		-	-	-	_	-	-
		315	185	61	250	35	28	36	81	78	33	M30	UCFL314	1 2314	UC314	9.7	·	04 6		13.2	-	-		-	UCFL314C	UCFL314D	98	3 <sup>27</sup> / <sub>32</sub>	10.8
	2 15/16	10 <sup>13</sup> /16	6 <sup>1</sup> /2	<b>2</b> <sup>7</sup> / <sub>32</sub>	8 <sup>55</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 <sup>11</sup> /32	3 <sup>3</sup> / <sub>32</sub>	3.063	1.311	3/4	UCFL215-47		UC215-47	6.4					-	-		-	-	-	-	-	-
	2	275	165	56	225	23	20	34	78.5	77.8	33.3	M20	UCFL215	FL215	UC215	6.4		57.4 4	48.3	14.5	UCFL215C	UCFL215D	83.5 3 <sup>9</sup> / <sub>32</sub>	6.4	UCFL215FC	UCFL215FD	96	3 <sup>25</sup> / <sub>32</sub>	7.4
75	3 2 <sup>15</sup> /16												UCFL215-48 UCFL315-47		UC215-48 UC315-47	6.4					_	_		-		-	_		
	2 /10		7 11/16		10 15/64	1 <sup>3</sup> /8	1 <sup>3</sup> / <sub>16</sub>	1 17/32		3.228	1.260	1 <sup>1</sup> /8	UCFL315	FL315	UC315-47	11.3		13 7	77.2	13.2	_	_			UCFL315C	UCFL315D	106	- 4 <sup>3</sup> / <sub>16</sub>	_ 12.6
	3	320	195	66	260	35	30	39	89	82	32	M30	UCFL315-48		UC315-48	11.3				13.2	_	_		_	-	-	_	-	_
	3 1/8	11 <sup>13</sup> /32	<b>7</b> <sup>3</sup> / <sub>32</sub>	<b>2</b> <sup>9</sup> / <sub>32</sub>	<b>9</b> <sup>11</sup> / <sub>64</sub>	<sup>63</sup> / <sub>64</sub>	<sup>25</sup> / <sub>32</sub>	1 11/32	3 <sup>9</sup> / <sub>32</sub>	3.252	1.311	7/8	UCFL216-50	51.216	UC216-50	7.8	3	727 7	-20	14.6	-	-		-	-	-	-	-	_
80		290	180	58	233	25	20	34	83.3	82.6	33.3	M22	UCFL216	FL216	UC216	7.8		72.7 5	53.0	14.6	UCFL216C	UCFL216D	88.5 3 <sup>15</sup> / <sub>32</sub>	7.8	UCFL216FC	UCFL216FD	103	4 <sup>1</sup> / <sub>16</sub>	9.0
00	-		8 <sup>9</sup> / <sub>32</sub> 210		11 <sup>7</sup> / <sub>32</sub> 285	1 <sup>1</sup> / <sub>2</sub> 38	1 <sup>1</sup> / <sub>4</sub> 32	1 <sup>1</sup> / <sub>2</sub> 38	3 <sup>17</sup> / <sub>32</sub> 90	3.386 86	1.339 34	1 <sup>1</sup> / <sub>4</sub> M33	UCFL316	FL316	UC316	14.4	12	23 8	86.7	13.3	-	-		-	UCFL316C	UCFL316D	107	4 <sup>7</sup> / <sub>32</sub>	15.8
	3 1/4			2 <sup>15</sup> /32		<sup>63</sup> / <sub>64</sub>	7/8	1 <sup>27</sup> / <sub>64</sub>			1.343		UCFL217-52	EL 247	UC217-52	9.8	3	24.0	(1.0	145	-	-		-	-	-	-	_	_
85		305	190	63	248	25	22	36	87.6	85.7	34.1	M22	UCFL217	FL217	UC217	9.8		84.0 6	51.9	14.5	UCFL217C	UCFL217D	92.5 3 <sup>21</sup> / <sub>32</sub>	9.8	UCFL217FC	UCFL217FD	107	4 <sup>7</sup> / <sub>32</sub>	11.2
65	_	14 <sup>9</sup> / <sub>16</sub>	8 <sup>21</sup> / <sub>32</sub>	2 <sup>29</sup> / <sub>32</sub>	11 <sup>13</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>4</sub>	1 47/64	3 <sup>15</sup> / <sub>16</sub>	3.780	1.575		UCFL317	FL317	UC317	16.0	1:	33 9	96.8	13.3	_			_	UCFL317C		117	4 <sup>19</sup> /32	176
		370	220	74	300	38	32	44	100	96	40	M33							.0.0	15.5						00113170	/	т / 32	
90	3 1/2				10 <sup>7</sup> /16		<sup>29</sup> / <sub>32</sub>		3 <sup>25</sup> / <sub>32</sub>		1.563	<sup>7</sup> /8	UCFL218-56	FL218	UC218-56	12.3		96.1 7	71.5	14.5	-	-		-	-	-	-	-	-
		320	205	68	265	25	23	40	96.3	96 numbers i	39.7	M22	UCFL218		UC218	12.3					UCFL218C	UCFL218D	101.5 4		UCFL218FC				

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

 A-1/4-28UNF

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFL206JL3, UC206L3)
 4. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 5. Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{I}_{A2s}$ ) and tolerance of position of bolt hole (X) Unit: mm

	Housing No.		⊿A2s	X
FL204~FL210	FLX05~FLX10	FL305~FL310	±0.5	0.7
FL211~FL218		FL311~FL324	±0.8	1

Variations of tolerance of bolt hole diameter (∠ <sub>Ns</sub> )         Unit: mm           Housing No.         ∠ <sub>Ns</sub> FL204~FL218         FLX05~FLX10         FL305~FL311         ±0.2											
		Housing No.		$\Delta_{Ns}$							
	FL204~FL218	FLX05~FLX10	FL305~FL311	±0.2							
			EL312~EL324	+0.3							

Forms and dimensions of  $L_{\rm c}$  of FL204JE3 and FL205JE3 (housing with cast iron cover) are shown below.



FL204JE3  $L_c = 65 \text{ mm}$ FL205JE3  $L_c = 73 \text{ mm}$ 

### UCFL

Cylindrical bore (with set screws)

d (90) ~ 120 mm









	haft Di	a.					Dime	nsions					Bolt	S	andard				Ba	sic	Factor		With Pressed St	teel Cover			With Cast Ire	on Cover		
n	m in	ch					iı	nch					Size	Unit	Housing	Bearing	Ma	/lass	Load R	atings		Ur	nit No.	Dimensio	n Ma	ss	Unit No.	Dime	ension	Mass
							n	nm					inch	No.	No.	No.			k	Ν		Open Type	Closed Type	mm in	ch	Open Ty	closed Type	mm	inch	
	d		Η	L	A	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				k	kg	$C_{ m r}$	$C_{0\mathrm{r}}$	fo			$A_{ m s}$	k			1	$A_{c}$	kg
	31	/2 1	5 <sup>5</sup> / <sub>32</sub>	<b>9</b> <sup>1</sup> / <sub>4</sub>	3	12 <sup>13</sup> /32	1 <sup>1</sup> / <sub>2</sub>	1 <sup>13</sup> /32	1 <sup>47</sup> / <sub>64</sub>	3 <sup>15</sup> /16	3.780	1.575	1 <sup>1</sup> /4	UCFL318-56	FL318	UC318-56	19	9.0	143	107	13.3	-	-			_	-	-	-	-
	90		385	235	76	315	38	36	44	100	96	40	M33	UCFL318	FL318	UC318	19	9.0	143	107	13.3	_	-			UCFL318	UCFL318D	119	4 <sup>11</sup> / <sub>16</sub>	20.9
	95	- 15	5 <sup>15</sup> / <sub>16</sub> 405	9 <sup>27</sup> / <sub>32</sub> 250	3 <sup>11</sup> / <sub>16</sub> 94	13 330	1 <sup>39</sup> / <sub>64</sub> 41	1 <sup>9</sup> / <sub>16</sub> 40	2 <sup>21</sup> / <sub>64</sub> 59	4 <sup>3</sup> / <sub>4</sub> 121	4.055 103	1.614 41	1 <sup>3</sup> / <sub>8</sub> M36	UCFL319	FL319	UC319	24	4.6	153	119	13.3	-	-		-   -	UCFL319	UCFL319D	140	5 <sup>1</sup> / <sub>2</sub>	26.8
		1	75/	105/	2.11/	1 4 11 /	1 47/	1.0/	2.21/	4.207	4 252	1.654	11/	UCFL320		UC320	29	9.4				_	-			UCFL320	UCFL320D	146	5 <sup>3</sup> /4	32.2
1	<b>)0</b> 3 1	5/16	/ 3/16	10 3/8	3 11/16	14 1764	I 47/64	I <sup>2</sup> /16	2 <sup>21</sup> /64	4 29/32	4.252	1.654	1 1/2	UCFL320-63	FL320	UC320-63	29	9.4	173	141	13.2	-	-		-   -	-	-	- 1	-	-
	4		440	270	94	360	44	40	59	125	108	42	M39	UCFL320-64		UC320-64	29	9.4				-	-		-   -	-	-	-	-	-
1	10	- 1	18 <sup>1</sup> / <sub>2</sub> 470	11 <sup>13</sup> / <sub>16</sub> 300	3 <sup>25</sup> / <sub>32</sub> 96	15 <sup>23</sup> / <sub>64</sub> 390	1 <sup>47</sup> / <sub>64</sub> 44	1 <sup>21</sup> / <sub>32</sub> 42	2 <sup>23</sup> / <sub>64</sub> 60	5 <sup>5</sup> / <sub>32</sub> 131	4.606 117	1.811 46	1 <sup>1</sup> / <sub>2</sub> M39	UCFL322	FL322	UC322	36	6.2	205	180	13.2	-	-			UCFL322	UCFL322D	154	6 <sup>1</sup> / <sub>16</sub>	39.6
1	20	_ 20	0 15/32	13	4 11/32	16 59/64	1 <sup>27</sup> / <sub>32</sub>	1 7/8	<b>2</b> %/16	5 <sup>1</sup> / <sub>2</sub>	4.961	2.008	1 5/8	UCFL324	FL324	UC324	51	1.6	207	185	13.5	_	_			UCFL324	UCFL324D	163	6 <sup>13</sup> / <sub>32</sub>	56.4
			520	330	110	430	47	48	65	140	126	51	M42																-	1

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFL206JL3, UC206L3)
4. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
5. Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{I}_{A2s}$ ) and tolerance of position of bolt hole (X) Unit<sup>,</sup> mm

	Housing No.		⊿A2s	X
FL204~FL210	FLX05~FLX10	FL305~FL310	±0.5	0.7
FL211~FL218		FL311~FL324	±0.8	1

Variations of tolerance of bolt hole diameter ( $\Delta_{Ns}$ )         Unit: mm           Housing No. $\Delta_{Ns}$													
FL204~FL218	FLX05~FLX10	FL305~FL311	±0.2										
		FL312~FL324	±0.3										

Forms and dimensions of  $L_{\rm c}$  of FL204JE3 and FL205JE3 (housing with cast iron cover) are shown below.



FL204JE3  $L_c = 65 \text{ mm}$ FL205JE3  $L_c = 73 \text{ mm}$ 

### UCFL-E

Cylindrical bore (with set screws)

d 12 ~ 75 mm







	<b>'t Dia.</b> inch					iı	ensions nch nm					Bolt Size	Unit No.	Housing No.	Bearing No.	Ba Load R k	atings	Factor	Mass
	d	H	L	A	J	Ν	$A_1$	$A_2$	$A_0$	В	S	inch				$C_{ m r}$	$C_{0r}$	$f_0$	kg
12													UCFL201E		UC201				0.42
	1/2		0.7/			25.4	- (	10.1					UCFL201-8E		UC201-8				
15		3 <sup>27</sup> / <sub>32</sub>	2 <sup>7</sup> / <sub>32</sub>	1	3	25/64	7/16	19/32	1 5/16	1.220	0.500	5/16	UCFL202E	FL203E	UC202	12.8	6.65	13.2	0.4
	5/8	98	56	25.5	76.2	10	11	15	33.3	31	12.7		UCFL202-10E		UC202-10				
17													UCFL203E		UC203				0.39
20	3/4	4 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> /8	1	3 <sup>17</sup> / <sub>32</sub>	<sup>25</sup> / <sub>64</sub>	7/16	<sup>19</sup> / <sub>32</sub>	1 <sup>5</sup> / <sub>16</sub>	1.220	0.500	5/16	UCFL204-12E	FL204E	UC204-12	12.8	6.65	13.2	0.48
20		113	60	25.5	89.7	10	11	15	33.3	31	12.7	716	UCFL204E	TL204L	UC204	12.0	0.05	13.2	0.40
	7/8												UCFL205-14E		UC205-14				
25	15/16	5 <sup>1</sup> /8	2 <sup>11</sup> / <sub>16</sub>	1 <sup>1</sup> /16	3 57/64	15/32	1/2	5/8	1 <sup>13</sup> / <sub>32</sub>	1.343	0.563	3/8	UCFL205-15E	FL205E	UC205-15	14.0	7.85	13.9	0.64
		130	68	27	98.8	12	13	16	35.8	34.1	14.3		UCFL205E		UC205				
	1												UCFL205-16E		UC205-16				<u> </u>
	1 <sup>1</sup> /8						.,	15.1					UCFL206-18E		UC206-18				
30		5 <sup>13</sup> / <sub>16</sub>	3 5/32	1 7/32	4 <sup>19</sup> / <sub>32</sub>	15/32	1/2	45/64	1 <sup>19</sup> / <sub>32</sub>	1.500	0.626	3/8	UCFL206E	FL206E	UC206	19.5	11.3	13.9	0.93
	1 <sup>3</sup> / <sub>16</sub>	148	80	31	116.7	12	13	18	40.2	38.1	15.9		UCFL206-19E		UC206-19				
	$1^{1/4}$												UCFL206-20E UCFL207-20E		UC206-20				<u> </u>
	1												UCFL207-20E		UC207-20 UC207-21				
35	1 <sup>5</sup> /16 1 <sup>3</sup> /8	6 <sup>11</sup> / <sub>32</sub>	3 <sup>17</sup> / <sub>32</sub>	1 11/32	5 <sup>1</sup> /8	33/64	<sup>9</sup> /16	3/4	1 <sup>3</sup> / <sub>4</sub>	1.689	0.689	7/16	UCFL207-21E	FL207E	UC207-21 UC207-22	25.7	15.4	13.9	1.2
33	1 7/8	161	90	34	130.2	13	14	19	44.4	42.9	17.5	1/16	UCFL207E	FL20/E	UC207-22 UC207	25./	15.4	13.9	1.2
	<b>1</b> <sup>7</sup> / <sub>16</sub>												UCFL207-23E		UC207-23				
	1 <sup>1</sup> /16												UCFL207-23E		UC207-23 UC208-24				<u> </u>
40	1 <sup>9</sup> / <sub>16</sub>	6 <sup>7</sup> /8	<b>3</b> <sup>15</sup> / <sub>16</sub>	1 <sup>13</sup> /32	5 <sup>21</sup> / <sub>32</sub>	33/64	<sup>9</sup> /16	<sup>53</sup> /64	<b>2</b> <sup>1</sup> / <sub>32</sub>	1.937	0.748	7/16	UCFL208-25E	FL208E	UC208-25	29.1	17.8	14.0	1.6
-10	1 /10	175	100	36	143.7	13	14	21	51.2	49.2	19	710	UCFL208E		UC208	27.1	17.0	14.0	1.0
	1 5/8												UCFL209-26E		UC209-26				<u> </u>
	1 11/16	7 <sup>13</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> /2	5 <sup>27</sup> / <sub>32</sub>	<sup>19</sup> /32	<sup>19</sup> /32	55/64	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748		UCFL209-27E		UC209-27				
45	1 3/4	188	108	38	148.4	15	15	22	52.2	49.2	19	1/2	UCFL209-28E	FL209E	UC209-28	34.1	21.3	14.0	1.9
													UCFL209E		UC209				
	1 7/8												UCFL210-30E		UC210-30				
50	1 15/16	7 <sup>3</sup> /4	4 <sup>17</sup> / <sub>32</sub>	1 <sup>9</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	<sup>19</sup> / <sub>32</sub>	19/32	<sup>55</sup> / <sub>64</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.031	0.748	1/2	UCFL210-31E	FL210E	UC210-31	25.1	23.3	14.4	2.2
50		197	115	40	157	15	15	22	54.6	51.6	19	./2	UCFL210E	FLZIUE	UC210	35.1	23.3	14.4	2.2
	2												UCFL210-32E		UC210-32				
	2												UCFL211-32E		UC211-32				
55	2 <sup>1</sup> / <sub>8</sub>	8 13/16	5 <sup>1</sup> /8	<b>1</b> <sup>11</sup> / <sub>16</sub>	7 <sup>1</sup> / <sub>4</sub>	21/32	<sup>23</sup> / <sub>32</sub>	<sup>63</sup> / <sub>64</sub>	2 <sup>5</sup> / <sub>16</sub>	2.189	0.874	9/16	UCFL211-34E	FL211E	UC211-34	43.4	29.4	14.4	3.3
55		224	130	43	184	16.5	18	25	58.4	55.6	22.2	710	UCFL211E		UC211	13.1	27.1		5.5
	2 <sup>3</sup> /16												UCFL211-35E		UC211-35				<b></b>
	2 1/4												UCFL212-36E		UC212-36				1
60		9 <sup>27</sup> / <sub>32</sub>	5 <sup>1</sup> / <sub>2</sub>	1 7/8	7 <sup>61</sup> / <sub>64</sub>	21/32	23/32	1 <sup>9</sup> /64	2 <sup>23</sup> / <sub>32</sub>	2.563	1.000	<sup>9</sup> / <sub>16</sub>	UCFL212E	FL212E	UC212	52.4	36.2	14.4	4.2
	2 <sup>3</sup> /8	250	140	48	202	16.5	18	29	68.7	65.1	25.4		UCFL212-38E		UC212-38				
	2 <sup>7</sup> / <sub>16</sub>	105/	631	4 31 /	0.17/	21.4	25 /	1 2/	221	2.542	1 000		UCFL212-39E		UC212-39				<u> </u>
65	2 <sup>1</sup> / <sub>2</sub>	10 5/32	6 <sup>3</sup> /32	1 <sup>31</sup> / <sub>32</sub>	8 <sup>17</sup> / <sub>64</sub>	<sup>21</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 <sup>3</sup> /16	2 <sup>3</sup> /4	2.563	1.000	<sup>9</sup> /16	UCFL213-40E	FL213E	UC213-40	57.2	40.1	14.4	5.2
	2 <sup>3</sup> /4	258 10 <sup>7</sup> / <sub>16</sub>	155 6 <sup>5</sup> /16	50 2 <sup>1</sup> /8	210 8 <sup>1</sup> /2	<sup>21</sup> / <sub>32</sub>	20 25/32	30 1 <sup>7</sup> / <sub>32</sub>	69.7 2 <sup>31</sup> /32	65.1 2.937	25.4 1.189		UCFL213E UCFL214-44E		UC213 UC214-44				<u> </u>
70	2-/4	265	160	2 ·/8 54	216	16.5	20	31	75.4	74.6	30.2	<sup>9</sup> / <sub>16</sub>	UCFL214-44E	FL214E	UC214-44 UC214	62.2	44.1	14.5	5.7
	2 <sup>15</sup> /16			54		10.5	20		70.4	/4.0	30.2		UCFL214E		UC214 UC215-47				<u> </u>
75	2 /10	10 13/16	6 <sup>1</sup> / <sub>2</sub>	<b>2</b> <sup>7</sup> / <sub>32</sub>	8 <sup>55</sup> / <sub>64</sub>	3/4	<sup>25</sup> / <sub>32</sub>	1 11/32	3 <sup>3</sup> / <sub>32</sub>	3.063	1.311	11/16	UCFL215E	FL215E	UC215-47	67.4	48.3	14.5	6.4
75	3	275	165	56	225	19	20	34	78.5	77.8	33.3	/10	UCFL215-48E		UC215-48		-10.5	1-1.5	0.7
	1.5	1										1		1	00215-40				

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFL206EJL3, UC206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
FL203E~FL210E	±0.5	0.7
FL211E~FL217E	±0.8	1

	Unit: mm
Housing No.	$\Delta_{Ns}$
FL203E~FL217E	±0.2

### UCFL-E

Cylindrical bore (with set screws)

d 80 ~ 85 mm



1	Shaf	t Dia.					Dime	ensions					Bolt	Unit	Housing	Bearing	Ba	sic	Factor	Mass
	mm	inch					iı	nch					Size	No.	No.	No.	Load R	atings		
							n	nm					inch				k	N		
	C	ł	H	L	Α	J	N	$A_1$	$A_2$	$A_0$	В	S					$C_{ m r}$	$C_{0\mathrm{r}}$	$f_0$	kg
	80	3 <sup>1</sup> / <sub>8</sub>	11 <sup>13</sup> / <sub>32</sub>	7 <sup>3</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>32</sub>	9 <sup>11</sup> / <sub>64</sub>	3/4	<sup>25</sup> / <sub>32</sub>	1 <sup>11</sup> / <sub>32</sub>	3 <sup>9</sup> / <sub>32</sub>	3.252	1.311	11/16	UCFL216-50E	FL216E	UC216-50	72.7	53.0	14.6	7.8
	80		290	180	58	233	19	20	34	83.3	82.6	33.3	/16	UCFL216E	FL210E	UC216	/2./	55.0	14.0	7.0
	85	3 1/4	12	7 <sup>15</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>32</sub>	9 <sup>49</sup> / <sub>64</sub>	3/4	7/8	1 <sup>27</sup> / <sub>64</sub>	3 <sup>7</sup> / <sub>16</sub>	3.374	1.343	11/	UCFL217-52E	FL217E	UC217-52	84.0	61.9	14.5	9.8
1	05		305	190	63	248	19	22	36	87.6	85.7	34.1	11/16	UCFL217E	FL21/E	UC217	04.0	01.9	14.5	9.0

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFL206EJL3, UC206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
FL203E~FL210E	±0.5	0.7
FL211E~FL217E	±0.8	1

	Unit: mm
Housing No.	$\Delta_{Ns}$
FL203E~FL217E	±0.2

### NANFL

### Cylindrical bore

(with eccentric locking collar) *d* 12 ~ 55 mm





 $A_1$  $A_2$ 

	ft Dia						ensions					Bolt	Unit	Housing	Bearing		sic	Factor	Mass
mm	inch						nch					Size	No.	No.	No.	1	Ratings		
	d	Н	L	Α	J	N n	$A_1$	$A_2$	$A_0$	$B_1$	S	inch				Cr K	${ m N}$ $C_{0{ m r}}$	fo	kg
12													NANFL201		NA201				
	1/2												NANFL201-8		NA201-8				
15	,-												NANFL202		NA202				
	5/8	4 <sup>7</sup> /16	2 <sup>3</sup> /8	1 <sup>5</sup> /32	3 <sup>17</sup> / <sub>32</sub>	<sup>25</sup> / <sub>64</sub>	7/16	3/4	1 <sup>25</sup> / <sub>32</sub>	1.720	0.673	5/16	NANFL202-10	NFL204	NA202-10	12.8	6.65	13.2	0.59
17		113	60	29.5	89.7	10	11	19	45.6	43.7	17.1		NANFL203		NA203				
	3/4												NANFL204-12		NA204-12				
20													NANFL204		NA204				
	7/8												NANFL205-14		NA205-14				
	15/16	5 <sup>1</sup> /8	2 <sup>11</sup> / <sub>16</sub>	1 7/32	3 57/64	15/32	1/2	<sup>25</sup> / <sub>32</sub>	1 <sup>27</sup> / <sub>32</sub>	1.748	0.689	2/	NANFL205-15		NA205-15	14.0	7.05	12.0	
25		130	68	31	98.8	12	13	20	46.9	44.4	17.5	3/8	NANFL205	NFL205	NA205	14.0	7.85	13.9	0.9
	1												NANFL205-16		NA205-16				
	1 <sup>1</sup> /8												NANFL206-18		NA206-18				
20		5 <sup>13</sup> /16	<b>3</b> <sup>5</sup> / <sub>32</sub>	1 <sup>11</sup> /32	4 <sup>19</sup> / <sub>32</sub>	<sup>15</sup> / <sub>32</sub>	1/2	<sup>53</sup> /64	2	1.906	0.720	3/8	NANFL206	NFL206	NA206	10.5	11.2	12.0	1.1
30	1 <sup>3</sup> / <sub>16</sub>	148	80	34	116.7	12	13	21	51.1	48.4	18.3	3/8	NANFL206-19	INFL200	NA206-19	19.5	11.3	13.9	1.1
	1 <sup>1</sup> /4												NANFL206-20		NA206-20				
	1 <sup>1</sup> / <sub>4</sub>												NANFL207-20		NA207-20				
	<b>1</b> <sup>5</sup> /16	6 11/32	3 <sup>17</sup> / <sub>32</sub>	1 7/16	5 <sup>1</sup> /8	33/64	<sup>9/</sup> 16	27/32	2 <sup>1</sup> /8	2.012	0.740		NANFL207-21		NA207-21				
35	1 <sup>3</sup> /8	161	90	36.5	130.2	13	14	21.5	53.8	51.1	18.8	7/16	NANFL207-22	NFL207	NA207-22	25.7	15.4	13.9	1.6
		101	90	30.5	130.2	15	14	21.5	55.0	51.1	10.0		NANFL207		NA207				
	<b>1</b> <sup>7</sup> / <sub>16</sub>												NANFL207-23		NA207-23				
	1 <sup>1</sup> / <sub>2</sub>	67/8	3 <sup>15</sup> /16	1 <sup>17</sup> /32	5 <sup>21</sup> /32	33/64	<sup>9</sup> /16	15/16	2 <sup>5</sup> /16	2.217	0.843		NANFL208-24		NA208-24				
40	1 <sup>9</sup> / <sub>16</sub>	175	100	39	143.7	13	14	24	58.9	56.3	21.4	7/16	NANFL208-25	NFL208	NA208-25	29.1	17.8	14.0	2.0
		175	100	57	115.7	15		21	50.5	50.5	2111		NANFL208		NA208				
	1 5/8												NANFL209-26		NA209-26				
45	<b>1</b> <sup>11</sup> / <sub>16</sub>	7 <sup>13</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>4</sub>	1 %16	5 <sup>27</sup> / <sub>32</sub>	19/32	9/16	15/16	2 <sup>5</sup> /16	2.217	0.843	1/2	NANFL209-27	NFL209	NA209-27	34.1	21.3	14.0	2.3
	1 <sup>3</sup> / <sub>4</sub>	188	108	40	148.4	15	14	24	58.9	56.3	21.4	12	NANFL209-28		NA209-28				
	. 7.6		-										NANFL209		NA209				
	1 <sup>7</sup> /8												NANFL210-30		NA210-30				
50	<b>1</b> <sup>15</sup> / <sub>16</sub>	7 <sup>3</sup> / <sub>4</sub>	4 <sup>17</sup> / <sub>32</sub>	1 <sup>27</sup> / <sub>32</sub>	6 <sup>3</sup> / <sub>16</sub>	<sup>19</sup> / <sub>32</sub>	9/16	1 <sup>1</sup> /8	2 <sup>5</sup> /8	2.469	0.969	1/2	NANFL210-31	NFL210	NA210-31	35.1	23.3	14.4	2.7
		197	115	46.5	157	15	14	28.5	66.6	62.7	24.6		NANFL210		NA210				
	2												NANFL210-32		NA210-32				
	2	0.127	- 17		- 14	21.4	25.4	. 17.	0.21.4				NANFL211-32		NA211-32				
55	2 <sup>1</sup> /8	8 <sup>13</sup> /16	5 <sup>1</sup> /8	1 <sup>31</sup> / <sub>32</sub>	7 <sup>1</sup> /4	<sup>21</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 <sup>17</sup> /64	2 <sup>31</sup> / <sub>32</sub>	2.811	1.094	9/16	NANFL211-34	NFL211	NA211-34	43.4	29.4	14.4	4.1
		224	130	50	184	16.5	20	32	75.6	71.4	27.8		NANFL211		NA211				
	2 <sup>3</sup> /16												NANFL211-35		NA211-35				

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 211

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ) and tolerance of position of bolt hole (X)

or position or boit noic (21)		
		Unit: mm
Housing No.	⊿A2s	X
NFL204~NFL210	±0.5	0.7
NFL211	±0.8	1

	Unit: mm
Housing No.	$\Delta_{Ns}$
NFL204~NFL211	±0.2

### NCFL

Cylindrical bore (with concentric locking collar) d 20 ~ 60 mm





 $A_1$  $A_2$ A

Sha mm	<b>ft Dia.</b> inch					D	imensio inch mm	ns					Bolt Size	Unit No.	Housing No.	Bearing No.	Load F	<b>sic Ratings</b> N	Factor	Mass
	d	H	L	A	J	N	$A_1$	$A_2$	$A_0$	$B_1$	S	$d_1$	mm				$C_{\rm r}$	$C_{0\mathrm{r}}$	f0	kg
20	3/4	4 <sup>7</sup> / <sub>16</sub> 113	2 <sup>3</sup> / <sub>8</sub> 60	1 25.5	3 <sup>35</sup> / <sub>64</sub> 90	<sup>15</sup> / <sub>32</sub> 12	<sup>7</sup> / <sub>16</sub> 11	<sup>19</sup> / <sub>32</sub> 15	1 <sup>3</sup> / <sub>8</sub> 34.8	1 <sup>9</sup> / <sub>32</sub> 32.5	0.500 12.7	1 <sup>3</sup> / <sub>4</sub> 44.5	<sup>3</sup> / <sub>8</sub> M10	NCFL204-12 NCFL204	FL204	NC204-12 NC204	12.8	6.65	13.2	0.62
25	7/ <sub>8</sub> 15/ <sub>16</sub>	5 <sup>1</sup> /8 130	2 <sup>11</sup> / <sub>16</sub> 68	1 <sup>1</sup> /16 27	3 <sup>57</sup> / <sub>64</sub> 99	<sup>5</sup> /8 16	1/ <sub>2</sub> 13	<sup>5</sup> /8 16	1 <sup>1</sup> / <sub>2</sub> 38.2	1 <sup>7</sup> / <sub>16</sub> 36.5	0.563 14.3	1 <sup>15/</sup> 16 49.2	1/2 M14	NCFL205-14 NCFL205-15 NCFL205	FL205	NC205-14 NC205-15 NC205	14.0	7.85	13.9	0.84
30	1 1 <sup>1</sup> /8 1 <sup>3</sup> /16	5 <sup>13</sup> / <sub>16</sub> 148	3 <sup>5</sup> / <sub>32</sub> 80	1 <sup>7</sup> / <sub>32</sub> 31	4 <sup>39</sup> / <sub>64</sub> 117	<sup>5</sup> /8 16	1/ <sub>2</sub> 13	<sup>45</sup> / <sub>64</sub> 18	1 <sup>21</sup> / <sub>32</sub> 41.8	1 <sup>9</sup> / <sub>16</sub> 39.7	0.626 15.9	2 <sup>3</sup> / <sub>16</sub> 55.6	1/2 M14	NCFL205-16 NCFL206-18 NCFL206 NCFL206-19	FL206	NC205-16 NC206-18 NC206 NC206-19	19.5	11.3	13.9	1.1
	1 <sup>1</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>4</sub>	6 <sup>11/</sup> <sub>32</sub> 161	3 <sup>17</sup> / <sub>32</sub> 90	1 <sup>11</sup> / <sub>32</sub> 34	5 <sup>1</sup> / <sub>8</sub> 130	<sup>5</sup> /8 16	<sup>9/</sup> 16 14	<sup>3</sup> / <sub>4</sub> 19	1 <sup>13</sup> / <sub>16</sub> 46	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>7</sup> / <sub>16</sub> 61.9	1/2 M14	NCFL206-20 NCFL207-20	FL207	NC206-20 NC207-20	25.7	15.4	13.9	1.5
35	1 <sup>3</sup> / <sub>8</sub> 1 <sup>7</sup> / <sub>16</sub>	6 <sup>11</sup> / <sub>32</sub> 161	3 <sup>17</sup> / <sub>32</sub> 90	1 <sup>11</sup> / <sub>32</sub> 34	5 <sup>1</sup> / <sub>8</sub> 130	<sup>5</sup> /8 16	<sup>9</sup> / <sub>16</sub> 14	<sup>3</sup> / <sub>4</sub> 19	1 <sup>13</sup> / <sub>16</sub> 46	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>9</sup> / <sub>16</sub> 65.1	1/2 M14	NCFL207-22 NCFL207 NCFL207-23	FL207	NC207-22 NC207 NC207-23	25.7	15.4	13.9	1.5
40	1 1/2	6 <sup>7</sup> /8 175	3 <sup>15</sup> / <sub>16</sub> 100	1 <sup>13</sup> / <sub>32</sub> 36	5 <sup>43</sup> / <sub>64</sub> 144	⁵/ <sub>8</sub> 16	<sup>9/16</sup> 14	<sup>53</sup> / <sub>64</sub> 21	2 <sup>3</sup> / <sub>32</sub> 52.8	2 50.8	0.748 19	2 <sup>11</sup> / <sub>16</sub> 68.3	<sup>1</sup> / <sub>2</sub> M14	NCFL208-24 NCFL208	FL208	NC208-24 NC208	29.1	17.8	14.0	2.0
	1 5/8	7 <sup>13</sup> / <sub>32</sub> 188	4 <sup>1</sup> / <sub>4</sub> 108	1 <sup>1</sup> / <sub>2</sub> 38	5 <sup>53</sup> / <sub>64</sub> 148	<sup>3</sup> / <sub>4</sub> 19	<sup>19/</sup> 32 15	<sup>55</sup> / <sub>64</sub> 22	2 <sup>1</sup> / <sub>8</sub> 53.8	2 50.8	0.748 19	2 <sup>13</sup> / <sub>16</sub> 71.4	<sup>5</sup> / <sub>8</sub> M16	NCFL209-26	FL209	NC209-26	34.1	21.3	14.0	2.3
45	1 <sup>11</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>4</sub>	7 <sup>13</sup> / <sub>32</sub> 188	4 <sup>1</sup> / <sub>4</sub> 108	1 <sup>1</sup> / <sub>2</sub> 38	5 <sup>53</sup> / <sub>64</sub> 148	<sup>3</sup> / <sub>4</sub> 19	<sup>19</sup> / <sub>32</sub> 15	<sup>55</sup> / <sub>64</sub> 22	2 <sup>1</sup> / <sub>8</sub> 53.8	2 50.8	0.748 19	2 <sup>15</sup> / <sub>16</sub> 74.6	<sup>5</sup> /8 M16	NCFL209-27 NCFL209-28 NCFL209	FL209	NC209-27 NC209-28 NC209	34.1	21.3	14.0	2.3
50	1 <sup>15</sup> / <sub>16</sub>	7 <sup>3</sup> / <sub>4</sub> 197	4 <sup>17</sup> / <sub>32</sub> 115	1 <sup>9</sup> / <sub>16</sub> 40	6 <sup>3</sup> / <sub>16</sub> 157	<sup>3</sup> / <sub>4</sub> 19	<sup>19/</sup> 32 15	<sup>55</sup> / <sub>64</sub> 22	2 <sup>7</sup> / <sub>32</sub> 56.1	2 <sup>3</sup> / <sub>32</sub> 53.1	0.748 19	3 ³/ <sub>8</sub> 85.7	<sup>5</sup> /8 M16	NCFL210-31 NCFL210 NCFL210-32	FL210	NC210-31 NC210 NC210-32	35.1	23.3	14.4	2.8
55	2	8 <sup>13</sup> / <sub>16</sub> 224	5 <sup>1</sup> /8 130	1 <sup>11</sup> / <sub>16</sub> 43	7 <sup>1</sup> / <sub>4</sub> 184	<sup>3</sup> / <sub>4</sub> 19	<sup>23</sup> / <sub>32</sub> 18	<sup>63</sup> / <sub>64</sub> 25	2 <sup>11</sup> / <sub>32</sub> 59.9	2 <sup>1</sup> / <sub>4</sub> 57.1	0.874 22.2	3 <sup>1</sup> / <sub>2</sub> 88.9	<sup>5</sup> /8 M16	NCFL211-32	FL211	NC211-32	43.4	29.4	14.4	3.7
	2 <sup>3</sup> / <sub>16</sub>	8 <sup>13</sup> /16 224	5 <sup>1</sup> / <sub>8</sub> 130	1 <sup>11</sup> / <sub>16</sub> 43	7 <sup>1</sup> / <sub>4</sub> 184	<sup>3</sup> / <sub>4</sub> <u>19</u>	<sup>23</sup> / <sub>32</sub> <u>18</u>	<sup>63</sup> / <sub>64</sub> 25	2 <sup>11</sup> / <sub>32</sub> 59.9	2 <sup>1</sup> / <sub>4</sub> 57.1	0.874	3 <sup>5</sup> /8 92.1	<sup>5</sup> /8 M16	NCFL211 NCFL211-35	FL211	NC211 NC211-35	43.4	29.4	14.4	3.7
60	2 1/4	9 <sup>27</sup> / <sub>32</sub> 250	5 <sup>1</sup> / <sub>2</sub> 140	1 <sup>7</sup> /8 48	7 <sup>61</sup> / <sub>64</sub> 202	<sup>29</sup> / <sub>32</sub> 23	<sup>23</sup> / <sub>32</sub> <u>18</u>	1 <sup>9</sup> / <sub>64</sub> 29	2 <sup>25</sup> / <sub>32</sub> 70.3	2 <sup>5</sup> /8 66.7	1.000 25.4	4 <sup>1</sup> / <sub>16</sub> 103.2	<sup>3</sup> / <sub>4</sub> M20	NCFL212-36	FL212	NC212-36	52.4	36.2	14.4	4.9
	2 <sup>7</sup> /16	9 <sup>27</sup> / <sub>32</sub> 250	5 <sup>1</sup> / <sub>2</sub> 140	1 <sup>7</sup> /8 48	7 <sup>61</sup> / <sub>64</sub> 202	<sup>29</sup> / <sub>32</sub> 23	<sup>23</sup> / <sub>32</sub> 18	1 <sup>9</sup> / <sub>64</sub> 29	2 <sup>25</sup> / <sub>32</sub> 70.3	2 <sup>5</sup> /8 66.7	1.000 25.4	4 <sup>1</sup> / <sub>8</sub> 104.8	<sup>3</sup> / <sub>4</sub> M20	NCFL212 NCFL212-39	FL212	NC212 NC212-39	52.4	36.2	14.4	4.9

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-R1/8

 211~212

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
FL204~FL210	±0.5	0.7
FL211~FL212	±0.8	1

	Unit: mm
Housing No.	$\Delta_{Ns}$
FL204~FL212	±0.2

### NCFL-E

Cylindrical bore (with concentric locking collar) d 20 ~ 60 mm





 $A_1$  $A_2$ A

Sha mm	f <b>t Dia.</b> inch					D	imensic inch mm	ons					Bolt Size	Unit No.	Housing No.	Bearing No.	Load R	<b>sic</b> Ratings N	Factor	Mass
	d	Н	L	A	J	Ν	$A_1$	$A_2$	$A_0$	$B_1$	S	$d_1$	inch				$C_{ m r}$	$C_{0\mathrm{r}}$	$f_0$	kg
20	3/4	4 <sup>7</sup> / <sub>16</sub> 113	2 <sup>3</sup> / <sub>8</sub> 60	1 25.5	3 <sup>17</sup> / <sub>32</sub> 89.7	<sup>25</sup> / <sub>64</sub> 10	<sup>7</sup> / <sub>16</sub> 11	<sup>19/</sup> 32 15	1 <sup>3</sup> /8 34.8	1 <sup>9</sup> / <sub>32</sub> 32.5	0.500 12.7	1 <sup>3</sup> / <sub>4</sub> 44.5	<sup>5</sup> / <sub>16</sub>	NCFL204-12E NCFL204E	FL204E	NC204-12 NC204	12.8	6.65	13.2	0.62
25	7/8 15/16	5 <sup>1</sup> /8 130	2 <sup>11</sup> / <sub>16</sub> 68	1 <sup>1</sup> / <sub>16</sub> 27	3 <sup>57</sup> / <sub>64</sub> 98.8	<sup>15</sup> / <sub>32</sub> 12	1/2 13	<sup>5</sup> /8 16	1 <sup>1</sup> / <sub>2</sub> 38.2	1 <sup>7</sup> / <sub>16</sub> 36.5	0.563 14.3	1 <sup>15</sup> / <sub>16</sub> 49.2	3/8	NCFL205-14E NCFL205-15E NCFL205E NCFL205-16E	FL205E	NC205-14 NC205-15 NC205 NC205-16	14.0	7.85	13.9	0.84
30	1 <sup>1</sup> /8 1 <sup>3</sup> /16 1 <sup>1</sup> /4	5 <sup>13</sup> / <sub>16</sub> 148	3 <sup>5</sup> / <sub>32</sub> 80	1 <sup>7</sup> / <sub>32</sub> 31	4 <sup>19</sup> / <sub>32</sub> 116.7	<sup>15</sup> / <sub>32</sub> 12	1/ <sub>2</sub> 13	<sup>45</sup> / <sub>64</sub> 18	1 <sup>21</sup> / <sub>32</sub> 41.8	1 <sup>9</sup> / <sub>16</sub> 39.7	0.626 15.9	2 <sup>3</sup> / <sub>16</sub> 55.6	3/8	NCFL206-18E NCFL206E NCFL206-19E NCFL206-20E	FL206E	NC206-18 NC206 NC206-19 NC206-20	19.5	11.3	13.9	1.1
	1 <sup>1</sup> / <sub>4</sub>	6 <sup>11</sup> / <sub>32</sub> 161	3 <sup>17</sup> / <sub>32</sub> 90	1 <sup>11</sup> / <sub>32</sub> 34	5 <sup>1</sup> / <sub>8</sub> 130.2	<sup>33</sup> / <sub>64</sub> 13	<sup>9</sup> / <sub>16</sub> 14	<sup>3</sup> / <sub>4</sub> 19	1 <sup>13</sup> / <sub>16</sub> 46	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>7</sup> / <sub>16</sub> 61.9	7/16	NCFL207-20E	FL207E	NC207-20	25.7	15.4	13.9	1.5
35	1 <sup>3</sup> / <sub>8</sub>	6 <sup>11</sup> / <sub>32</sub> 161	3 <sup>17</sup> / <sub>32</sub> 90	1 <sup>11</sup> / <sub>32</sub> 34	5 <sup>1</sup> /8 130.2	<sup>33</sup> / <sub>64</sub> 13	<sup>9</sup> / <sub>16</sub> 14	<sup>3</sup> / <sub>4</sub> 19	1 <sup>13</sup> / <sub>16</sub> 46	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>9</sup> / <sub>16</sub> 65.1	7/16	NCFL207-22E NCFL207E NCFL207-23E	FL207E	NC207-22 NC207 NC207-23	25.7	15.4	13.9	1.5
40	1 <sup>1</sup> / <sub>2</sub>	6 <sup>7</sup> /8 175	3 <sup>15</sup> / <sub>16</sub> 100	1 <sup>13</sup> / <sub>32</sub> 36	5 <sup>21</sup> / <sub>32</sub> 143.7	<sup>33</sup> / <sub>64</sub> 13	<sup>9</sup> / <sub>16</sub> 14	<sup>53</sup> / <sub>64</sub> 21	2 <sup>3</sup> / <sub>32</sub> 52.8	2 50.8	0.748 19	2 <sup>11</sup> / <sub>16</sub> 68.3	7/16	NCFL208-24E NCFL208E	FL208E	NC208-24 NC208	29.1	17.8	14.0	2.0
	1 5/8	7 <sup>13</sup> / <sub>32</sub> 188	4 <sup>1</sup> / <sub>4</sub> 108	1 <sup>1</sup> / <sub>2</sub> 38	5 <sup>27</sup> / <sub>32</sub> 148.4	<sup>19/</sup> 32 15	<sup>19/</sup> 32 15	<sup>55/<sub>64</sub> 22</sup>	2 <sup>1</sup> / <sub>8</sub> 53.8	2 50.8	0.748 19	2 <sup>13</sup> / <sub>16</sub> 71.4	1/2	NCFL209-26E	FL209E	NC209-26	34.1	21.3	14.0	2.3
45	1 <sup>11</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>4</sub>	7 <sup>13</sup> / <sub>32</sub> 188	4 <sup>1</sup> / <sub>4</sub> 108	1 <sup>1</sup> / <sub>2</sub> 38	5 <sup>27</sup> / <sub>32</sub> 148.4	<sup>19</sup> / <sub>32</sub> 15	<sup>19</sup> / <sub>32</sub> 15	<sup>55</sup> / <sub>64</sub> 22	2 <sup>1</sup> /8 53.8	2 50.8	0.748 19	2 <sup>15</sup> / <sub>16</sub> 74.6	1/2	NCFL209-27E NCFL209-28E NCFL209E	FL209E	NC209-27 NC209-28 NC209	34.1	21.3	14.0	2.3
50	1 <sup>15</sup> / <sub>16</sub>	7 <sup>3</sup> / <sub>4</sub> 197	4 <sup>17</sup> / <sub>32</sub> 115	1 <sup>9/</sup> 16 40	6 <sup>3</sup> / <sub>16</sub> 157	<sup>19/</sup> 32 15	<sup>19/</sup> 32 15	<sup>55/</sup> 64 22	2 <sup>7</sup> / <sub>32</sub> 56.1	2 <sup>3</sup> / <sub>32</sub> 53.1	0.748 19	3 <sup>3</sup> / <sub>8</sub> 85.7	1/2	NCFL210-31E NCFL210E NCFL210-32E	FL210E	NC210-31 NC210 NC210-32	35.1	23.3	14.4	2.8
55	2	8 <sup>13</sup> / <sub>16</sub> 224	5 <sup>1</sup> /8 130	1 <sup>11</sup> / <sub>16</sub> 43	7 <sup>1</sup> / <sub>4</sub> 184	<sup>21</sup> / <sub>32</sub> 16.5	<sup>23</sup> / <sub>32</sub> 18	<sup>63</sup> / <sub>64</sub> 25	2 <sup>11</sup> / <sub>32</sub> 59.9	2 <sup>1</sup> / <sub>4</sub> 57.1	0.874 22.2	3 <sup>1</sup> / <sub>2</sub> 88.9	<sup>9</sup> / <sub>16</sub>	NCFL211-32E	FL211E	NC211-32	43.4	29.4	14.4	3.7
	2 <sup>3</sup> /16	8 <sup>13</sup> /16 224	5 <sup>1</sup> / <sub>8</sub> 130	1 <sup>11</sup> / <sub>16</sub> 43	7 <sup>1</sup> / <sub>4</sub> 184	<sup>21</sup> / <sub>32</sub> 16.5	<sup>23</sup> / <sub>32</sub> 18	<sup>63</sup> / <sub>64</sub> 25	2 <sup>11</sup> / <sub>32</sub> 59.9	2 <sup>1</sup> / <sub>4</sub> 57.1	0.874 22.2	3 <sup>5</sup> /8 92.1	<sup>9</sup> / <sub>16</sub>	NCFL211E NCFL211-35E	FL211E	NC211 NC211-35	43.4	29.4	14.4	3.7
60	2 1/4	9 <sup>27</sup> / <sub>32</sub> 250	5 <sup>1</sup> / <sub>2</sub> 140	1 <sup>7</sup> /8 48	7 <sup>61</sup> / <sub>64</sub> 202	<sup>21</sup> / <sub>32</sub> 16.5	<sup>23</sup> / <sub>32</sub> 18	1 <sup>9</sup> / <sub>64</sub> 29	2 <sup>25</sup> / <sub>32</sub> 70.3	2 <sup>5</sup> /8 66.7	1.000 25.4	4 <sup>1</sup> / <sub>16</sub> 103.2	9/ <sub>16</sub>	NCFL212-36E	FL212E	NC212-36	52.4	36.2	14.4	4.9
	2 7/16	9 <sup>27</sup> / <sub>32</sub> 250	5 <sup>1</sup> / <sub>2</sub> 140	1 <sup>7</sup> /8 48	7 <sup>61</sup> / <sub>64</sub> 202	<sup>21</sup> / <sub>32</sub> 16.5	<sup>23</sup> / <sub>32</sub> 18	1 <sup>9</sup> / <sub>64</sub> 29	2 <sup>25</sup> / <sub>32</sub> 70.3	2 <sup>5</sup> / <sub>8</sub> 66.7	1.000 25.4	4 <sup>1</sup> / <sub>8</sub> 104.8	9/ <sub>16</sub>	NCFL212E NCFL212-39E	FL212E	NC212 NC212-39	52.4	36.2	14.4	4.9

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-R1/8

 211~212

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ) and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
FL204E~FL210E	±0.5	0.7
FL211E~FL212E	±0.8	1

	Unit: mm
Housing No.	$\Delta_{Ns}$
FL204E~FL212E	±0.2

### UKFL

Tapered bore (with adapter)

*d*<sub>1</sub> **20 ~ 50 mm** 







Shaft Dia.	Dimensions	Bolt	Standard				Basic	Factor	With Pressed S	eel Cover		With Cast I	on Cover	
mm inch	inch	Size	Unit Housin	Bearing	Adapter	Mass	Load Ratings		Unit No.	Dimension	Mass	Unit No.	Dimension	Mass
	mm		No. No.	No.	No.		kN		Open Type Closed Type	mm inch		Open Type Closed Type	mm inch	
,	de de	inch												
$d_1$	$H   L   A   J   N   A_1   A_2   A_0   B_1   (min.)$	mm				kg	$C_{ m r}$ $C_{ m 0r}$	f0		$A_{ m s}$	kg		Ac	kg
3/4	5 <sup>1</sup> / <sub>8</sub> 2 <sup>11</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>16</sub> 3 <sup>57</sup> / <sub>64</sub> 5/ <sub>8</sub> 1/ <sub>2</sub> 5/ <sub>8</sub> 1 <sup>13</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 1 <sup>3</sup> / <sub>16</sub>	1/2		11/205	HE2305X	0.68	14.0 7.05	12.0			-			-
	130 68 27 99 16 13 16 36 35 30	M14	JKFL205 FL205	UK205	H2305X	0.68	14.0 7.85	13.9	UKFL205C UKFL205D	40.5 1 <sup>19</sup> / <sub>32</sub>	0.68	UKFL205FC UKFL205FD	49 1 <sup>15</sup> /16	0.89
<b>20</b> <sup>3/4</sup>	5 <sup>9</sup> / <sub>16</sub> 3 <sup>9</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 4 <sup>39</sup> / <sub>64</sub> <sup>15</sup> / <sub>32</sub> <sup>1</sup> / <sub>2</sub> <sup>45</sup> / <sub>64</sub> 1 <sup>9</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>8</sub> 1 <sup>3</sup> / <sub>16</sub>	<sup>3/8</sup> U	JKFLX05 FLX05	UKX05	HE2305X	1.0	19.5 11.3	13.9			-			-
	141 83 30 117 12 13 18 39.5 35 30	M10			H2305X	1.0			UKFLX05C UKFLX05D	44.5 1 <sup>3</sup> /4	1.0			-
3/4	$5\frac{29}{32}$ $3\frac{5}{32}$ $1\frac{5}{32}$ $4\frac{29}{64}$ $3\frac{1}{2}$ $1\frac{5}{8}$ $1\frac{15}{32}$ $1\frac{3}{8}$ -	<sup>5/8</sup> U	JKFL305 FL305	UK305	HE2305X	1.1	21.2 10.9	12.6			-			-
	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	M16			H2305X H2306X	0.97			 UKFL206C UKFL206D	<u> </u>	0.97	UKFL305C UKFL305D UKFL206FC UKFL206FD	54 2 <sup>1</sup> / <sub>8</sub> 53 2 <sup>3</sup> / <sub>32</sub>	1.4
1	148 80 31 117 16 13 18 39.5 38 36	M14 U	JKFL206 FL206	UK206	HE2306X	0.97	19.5 11.3	13.9		44.3 1-74	0.97		JJ 2-732	1.2
-	$6^{5/32}$ $3^{3/4}$ $1^{11/32}$ $5^{1/8}$ $5/8$ $9/16$ $3/4$ $1^{21/32}$ $1^{1/2}$ $1^{13/32}$	3/8			H2306X	1.5			UKFLX06C UKFLX06D	49 1 <sup>15</sup> /16	1.5			_
<b>25</b> 1	156 95 34 130 16 14 19 42 38 36	M14 U	JKFLX06 FLX06	UKX06	HE2306X	1.5	25.7 15.4	13.9			-			_
	7 3/32 3 17/32 1 1/4 5 9/32 29/32 19/32 45/64 1 5/8 1 1/2 -	3/4	JKFL306 FL306	UK306	H2306X	1.5	26.7 15.0	13.3			-	UKFL306C UKFL306D	59 2 <sup>5</sup> / <sub>16</sub>	1.8
1	180 90 32 134 23 15 18 41 38 -	M20	FL300	01/300	HE2306X	1.5	20.7 15.0	15.5						
1 <sup>1</sup> /8	6 <sup>11</sup> / <sub>32</sub> 3 <sup>17</sup> / <sub>32</sub> 1 <sup>11</sup> / <sub>32</sub> 5 <sup>1</sup> / <sub>8</sub> 5/ <sub>8</sub> 9/ <sub>16</sub> 3/ <sub>4</sub> 1 <sup>11</sup> / <sub>16</sub> 1 <sup>11</sup> / <sub>16</sub> 1 <sup>5</sup> / <sub>8</sub>	<sup>3/8</sup> U	JKFL207 FL207	UK207	HS2307X	1.3	25.7 15.4	13.9			-			-
1.1/	161 90 34 130 16 14 19 43 43 41	M14			H2307X	1.3			UKFL207C UKFL207D	49 1 <sup>15</sup> /16	1.3	UKFL207FC UKFL207FD	58 2 <sup>9</sup> / <sub>32</sub>	1.7
<b>30</b> 1 <sup>1</sup> / <sub>8</sub>	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	<sup>3/8</sup> M14	JKFLX07 FLX07	UKX07	H52307X H2307X	1.8 1.8	29.1 17.8	14.0	UKFLX07C UKFLX07D	 55.5 2 <sup>3</sup> / <sub>16</sub>	1.8			-
1 <sup>1</sup> /8	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	<sup>3</sup> / <sub>4</sub>			H2307X	1.0					1.0			
. , ,	185 100 36 141 23 16 20 45.5 43 -	M20 U	JKFL307 FL307	UK307	H2307X	1.9	33.4 19.3	13.2			_	UKFL307C UKFL307D	64 2 <sup>17</sup> / <sub>32</sub>	2.4
1 1/4					HE2308X	1.6					- 1			-
1 3/8	$\begin{bmatrix} 6^{7}/8 & 3^{15}/_{16} & 1^{13}/_{32} & 5^{43}/_{64} & 5^{7}/_{8} & 9^{7}/_{16} & 5^{3}/_{64} & 1^{7}/_{8} & 1^{13}/_{16} & 1^{13}/_{16} \\ 175 & 100 & 36 & 144 & 16 & 14 & 21 & 48 & 46 & 46 \end{bmatrix}$	<sup>3</sup> / <sub>8</sub> U	JKFL208 FL208	UK208	HS2308X	1.6	29.1 17.8	14.0			-			-
	175 100 36 144 16 14 21 48 46 46	M14			H2308X	1.6			UKFL208C UKFL208D	55.5 2 <sup>3</sup> / <sub>16</sub>	1.6	UKFL208FC UKFL208FD	64 2 <sup>17</sup> / <sub>32</sub>	2.0
1 <sup>1</sup> /4	7 1/16 4 3/8 1 9/16 5 53/64 5/8 9/16 55/64 1 31/32 1 13/16 1 13/16	3/8			HE2308X	2.1					-			-
<b>35</b> 1 <sup>3</sup> / <sub>8</sub>	179 111 40 148 16 14 22 50 46 46	M14 U	JKFLX08 FLX08	UKX08	HS2308X	2.1	34.1 21.3	14.0			-			-
1.1/					H2308X	2.1			UKFLX08C UKFLX08D	56.5 2 <sup>7</sup> / <sub>32</sub>	2.1			
1 <sup>1</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub>	7 7/8 4 13/32 1 9/16 6 7/32 29/32 21/32 29/32 2 1 13/16 -	3/4	JKFL308 FL308	11/200	HE2308X HS2308X	2.5	40.7 24.0	13.2			-			-
1 -/8	200 112 40 158 23 17 23 50.5 46 -	M20	FLSUO FLSUO	UK308	H2308X	2.5 2.5	40.7 24.0	15.2			-	UKFL308C UKFL308D	71 2 25/32	3.0
1 <sup>1</sup> /2	7 <sup>13</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>2</sub> 5 <sup>53</sup> / <sub>64</sub> <sup>3</sup> / <sub>4</sub> <sup>19</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 2 1 <sup>31</sup> / <sub>32</sub> 2 <sup>1</sup> / <sub>16</sub>	5/8			HE2309X	2.0					-			
	188 108 38 148 19 15 22 51 50 52	M16	JKFL209 FL209	UK209	H2309X	2.0	34.1 21.3	14.0	UKFL209C UKFL209D	56.5 2 <sup>7</sup> / <sub>32</sub>	2.0	UKFL209FC UKFL209FD	66 2 <sup>19</sup> / <sub>32</sub>	2.5
<b>40</b> 1 <sup>1</sup> / <sub>2</sub>	77/16 49/16 19/16 63/16 5/8 9/16 29/32 21/16 131/32 21/16	3/8	JKFLX09 FLX09	UKX09	HE2309X	2.5	25 1 22 2	14.4			-			-
	189         116         40         157         16         14         23         52         50         52	M14		01009	H2309X	2.5	35.1 23.3	14.4	UKFLX09C UKFLX09D	60 2 <sup>3</sup> / <sub>8</sub>	2.5			-
1 <sup>1</sup> / <sub>2</sub>	$9^{1}/_{16}$ $4^{29}/_{32}$ $1^{23}/_{32}$ $6^{31}/_{32}$ $6^{3}/_{64}$ $2^{3}/_{32}$ $6^{3}/_{64}$ $2^{5}/_{32}$ $1^{31}/_{32}$ -	<sup>7/8</sup> U	JKFL309 FL309	UK309	HE2309X	3.6	48.9 29.5	13.3			-			-
	230 125 44 177 25 18 25 55 50 -	M22			H2309X	3.6					-	UKFL309C UKFL309D	76 3	4.2
1 <sup>3</sup> /4	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	<sup>5/8</sup> U	JKFL210 FL210	UK210	HE2310X	2.3	35.1 23.3	14.4	UKFL210C UKFL210D	 50	-		70 5 2 25/	-
1 3/4	197         115         40         157         19         15         22         52         55         58           8 1/2         5 1/4         1 23/32         7 1/4         3/4         25/32         1 1/32         2 9/32         2 5/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         1 1/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32         2 9/32<	M16			H2310X HE2310X	2.3			UKFL210C UKFL210D	59 2 <sup>5</sup> / <sub>16</sub>	2.3	UKFL210FC UKFL210FD	70.5 2 <sup>25</sup> / <sub>32</sub>	2.8
45	216 133 44 184 19 20 26 58 55 58	M16 U	JKFLX10 FLX10	UKX10	H2310X	3.7	43.4 29.4	14.4	UKFLX10C UKFLX10D	64 2 <sup>17</sup> / <sub>32</sub>	3.7			_
1 <sup>3</sup> /4	9 <sup>7</sup> / <sub>16</sub> 5 <sup>1</sup> / <sub>2</sub> 1 <sup>7</sup> / <sub>8</sub> 7 <sup>23</sup> / <sub>64</sub> 6 <sup>3</sup> / <sub>64</sub> 3 <sup>7</sup> / <sub>4</sub> 1 <sup>7</sup> / <sub>64</sub> 2 <sup>3</sup> / <sub>8</sub> 2 <sup>5</sup> / <sub>32</sub> -	7/8		11/2/2	HE2310X	4.4	(2.0. 20.2	12.5			-			-
	240 140 48 187 25 19 28 60 55 -	M22	JKFL310 FL310	UK310	H2310X	4.4	62.0 38.3	13.2			_	UKFL310C UKFL310D	83 <b>3</b> <sup>9</sup> / <sub>32</sub>	5.2
1 7/8	8 13/16 5 1/8 1 11/16 7 1/4 3/4 23/32 63/64 2 1/4 2 5/16 2 17/32	5/8			HS2311X	3.3					-			-
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	M16 U	JKFL211 FL211	UK211	H2311X	3.3	43.4 29.4	14.4	UKFL211C UKFL211D	63 2 <sup>15</sup> / <sub>32</sub>	3.3	UKFL211FC UKFL211FD	74.5 2 15/16	3.9
50 2					HE2311X	3.3					-			-
1 7/8	9 27/32 5 29/32 2 1/16 7 51/64 63/64 25/32 1 3/16 2 17/32 2 5/16 -	7/8		11/2014	HS2311X	5.6	71 6 45 6	12.2			-			-
2	250 150 52 198 25 20 30 64 59 -	M22	JKFL311 FL311	UK311	H2311X	5.6	71.6 45.0	13.2			-	UKFL311C UKFL311D	87 3 <sup>7</sup> /16	6.5
2					HE2311X	5.6					-			-

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

A-R1/8..... ...... 211~218, X10, 309~324 3. In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKFL206J + H2306X, UK206 + H2306X)

4. As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UKFL206JL3 + H2306X, UK206L3 + H2306X)

5. For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.

6. Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{I}_{A2s}$ ) and tolerance of position of bolt hole (X) Unit: mm

	Housing No.		⊿A2s	X
FL205~FL210	FLX05~FLX10	FL305~FL310	±0.5	0.7
FL211~FL218		FL311~FL324	±0.8	1

Variations of tole	erance of bolt ho	ble diameter ( $\Delta_N$	s) Unit: mm
	Housing No.		$\Delta_{Ns}$
FL205~FL218	FLX05~FLX10	FL305~FL311	±0.2
		FL312~FL324	±0.3

Forms and dimensions of  $L_{\rm c}$  of FL205JE3 (housing with cast iron cover) are shown below.



FL205JE3  $L_{\rm c}$  = 73 mm

### UKFL

Tapered bore (with adapter)

 $d_1$  55 ~ 110 mm







Shaf	Dia			Dimensions Bolt Standard														Basic	r Ea	ctor	14	/ith Pressed St	teel Cover		With Cast Iron Cover					
	inch				וט	inch	15					Size	Unit	Housing	Bearing	Adapt	ar   M-	ass	Load Rati		ctor	Unit		Dimension	Mass	llni	t No.		ension	Mass
111111	men					mm						Jize	No.	No.	No.	No.	-	ass	kN	iligs				mm inch			Closed Type		inch	iviass
						111111					d	inch	140.	NO.	NO.	110.			ALV.			open type	closed type			open type	closed type		men	
a	1	H L	, A	J	N	A A	1	$A_2$	$A_0$	$B_1$	(min.)	mm					k	g	$C_{ m r}$	$C_{0r}$	fo			$A_{ m s}$	kg			A	4 <sub>c</sub>	kg
	2 <sup>1</sup> /8	9 <sup>27</sup> / <sub>32</sub> 5 <sup>1</sup> /	/2 17/8	7 <sup>61</sup> /64	<sup>29</sup> /	32 23/	137	1 <sup>9</sup> /64	2 <sup>19</sup> /32	2 <sup>7</sup> /16	2 <sup>23</sup> / <sub>32</sub>	3/4				HS2312	X 4	.1				_	_		-		_	_	_	
	2 /0	250 14		202	23		8	29	65.5	62	69	M20	UKFL212	FL212	UK212	H2312>		.1	52.4	36.2   1	4.4	UKFL212C	UKFL212D	73.5 2 <sup>29</sup> / <sub>32</sub>	4.1	UKFL212FC	UKFL212FD		3 <sup>3</sup> /8	4.9
55	2 <sup>1</sup> /8	10 5/8 6 5/					0 /8	1 <sup>19</sup> /64	2 <sup>3</sup> /4	2 7/16	_	1				HS2312		9				-	-		-	-	-		-	
		270 16		212				33	69.5	62	_	M27	UKFL312	FL312	UK312	H2312>		.9	81.9	52.2   1	3.2	_	_		_	UKFL312C	UKFL312D	95	3 <sup>3</sup> /8	8.1
	2 <sup>1</sup> /4										e 20.4	24				HE2313		.0				-	-		-	-	-	-	-	_
		10 5/32 6 3/		2 8 1//64				1 <sup>3</sup> /16	2 <sup>21</sup> / <sub>32</sub>	2 %16	2 <sup>29</sup> /32	3/4	UKFL213	FL213	UK213	H2313>	5	.0	57.2	40.1 1	4.4	UKFL213C	UKFL213D	74.5 2 15/16	5.0	UKFL213FC	UKFL213FD	87	3 7/16	5.9
	2 <sup>3</sup> /8	258 15	5 50	210	23	3 20	0	30	67.5	65	74	M20				HS2313	X 5	.0				-	-		_	_	-	_	_	_
60	2 <sup>1</sup> /4	115/ 67	/ 29/	0.29/	1 7/	/ 31/	,	1 10/	2 13/	2.9/		1				HE2313	X 8	.6				-	-		-	-	-	_	-	_
		11 5/8 6 7/						1 <sup>19</sup> / <sub>64</sub>	2 <sup>13</sup> / <sub>16</sub>	2 <sup>9</sup> / <sub>16</sub>	-	1	UKFL313	FL313	UK313	H2313>	( 8	.6	92.7	59.9 1	3.2	-	-		-	UKFL313C	UKFL313D	94	3 11/16	9.7
	2 <sup>3</sup> /8	295 17	5 58	240	31	1 2	Э	33	71.5	65	-	M27				HS2313	X 8	.6				-	-		-	-	-	_	_	-
	2 <sup>1</sup> / <sub>2</sub>	10 <sup>13</sup> / <sub>16</sub> 6 <sup>1</sup> /	/2 <b>2</b> <sup>7</sup> /3	2 <b>8</b> <sup>55</sup> /64	1 <sup>29</sup> /3	32 <sup>25</sup> /	/32	1 <sup>11</sup> /32	2 <sup>15</sup> /16	2 7/8	<b>3</b> <sup>11</sup> / <sub>32</sub>	3/4	UKFL215	FL215	UK215	HE2315	X 6	.6	67.4	10 2 1	4.5	-	-		-	-	-	-	-	-
65		275 16	5 56	225	23	3 2	0	34	74.5	73	85	M20	UKFL215	TLZIJ	01/213	H2315>	6	.6	07.4	40.3 1	4.5	UKFL215C	UKFL215D	83.5 3 <sup>9</sup> / <sub>32</sub>	6.6	UKFL215FC	UKFL215FD	96	3 <sup>25</sup> / <sub>32</sub>	7.6
05	2 <sup>1</sup> / <sub>2</sub>	12 <sup>19</sup> / <sub>32</sub> 7 <sup>11</sup> /	/16 2 19/3	2 10 <sup>15</sup> /6	i4 1 <sup>3</sup> /	/s 1 <sup>3</sup> ,	/16	1 <sup>17</sup> /32	<b>2</b> <sup>7</sup> / <sub>32</sub>	2 7/8	-	1 <sup>1</sup> /8	UKFL315	FL315	UK315	HE2315	X   11	.4	113	77 2 1	3.2	-	-		-	-	-	-	-	-
		320 19		260	35	5 3	-	39	81.5	73	-	M30	010 2010	12313	01010	H2315>		.4	115		5.2	-	-		-	UKFL315C	UKFL315D	106	4 <sup>3</sup> /16	12.8
	2 <sup>3</sup> / <sub>4</sub>	11 <sup>13</sup> / <sub>32</sub> 7 <sup>3</sup> /				64 <sup>25</sup> /		1 11/32	3 <sup>3</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>16</sub>	3 <sup>17</sup> / <sub>32</sub>	7/8	UKFL216	FL216	UK216	HE2316		.1	72.7	53.0 1	4.6	-	-		-	-	-	-	-	-
70	/	290 18		233	25		-	34	78.5	78	90	M22				H2316>		.1				UKFL216C	UKFL216D	88.5 3 <sup>15</sup> / <sub>32</sub>	8.1	UKFL216FC	UKFL216FD	103	4 <sup>1</sup> /16	9.4
	2 <sup>3</sup> / <sub>4</sub>	13 <sup>31</sup> / <sub>32</sub> 8 <sup>9</sup> /						1 <sup>1</sup> / <sub>2</sub>	3 <sup>1</sup> / <sub>4</sub>	3 <sup>1</sup> /16	-	1 <sup>1</sup> /4	UKFL316	FL316	UK316	HE2316		1	123 8	86.7 1	3.3	-	-		-	-	-	-	-	-
		355 210		285	38			38	82.5	78	-	M33				H2316>		.9				-	-		-	UKFL316C	UKFL316D			15.5
	2	12 7 <sup>15</sup> /					-	1 <sup>27</sup> / <sub>64</sub>	3 1/4	3 7/32	3 <sup>25</sup> / <sub>32</sub>	7/8	UKFL217	FL217	UK217	H2317>		.9	84.0 6	61.9   1	4.5	UKFL217C	UKFL217D	92.5 3 <sup>21</sup> / <sub>32</sub>	9.9	UKFL217FC	UKFL217FD	107	4 <sup>7</sup> / <sub>32</sub>	11.3
75	3	305 19 14 <sup>9</sup> / <sub>16</sub> 8 <sup>21</sup> /		248 2 11 <sup>13</sup> /1	25 6 1 <sup>1</sup> /			36 1 <sup>47</sup> / <sub>64</sub>	82.5 3 <sup>5</sup> /8	82 3 <sup>7</sup> /32	96	M22				HE2317 H2317>		.9				_	-		-	UKFL317C		-	- 4 <sup>19</sup> / <sub>32</sub>	176
	2	370 220		300	38			44	92	82	_	M33	UKFL317	FL317	UK317	HE2317		1	133 9	96.8 1	3.3	-	-		_	UKFLST/C	UKFL317D	_	4/32	17.0
	5	12 <sup>19</sup> / <sub>32</sub> 8 <sup>1</sup> /	$\frac{10}{16}$ $\frac{74}{2^{11}/10}$			5 5. 64 <sup>29</sup> /		1 37/64	3 <sup>17</sup> / <sub>32</sub>	<u> </u>	4 1/32	7/8											_							
	-	320 20		265	25	5 2		40	89.5	86	102	M22	UKFL218	FL218	UK218	H2318>	(   12	.2	96.1	71.5   1	4.5	UKFL218C	UKFL218D	101.5 4	12.2	UKFL218FC	UKFL218FD	116	4 <sup>9</sup> / <sub>16</sub>	13.8
80		15 <sup>5</sup> / <sub>32</sub> 9 <sup>1</sup> /		12 <sup>13</sup> /3	1 <sup>1</sup> / <sub>2</sub>		-	1 <sup>47</sup> /64	3 5/8	3 3/8	_	1 <sup>1</sup> /4																		
	-	385 23		315	38			44	92	86	_	M33	UKFL318	FL318	UK318	H2318>	( 19	.1   1	143 10	07   1	3.3	-	-		-	UKFL318C	UKFL318D	119	4 <sup>11</sup> / <sub>16</sub>	21.2
	3 <sup>1</sup> / <sub>4</sub>	15 <sup>15</sup> / <sub>16</sub> 9 <sup>27</sup> /	/32 3 11/	6 13	1 <sup>39</sup> /	/64 1 9	/16	2 <sup>21</sup> / <sub>64</sub>	4 <sup>3</sup> /8	3 <sup>17</sup> / <sub>32</sub>	-	1 <sup>3</sup> /8		51210	11/210	HE2319	X 24	.9	152 -	10 -	2.2	-	-		-	-	-	-	-	_
85		405 25	0 94	330	41	4	0	59	111	90	-	M36	UKFL319	FL319	UK319	H2319>	24	.9	153 1	19   1	3.3	-	-		_	UKFL319C	UKFL319D	140	5 <sup>1</sup> / <sub>2</sub>	27.3
90	3 <sup>1</sup> / <sub>2</sub>	17 <sup>5</sup> /16 10 <sup>5</sup>	<sup>5</sup> /8 3 <sup>11</sup> /1	6 <b>14</b> <sup>11</sup> /6	i4 1 <sup>47</sup> /	/64 1 %	/16	2 <sup>21</sup> / <sub>64</sub>	4 <sup>7</sup> /16	3 <sup>13</sup> / <sub>16</sub>	-	1 <sup>1</sup> /2		EI 220	11/220	HE2320	X 29	.0	172 1	41 1	2.2	-	-		-	-	-	-	-	_
90		440 27	0 94	360	44	1 4	0	59	113	97	-	M39	UKFL320	FL320	UK320	H2320>	29	.0	173 14	41   1	3.2	-	-		-	UKFL320C	UKFL320D	146	5 <sup>3</sup> /4	32.1
100		18 <sup>1</sup> / <sub>2</sub> 11 <sup>13</sup>	<sup>3</sup> /16 3 <sup>25</sup> /3	2 15 <sup>23</sup> /6	i4 1 <sup>47</sup> /	/64 1 <sup>21</sup>	/32	2 <sup>23</sup> / <sub>64</sub>	4 <sup>23</sup> / <sub>32</sub>	4 <sup>1</sup> /8	-	1 <sup>1</sup> /2	UKFL322	FL322	UK322	H2322>	36	.1	205 18	80 1	3.2	-	-		-	UKFL322C	UKFL322D	154	6 <sup>1</sup> /16	39.6
100	4	470 30	0 96	390	44	4 42	2	60	120	105	-	M39	UKFL322	I LJZZ	01/322	HE2322	X 36	.1 1	203 10		5.2	-	-		-	-	-	_	-	-
110	_	20 <sup>15</sup> / <sub>32</sub> 13	3 4 <sup>11</sup> /	2 16 <sup>59</sup> /6	i4 1 <sup>27</sup> /	/32 17	7/8	2 <sup>9</sup> / <sub>16</sub>	5 <sup>1</sup> /8	4 <sup>13</sup> / <sub>32</sub>	-	1 <sup>5</sup> /8	UKFL324	FL324	UK324	H2324	51	0 3	207 18	85 1	3.5	_	_		_	UKFL324C	LIKEI 324D	163	6 <sup>13</sup> / <sub>32</sub>	57.0
		520 33	0 110	430	47	7 43	8	65	130.5	112	-	M42	0111 2024	1 2327	01(32-7	112324		.   1	20/ 10		5.5					ON LOZAC	0111 20240	105	U 132	57.0

In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKFL206J + H2306X, UK206 + H2306X)
 As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UKFL206JL3 + H2306X, UK206L3 + H2306X)
 For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{I}_{A2s}$ ) and tolerance of position of bolt hole (X) Unit: mm

Housir	⊿A2s	X		
FL205~FL210 FLX05~	~FLX10	FL305~FL310	±0.5	0.7
FL211~FL218		FL311~FL324	±0.8	1

Variations of tolerance of bolt hole diameter ( $\Delta_{Ns}$ ) Unit: mr											
	Housing No.		$\Delta_{Ns}$								
FL205~FL218	FLX05~FLX10	FL305~FL311	±0.2								
		FL312~FL324	±0.3								

Forms and dimensions of  $L_{\rm c}$  of FL205JE3 (housing with cast iron cover) are shown below.



FL205JE3  $L_{\rm c}$  = 73 mm

### UCFA

Cylindrical bore (with set screws)

*d* 12 ~ 55 mm





Shaft mm	<b>t Dia.</b> inch						Di	mensi inch mm							Bolt Size	Unit No.	Housing No.	Bearing No.	Ba Load R k	atings	Factor	Mass
C	1	Н	L	A	J	N	$N_1$		$L_1$	$A_1$	$A_2$	$A_0$	В	S	inch mm				$C_{\mathrm{r}}$	$C_{0\mathrm{r}}$	fo	kg
12 15	1/2															UCFA201 UCFA201-8 UCFA202		UC201 UC201-8 UC202				0.47
17	5/8	3 <sup>27</sup> / <sub>32</sub> 98	2 <sup>5</sup> / <sub>16</sub> 59	<sup>15</sup> / <sub>16</sub> 24	3 <sup>5</sup> / <sub>64</sub> 78	<sup>25</sup> / <sub>64</sub> 10	1 <sup>9</sup> / <sub>16</sub> 40	<sup>13</sup> / <sub>32</sub> 10	1 <sup>31</sup> / <sub>32</sub> 50	<sup>7</sup> / <sub>16</sub> 11	<sup>35</sup> / <sub>64</sub> 13.8	1 <sup>1</sup> / <sub>4</sub> 32.1	1.220 31	0.500 12.7	<sup>5</sup> / <sub>16</sub> M8	UCFA202-10 UCFA203	FA204	UC202-10 UC203	12.8	6.65	13.2	0.44
20	3/4 7/8															UCFA204-12 UCFA204 UCFA205-14		UC204-12 UC204 UC205-14				0.42
25	<sup>15/</sup> 16		2 <sup>3</sup> / <sub>4</sub> 70	1 <sup>1</sup> / <sub>16</sub> 27	3 <sup>55</sup> / <sub>64</sub> 98	7/ <sub>16</sub> 11	1 <sup>15</sup> / <sub>16</sub> 49	<sup>7</sup> / <sub>16</sub> 11	2 <sup>17</sup> / <sub>32</sub> 64	1/ <sub>2</sub> 13	⁵/ <sub>8</sub> 16	1 <sup>13</sup> / <sub>32</sub> 35.8	1.343 34.1	0.563 14.3	<sup>3</sup> / <sub>8</sub> M10	UCFA205-15 UCFA205 UCFA205-16	FA205	UC205-15 UC205 UC205-16	14.0	7.85	13.9	0.68
30	1 <sup>1</sup> /8 1 <sup>3</sup> / <sub>16</sub> 1 <sup>1</sup> /4	5 <sup>9</sup> /16 141		1 <sup>3</sup> / <sub>16</sub> 30	4 <sup>39</sup> / <sub>64</sub> 117	<sup>7</sup> / <sub>16</sub> 11	2 <sup>7</sup> / <sub>32</sub> 56	<sup>15</sup> / <sub>32</sub> 12	2 <sup>11</sup> / <sub>16</sub> 68	1/2 13	<sup>45</sup> / <sub>64</sub> 17.8	1 <sup>9</sup> / <sub>16</sub> 40	1.500 38.1	0.626 15.9	<sup>3</sup> /8 M10	UCFA206-18 UCFA206 UCFA206-19 UCFA206-20	FA206	UC206-18 UC206 UC206-19 UC206-20	19.5	11.3	13.9	1.0
35	1 <sup>1</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>32</sub> 155	3 <sup>25</sup> / <sub>32</sub> 96	1 <sup>11</sup> / <sub>32</sub> 34	5 <sup>1</sup> / <sub>8</sub> 130	<sup>33</sup> / <sub>64</sub> 13	2 <sup>15</sup> / <sub>32</sub> 63	1/ <sub>2</sub> 13	2 <sup>15</sup> / <sub>16</sub> 75	<sup>9/16</sup> 14	<sup>47</sup> / <sub>64</sub> 18.6	1 <sup>23</sup> / <sub>32</sub> 44	1.689 42.9	0.689 17.5	<sup>7/</sup> 16 M12	UCFA207-20 UCFA207-21 UCFA207-22 UCFA207	FA207	UC207-20 UC207-21 UC207-22 UC207	25.7	15.4	13.9	1.5
40	1 <sup>7</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>2</sub> 1 <sup>9</sup> / <sub>16</sub>		4 <sup>1</sup> / <sub>8</sub> 105		5 <sup>43</sup> / <sub>64</sub> 144		2 <sup>3</sup> / <sub>4</sub> 70	<sup>1</sup> / <sub>2</sub> 13	3 <sup>5</sup> / <sub>16</sub> 84	<sup>9</sup> / <sub>16</sub> 14	<sup>13</sup> / <sub>16</sub> 20.8	2 51	1.937 49.2	0.748 19	<sup>7</sup> / <sub>16</sub> M12	UCFA207-23 UCFA208-24 UCFA208-25 UCFA208	FA208	UC207-23 UC208-24 UC208-25 UC208	29.1	17.8	14	1.9
45	1 <sup>5</sup> /8 1 <sup>11</sup> /16 1 <sup>3</sup> /4		4 <sup>3</sup> /8 111		5 <sup>53</sup> / <sub>64</sub> 148	<sup>19</sup> / <sub>32</sub> 15	2 <sup>27</sup> / <sub>32</sub> 72	<sup>19</sup> / <sub>32</sub> 15	3 <sup>15</sup> / <sub>32</sub> 88		<sup>55</sup> / <sub>64</sub> 21.8	2 <sup>1</sup> / <sub>16</sub> 52	1.937 49.2	0.748 19	1/2 M14	UCFA209-26 UCFA209-27 UCFA209-28 UCFA209	FA209	UC209-26 UC209-27 UC209-28 UC209	34.1	21.3	14	1.7
50	1 <sup>7</sup> /8 1 <sup>15</sup> /16 2		4 <sup>9</sup> / <sub>16</sub> 116	1 <sup>9</sup> / <sub>16</sub> 40	6 <sup>3</sup> / <sub>16</sub> 157	<sup>19</sup> / <sub>32</sub> 15	2 <sup>15</sup> / <sub>16</sub> 75	<sup>19</sup> / <sub>32</sub> 15	3 <sup>5</sup> / <sub>8</sub> 92	<sup>9</sup> / <sub>16</sub> 14	<sup>57</sup> / <sub>64</sub> 22.5		2.031 51.6	0.748 19	1/2 M14	UCFA210-30 UCFA210-31 UCFA210 UCFA210-32	FA210	UC210-30 UC210-31 UC210 UC210-32	35.1	23.3	14.4	2.0
55	2 2 <sup>1</sup> /8 2 <sup>3</sup> /16		5 <sup>1</sup> / <sub>4</sub> 133	1 <sup>23</sup> / <sub>32</sub> 44	7 <sup>1</sup> / <sub>4</sub> 184	<sup>5</sup> /8 16	3 <sup>3</sup> /8 86	<sup>5</sup> /8 16	4 <sup>1</sup> / <sub>32</sub> 102				2.189 55.6	0.874 22.2	1/2 M14	UCFA211-32 UCFA211-34 UCFA211 UCFA211	FA211	UC211-32 UC211-34 UC211 UC211-35	43.4	29.4	14.4	3.6

3. As for triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows Part No. of unit or bearing. (Example of Part No. : UCFA206JL3, UC206L3)



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$ 

	Unit: mm
Housing No.	⊿A2s
FA204~FA210	±0.5
FA211	±0.8

Variations of tolerance of bolt hole diameter ( $\varDelta_{Ns}$ )

Housing No.	$\Delta_{Ns}$
FA204~FA211	±0.2

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Tapered bore (with adapter) type products are also available. (Example of Part No. : UKFA205J + H2305X, UK205 + H2305X)

UCFB

Cylindrical bore (with set screws)







0

 $A_1$  $A_2$ A

	<b>t Dia.</b> inch							i	ensions nch nm	;						Bolt Size	Unit No.	Housing No.	Bearing No.	Bas Load R kN	atings	Factor	Mass
	d	Н	L	A	J	$J_1$	N	$H_1$	$H_2$	$L_1$	$A_1$	$A_2$	$A_0$	В	S	inch mm				$C_{ m r}$	$C_{0\mathrm{r}}$	$f_0$	kg
12																	UCFB201		UC201				0.64
	1/2																UCFB201-8		UC201-8				
15		4 11/	2 <sup>7</sup> /16	<sup>15</sup> /16	1 <sup>17</sup> /64	11/	3/8	1 <sup>21</sup> /32	21/	2 <sup>1</sup> /16	1/2	17/32	1 <sup>1</sup> /4	1.220	0.500	5/16	UCFB202		UC202				0.62
	5/8	110	62	24.5	32	27	9.5	42	52	52	13	13.5	31.8	31	12.7	M8	UCFB202-10	FB204	UC202-10	12.8	6.65	13.2	
17			02	24.5	52	27	9.5	42	52	52	15	15.5	51.0	21	12.7	IVIO	UCFB203		UC203				0.61
	3/4																UCFB204-12		UC204-12				
20																	UCFB204		UC204				0.59
	7/8																UCFB205-14		UC205-14				
25	15/16	4 <sup>9</sup> / <sub>16</sub>	2 11/16	<b>1</b> <sup>1</sup> / <sub>16</sub>	1 11/32	1 <sup>1</sup> / <sub>16</sub>	3/8	1 <sup>49</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>16</sub>	2 <sup>7</sup> / <sub>32</sub>	1/2	<sup>19</sup> / <sub>32</sub>	1 <sup>3</sup> /8	1.343	0.563	<sup>5</sup> / <sub>16</sub>	UCFB205-15	FB205	UC205-15	14.0	7.85	13.9	0.68
23		116	68	27	34	27	9.5	45	52	56	13	15	34.8	34.1	14.3	M8	UCFB205	10205	UC205	14.0	7.05	13.9	0.00
	1																UCFB205-16		UC205-16				
	1 <sup>1</sup> /8																UCFB206-18		UC206-18				
30		5 <sup>1</sup> /8	3 <sup>1</sup> / <sub>16</sub>	<b>1</b> <sup>3</sup> /16	1 <sup>37</sup> /64	1 <sup>9</sup> /64	3/8	1 <sup>31</sup> /32	<b>2</b> <sup>5</sup> / <sub>32</sub>	2 <sup>9</sup> /16	1/2	43/64	1 <sup>17</sup> / <sub>32</sub>	1.500	0.626	5/16	UCFB206	FB206	UC206	19.5	113	13.9	0.92
50	1 <sup>3</sup> / <sub>16</sub>	130	78	30	40	29	9.5	50	55	65	13	17	39.2	38.1	15.9	M8	UCFB206-19	10200	UC206-19	12.5	11.5	13.5	0.72
	1 <sup>1</sup> /4																UCFB206-20		UC206-20				
	1 <sup>1</sup> / <sub>4</sub>																UCFB207-20		UC207-20				
	1 5/16	5 21/32	3 <sup>17</sup> / <sub>32</sub>	1 5/16	1 13/16	1 17/64	3/8	2 11/64	2 <sup>7</sup> /16	2 <sup>3</sup> /4	19/32	3/4	1 3/4	1.689	0.689	5/16	UCFB207-21		UC207-21				
35	1 <sup>3</sup> /8	144		33.5	46	32	9.5	55	62	70	15	19	44.4	42.9	17.5	M8	UCFB207-22	FB207	UC207-22	25.7	15.4	13.9	1.3
			20	55.5	10	52	2.5	55	02	70	15	12		12.9	17.5	1110	UCFB207		UC207				
	1 7/16																UCFB207-23		UC207-23				
	1 <sup>1</sup> / <sub>2</sub>	6 15/32	3 <sup>15</sup> /16	1 <sup>3</sup> /8	1 31/32	1 <sup>39</sup> /64	7/16	2 <sup>23</sup> /64	2 <sup>27</sup> /32	3 <sup>1</sup> /16	5/8	<sup>25</sup> /32	1 <sup>31</sup> /32	1.937	0.748	3/8	UCFB208-24		UC208-24				
40	1 9/16	164		35	50	41	11	60	72	78	16	20	50.2	49.2	19	M10	UCFB208-25	FB208	UC208-25	29.1	17.8	14.0	1.8
					50				/-			20	50.2				UCFB208		UC208				
	1 5/8																UCFB209-26		UC209-26				
45	1 11/16		4 <sup>3</sup> /16	1 3/8		1 11/16		2 <sup>9</sup> /16	3	<b>3</b> <sup>5</sup> / <sub>32</sub>	23/32			1.937	0.748	3/8	UCFB209-27	FB209	UC209-27	34.1	21.3	14.0	2.0
	1 3/4	174	106	35.5	54	43	11	65	76	80	18	20	50.2	49.2	19	M10	UCFB209-28		UC209-28				
																	UCFB209		UC209				
	1 7/8						_ (										UCFB210-30		UC210-30				
50	1 <sup>15</sup> /16						7/16	2 <sup>43</sup> / <sub>64</sub>			<sup>23</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>		2.031	0.748	3/8	UCFB210-31	FB210	UC210-31	35.1	23.3	14.4	2.3
		184	112	36	58	46	11	68	82	86	18	20	52.6	51.6	19	M10	UCFB210		UC210	55	2010		2.0
	2																UCFB210-32		UC210-32				

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fitting is A-1/4-28UNF.

 3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows Part No. of unit or bearing. (Example of Part No. : UCFB206JL3, UC206L3)



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\Delta_{A2a})$ , variations of tolerance of distance between centers of bolt holes  $(\Delta_{Ja}, \Delta_{Ja})$ , variations of tolerance of distance between both grooves  $(\Delta_{H1a})$ 

			Un	it: mm
Housing No.	$\Delta_{A2s}$	$\Delta J_{S}$	$\Delta J_{1s}$	$\Delta_{H1s}$
FB204~FB210		±C	).5	

Variations of tolerance of bolt hole diameter ( $\Delta_{Ns}$ ) Unit mn

	orne mm
Housing No.	ΔNs
FB204~FB210	±0.2

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Tapered bore (with adapter) type products are also available. (Example of Part No. : UKFB205J + H2305X, UK205 + H2305X)

Shaft Dia.

d

inch

3/4

7/8

15/16

1 <sup>1</sup>/8

1 <sup>3</sup>/<sub>16</sub>

1 <sup>1</sup>/4

1 1/4

1 <sup>5</sup>/16

1 <sup>3</sup>/8

1 7/16

1 <sup>1</sup>/<sub>2</sub>

1 <sup>9</sup>/16

 $1^{5/8}$ 

1 11/16

1 <sup>3</sup>/<sub>4</sub>

1 7/8

**1** <sup>15</sup>/<sub>16</sub>

2 <sup>1</sup>/8

2 <sup>3</sup>/<sub>16</sub>

2

mm

20

25

30

35

40

45

50

55



SBFL-RKP8



SAFL-FP9 Dimensions Bolt Unit Bearing Unit inch Size No. No. No.  $\rm mm$ inch SBFL-RKP8 SAFL-FP9 mm  $B_1$ SS H Α N $A_1$  $A_2$ В  $A_0$ 4 7/16 2<sup>3</sup>/8 3 35/64 <sup>15</sup>/<sub>32</sub> 7/16 <sup>19</sup>/<sub>32</sub> 1 17/32 0.984 1.220 0.276 0.295 3/8 SBFL204-12RKP8 SB204-12RKP8 SAFL204-12FP9 SA204-12FP9 SB204RKP8 SAFL204FP9 SA204FP9 15 M10 SBFL204RKP8 113 60 25.5 90 12 11 38.5 25 31 7 7.5 SBFL205-14RKP8 SB205-14RKP8 SAFL205-14FP9 SA205-14FP9 5<sup>1</sup>/8 2<sup>11</sup>/<sub>16</sub> 1 <sup>1</sup>/16 3 57/64 5/8 1/2 5/8 1 <sup>18</sup>/32 1.063 1.220 0.295 0.295  $1/_{2}$ SBFL205-15RKP8 SB205-15RKP8 SAFL205-15FP9 SA205-15FP9 7.5 M14 SB205-16RKP8 SAFL205-16FP9 SA205-16FP9 130 68 27 99 13 16 39.5 27 7.5 SBFL205-16RKP8 16 31 SB205RKP8 SAFL205FP9 SA205FP9 SBFL205RKP8 SBFL206-18RKP8 SB206-18RKP8 SAFL206-18FP9 SA206-18FP9 1 7/32 4 39/64 5/8 45/64  $1^{24}/_{32}$ 1.181 1.906 0.315 0.354  $1/_{2}$ SBFL206-19RKP8 SB206-19RKP8 SAFL206-19FP9 SA206-19FP9  $5^{13}/_{16}$ 3 5/32  $1/_{2}$ 13 18 44.7 30 M14 SB206-20RKP8 SAFL206-20FP9 SA206-20FP9 148 80 31 117 16 35.7 8 9 SBFL206-20RKP8 SBFL206RKP8 SB206RKP8 SAFL206FP9 SA206FP9 SAFL207-20FP9 SBFL207-20RKP8 SB207-20RKP8 SA207-20FP SAFL207-21FP9 SA207-21FP9 3<sup>17</sup>/<sub>32</sub> 1 <sup>11</sup>/<sub>32</sub> 5 <sup>1</sup>/8 <sup>9</sup>/16 3/4 1 <sup>29</sup>/<sub>32</sub> 1.260 1.531 0.335 0.374  $1/_{2}$ 6<sup>11</sup>/<sub>32</sub> <sup>5</sup>/8 SBFL207-22RKP8 SB207-22RKP8 SAFL207-22FP9 SA207-22FP9 130 161 90 34 16 14 19 48.4 32 38.9 8.5 9.5 M14 SB207-23RKP8 SAFL207-23FP9 SBFL207-23RKP8 SA207-23FP9 SBFL207RKP8 SB207RKP8 SAFL207FP9 SA207FP9 SBFL208-24RKP8 SB208-24RKP8 SAFL208-24FP9 SA208-24FP9 6 <sup>7</sup>/8 3<sup>15</sup>/<sub>16</sub> 1 <sup>13</sup>/<sub>32</sub> 5<sup>43</sup>/<sub>64</sub> <sup>5</sup>/8 <sup>9</sup>/<sub>16</sub> <sup>53</sup>/<sub>64</sub> 2<sup>4</sup>/<sub>32</sub> 1.339 1.720 0.354 0.433 1/2 SAFL208-25FP9 SA208-25FP9 175 100 36 144 14 21 53.7 34 43.7 11 M14 16 9 SBFL208RKP8 SB208RKP8 SAFL208FP9 SA208FP9 SAFL209-26FP9 SA209-26FP9 \_ 19/32 <sup>55</sup>/64 0.433 5/8 SAFL209-27FP9 SA209-27FP9 7 13/32 4 1/4  $1^{1/2}$ 5 53/64 3/4 2 5/32 1.720 \_ \_ \_ 148 22 M16 SAFL209-28FP9 188 108 38 19 15 54.7 43.7 11 SA209-28FP9 \_ \_ \_ \_ SAFL209FP9 SA209FP9 SAFL210-30FP9 SA210-30FP \_ 4<sup>17</sup>/<sub>32</sub> **1** 9/16 19/32 55/64 **2** 5/32 1.720 0.433 5/8 7 3/4 6<sup>3</sup>/16 3/4 -\_ SAFL210-31FP9 SA210-31FP9 197 115 40 157 19 15 22 54.7 11 M16 \_ 43.7 \_ SAFL210FP9 SA210FP9

0.472

12

5/8

M16

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

3/4

19

23/32

18

<sup>63</sup>/<sub>64</sub>

25

2<sup>13</sup>/32

61.4

1.906

48.4

\_

-

3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit. 4. Housings of nodular graphite cast iron are also available

SAFL211-32FP9

SAFL211-34FP9

SAFL211-35FP9

SAFL211FP9

\_

\_

\_

2. Part No. of applicable grease fittings are shown below.

5<sup>1</sup>/8

130

**1** <sup>11</sup>/<sub>16</sub>

43

7<sup>1</sup>/4

184

A-R1/8. .... 211

8<sup>13</sup>/16

224

198



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ) and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	$\Delta_{A2s}$	X
FL204~FL210	±0.5	0.7
FL211	±0.8	1



Bearing

Variations of tolerance of bolt hole diamete	r (⊿ <sub>Ns</sub> )
	Unit <sup>.</sup> mm

	Offic. IIIII
Housing No.	$\Delta_{Ns}$
FL204~FL211	±0.2

Bearing	Housing		asic	Factor	Mass			
No.	No.		Load Ratings					
		k	N		k	g		
		$C_{\mathrm{r}}$	$C_{0\mathrm{r}}$	f0	SBFL-RKP8	SAFL-FP9		
SA204-12FP9	FL204	12.8	6.65	13.2	0.44	0.48		
SA204FP9			0.05			0110		
SA205-14FP9								
SA205-15FP9	FL205	14.0	7.85	13.9	0.62	0.67		
SA205-16FP9								
SA205FP9								
SA206-18FP9								
SA206-19FP9	FL206	19.5	11.3	13.9	0.88	0.95		
SA206-20FP9					0.00	0120		
SA206FP9								
SA207-20FP9					1.14			
SA207-21FP9					-			
SA207-22FP9	FL207	25.7	15.4	13.9	1.14	1.29		
SA207-23FP9					1.14			
SA207FP9					1.14			
SA208-24FP9					1.56			
SA208-25FP9	FL208	29.1	17.8	14.0	-	1.71		
SA208FP9					1.56			
SA209-26FP9								
SA209-27FP9	FL209	34.1	21.3	14.0		2.04		
SA209-28FP9	FL209	54.1	21.5	14.0	_	2.04		
SA209FP9								
SA210-30FP9								
SA210-31FP9	FL210	35.1	23.3	14.4	_	2.25		
SA210FP9								
SA211-32FP9								
SA211-34FP9	FL 211	211 424		14.4		2.20		
SA211-35FP9	FL211	43.4	29.4	14.4	-	3.39		
SA211FP9								
the dimensional	tables of ball	hearing	for unit					

#### SBTFD-H4RKP8 SATFD-FH4P9



Cylindrical bore (with eccentric locking collar)



SBTED-H4RKP8



SATED-EH4PG

SBTFD-H4RKP8

 $A_2$ 

Ī

 $A_1$ 





SATFD-FH4P9

Sh	aft Dia.								Dimensions							Bolt	Unit	Bearing	Unit	Bearing	Housing	Ba	sic	Factor	Ма	ass
mn	inch		inch													Size	No.	No.	No.	No.	No.	Load R	atings			
								SBTFD	mm SATFD					SBTFD	SATFD	inch						kl				g
	d	H	L	Α	J	N	$H_1$	$A_0$	$A_0$	$A_1$	$A_2$	В	$B_1$	S	S	mm						$C_{ m r}$	$C_{0r}$	fo	SBTFD	SATFD
12																	SBTFD201H4RKP8	SB201RKP8	SATFD201FH4P9	SA201FP9						
	1/2	3 <sup>3</sup> / <sub>16</sub>	<b>2</b> 3/22	11/16	<b>2</b> <sup>1</sup> / <sub>2</sub>	<sup>9</sup> / <sub>32</sub>	1 19/32	1	1 1/4	3/0	3/0	0.866	5 1.126	0.236	0.256		SBTFD201-8H4RKP8	SB201-8RKP8	SATFD201-8FH4P9	SA201-8FP9						
15			53.2			7.1	40.5	25.5	31.6	9.5	9.5	22		6	6.5	1/4	SBTFD202H4RKP8	SB202RKP8	SATFD202FH4P9	SA202FP9	TFD203H4	9.55	4.80	13.2	0.23	0.26
	5/8	01	55.2	17.5	05.5	/.1	-10.5	23.5	51.0	5.5	2.5	22	20.0		0.5		SBTFD202-10H4RKP		SATFD202-10FH4P9	SA202-10FP9						
17																	SBTFD203H4RKP8	SB203RKP8	SATFD203FH4P9	SA203FP9						
20	3/4						1 <sup>25</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>8</sub>	1 11/32	27/64	<sup>27</sup> / <sub>64</sub>		4 1.220	0.276	0.295	5/16	SBTFD204-12H4RKP		SATFD204-12FH4P9	SA204-12FP9	TFD204H4	12.8	6.65	13.2	0.30	0.34
	7/8	90.5	60.3	19.8	71.4	8.7	45.2	28.7	34.2	10.7	10.7	25	31	/	7.5	-	SBTFD204H4RKP8 SBTFD205-14H4RKP	SB204RKP8 SB205-14RKP8	SATFD204FH4P9 SATFD205-14FH4P9	SA204FP9 SA205-14FP9						
	<sup>15</sup> /16	3 <sup>3</sup> /4	2 <sup>5</sup> /8	25/32	2	11/32	1 7/8	1 <sup>3</sup> /16	1 11/32	27/64	27/64	1.063	3 1.220	0.295	0.295		SBTFD205-14H4KKP		SATFD205-14FH4P9 SATFD205-15FH4P9	SA205-14FP9 SA205-15FP9						
25			- /-		76.2	8.7	47.6	30.2	34.2	10.7	10.7	27		7.5	7.5	5/16	SBTFD205-15H4RKP	SB205RKP8	SATED205FH4P9	SA205-151-19 SA205FP9	TFD205H4	14.0	7.85	13.9	0.35	0.39
	1	95.2	00.7	19.0	70.2	0.7	47.0	50.2	54.2	10.7	10.7	27	21	7.5	/.5		SBTFD205H4RKP8		SATED205-16FH4P9	SA205-16FP9						
	1 <sup>1</sup> /8																SBTFD205-T0H4RKP		SATFD205-18FH4P9	SA205-10119 SA206-18FP9						
	. , .	4 <sup>7</sup> / <sub>16</sub>	3 <sup>3</sup> / <sub>32</sub>	7/8	3 <sup>9</sup> / <sub>16</sub>	13/32	2 7/32	1 11/32	1 17/32	15/32	15/32	1.181	1 1.406	0.315	0.354		SBTFD206H4RKP8	SB206RKP8	SATFD206FH4P9	SA206FP9						
30	1 <sup>3</sup> /16	112.7	78.6	22.2	90.5	10.3	56.4	33.9	38.6	11.9	11.9	30	35.7	8	9	3/8	SBTFD206-19H4RKP	8 SB206-19RKP8	SATFD206-19FH4P9	SA206-19FP9	TFD206H4	19.5	11.3	13.9	0.54	0.61
	1 <sup>1</sup> /4																SBTFD206-20H4RKP		SATFD206-20FH4P9	SA206-20FP9						
	1 1/4																SBTFD207-20H4RKP		SATFD207-20FH4P9	SA207-20FP9						
	1 <sup>5</sup> /16	4 <sup>13</sup> / <sub>16</sub>	21/	<sup>15</sup> /16	3 <sup>15</sup> / <sub>16</sub>	13/	2 <sup>13</sup> / <sub>32</sub>	17/	1 21/32	1/.	17.	1.260	) 1.531	0.335	0.374	3/8	-	-	SATFD207-21FH4P9	SA207-21FP9						
35	1 <sup>3</sup> /8	4 <sup>13</sup> / <sub>16</sub> 122.2		23.8	100		61.1	1 <sup>7</sup> / <sub>16</sub>	42.1	1/ <sub>2</sub> 12.7	12.7	32		8.5	9.5		SBTFD207-22H4RKP	8 SB207-22RKP8	SATFD207-22FH4P9	SA207-22FP9	TFD207H4	25.7	15.4	13.9	0.67	0.82
		122.2	00.9	23.8	100	10.3	01.1	36.2	42.1	12.7	12.7	32	58.9	6.5	9.5		SBTFD207H4RKP8	SB207RKP8	SATFD207FH4P9	SA207FP9						
	1 <sup>7</sup> /16																SBTFD207-23H4RKP	8 SB207-23RKP8	SATFD207-23FH4P9	SA207-23FP9						

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)
 2. Part No. of applicable grease fitting is A-1/4-28UNF.
 3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

FYH





Cha	(+ D'-						Di							Bolt	11	Destination	11	Destination	11	D		F t		
Shaft Dia.			Dimensions												Unit	Bearing	Unit	Bearing	Housing	Bas		Factor	IVIa	ass
mm	mm inch		inch												No.	No.	No.	No.	No.	Load R	-			
			mm											inch						kl	N		k	rg
										B	LF	A	LF	mm						$C_{\mathrm{r}}$	$C_{0r}$	fa	BLF	ALF
	d		L	A	J	N	$A_1$	$A_2$	S	$A_0$	В	$A_{01}$	$B_1$							Or	Cor	fo	DLI	ALI
12															BLF201	SB201	ALF201	SA201						
	1/2	2.24	21/	22.4	2.17	F (	27	27	0.000		0.044				BLF201-8	SB201-8	ALF201-8	SA201-8						
15		3 <sup>3</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>16</sub>	23/32	2 <sup>1</sup> / <sub>2</sub>	<sup>9</sup> /16	3/8	3/8	0.236		0.866	1 <sup>1</sup> / <sub>4</sub>	1.122		<sup>1/4</sup> BLF202	SB202	ALF202	SA202	LF203	9.55	4.80	13.2	0.25	0.28
	5/8	81	52	18	63.5	8	9.5	9.5	6	25.5	22	32	28.5	M6	BLF202-10	SB202-10	ALF202-10	SA202-10						
17															BLF203	SB203	ALF203	SA203						
	3/4	3 <sup>17</sup> / <sub>32</sub>	2 <sup>3</sup> /8	25/32	2 <sup>13</sup> /16	25/64	7/16	7/16	0.276	1 5/32	0.984	1 <sup>5</sup> /16	1.161	5/16	BLF204-12	SB204-12	ALF204-12	SA204-12						
20		90	60	20	71.5	10	11	11	7	29	25	33.5	29.5	M8	BLF204	SB204	ALF204	SA204	LF204	12.8	6.65	13.2	0.33	0.33
	7/8			20	7.110						20		2715		BLF205-14	SB205-14	ALF205-14	SA205-14						
	15/16	3 3/4	2 17/32	25/32	2 <sup>63</sup> /64	25/64	7/16	7/16	0.295	1 <sup>3</sup> /16	1.063	<b>1</b> <sup>11</sup> / <sub>32</sub>	1.201	5/16	BLF205-15	SB205-15	ALF205-15	SA205-15						
25		95	64	20	76	10	11	11	7.5	30.5	27	34	30.5	M8	BLF205	SB205	ALF205	SA205	LF205	14.0	7.85	13.9	0.38	0.42
	1		0.	20					710	5015	27	5.	5015		BLF205-16	SB205-16	ALF205-16	SA205-16						
	1 <sup>1</sup> /8														BLF206-18	SB205-18	ALF206-18	SA206-18						
	. , .	4 7/16	3	7/8	3 <sup>9</sup> /16	15/32	15/32	15/32	0.315	1 11/32	1.181	1 <sup>1</sup> / <sub>2</sub>	1.335	3/8	BLF206	SB206	ALF206	SA206						
30	1 3/16	113	76	22.5	90.5	12	12	12	8	34	30	37.9	33.9	M10	BLF206-19	SB206-19	ALF206-19	SA206-19	LF206	19.5	11.3	13.9	0.57	0.60
	1 1/4		70	22.5	90.J	12	12	12	0	54	50	57.9	55.9	INITO	BLF206-20	SB206-19	ALF206-20	SA206-19						
	1 /4 1 <sup>1</sup> /4														BLF207-20	SB200-20	ALF200-20	SA200-20						
	1 <sup>5</sup> /16														DEI 207-20	55207-20	ALF207-20	SA207-20						
25	1 3/8	4 <sup>13</sup> / <sub>16</sub>	<b>3</b> 1/2	<sup>15</sup> / <sub>16</sub>	<b>3</b> <sup>15</sup> / <sub>16</sub>	15/32	1/2	<sup>33</sup> / <sub>64</sub>	0.335	1 7/16	1.260	1 <sup>5</sup> /8	1.437	3/8	BLF207-22	50207 22	ALF207-21 ALF207-22		1 5207	25.7	15.4	12.0	0.77	0.05
35	1 3/8	122	89	24	100	12	13	13	8.5	36.5	32	41	36.5	M10		SB207-22		SA207-22	LF207	25.7	15.4	13.9	0.77	0.85
															BLF207	SB207	ALF207	SA207						
	1 <sup>7</sup> /16														BLF207-23	SB207-23	ALF207-23	SA207-23						

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)
 Allowable load to housing in radial direction is approximately half of basic load rating of bearing, C<sub>r</sub> (when safety factor is 4).
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\mathcal{L}_{A2s}$ ) and variations of tolerance of distance between centers of bolt holes ( $\mathcal{L}_{Js}$ )

		Unit: mm
Housing No.	$\Delta_{A2s}$	$\Delta J_{s}$
LF203~LF207	±0.5	±0.7

	Unit: mm
Housing No.	$\Delta_{Ns}$
LF203~LF207	±0.2
# UFL

Cylindrical bore (with set screws) *d* 8 ~ 30 mm







Shaft Dia.					Dime	nsions					Bolt		Standard				Basic Factor		With Rubber Coated Cover				
mm					ir	nch					Size	Unit	Housing	Bearing	Mass	s Lo	oad Ratings		Uni	t No.	Dimen	sion	Mass
					n	nm					inch	No.	No.	No.			kN		Open Type	Closed Type	mm	inch	
d	H	L	Α	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg	0	$C_{ m r}$ $C_{0 m r}$	fo			$A_{ m s}$	3	kg
8	1 7/8	1 <sup>1</sup> / <sub>16</sub>	11/32	1 <sup>29</sup> / <sub>64</sub>	3/16	5/32	5/32	1/2	0.472	0.1378	No.8	UFL08	FL08	SU08	0.030		3.27 1.37	12.4					
8	48	27	8.5	37	4.8	4	4	12.5	12	3.5	M4	UFLU8	FLU8	5008	0.030		5.27 1.37	12.4	_	-	-	-	-
10	2 <sup>3</sup> /8	1 <sup>13</sup> / <sub>32</sub>	15/32	1 <sup>49</sup> / <sub>64</sub>	9/32	1/4	<sup>15</sup> / <sub>64</sub>	5/8	0.591	0.197	1/4	UFL000	FL000	SU000	0.050		1.55 1.95	12.3	UFL000C	UFL000D	20.5	<sup>13</sup> /16	0.05
10	60	36	12	45	7	6	6	16	15	5	M6	01 2000	12000	50000	0.030	-	1.95	12.5	01 20000	01 20000	20.5	/10	0.05
12	2 <sup>15</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>2</sub>	15/32	1 <sup>57</sup> / <sub>64</sub>	9/32	1/4	<sup>15</sup> / <sub>64</sub>	5/8	0.591	0.197	1/4	UFL001	FL001	SU001	0.065	5 4	5.10 2.40	13.2	UFL001C	UFL001D	20.5	13/16	0.07
	63	38	12	48	7	6	6	16	15	5	M6						2.1.0		0.20010		2010	7.0	0.07
15	2 5/8	1 <sup>21</sup> / <sub>32</sub>	1/2	2 <sup>3</sup> / <sub>32</sub>	9/32	1/4	1/4	11/16	0.650	0.217	1/4	UFL002	FL002	SU002	0.085	5 5	5.60 2.85	13.9	UFL002C	UFL002D	22	7/8	0.09
	67	42	13	53	7	6.5	6.5	17.5	16.5	5.5	M6												
17	2 <sup>25</sup> /32	1 <sup>13</sup> /16	9/16	2 <sup>13</sup> / <sub>64</sub>	9/32	9/32	9/32	23/32	0.689	0.236	1/4	UFL003	FL003	SU003	0.11	6	5.00 3.25	14.4	UFL003C	UFL003D	23.5	15/16	0.11
	71	46	14	56	7	7	7	18.5	17.5	6	M6												
20	3 <sup>17</sup> / <sub>32</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	5/8	2 <sup>51</sup> /64	13/32	5/16	5/16	//8	0.827	0.276	5/16	UFL004	FL004	SU004	0.18	9	9.40 5.05	13.9	UFL004C	UFL004D	27	1 <sup>1</sup> /16	0.18
	90	55	16	71	10	8	8	22	21	7	M8												
25	3 <sup>3</sup> /4	2 <sup>3</sup> /8	5/8	2 <sup>61</sup> / <sub>64</sub>	13/32	5/16	5/16	29/32	0.866	0.276	5/16	UFL005	FL005	SU005	0.23	10	).1 5.85	14.5	UFL005C	UFL005D	28	1 <sup>3</sup> / <sub>32</sub>	0.23
	95	60	16	75	10	8	8	23	22	7	M8	0. 2005	. 2305		0.23		5.05		0.20050	0.23050	20	. , 32	
30	4 <sup>13</sup> / <sub>32</sub>	2 <sup>3</sup> /4	23/32	<b>3</b> <sup>11</sup> / <sub>32</sub>	1/2	11/32	<sup>23</sup> / <sub>64</sub>	1 <sup>1</sup> /32	0.965	0.295	3/8	UFL006	FL006	SU006	0.31	1:	8.2 8.25	14.7	UFL006C	UFL006D	31	1 7/32	0.31
50	112	70	18	85	13	9	9	26	24.5	7.5	M10	01 2000	1 2000	50000	0.51	'`	0.25	1-4.7	01 20000	01 20000	51	· / 32	0.51

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See **Table 10.5** in P.62.) 2. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

 $A_2$ 

Ð

 $A_1$ 



With One Side Sealed Cover

 $A_2$ 



Variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A20}$ ) and variations of tolerance of distance between centers of bolt holes ( $\Delta_{J0}$ )

		Unit: mm
Housing No.	$\Delta_{A2s}$	$\Delta J_{s}$
FL08	+0.5	+0.3
FL000~FL006	±0.5	±0.3

	Unit: mm
Housing No.	$\Delta_{Ns}$
FL08	10.2
FL000~FL006	±0.2

# UCSFL-H1S6

Cylindrical bore (with set screws)

*d* 12 ~ 50 mm







Sha	ft Dia.						nsions					Bolt	Standard				Basic	Factor	-	Pressed Stainless S			
mm	inch					in	ich					Size	Unit	Housing	Bearing	Mass	Load Ratings		Unit		Dime	ension	Mass
						m	nm					inch	No.	No.	No.		kN		Open Type	Closed Type	mm	inch	
	d	H	L	A	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg	$C_{ m r}$ $C_{ m 0r}$	$f_0$			4	$A_{ m s}$	kg
12													UCSFL201XH1S6		UC201XS6				-	-	-	-	-
	1/2												UCSFL201-8XH1S6		UC201-8XS6				_	_	-	_	_
15		3 <sup>27</sup> / <sub>32</sub>		15/16	3	15/32	13/32	9/16	1 <sup>3</sup> /16			3/8	UCSFL202XH1S6	SFL203H1	UC202XS6	0.33	8.15 3.85	13.2	_	_	-	_	-
	5/8	98	52	24	76.5	12	10	14	29.9	27.4	11.5	M10	UCSFL202-10XH1S6		UC202-10XS6				_	_	_	_	_
17													UCSFL203XH1S6		UC203XS6				_	_	_	_	_
	3/4	4 7/16	2 <sup>3</sup> /8	1 <sup>1</sup> / <sub>32</sub>	3 <sup>35</sup> / <sub>64</sub>	15/32	13/32	19/32	1 5/16	1.220	0.500	3/8	UCSFL204-12H1S6		UC204-12S6				_	_	-	_	-
20		113	60	26	90	12	10	15	33.3	31	12.7	M10	UCSFL204H1S6	SFL204H1	UC204S6	0.47	10.9 5.35	13.2	UCSFL204H1CS6	UCSFL204H1DS6	38	$1^{1/2}$	0.47
	7/8			-				-		-			UCSFL205-14H1S6		UC205-14S6				-	-	-	-	-
	15/16	5 <sup>1</sup> /8	2 11/16	1 <sup>3</sup> / <sub>32</sub>	3 57/64	5/8	13/32	5/8	1 <sup>13</sup> /32	1.343	0.563	1/2	UCSFL205-15H1S6		UC205-15S6				_	_	-	_	-
25		130	68	27.5	99	16	10	16	35.8	34.1	14.3	M14	UCSFL205H1S6	SFL205H1	UC205S6	0.61	11.9 6.30	13.9	UCSFL205H1CS6	UCSFL205H1DS6	40	1 <sup>9</sup> /16	0.61
	1												UCSFL205-16H1S6		UC205-16S6				_	_	_	_	_
	1 <sup>1</sup> / <sub>8</sub>												UCSFL206-18H1S6		UC206-1856				-	-	-	_	-
		5 <sup>13</sup> /16	3 5/32	1 7/32	4 <sup>39</sup> / <sub>64</sub>	5/8	13/32	45/64	1 <sup>19</sup> /32	1.500	0.626	1/2	UCSFL206H1S6		UC206S6				UCSFL206H1CS6	UCSFL206H1DS6	45	1 <sup>15</sup> /32	0.9
30	1 <sup>3</sup> /16	148	80	31	117	16	10	18	40.2	38.1	15.9	M14	UCSFL206-19H1S6	SFL206H1	UC206-1956	0.9	16.5 9.05	13.9	_	_	_	_	-
	1 1/4												UCSFL206-20H1S6		UC206-2056				_	_	_	_	_
	1 <sup>1</sup> /4												UCSFL207-20H1S6		UC207-2056				-	-	-	_	-
	1 5/16												UCSFL207-21H1S6		UC207-21S6				_	_	-	_	-
35	1 3/8	6 11/32	3 <sup>11</sup> / <sub>32</sub>	1 11/32	5 <sup>1</sup> /8	5/8	7/16	3/4	1 <sup>3</sup> /4	1.689		1/2	UCSFL207-22H1S6	SFL207H1	UC207-2256	1.1	21.8 12.3	13.9	_	_	_	_	_
		161	85	34	130	16	11	19	44.4	42.9	17.5	M14	UCSFL207H1S6		UC207S6				UCSFL207H1CS6	UCSFL207H1DS6	49	1 <sup>15</sup> /16	1.1
	1 7/16												UCSFL207-23H1S6		UC207-23S6				_	_	_		_
	1 1/2												UCSFL208-24H1S6		UC208-2456	1			-	_	-	-	-
40	1 9/16	6 7/8	3 11/16	1 <sup>13</sup> / <sub>32</sub>	5 <sup>43</sup> / <sub>64</sub>	5/8	15/32	53/64	2 <sup>1</sup> / <sub>32</sub>			1/2	UCSFL208-25H1S6	SFL208H1	UC208-25S6	1.4	24.8 14.3	14.0	_	_	-	_	_
		175	94	36	144	16	12	21	51.2	49.2	19	M14	UCSFL208H1S6		UC20856				UCSFL208H1CS6	UCSFL208H1DS6	56	<b>2</b> <sup>7</sup> / <sub>32</sub>	1.4
	1 5/8											1	UCSFL209-26H1S6		UC209-2656				-	-	-	_ , , , , , , , , , , , , , , , , , , ,	-
	1 11/16	<b>7</b> <sup>13</sup> / <sub>32</sub>	3 <sup>15</sup> /16	1 <sup>1</sup> / <sub>2</sub>	5 <sup>53</sup> /64	3/4	1/2	55/64	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	5/8	UCSFL209-27H1S6		UC209-27S6				_	_	-	_	_
45	1 3/4	188	100	38	148	19	13	22	52.2	49.2		M16	UCSFL209-28H1S6	SFL209H1	UC209-2856	1.6	27.8 16.2	14.0	_	_	_	_	_
							.5		52.2				UCSFL209H1S6		UC20956				UCSFL209H1CS6	UCSFL209H1DS6	57	<b>2</b> <sup>7</sup> / <sub>32</sub>	1.6
	1 7/8												UCSFL210-30H1S6		UC210-3056				-	-	-	-	-
	1 15/16	7 <sup>3</sup> /4	4 <sup>3</sup> / <sub>16</sub>	1 <sup>9</sup> /16	6 <sup>3</sup> /16	3/4	1/2	55/64	<b>2</b> <sup>5</sup> / <sub>32</sub>	2.03	0.748	5/8	UCSFL210-31H1S6		UC210-31S6				_	_	_	_	_
50	1 10	197	106	40	157	19	13	22	54.6	51.6		M16	UCSFL210H1S6	SFL210H1	UC21056	1.9	29.8 18.6	14.4	UCSFL210H1CS6	UCSFL210H1DS6	59	<b>2</b> <sup>5</sup> / <sub>16</sub>	1.9
	2		100	10	1.57		.5	~~	5 1.0	51.0			UCSFL210-32H1S6		UC210-3256				-	-		-	_
	2											1	00311210-3211130	1	00210-3230	1			_				

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fitting is A-1/4-28UNFN12.

 3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

 $A_1$  $A_2$ 



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\Delta_{A2s})$  and variations of tolerance of distance between centers of bolt holes  $(\Delta_{Js})$ 

		Unit: mm
Housing No.	AA2s	$\Delta J_{s}$
SFL203H1~SFL210H1	±0.5	±0.5

Variations of tolerance of bolt hole diameter ( $extsf{\alpha_{Ns}}$ )

	Unit: mm
Housing No.	$\Delta_{Ns}$
SFL203H1~SFL210H1	±0.2

# UCSFL-EH1S6

Cylindrical bore (with set screws)

d 12 ~ 50 mm









Sha	4																						
	ft Dia.					Dimer						Bolt	Standard				Basic	Fac		Pressed Stainless S			1
mm	inch					in	ch					Size	Unit	Housing	Bearing	Mass	Load Ratin	gs		t No.		ension	Mass
						m	m					inch	No.	No.	No.		kN		Open Type	Closed Type	mm	inch	
	d	H	L	A	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg	$C_{\rm r}$ $C$	Dr j				$A_s$	kg
12													UCSFL201XEH1S6		UC201XS6				-	-	-	-	-
	1/2	3 <sup>27</sup> / <sub>32</sub>	2 <sup>1</sup> /16	<sup>15</sup> /16	3	<sup>25</sup> /64	<sup>13</sup> / <sub>32</sub>	<sup>9</sup> /16	1 <sup>3</sup> /16	1.079	0.453		UCSFL201-8XEH1S6		UC201-8XS6				-	-	-	-	-
15		98	52	24	76.2	10	10	14	29.9	27.4	11.5	5/16	UCSFL202XEH1S6	SFL203EH1	UC202XS6	0.33	8.15 3	85 13	2 –	-	-	-	-
	<sup>5</sup> /8	90	52	24	70.2	10	10	14	29.9	27.4	11.5		UCSFL202-10XEH1S6		UC202-10XS6				-	-	-	-	-
17													UCSFL203XEH1S6		UC203XS6				-	-	-	-	-
20	3/4	4 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> /8	<b>1</b> <sup>1</sup> / <sub>32</sub>	<b>3</b> <sup>17</sup> / <sub>32</sub>	<sup>25</sup> / <sub>64</sub>	<sup>13</sup> / <sub>32</sub>	<sup>19</sup> / <sub>32</sub>	<b>1</b> <sup>5</sup> / <sub>16</sub>	1.220	0.500	5/16	UCSFL204-12EH1S6	SFL204EH1	UC204-12S6	0.47	10.9 5	35 13		-	-	-	-
20		113	60	26	89.7	10	10	15	33.3	31	12.7	-/16	UCSFL204EH1S6	SFL204EHT	UC204S6	0.47	10.9 5	35 13	UCSFL204EH1CS6	UCSFL204EH1DS6	38	1 <sup>1</sup> / <sub>2</sub>	0.47
	7/8												UCSFL205-14EH1S6		UC205-14S6				-	-	-	-	-
25	15/16	5 <sup>1</sup> /8	2 <sup>11</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>32</sub>	3 <sup>57</sup> / <sub>64</sub>	15/32	<sup>13</sup> / <sub>32</sub>	<sup>5</sup> /8	1 <sup>13</sup> / <sub>32</sub>	1.343	0.563	3/8	UCSFL205-15EH1S6	SFL205EH1	UC205-15S6	0.61	11.9 6	30 13		-	-	-	-
23		130	68	27.5	98.8	12	10	16	35.8	34.1	14.3	-78	UCSFL205EH1S6	JELZUJLITI	UC205S6	0.01	11.9 0	30 13	UCSFL205EH1CS6	UCSFL205EH1DS6	40	1 <sup>9</sup> /16	0.61
	1												UCSFL205-16EH1S6		UC205-16S6				-	-	-	-	-
	1 <sup>1</sup> /8												UCSFL206-18EH1S6		UC206-1856				-	-	-	-	-
30		5 <sup>13</sup> / <sub>16</sub>	3 <sup>5</sup> / <sub>32</sub>	1 <sup>7</sup> / <sub>32</sub>	4 <sup>39</sup> / <sub>64</sub>	15/32	<sup>13</sup> / <sub>32</sub>	45/64	1 <sup>19</sup> / <sub>32</sub>	1.500	0.626	3/8	UCSFL206EH1S6	SFL206EH1	UC206S6	0.9	16.5 9	05 13	UCSFL206EH1CS6	UCSFL206EH1DS6	45	1 <sup>15</sup> /32	0.9
50	1 <sup>3</sup> /16	148	80	31	116.7	12	10	18	40.2	38.1	15.9	-/8	UCSFL206-19EH1S6	SFL200EH1	UC206-19S6	0.9	10.5 9	05 13	-	-	-	-	-
	1 <sup>1</sup> / <sub>4</sub>												UCSFL206-20EH1S6		UC206-2056				-	-	-	-	-
	1 <sup>1</sup> /4												UCSFL207-20EH1S6		UC207-2056				-	-	-	-	-
	1 5/16	6 11/32	3 11/32	1 11/32	5 <sup>1</sup> /8	33/	7/	3/.	13/.	1.689	0.689		UCSFL207-21EH1S6		UC207-21S6				-	-	-	-	-
35	1 <sup>3</sup> /8		85	34	- /-	12	11	-74	44.4			7/16	UCSFL207-22EH1S6	SFL207EH1	UC207-2256	1.1	21.8 12	3   13	9 –	-	-	-	-
		161	80	54	130.2	13	11	19	44.4	42.9	17.5		UCSFL207EH1S6		UC207S6				UCSFL207EH1CS6	UCSFL207EH1DS6	49	1 <sup>15</sup> / <sub>16</sub>	1.1
	1 7/16												UCSFL207-23EH1S6		UC207-23S6				-	-	-	-	-
	1 <sup>1</sup> / <sub>2</sub>	671	2 11/	1 <sup>13</sup> / <sub>32</sub>	E 21/	33/	15/	53/	21/	1.937	0.748		UCSFL208-24EH1S6		UC208-24S6				-	-	-	-	-
40	1 <sup>9</sup> /16	6 175	3 <sup>11</sup> / <sub>16</sub>		5 <sup>21</sup> / <sub>32</sub>	12	10	27/64	2 <sup>1</sup> / <sub>32</sub>			7/16	UCSFL208-25EH1S6	SFL208EH1	UC208-25S6	1.4	24.8 14	3 14	D –	-	-	-	-
		175	94	36	143.7	13	12	21	51.2	49.2	19		UCSFL208EH1S6		UC20856				UCSFL208EH1CS6	UCSFL208EH1DS6	56	<b>2</b> <sup>7</sup> / <sub>32</sub>	1.4
	1 5/8												UCSFL209-26EH1S6		UC209-2656				-	-	-	-	-
45	1 <sup>11</sup> /16	<b>7</b> <sup>13</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>2</sub>	5 <sup>27</sup> / <sub>32</sub>	19/32	1/2	<sup>55</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>16</sub>	1.937	0.748	1/2	UCSFL209-27EH1S6	SFL209EH1	UC209-27S6	1.6	27.8 16	2 14		-	-	-	-
45	1 <sup>3</sup> /4	188	100	38	148.4	15	13	22	52.2	49.2	19	'/2	UCSFL209-28EH1S6	SFL209EH1	UC209-2856	1.0	27.8 10	2   12	-	-	-	-	-
													UCSFL209EH1S6		UC20956				UCSFL209EH1CS6	UCSFL209EH1DS6	57	2 <sup>1</sup> /4	1.6
	1 7/8												UCSFL210-30EH1S6		UC210-3056				-	-	-	-	-
	1 <sup>15</sup> / <sub>16</sub>	7 <sup>3</sup> /4	4 <sup>3</sup> / <sub>16</sub>	1 <sup>9</sup> /16	6 <sup>3</sup> / <sub>16</sub>	19/32	1/2	<sup>55</sup> / <sub>64</sub>	2 <sup>5</sup> / <sub>32</sub>	2.031	0.748	1/	UCSFL210-31EH1S6	CEL 21 0EL 14	UC210-3156	1.0	20.0 10		-	-	-	-	-
50		197	106	40	157	15	13	22	54.6	51.6	19	1/2	UCSFL210EH1S6	SFL210EH1	UC210S6	1.9	29.8 18	6 14	UCSFL210EH1CS6	UCSFL210EH1DS6	59	2 <sup>5</sup> /16	1.9
	2												UCSFL210-32EH1S6		UC210-32S6				_	-	_	_	-

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fitting is A-1/4-28UNFN12.

 3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\Delta_{A2s})$  and variations of tolerance of distance between centers of bolt holes  $(\Delta_{Js})$ 

	Unit: mm
$\Delta_{A2s}$	$\Delta J_{s}$
±0.5	±0.5
	⊿ <sub>A2s</sub> ±0.5

Variations of tolerance of bolt hole diameter ( $extsf{\alpha_{Ns}}$ )

	Unit: mm
Housing No.	$\Delta_{Ns}$
SFL203EH1~SFL210EH1	±0.2

# USFL-S6

Cylindrical bore (with set screws)

*d* 10 ~ 30 mm









Shaft Dia.					Dime	nsions					Bolt		Standard				Basic	Factor	۱	With Rubber Co	ated Cover	
mm					ir	nch					Size	Unit	Housing	Bearing	Mass	s Loa	d Ratings		Unit	No.	Dimensio	n Mass
					n	ım					inch	No.	No.	No.			kN		Open Type	Closed Type	mm inc	h
d	H	L	Α	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg		$C_{0\mathrm{r}}$	fo			$A_{ m s}$	kg
10	2 <sup>3</sup> /8	<b>1</b> <sup>11</sup> / <sub>32</sub>	15/32	1 <sup>49</sup> / <sub>64</sub>	9/ <sub>32</sub>	<sup>3</sup> / <sub>16</sub>	<sup>15</sup> / <sub>64</sub>	<sup>5</sup> /8	0.591	0.197	1/4	USFL000S6	SFL000	SU000S6	0.076	6 3.	9 1.55	12.3	USFL000CS6	USFL000DS6	20.5 13	/16 0.08
10	60	34	12	45	7	5	6	16	15	5	M6	03FL00030	SFLUUU	3000030	0.078	0 5.	9 1.55	12.5	03FL000C30	03FL000D30	20.5	16 0.00
12	2 <sup>15</sup> / <sub>32</sub>	1 <sup>13</sup> / <sub>32</sub>	15/32	1 <sup>57</sup> / <sub>64</sub>	<sup>9</sup> / <sub>32</sub>	<sup>3</sup> / <sub>16</sub>	15/64	<sup>5</sup> /8	0.591	0.197	1/4	USFL001S6	SFL001	SU001S6	0.080	0 4.	3 1.9	13.2	USFL001CS6	USFL001DS6	20.5	0.08
12	63	36	12	48	7	5	6	16	15	5	M6	03FL00130	SFLUUT	3000130	0.080	4.	5 1.9	15.2	03FL001C30	03FL001D30	20.5	0.00
15	2 <sup>5</sup> /8	1 5/8	1/2	2 <sup>3</sup> / <sub>32</sub>	9/ <sub>32</sub>	1/4	1/4	11/16	0.650	0.217	1/4	USFL002S6	SFL002	SU002S6	0.1	4	7 2.25	13.9	USFL002CS6		22 7	8 0.1
15	67	41	13	53	7	6	6.5	17.5	16.5	5.5	M6	051 200250	51 2002	5000250	0.1		2.25	13.9	031 2002 200	0312002030	22 1	, 0.1
17	2 <sup>25</sup> / <sub>32</sub>	1 <sup>23</sup> / <sub>32</sub>	<sup>9/</sup> 16	2 <sup>13</sup> / <sub>64</sub>	9/ <sub>32</sub>	1/4	9/32	<sup>23</sup> / <sub>32</sub>	0.689	0.236	1/4	USFL003S6	SFL003	SU003S6	0.13	5.	1 2.6	14.4	USFL003CS6	USFL003DS6	23.5 15	0.13
17	71	44	14	56	7	6	7	18.5	17.5	6	M6	051 200550	51 2005	5000550	0.13	, J.	1 2.0	14.4	031 2003 230	0312003030	23.5	0.15
20	3 <sup>19</sup> / <sub>32</sub>	2 <sup>3</sup> /32	5/8	2 <sup>51</sup> /64	13/32	1/4	5/16	7/8	0.827	0.276	<sup>5</sup> /16	USFL004S6	SFL004	SU004S6	0.21	7.	9 4	13.9	USFL004CS6	USFL004DS6	27 1 1	0.21
20	91	53	16	71	10	6	8	22	21	7	M8	051 200450	51 2004	5000450	0.21			13.9	031 2004 230	0312004030	2/ 1/	0.21
25	3 <sup>3</sup> /4	2 <sup>9</sup> /32	5/8	2 <sup>61</sup> / <sub>64</sub>	13/32	1/4	5/16	<sup>29</sup> / <sub>32</sub>	0.866	0.276	<sup>5</sup> /16	USFL005S6	SFL005	SU005S6	0.23	8.	5 4.65	14.5	USFL005CS6		28 1 <sup>3</sup> /	0.23
25	95	58	16	75	10	6	8	23	22	7	M8	051 200550	51 2005	1000000	0.23	0.	4.05	14.5	051 2005 250	031 2003 230	20 1-7	0.23
30	<b>4</b> <sup>11</sup> / <sub>32</sub>	2 <sup>19</sup> / <sub>32</sub>	23/32	<b>3</b> <sup>11</sup> / <sub>32</sub>	1/2	9/32	23/64	1 <sup>1</sup> / <sub>32</sub>	0.965	0.295	3/8	USFL006S6	SFL006	SU006S6	0.33	11.	2 6.6	14.7	USFL006CS6		31 17	0.33
50	110	66	18	85	13	7	9	26	24.5	7.5	M10	03FL00030	JELUUO	3000030	0.55		2 0.0	14./	031 2000 230	0312000030	רין וכ	32 0.55

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See **Table 10.5** in P.62.) 2. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

В

b





Variations of tolerance of distance from mounting surface to center of spherical bore  $(\Delta_{A2s})$  and variations of tolerance of distance between centers of bolt holes  $(\Delta_{Js})$ 

		Unit: mm
Housing No.	AA2s	$\Delta J_{s}$
SFL000~SFL006	±0.5	±0.3

Variations of tolerance of bolt hole diameter ( $extsf{\alpha_{Ns}}$ )

	Unit: mm
Housing No.	$\Delta_{Ns}$
SFL000~SFL006	±0.2

# UCVFL-S6

Cylindrical bore (with set screws)

*d* 20 ~ 40 mm







Shat	ft Dia.					Dime	ensions					Bolt	St	andard				Basio	c	Factor		With Plastic Cove	er		
mm	inch					iı	nch					Size	Unit	Housing	Bearing	Mass	ss   I	Load Rat	tings		Unit	No.	Dime	nsion	Mass
						n	nm					inch	No.	No.	No.			kN			Open Type	Closed Type	mm	inch	
	d	H	L	A	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg	;	$C_{\rm r}$	$C_{0r}$	$f_0$			A	s	kg
	3/4	4 7/16	2 <sup>9</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>32</sub>	3 35/64	7/16	17/32	19/32	1 5/16	1.220	0 0.500	3/8	UCVFL204-12S6	1/5/ 0.0.4	UC204-1256		_				UCVFL204-12CS6	UCVFL204-12DS6		4.277	
20		113	65	26.5	90	11	13.4	15	33.3	31	12.7	M8	UCVFL204S6	VFL204	UC204S6	0.25	5	10.9	5.35	13.2	UCVFL204CS6	UCVFL204DS6	46.5	1 <sup>27</sup> / <sub>32</sub>	0.26
	7/8												UCVFL205-14S6		UC205-14S6						UCVFL205-14CS6	UCVFL205-14DS6			
25	15/16	5 <sup>5</sup> /32	2 <sup>3</sup> /4	1 <sup>3</sup> /32	3 57/64	7/16	17/32	5/8	1 <sup>13</sup> /32	1.343	3 0.563	3/8	UCVFL205-15S6	VFL205	UC205-15S6	0.25	_   .	11.0	~	12.0	UCVFL205-15CS6	UCVFL205-15DS6	50.2	1 21 /	0.26
25		131	70	27.5	99	11	13.8	16	35.8	34.1	14.3	M8	UCVFL205S6	VFL205	UC205S6	0.35	5	11.9	6.3	13.9	UCVFL205CS6	UCVFL205DS6	50.2	1 <sup>31</sup> / <sub>32</sub>	0.36
	1												UCVFL205-16S6		UC205-16S6						UCVFL205-16CS6	UCVFL205-16DS6			
	1 <sup>1</sup> /8												UCVFL206-18S6		UC206-18S6						UCVFL206-18CS6	UCVFL206-18DS6			
30		5 <sup>13</sup> / <sub>16</sub>	<b>3</b> <sup>5</sup> / <sub>32</sub>	<b>1</b> <sup>3</sup> / <sub>16</sub>	4 <sup>39</sup> / <sub>64</sub>	7/16	9/16	45/64	1 <sup>19</sup> / <sub>32</sub>	1.500	0 0.626	3/8	UCVFL206S6	VFL206	UC206S6	0.49		16.5	9.05	13.9	UCVFL206CS6	UCVFL206DS6	57.5	2 <sup>1</sup> /4	0.50
30	<b>1</b> <sup>3</sup> /16	148	80	30.5	117	11	14.3	18	40.2	38.1	15.9	M8	UCVFL206-19S6	VFL200	UC206-19S6	0.49	9	10.5	9.05	15.9	UCVFL206-19CS6	UCVFL206-19DS6	57.5	Z 1/4	0.50
	1 <sup>1</sup> /4												UCVFL206-20S6		UC206-20S6						UCVFL206-20CS6	UCVFL206-20DS6			
	1 <sup>1</sup> / <sub>4</sub>												UCVFL207-20S6		UC207-2056						UCVFL207-20CS6	UCVFL207-20DS6			
	1 <sup>5</sup> /16	6 15/	3 <sup>17</sup> / <sub>32</sub>	11/.	5 1/-	33/	5/-	3/.	13/.	1.689	9 0.689	7/16	UCVFL207-21S6		UC207-21S6						UCVFL207-21CS6	UCVFL207-21DS6			
35	1 <sup>3</sup> /8	164	90	32	130	12	-78 1 E E	-74	44.4	42.9		M10	UCVFL207-22S6	VFL207	UC207-22S6	0.73	3   3	21.8	12.3	13.9	UCVFL207-22CS6	UCVFL207-22DS6	61.2	<b>2</b> <sup>13</sup> / <sub>32</sub>	0.75
		104	90	52	150	15	15.5	19	44.4	42.9	) 17.5	MITO	UCVFL207S6		UC207S6						UCVFL207CS6	UCVFL207DS6			
	1 <sup>7</sup> /16												UCVFL207-23S6		UC207-23S6						UCVFL207-23CS6	UCVFL207-23DS6			
	1 <sup>1</sup> / <sub>2</sub>	6 15/14	3 <sup>15</sup> /16	1 11/32	5 <sup>43</sup> /64	35/~~	21/22	53/~.	2 1/22	1.93	7 0.748	1/2	UCVFL208-24S6		UC208-24S6						UCVFL208-24CS6	UCVFL208-24DS6			
40	1 <sup>9</sup> /16	176	100	34.5	- /0/	1/64	16 5	21	51.2			M12	UCVFL208-25S6	VFL208	UC208-25S6	0.92	2   2	24.8	13.3	14.0	UCVFL208-25CS6	UCVFL208-25DS6	69.2	2 <sup>23</sup> / <sub>32</sub>	0.95
		1/0	100	34.3	144	14	16.5	21	51.2	49.2	19	1112	UCVFL208S6		UC20856						UCVFL208CS6	UCVFL208EDS6			

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.

 3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

 $A_1$  $A_2$ A



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
VFL204~VFL208	±0.5	0.7

# UCVFL-ES7

Cylindrical bore (with set screws)

*d* 20 ~ 40 mm







Shaf	ft Dia.						Dime	nsions					Bolt	St	andard				Basi	c	Factor		With Plastic Cove	er		
mm	incl	h					in	nch					Size	Unit	Housing	Bearing	Mas	ss	Load Rat	tings		Unit	No.	Dimens	on	Mass
							n	nm					inch	No.	No.	No.			kN			Open Type	Closed Type	mm	nch	1
	d	H	H L		Α	J	N	$A_1$	$A_2$	$A_0$	В	S	mm				kg	g	$C_{ m r}$	$C_{0\mathrm{r}}$	fo			$A_{\rm s}$		kg
20	3/4	4 7/	/16 2 %	16 1	1/ <sub>32</sub>	3 <sup>35</sup> / <sub>64</sub>	<sup>7</sup> / <sub>16</sub>	17/32	19/32	1 5/16	1.22	0 0.500	3/8	UCVFL204-12ES7	VFL204E	UC204-1257	0.25		12.0	6.65	12.2	UCVFL204-12ECS7	UCVFL204-12EDS7	46.5	27/	0.26
20		11	13 65	5 2	26.5	90	11	13.4	15	33.3	31	12.7	M8	UCVFL204ES7	VFL204E	UC204S7	0.25	25	12.8	6.65	13.2	UCVFL204ECS7	UCVFL204EDS7	46.5	<sup>27</sup> / <sub>32</sub>	0.26
	7/8													UCVFL205-14ES7		UC205-14S7						UCVFL205-14ECS7	UCVFL205-14EDS7			
25	15/1	16 5 <sup>5</sup> /	/32 <b>2</b> <sup>3</sup>	/4 1	<sup>3</sup> / <sub>32</sub>	3 <sup>57</sup> / <sub>64</sub>	<sup>7</sup> /16	17/32	5/8	1 <sup>13</sup> /32	1.34	3 0.563	7/16	UCVFL205-15ES7	VFL205E	UC205-15S7	0.35		14.0	7.85	13.9	UCVFL205-15ECS7	UCVFL205-15EDS7	50.2	31/32	0.36
25		13	31 70	) 2	27.5	99	11	13.8	16	35.8	34.	1 14.3	M10	UCVFL205ES7	VFL205E	UC205S7	0.55		14.0	7.05	15.9	UCVFL205ECS7	UCVFL205EDS7	50.2	51/32	0.50
	1													UCVFL205-16ES7		UC205-16S7						UCVFL205-16ECS7	UCVFL205-16EDS7			L
	1 <sup>1</sup> /8													UCVFL206-18ES7		UC206-1857						UCVFL206-18ECS7	UCVFL206-18EDS7			1
30		5 <sup>13</sup>	<sup>3</sup> / <sub>16</sub> 3 <sup>5</sup> /	32 1	<sup>3</sup> / <sub>16</sub>	4 <sup>39</sup> / <sub>64</sub>	<sup>7</sup> / <sub>16</sub>	9/16	45/64	1 <sup>19</sup> /32	1.50	0 0.626	7/16	UCVFL206ES7	VFL206E	UC206S7	0.49	10	19.5	11.3	13.9	UCVFL206ECS7	UCVFL206EDS7	57.5	1/4	0.50
30	<b>1</b> 3/16	6 14	18 80	) 3	30.5	117	11	14.3	18	40.2	38.	1 15.9	M10	UCVFL206-19ES7	VILZUUL	UC206-1957	0.49	*2	19.5	11.5	13.9	UCVFL206-19ECS7	UCVFL206-19EDS7	57.5 4	. /4	0.50
	1 <sup>1</sup> /4													UCVFL206-20ES7		UC206-20S7						UCVFL206-20ECS7	UCVFL206-20EDS7			
	1 <sup>1</sup> / <sub>4</sub>													UCVFL207-20ES7		UC207-2057						UCVFL207-20ECS7	UCVFL207-20EDS7			1
	1 5/16	6 6 15	5/32 <b>3</b> 17	/ 1	1/4	5 1/2	33/	5/2	3/.	1 3/.	1.68	9 0.689	1/2	UCVFL207-21ES7		UC207-2157						UCVFL207-21ECS7	UCVFL207-21EDS7			1
35	1 3/8	16			32	130	13	15.5	10	44.4	42.		M12	UCVFL207-22ES7	VFL207E	UC207-2257	0.73	73	25.7	15.4	13.9	UCVFL207-22ECS7	UCVFL207-22EDS7	61.2	13/32	0.75
			54 50	,	52	150	15	15.5	19	44.4	42.	9 17.5	11112	UCVFL207ES7		UC207S7						UCVFL207ECS7	UCVFL207EDS7			1
	1 7/16	6												UCVFL207-23ES7		UC207-2357						UCVFL207-23ECS7	UCVFL207-23EDS7			
	1 1/2	6 15	5/16 <b>3</b> <sup>15</sup>	/16 1	11/32	5 <sup>43</sup> /64	35/64	21/22	53/64	2 <sup>1</sup> / <sub>32</sub>	1.93	7 0.748	1/2	UCVFL208-24ES7		UC208-24S7						UCVFL208-24ECS7	UCVFL208-24EDS7			1
40	1 9/16	6	76 10		34.5	144	14	16.5	764 21	51.2	49.		M12	UCVFL208-25ES7	VFL208E	UC208-2557	0.92	92	29.1	17.8	14.0	UCVFL208-25ECS7	UCVFL208-25EDS7	69.2	<sup>23</sup> / <sub>32</sub>	0.95
		17	0 10	0 3	J.J	144	14	10.5	21	J1.2	49.	<u> </u>		UCVFL208ES7		UC20857						UCVFL208ECS7	UCVFL208EDS7			1

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

 $A_1$  $A_2$ A



Variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2s})$  and tolerance of position of bolt hole (X)

		Unit: mm
Housing No.	⊿A2s	X
VFL204E~VFL208E	±0.5	0.7

# UCVFB-ES7



Sha	ft Dia.	Dimensions	Bolt		Standard				Basic	Factor		With Plastic Cove	r	
mm	inch	inch	Size	Unit	Housing	Bearing	Mass	s Lo	oad Ratings		Unit	No.	Dimension	Mass
		mm	inch	No.	No.	No.			kN		Open Type	Closed Type	mm inch	
	d	$H$ $L$ $A$ $J$ $J_1$ $N$ $H_1$ $A_1$ $A_2$ $A_0$ $B$ $S$	mm				kg	0	$C_{ m r}$ $C_{0 m r}$	$f_0$			$A_{ m s}$	kg
20	3/4	4 1/4 2 1/2 1 1 1/2 7/8 27/64 1 11/16 7/16 39/64 1 5/16 1.220 0.500	) <sup>3</sup> /8	UCVFB204-12ES7	VFB204E	UC204-12S7	0.25	. 1.		13.2	UCVFB204-12ECS7	UCVFB204-12EDS7	45.4 1 <sup>25</sup> / <sub>3</sub>	2 0.26
20		108 63.5 25.4 38.1 22.2 10.7 42.9 11.4 15.4 33.7 31 12.7	M10	UCVFB204ES7	VFD204E	UC204S7	0.25		2.8 6.65	15.2	UCVFB204ECS7	UCVFB204EDS7	45.4 1 <sup>25</sup> / <sub>3</sub>	2 0.20
	7/8			UCVFB205-14ES7		UC205-14S7					UCVFB205-14ECS7	UCVFB205-14EDS7		
25	15/16	4 3/4 2 3/4 1 11/32 1 5/8 1 1/8 27/64 1 13/16 7/16 27/32 1 5/8 1.343 0.563	3/8	UCVFB205-15ES7	VFB205E	UC205-15S7	0.31	1	4.0 7.85	13.9	UCVFB205-15ECS7	UCVFB205-15EDS7	56.8 2 <sup>1</sup> / <sub>4</sub>	0.32
25		121 70 34.1 41.3 28.6 10.7 46 11.4 21.5 41.3 34.1 14.3	M10	UCVFB205ES7	VFD2USE	UC205S7	0.31	1	4.0 7.65	15.9	UCVFB205ECS7	UCVFB205EDS7	50.0 Z 1/4	0.52
	1			UCVFB205-16ES7		UC205-16S7					UCVFB205-16ECS7	UCVFB205-16EDS7		
	1 <sup>1</sup> /8			UCVFB206-18ES7		UC206-18S7					UCVFB206-18ECS7	UCVFB206-18EDS7		
20		5 15/32 3 1/4 1 1/4 1 7/8 1 1/4 27/64 2 1/16 17/32 49/64 1 5/8 1.500 0.620	3/8	UCVFB206ES7	VEDDOCE	UC206S7	0.47	1	05 11 2	13.9	UCVFB206ECS7	UCVFB206CDS7	59 2 <sup>5</sup> /16	0.40
30	1 <sup>3</sup> /16	139 83 32 47.6 31.8 10.7 52.4 13.3 19.3 41.5 38.1 15.9	M10	UCVFB206-19ES7	VFB206E	UC206-19S7	0.47		9.5 11.3	13.9	UCVFB206-19ECS7	UCVFB206-19EDS7	59 2 <sup>5</sup> /16	0.48
	1 <sup>1</sup> /4			UCVFB206-20ES7		UC206-20S7					UCVFB206-20ECS7	UCVFB206-20EDS7		
	1 <sup>1</sup> / <sub>4</sub>			UCVFB207-20ES7		UC207-20S7					UCVFB207-20ECS7	UCVFB207-20EDS7		
	1 <sup>5</sup> /16		1/	UCVFB207-21ES7		UC207-21S7					UCVFB207-21ECS7	UCVFB207-21EDS7		
35	1 <sup>3</sup> /8	$6^{3}_{16}$ $3^{3}_{4}$ $1^{7}_{16}$ $2$ $1^{1}_{4}$ $1^{7}_{32}$ $2^{3}_{8}$ $5^{8}_{8}$ $2^{7}_{32}$ $1^{27}_{32}$ $1.689$ $0.689$		UCVFB207-22ES7	VFB207E	UC207-22S7	0.66	25	5.7 15.4	13.9	UCVFB207-22ECS7	UCVFB207-22EDS7	65.8 2 <sup>19/3</sup>	2 0.68
		157 95 36.6 50.8 31.8 13.1 60.3 16.1 21.7 47.1 42.9 17.5	M12	UCVFB207ES7		UC207S7					UCVFB207ECS7	UCVFB207EDS7		
	1 <sup>7</sup> /16			UCVFB207-23ES7		UC207-23S7					UCVFB207-23ECS7	UCVFB207-23EDS7		

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

# FYH

#### UCFC

Cylindrical bore (with set screws)

*d* 12 ~ 50 mm











Shaft Dia						-	imensi	one					Bolt		Standard				Basic	Fac	tor		With Pressed S	tool Con	(or			With Cast Iro	n Cover		
mm inc						L	inch	ons					Size	Unit	Housing	Bearing	Mass		ad Rating		lor	Unit			ension	Mass	Unit	t No.		ension	Mass
	.11												Size	No.	-	_	INIdSS		kN	12						IVIdSS		Closed Type			IVIdSS
							mm						inch	NO.	No.	No.			KIN			Open type	Closed Type	mm	inch		Open Type	closed type	mm	inch	
d		L	$H_3$	J	$J_1$	N	$A_1$	$A_2$	$A_3$	$A_4$	В	S	mm				kg	C	$C_{\rm r} = C_{01}$	r f	o			1	$A_{\rm s}$	kg			Æ	4c	kg
12														UCFC201		UC201	0.78	2				UCFC201C	UCFC201D	32.5	1 <sup>9</sup> /32	0.78				_	
1/	_													UCFC201-8		UC201-8	0.78					-	-	52.5	1 / 32	0.70					
15	2													UCFC202		UC202	0.76					UCFC202C	UCFC202D	32.5	1 9/32	0.76	_		-	_	-
5/	3	3 <sup>15</sup> / <sub>16</sub> 2	.4409	<b>3</b> <sup>5</sup> / <sub>64</sub>	2 11/64	15/32	13/16	<sup>25</sup> / <sub>64</sub>	13/64	1 <sup>1</sup> /8	1.220	0.500	) <sup>3</sup> /8	UCFC202	FC204	UC202-10	0.76		2.8 6.6	65 13		00102020	00102020	52.5	1 -7 32	0.70	_		-	_	-
17	в	100	62	78	55.1	12	20.5	10	5	28.3	31	12.7	M10	UCFC202-10	FC204	UC202-10	0.76		2.0 0.0	05 15	o.z	UCFC203C	UCFC203D	32.5	- 1 <sup>9</sup> / <sub>32</sub>	0.75	-	-	_	_	_
3/														UCFC203		UC203	0.75					00102030	00102030	52.5	1 -7 32	0.75	-	-	_	_	_
20	4													UCFC204-12		UC204-12	0.73					UCFC204C	UCFC204D	32.5	- 1 <sup>9</sup> / <sub>32</sub>	0.73	UCFC204FC	UCFC204FD	41	- 1 <sup>17</sup> /32	_ 0.84
20 7/													_	UCFC205-14		UC205-14	0.95	_				-	-	52.5	1 7 32	- 0.75	-	001020410	-		
		1 <sup>17</sup> / <sub>32</sub> 2	7559	3 35/64	<b>2</b> 1/2	15/32	<sup>13</sup> / <sub>16</sub>	25/64	15/64	1 <sup>3</sup> /16	5 1.343	0.563	3/8	UCFC205-15		UC205-15	0.95						_	_	_	_	_		_		_
			70	90	63.6	12	21	10	6	29.8				UCFC205	FC205	UC205	0.95	14	4.0 7.8	85 13	.9	UCFC205C	UCFC205D	34.5	- 1 <sup>11</sup> /32	0.95	UCFC205FC	UCFC205FD	42	- 1 <sup>21</sup> / <sub>32</sub>	1.1
25		115	70	90	05.0	12	21	10	0	29.0	54.1	14.5	WITO	UCFC205-16		UC205-16	0.95					0CFC205C	0CFC205D	54.5	1 1732	0.95	UCFC205FC	UCFC205FD	43	1 = 7 32	1.1
		4 <sup>3</sup> /8 2	9921	3 5/0	<b>7</b> 9/16	3/8	15/16	25/64	15/64	1 %32	1.500	0.626	5 5/16	UCFCX05		UCX05	0.95					UCFCX05C	UCFCX05D	36.5	- 1 <sup>7</sup> /16	- 1.2	_	_	_	_	
1			76	92	65	9.5	24	10	6	32.2				UCFCX05-16	FCX05	UCX05-16	1.2	19	9.5 11.3	3   13	9.9	-	-	-		_	_	_	_	_	_
1 1/			70	92	05	9.5	24	10	0	52.2	50.1	13.9	1410	UCFC206-18		UC206-18	1.2							_	_	_			_	_	
		1 <sup>29</sup> /32 3	1496	3 15/16	2 <sup>25</sup> /32	15/32	<sup>29</sup> /32	<sup>25</sup> /64	5/16	1 <sup>9</sup> /32	1.500	0.626	5 3/8	UCFC206		UC206	1.3					UCFC206C	UCFC206D	36.5	1 7/16	1.3	UCFC206FC	UCFC206FD	45	1 <sup>25</sup> / <sub>32</sub>	1.6
1 3/			80	100	70.7	12	23	10	8	32.2		15.9		UCFC206-19	FC206	UC206-19	1.3	19	9.5 11.3	3   13	3.9	_	-	_	_	_	-	_	_	_	_
<b>30</b> 1 1/		.25			,		20		0	5212	5011			UCFC206-20		UC206-20	1.3					_	_	_	_	_	_	_	_	_	_
														UCFCX06		UCX06	1.5	-				UCFCX06C	UCFCX06D	38	1 <sup>1</sup> / <sub>2</sub>	1.5	_	_	-	_	
1 3/	16				2 <sup>59</sup> /64		7/8	5/16	3/8	1 <sup>5</sup> /16				UCFCX06-19	FCX06	UCX06-19	1.5	2	5.7 15.4	4 13	.9	_	_	_	_	_	_	_	_	_	_
1 1/		127	85	105	74.2	12	22.5	8	9.5	33.4	42.9	17.5	M10	UCFCX06-20		UCX06-20	1.5					_	_	_	_	_	_	_	_	_	_
1 1/														UCFC207-20		UC207-20	1.7					_	-	_	-	-	-	-	_	_	_
1 5/	16													UCFC207-21		UC207-21	1.7					_	_	_	_	_	_	_	_	_	_
1 3/	B	5 5/16 3				35/64	1 <sup>1</sup> /32	7/16		1 7/16				UCFC207-22	FC207	UC207-22	1.7	25	5.7 15.4	4   13	.9	_	_	_	_	_	_	_	_	_	_
		135	90	110	77.8	14	26	11	8	36.4	42.9	17.5	M12	UCFC207		UC207	1.7					UCFC207C	UCFC207D	41	1 5/8	1.7	UCFC207FC	UCFC207FD	50	1 <sup>31</sup> / <sub>32</sub>	2.1
<b>35</b> 1 7/	16													UCFC207-23		UC207-23	1.7					_	_	_	_	_	_	_	_	_	_
1 <sup>3</sup> /	в	F 1/ 2	(220	4.27	2.27	15 (	4.17	22.4	7/	4.17/	1.027			UCFCX07-22		UCX07-22	1.9					-	-	-	-	-	-	-	-	-	-
		5 <sup>1</sup> / <sub>4</sub> 3					1 <sup>1</sup> / <sub>32</sub>		7/16			0.748		UCFCX07	FCX07	UCX07	1.9	29	9.1 17.8	8   14	l.0	UCFCX07C	UCFCX07D	43.5	1 <sup>23</sup> / <sub>32</sub>	1.9	-	-	_	_	_
1 7/	16	133	92	111	/8.5	12	26	9	11	39.2	49.2	19	M10	UCFCX07-23		UCX07-23	1.9					-	-	_	-	-	-	-	_	_	_
1 1/	2	- 23/	0270	4 73 /	2 11/	357	11/	7/	257	1.57	1.025	0.74	7/	UCFC208-24		UC208-24	2.0					-	-	-	-	-	-	-	-	-	-
1 %	16	5 <sup>23</sup> /32 3	100	4 - 3/32 120		<sup>35</sup> / <sub>64</sub> 14	1 <sup>1</sup> /32	·/16	<sup>25</sup> / <sub>64</sub> 10	1 <sup>5</sup> /8			M12	UCFC208-25	FC208	UC208-25	2.0	29	9.1 17.8	8   14	l.0	-	-	-	-	-	-	-	-	-	-
40		145	100	120	84.8	14	26	11	10	41.2	49.2	19	INITZ	UCFC208		UC208	2.0					UCFC208C	UCFC208D	45.5	1 25/32	2.0	UCFC208FC	UCFC208FD	54	2 <sup>1</sup> /8	2.4
1 <sup>1</sup> /	2	5 <sup>1</sup> / <sub>4</sub> 3	.6220	4 <sup>3</sup> /8	<b>3</b> <sup>3</sup> / <sub>32</sub>	15/32	1 <sup>1</sup> / <sub>32</sub>	<sup>23</sup> /64	7/16	1 <sup>17</sup> /3	2 <b>1.93</b> 7	0.748	3/8	UCFCX08-24	FCX08	UCX08-24	2.0	2,	4.1 21.3	3 14		-	-	-	-	-	-	-	-	-	-
		133	92	111	78.5	12	26	9	11	39.2	49.2	19	M10	UCFCX08	1 0,000	UCX08	2.0		21	- 14		UCFCX08C	UCFCX08D	43.5	1 <sup>23</sup> / <sub>32</sub>	2.0	-	_	-	-	
1 5/														UCFC209-26		UC209-26	2.6					-	-	-	-	-	-	-	-	-	-
111		6 <sup>5</sup> / <sub>16</sub> 4			3 <sup>43</sup> / <sub>64</sub>	5/8	1 <sup>1</sup> /32	<sup>25</sup> / <sub>64</sub>	15/32					UCFC209-27	FC209	UC209-27	2.6	34	4.1 21.3	3 14		-	-	-	-	-	-	-	-	-	-
1 <sup>3</sup> /	4	160	105	132	93.3	16	26	10	12	40.2	49.2	19	M14	UCFC209-28	1 0200	UC209-28	2.6		21.			-	-	-	-	-	-	-	-	-	-
45													_	UCFC209		UC209	2.6					UCFC209C	UCFC209D	44.5	1 <sup>3</sup> /4	2.6	UCFC209FC	UCFC209FD	54	2 <sup>1</sup> / <sub>8</sub>	3.0
1 11		6 <sup>3</sup> / <sub>32</sub> 4	.2520	5 <sup>1</sup> /8	3 <sup>5</sup> /8	<sup>35</sup> /64	<sup>31</sup> / <sub>32</sub>	5/16	<sup>15</sup> /32	1 <sup>19</sup> /3	2 <b>2.03</b> 1	0.748	3 7/16	UCFCX09-27		UCX09-27	2.6					-	-	-	-	-	-	-	-	-	-
1 3/	4		108	130	91.9	14	25	8	12	40.6			M12	UCFCX09-28	FCX09	UCX09-28	2.6	35	5.1 23.3	3   14	.4	-	-	-	-	-	-	-	-	-	-
											50	.,		UCFCX09		UCX09	2.6					UCFCX09C	UCFCX09D	45	1 <sup>25</sup> / <sub>32</sub>	2.6	-	-	-	-	
1 7/		<i>.</i>	2267	E 7/	0.074	e (	4.54	25.4						UCFC210-30		UC210-30	2.9					-	-	-	-	-	-	-	-	-	-
1 <sup>15</sup>		6 <sup>1</sup> / <sub>2</sub> 4					1 3/32		15/32					UCFC210-31	FC210	UC210-31	2.9	35	5.1 23.3	3 14	.4	-	-	-	-	-	-	-	_	-	_
		165	110	138	97.6	16	28	10	12	42.6	51.6	19	M14	UCFC210		UC210	2.9					UCFC210C	UCFC210D	47	1 <sup>27</sup> / <sub>32</sub>	2.9	UCFC210FC	UCFC210FD	58.5	2 <sup>5</sup> /16	3.4
<b>50</b> 2	,													UCFC210-32		UC210-32	2.9					-	-	-	-	-	_	-	-	-	
1 <sup>15</sup>	/16	6 <sup>3</sup> / <sub>8</sub> 4	.6457	5 <sup>23</sup> / <sub>64</sub>	3 <sup>25</sup> / <sub>32</sub>	35/64	<sup>31</sup> / <sub>32</sub>	9/32	<sup>5</sup> /8	1 <sup>19</sup> / <sub>3</sub>	2 2.189	0.874	<b>1</b> 7/ <sub>16</sub>	UCFCX10-31	FOUL	UCX10-31	3.2					-	-	-	-	-	-	-	-	-	-
		162	118	136	96.2	14	25	7	16	40.4	55.6		M12	UCFCX10	FCX10	UCX10	3.2	43	3.4 29.4	4   14	1.4	UCFCX10C	UCFCX10D	45	1 <sup>25</sup> / <sub>32</sub>	3.2	-	-	-	-	-
2														UCFCX10-32		UCX10-32	3.2					-	-	-	-	-	—	-	-	-	-

A-R1/8..... ....... 211~218, X10~X20 3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFC206JL3, UC206L3)

For the dimensional address and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3s}$ ), variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ), tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

				ι	Jnit: mm	
usi	ng No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y	
)6	FCX05	0 -0.046	±0.5	0.7	0.2	FC204~F
0	FCX06~FCX10	0 -0.054	±0.5	0.7	0.2	
7	FCX11~FCX15	0 -0.063		1	0.3	
	FCX16~FCX18	0	±0.8	'		
	FCX20	-0.072			0.4	

		Unit: mm
Housi	ng No.	$\Delta_{Ns}$
FC204~FC218	FCX05~FCX20	±0.2

# UCFC

Cylindrical bore (with set screws)

*d* 55 ~ 100 mm











Ch - (t D'-	Dimensione	Delt						Desta	Frate	11/14 D	64.1.6				Week Court			
Shaft Dia.		Bolt		tandard		Lee		Basic	Factor	With Presse			1		With Cast Iro			1
nm inch	inch	Size	Unit	Housing	Bearing	Mass	ss   L	.oad Ratings		Unit No.	Dir	nension	Mass	Unit	No.	Dimen	sion	Mas
	mm	inch	No.	No.	No.			kN		Open Type Closed Typ	e mm	inch		Open Type	Closed Type	mm	inch	1
d		mm				kg	ç	$C_{ m r}$ $C_{ m 0r}$	f0			$A_{ m s}$	kg			$A_{ m c}$	ļ	kg
2		_	UCFC211-32		UC211-32	4.2	2				-	_	_	_	_	_		_
2 <sup>1</sup> /8	7 9/32 4.9213 5 29/32 4 11/64 3/4 1 7/32 33/64 15/32 1 13/16 2.189 0.874		UCFC211-34		UC211-34	4.2	2				-	_	_	_	_	_	_ '	I _
- /-			UCFC211	FC211	UC211	4.2		43.4 29.4	14.4	UCFC211C UCFC211E	51	2	4.2	UCFC211FC	UCFC211FD	62.5	2 <sup>15</sup> / <sub>32</sub>	4.
<b>5</b> 2 <sup>3</sup> / <sub>16</sub>			UCFC211-35		UC211-35	4.2					_	_	_	_	-	_		
			UCFCX11		UCX11	4.3				UCFCX11C UCFCX11E	48.5	1 <sup>29</sup> / <sub>32</sub>	4.3	_	_	_		
2 <sup>3</sup> /16	7 <sup>3</sup> / <sub>32</sub> 5 5 <sup>63</sup> / <sub>64</sub> 4 <sup>15</sup> / <sub>64</sub> 5/ <sub>8</sub> 1 <sup>1</sup> / <sub>32</sub> 5/ <sub>32</sub> 55/ <sub>64</sub> 1 <sup>23</sup> / <sub>32</sub> 2.563 1.000	1/2	UCFCX11-35	FCX11	UCX11-35	4.3		52.4 36.2	14.4		-	_	_	_	_	_	_ /	Ĺ
2 1/4	180 127 152 107.5 16 26 4 22 43.7 65.1 25.4	M14	UCFCX11-36		UCX11-36	4.3					-	_	_	_	_	_	_ /	Ĺ
2 1/4			UCFC212-36		UC212-36	5.0					-	-	_	_	_	_		
	7 <sup>11</sup> / <sub>16</sub> 5.3150 6 <sup>19</sup> / <sub>64</sub> 4 <sup>29</sup> / <sub>64</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>13</sup> / <sub>32</sub> <sup>43</sup> / <sub>64</sub> <sup>15</sup> / <sub>32</sub> 2 <sup>7</sup> / <sub>32</sub> 2.563 1.000	5/8	UCFC212		UC212	5.0				UCFC212C UCFC212E	61.5	2 <sup>13</sup> / <sub>32</sub>	5.0	UCFC212FC	UCFC212FD	74	2 <sup>29/32</sup>	5
2 3/8			UCFC212-38	FC212	UC212-38	5.0		52.4 36.2	14.4		_	_	_	-	-	_	_	Ĺ
$2^{7/16}$			UCFC212-39		UC212-39	5.0						_	_	_	_	_	'	Ĺ
2 7 10	7 5/8 5.5118 6 1/2 4 19/32 5/8 1 5/16 7/16 25/32 2 2.563 1.000		UCFCX12		UCX12	5.3	3			UCFCX12C UCFCX12E	55.5	2 <sup>3</sup> /16	5.3	_	_	_		
2 7/16			UCFCX12-39	FCX12	UCX12-39	5.3		57.2 40.1	14.4		-	_	_	_	_	_	_ /	Ĺ
2 1/2	8 <sup>1</sup> / <sub>16</sub> 5.7087 6 <sup>11</sup> / <sub>16</sub> 4 <sup>47</sup> / <sub>64</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>13</sup> / <sub>32</sub> <sup>5</sup> / <sub>8</sub> <sup>35</sup> / <sub>64</sub> 2 <sup>3</sup> / <sub>16</sub> 2.563 1.000		UCFC213-40		UC213-40	5.6	5				-	-	-	_	_	_	_	
			UCFC213	FC213	UC213	5.6		57.2 40.1	14.4	UCFC213C UCFC213E	60.5	2 <sup>3</sup> /8	5.6	UCFC213FC	UCFC213FD	73	2 7/8	
2 1/2	7 5/8 5.5118 6 1/2 4 19/32 5/8 1 5/16 7/16 25/32 2 3/16 2.937 1.189	1/2	UCFCX13-40		UCX13-40	5.7	7				-	-	-	-	-	-	_	Ē
			UCFCX13	FCX13	UCX13	5.7		62.2 44.1	14.5	UCFCX13C UCFCX13E	60.5	2 <sup>3</sup> /8	5.7	_	_	_	/	Ĺ
2 <sup>3</sup> / <sub>4</sub>	8 <sup>15</sup> / <sub>32</sub> 5.9055 6 <sup>31</sup> / <sub>32</sub> 4 <sup>59</sup> / <sub>64</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>9</sup> / <sub>16</sub> <sup>43</sup> / <sub>64</sub> <sup>35</sup> / <sub>64</sub> 2 <sup>13</sup> / <sub>32</sub> 2.937 1.189	5/8	UCFC214-44		UC214-44	6.8	3				-	-	-	_	-	_		<b></b>
			UCFC214	FC214	UC214	6.8		62.2 44.1	14.5	UCFC214C UCFC214E	66.5	2 <sup>5</sup> /8	6.8	UCFC214FC	UCFC214FD	79	3 <sup>1</sup> /8	
2 3/4	8 <sup>3</sup> / <sub>4</sub> 6.4567 7 <sup>31</sup> / <sub>64</sub> 5 <sup>9</sup> / <sub>32</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>13</sup> / <sub>32</sub> <sup>35</sup> / <sub>64</sub> <sup>25</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>16</sub> 3.063 1.331		UCFCX14-44		UCX14-44	7.3	2				-	-	-	-	-	_	_	
	222 164 190 134.3 19 36 14 20 58.5 77.8 33.3	M16	UCFCX14	FCX14	UCX14	7.3	3	67.4 48.3	14.5	UCFCX14C UCFCX14E	63.5	<b>2</b> <sup>1</sup> / <sub>2</sub>	7.3	_	_	_	_ /	Ĺ
2 15/16			UCFC215-47		UC215-47	7.2	2				-	_	-	_	-	_		<u> </u>
	8 <sup>21</sup> / <sub>32</sub> 6.2992 7 <sup>1</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>8</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>9</sup> / <sub>16</sub> <sup>45</sup> / <sub>64</sub> <sup>5</sup> / <sub>8</sub> 2 <sup>15</sup> / <sub>32</sub> 3.063 1.331	5/8	UCFC215	FC215	UC215	7.2	2	67.4 48.3	14.5	UCFC215C UCFC215E	67.5	2 <sup>21</sup> /32	7.2	UCFC215FC	UCFC215FD	80	3 <sup>5</sup> /32	
3	220 160 184 130.1 19 40 18 16 62.5 77.8 33.3	M16	UCFC215-48		UC215-48	7.2	2				-	_	_	_	-	_	_ /	Ĺ
5 2 <sup>15</sup> /16		54	UCFCX15-47		UCX15-47	8.0	)				-	-	-	_	-	-		
	8 <sup>3</sup> / <sub>4</sub> 6.4567 7 <sup>31</sup> / <sub>64</sub> 5 <sup>9</sup> / <sub>32</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub> <sup>15</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 2 <sup>13</sup> / <sub>32</sub> 3.252 1.311	5/8	UCFCX15	FCX15	UCX15	8.0	5	72.7 53.0	14.6	UCFCX15C UCFCX15E	66.5	2 <sup>5</sup> /8	8.0	-	-	_	_ /	Ĺ
3	222 164 190 134.3 19 35 12 22 61.3 82.6 33.3	M16	UCFCX15-48		UCX15-48	8.0	5				-	-	-	-	-	_	/	İ.
3 <sup>1</sup> / <sub>8</sub>	9 <sup>7</sup> / <sub>16</sub> 6.6929 7 <sup>7</sup> / <sub>8</sub> 5 <sup>9</sup> / <sub>16</sub> <sup>29</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub> <sup>45</sup> / <sub>64</sub> <sup>5</sup> / <sub>8</sub> 2 <sup>21</sup> / <sub>32</sub> 3.252 1.311	3/4	UCFC216-50	FC216	UC216-50	8.7	7	727 520	14.6		-	-	-	-	-	_	_ /	
,	240 170 200 141.4 23 42 18 16 67.3 82.6 33.3	M20	UCFC216	FC210	UC216	8.7	7	72.7 53.0	14.6	UCFC216C UCFC216E	72.5	2 <sup>27</sup> / <sub>32</sub>	8.7	UCFC216FC	UCFC216FD	87	3 <sup>7</sup> /16	
<b>,</b>	10 <sup>1</sup> / <sub>4</sub> 7.3228 8 <sup>5</sup> / <sub>8</sub> 6 <sup>3</sup> / <sub>32</sub> <sup>29</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>32</sub> <sup>25</sup> / <sub>64</sub> 6 <sup>3</sup> / <sub>64</sub> 2 <sup>7</sup> / <sub>16</sub> 3.374 1.343	3/4	UCFCX16	FCX16	UCX16	11.3	,	84.0 61.9	14.5	UCFCX16C UCFCX16E	66.5	2 <sup>5</sup> /8	11.3				)	Ĺ
		M20	UCICATO	TCXTU	UCXIU	11.5	, l	04.0 01.9	17.5		00.5	2 / 0	11.5		_			Ĺ
3 <sup>1</sup> / <sub>4</sub>	9 <sup>27</sup> / <sub>32</sub> 7.0866 8 <sup>3</sup> / <sub>16</sub> 5 <sup>51</sup> / <sub>64</sub> <sup>29</sup> / <sub>32</sub> 1 <sup>25</sup> / <sub>32</sub> <sup>45</sup> / <sub>64</sub> <sup>45</sup> / <sub>64</sub> 2 <sup>3</sup> / <sub>4</sub> 3.374 1.343	3/4	UCFC217-52	FC217	UC217-52	10.3		84.0 61.9	14.5		-	-	-	-	-	-	_ /	Ĺ
;			UCFC217	10217	UC217	10.3	3	01.0 01.5	1 1.5	UCFC217C UCFC217E		2 <sup>15</sup> /16	10.3	UCFC217FC	UCFC217FD	89	<b>3</b> 1/2	1
	10 <sup>1</sup> / <sub>4</sub> 7.3228 8 <sup>5</sup> / <sub>8</sub> 6 <sup>3</sup> / <sub>32</sub> <sup>29</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>32</sub> <sup>25</sup> / <sub>64</sub> 6 <sup>3</sup> / <sub>64</sub> 2 <sup>5</sup> / <sub>8</sub> 3.780 1.563		UCFCX17	FCX17	UCX17	12.9		96.1 71.5	14.5	UCFCX17C UCFCX17E	71.5	2 <sup>13</sup> /16	12.9	-	-	-	_ /	Ĺ
3 7/16			UCFCX17-55	T C/(I)	UCX17-55	12.9	)	50.1 71.5	1 1.5		-	-	-	_	-	-		1
3 1/2	$10^{7}/_{16} \ 7.4803 \ 8^{21}/_{32} \ 6^{1}/_{8} \ ^{29}/_{32} \ 1^{31}/_{32} \ ^{55}/_{64} \ ^{45}/_{64} \ 3^{3}/_{32} \ 3.780 \ 1.563$		UCFC218-56	FC218	UC218-56	13.3		96.1 71.5	14.5		-	-	-	-	-	-	_ /	Ĺ
<b>)</b>			UCFC218		UC218	13.3	3	7.115		UCFC218C UCFC218E	83.5	3 <sup>9</sup> / <sub>32</sub>	13.3	UCFC218FC	UCFC218FD	98	3 <sup>27</sup> / <sub>32</sub>	1
_	$10^{1}/_{4} 7.3228 8^{5}/_{8} 6^{3}/_{32} 2^{9}/_{32} 1^{11}/_{16} 1^{5}/_{32} 1^{7}/_{64} 2^{7}/_{8} 4.094 1.689$	3/4	UCFCX18	FCX18	UCX18	13.5	5   1	09 81.9	14.4		_	_	_	UCFCX18C	UCFCX18C	92	3 <sup>5</sup> /8	1
	260 186 219 154.8 23 43 12 28 73.1 104 42.9	M20									_							
	10 7/8 8.1102 9 3/8 6 5/8 29/32 2 19/32 55/64 1 7/64 3 9/16 4.626 1.937	3/4	UCFCX20		UCX20	18.2					-	-	-	UCFCX20C	UCFCX20D	116 4	4 <sup>9</sup> /16	2
<b>0</b> 3 <sup>15</sup> / <sub>16</sub>		M20	UCFCX20-63	FCX20	UCX20-63	18.2		33 105	14.4		-	-	-	-	-	-	_	Í
4			UCFCX20-64		UCX20-64	18.2	2				-	-	-	-	-	-		1

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 210~210, X05~X09

 A-R1/8

 211~218, X10~X20

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFC206JL3, UC206L3)
 4. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 5. Housings of nodular graphite cast iron are also available.



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3s}$ ), variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ), tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

		Unit: mm
Housi	ng No.	$\Delta_{Ns}$
FC204~FC218	FCX05~FCX20	±0.2

				ι	Jnit: mm
Housi	ng No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y
C206	FCX05	0 -0.046	±0.5	0.7	0.2
C210	FCX06~FCX10	0 -0.054	±0.5	0.7	0.2
C217	FCX11~FCX15	0 -0.063	10.0	1	0.3
	FCX16~FCX18	0	±0.8	1	
	FCX20	-0.072			0.4

# UCFCX-E

Cylindrical bore (with set screws)

*d* 25 ~ 100 mm







Sha	it Dia.					Di	imensio	ns					Bolt	Unit	Housing	Bearing	Bas	sic	Factor	Mass
mm	inch						inch						Size	No.	No.	No.	Load R	atings		
							mm						inch				kľ	N		
	d	L	$H_3$	J	$J_1$	N	$A_1$	$A_2$	$A_3$	$A_4$	В	S	mm				$C_{ m r}$	$C_{0\mathrm{r}}$	fo	kg
25	1	4 <sup>3</sup> / <sub>8</sub> 111	3.000 76.2	3 <sup>5</sup> /8 92	2 <sup>9</sup> / <sub>16</sub> 65	<sup>3</sup> / <sub>8</sub> 9.5	<sup>15/</sup> 16 24	<sup>25</sup> / <sub>64</sub> 10	<sup>15</sup> / <sub>64</sub> 6	1 %/32 32.2	1.500 38.1	0.626 15.9	<sup>5</sup> / <sub>16</sub> M8	UCFCX05E UCFCX05-16E	FCX05E	UCX05 UCX05-16	19.5	11.3	13.9	1.2
30	1 <sup>3</sup> /16 1 <sup>1</sup> /4	5 127	3.375 85.725	4 <sup>9</sup> / <sub>64</sub> 105	2 <sup>59</sup> / <sub>64</sub> 74.2	<sup>15</sup> / <sub>32</sub> 12	<sup>7</sup> / <sub>8</sub> 22.5	<sup>5</sup> / <sub>16</sub> 8	<sup>3</sup> / <sub>8</sub> 9.5	1 <sup>5</sup> /16 33.4	1.689 42.9	0.689 17.5	<sup>3</sup> /8 M10	UCFCX06E UCFCX06-19E UCFCX06-20E	FCX06E	UCX06 UCX06-19 UCX06-20	25.7	15.4	13.9	1.5
35	1 3/8	5 <sup>1</sup> / <sub>4</sub> 133	3.625 92.075	4 <sup>3</sup> / <sub>8</sub> 111	3 <sup>3</sup> / <sub>32</sub> 78.5	<sup>15/</sup> 32 12	1 <sup>1</sup> / <sub>32</sub> 26	<sup>23</sup> / <sub>64</sub> 9	<sup>7</sup> / <sub>16</sub> 11	1 <sup>17</sup> / <sub>32</sub> 39.2	1.937 49.2	0.748 19	<sup>3</sup> / <sub>8</sub> M10	UCFCX07-22E UCFCX07E	FCX07E	UCX07-22 UCX07	29.1	17.8	14.0	1.9
40	1 <sup>7</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> / <sub>4</sub>	3.625 92.075	4 <sup>3</sup> / <sub>8</sub> 111	3 <sup>3</sup> / <sub>32</sub> 78.5	<sup>15</sup> / <sub>32</sub> 12		<sup>23</sup> / <sub>64</sub> 9	<sup>7</sup> / <sub>16</sub> 11	1 <sup>17</sup> / <sub>32</sub> 39.2	1.937 49.2	0.748	<sup>3</sup> / <sub>8</sub> M10	UCFCX07-23E UCFCX08-24E UCFCX08E	FCX08E	UCX07-23 UCX08-24 UCX08	34.1	21.3	14.0	2.0
45	1 <sup>11</sup> /16 1 <sup>3</sup> /4	6 <sup>3</sup> / <sub>32</sub> 155	4.250 107.95	5 <sup>1</sup> / <sub>8</sub> 130	3 <sup>5</sup> / <sub>8</sub> 91.9	<sup>35</sup> / <sub>64</sub> 14	<sup>31</sup> / <sub>32</sub> 25	5/16 8	<sup>15</sup> / <sub>32</sub> 12	1 <sup>19</sup> / <sub>32</sub> 40.6	2.031 51.6	0.748 19	7/ <sub>16</sub> M12	UCFCX09-27E UCFCX09-28E UCFCX09E	FCX09E	UCX09-27 UCX09-28 UCX09	35.1	23.3	14.4	2.6
50	1 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> /8 162	4.5 114.3	5 <sup>23</sup> / <sub>64</sub> 136	3 <sup>25</sup> / <sub>32</sub> 96.2	<sup>35</sup> / <sub>64</sub> 14	<sup>31</sup> / <sub>32</sub> 25	<sup>9/</sup> 32 7	<sup>5</sup> /8 16	1 <sup>19/32</sup> 40.4	2.189 55.6	0.874 22.2	<sup>7/<sub>16</sub> M12</sup>	UCFCX10-31E UCFCX10E UCFCX10-32E	FCX10E	UCX10-31 UCX10 UCX10-32	43.4	29.4	14.4	3.2
60	2 7/16	7 <sup>5</sup> /8 194	5.500 139.7	6 <sup>1</sup> / <sub>2</sub> 165	4 <sup>19</sup> / <sub>32</sub> 116.7	<sup>5</sup> /8 16	1 <sup>5</sup> / <sub>16</sub> 33	<sup>7</sup> / <sub>16</sub> 11	<sup>25</sup> / <sub>32</sub> 20	2 50.7	2.563 65.1	1.000 25.4	<sup>1</sup> / <sub>2</sub> M14	UCFCX12E UCFCX12-39E	FCX12E	UCX12 UCX12-39	57.2	40.1	14.4	5.3
65	<b>2</b> <sup>1</sup> / <sub>2</sub>	7 ⁵/8 194	5.500 139.7	6 <sup>1</sup> / <sub>2</sub> 165	4 <sup>19</sup> / <sub>32</sub> 116.7	⁵/ <sub>8</sub> 16	1 <sup>5</sup> /16 33	<sup>7</sup> / <sub>16</sub> 11	<sup>25</sup> / <sub>32</sub> 20	2 <sup>3</sup> / <sub>16</sub> 55.4	2.937 74.6	1.189 30.2	<sup>1</sup> / <sub>2</sub> M14	UCFCX13-40E UCFCX13E	FCX13E	UCX13-40 UCX13	62.2	44.1	14.5	5.7
70	2 <sup>3</sup> /4	8 <sup>3</sup> / <sub>4</sub> 222	6.375 161.925	7 <sup>31</sup> / <sub>64</sub> 190	5 <sup>9</sup> / <sub>32</sub> 134.3	<sup>3</sup> / <sub>4</sub> 19	1 <sup>13</sup> / <sub>32</sub> 36	<sup>35</sup> / <sub>64</sub> 14	<sup>25</sup> / <sub>32</sub> 20	2 <sup>5</sup> / <sub>16</sub> 58.5	3.063 77.8	1.331 33.3	<sup>5</sup> /8 M16	UCFCX14-44E UCFCX14E	FCX14E	UCX14-44 UCX14	67.4	48.3	14.5	7.3
75	2 <sup>15</sup> / <sub>16</sub>	8 <sup>3</sup> / <sub>4</sub> 222	6.375 161.925	7 <sup>31</sup> / <sub>64</sub> 190	5 <sup>9</sup> / <sub>32</sub> 134.3	<sup>3</sup> / <sub>4</sub> 19	1 ³/ <sub>8</sub> 35	<sup>15</sup> / <sub>32</sub> 12	<sup>55</sup> / <sub>64</sub> 22	2 <sup>13</sup> / <sub>32</sub> 61.3	3.252 82.6	1.311 33.3	<sup>5</sup> /8 M16	UCFCX15-47E UCFCX15E UCFCX15-48E	FCX15E	UCX15-47 UCX15 UCX15-48	72.7	53.0	14.6	8.0
80	-	10 <sup>1</sup> / <sub>4</sub> 260	7.375 187.325	8 ⁵/8 219	6 <sup>3</sup> / <sub>32</sub> 154.8	<sup>29</sup> / <sub>32</sub> 23	1 <sup>13</sup> / <sub>32</sub> 36	<sup>25</sup> / <sub>64</sub> 10	<sup>63</sup> / <sub>64</sub> 25	2 <sup>7</sup> / <sub>16</sub> 61.6	3.374 85.7	1.343 34.1	<sup>3</sup> / <sub>4</sub> M20	UCFCX16E	FCX16E	UCX16	84.0	61.9	14.5	11.3
85	3 7/16	10 <sup>1</sup> / <sub>4</sub> 260	7.375 187.325	8 <sup>5</sup> /8 219	6 <sup>3</sup> / <sub>32</sub> 154.8	<sup>29</sup> / <sub>32</sub> 23	1 <sup>13</sup> / <sub>32</sub> 36	<sup>25</sup> / <sub>64</sub> 10	<sup>63</sup> / <sub>64</sub> 25	2 <sup>5</sup> /8 66.3	3.780 96	1.563 39.7	<sup>3</sup> / <sub>4</sub> M20	UCFCX17E UCFCX17-55E	FCX17E	UCX17 UCX17-55	96.1	71.5	14.5	12.9
90	-	10 <sup>1</sup> / <sub>4</sub> 260	7.375 187.325	8 <sup>5</sup> /8 219	6 <sup>3</sup> / <sub>32</sub> 154.8	<sup>29</sup> / <sub>32</sub> 23	1 <sup>11</sup> / <sub>16</sub> 43	<sup>15</sup> / <sub>32</sub> 12	1 <sup>7</sup> / <sub>64</sub> 28	2 <sup>7</sup> /8 73.1	4.094 104	1.689 42.9	<sup>3</sup> / <sub>4</sub> M20	UCFCX18E	FCX18E	UCX18	109	81.9	14.4	13.5
100	3 <sup>15</sup> / <sub>16</sub>	10 <sup>7</sup> / <sub>8</sub> 276	8.125 206.375	9 ³/ <sub>8</sub> 238	6 <sup>5</sup> /8 168.3	<sup>29</sup> / <sub>32</sub> 23	2 <sup>19</sup> / <sub>32</sub> 66	<sup>55</sup> / <sub>64</sub> 22	1 <sup>7</sup> / <sub>64</sub> 28	3 <sup>9</sup> / <sub>16</sub> 90.3	4.626 117.5	1.937 49.2	<sup>3</sup> / <sub>4</sub> M20	UCFCX20E UCFCX20-63E UCFCX20-64E	FCX20E	UCX20 UCX20-63 UCX20-64	133	105	14.4	18.2

 Remarks
 1. In Part No. of unit, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 X05~X09

 A-R1/8

As for the triple seal type product, suffix code L3 follows the Part No. of unit or bearing. (Example of Part No. : UCFCX06EL3, UCX06L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of spigot joint outside diameter  $(\varDelta_{B3a})$ , variations of tolerance of distance from mounting surface to center of spherical bore  $(\varDelta_{A2a})$ , tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

			ι	Jnit: mm
Housing No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y
FCX05E	0 0.046	±0.5	0.7	0.2
FCX06E~FCX10E	0 0.054	±0.5	0.7	0.2
FCX12E~FCX15E	0 0.063			0.3
FCX16E~FCX18E	0 -0.072	±0.8	1	0.5
FCX20E	-0.072			0.4

	Unit: mm
Housing No.	$\Delta_{Ns}$
FCX05E~FCX20E	±0.2

# UCFCF

**Cylindrical bore** 

(with set screws)

*d* 25 ~ 55 mm







Shaf	t Dia.					Di	mensior	ns					Bolt	S	tandard			Ba	sic	Factor
mm	inch						inch						Size	Unit	Housing	Bearing	Mass	Load R	atings	
							mm						1.1	No.	No.	No.		k	N	
	d		$H_3$	J	$J_1$	Ν	$A_1$	$A_2$	$A_3$	$A_4$	В	S	inch mm				kg	$C_{ m r}$	$C_{0\mathrm{r}}$	fo
			110		51				0			~					8	01	0.01	
	7/8													UCFCF205-14		UC205-14				
25	15/16	4 <sup>3</sup> /8	3	3 5/8	<b>2</b> <sup>9</sup> /16	13/32	7/8	7/16	1/4	1 <sup>7</sup> /32	1.343	0.563	5/16	UCFCF205-15	FCF205	UC205-15	1.2	14.0	7.85	13.9
		111	76.2	92.1	65.1	10.5	22.1	11.1	6.4	30.9	34.1	14.3	M8	UCFCF205	1 CI 200	UC205	1.2	11.0	7.00	13.5
	1													UCFCF205-16		UC205-16				
	1 <sup>1</sup> /8													UCFCF206-18		UC206-18				
30		5	3.375	4 <sup>1</sup> / <sub>8</sub>	2 <sup>29</sup> / <sub>32</sub>	15/32	<sup>25</sup> / <sub>32</sub>	19/64	<sup>27</sup> / <sub>64</sub>		1.500	0.626	7/16	UCFCF206	FCF206	UC206	1.8	19.5	11.3	13.9
50	1 <sup>3</sup> /16	127	85.725	104.8	74.1	12	20	7.5	10.5	29.7	38.1	15.9	M10	UCFCF206-19	1 CI 200	UC206-19	1.0	19.5	11.5	13.5
	1 <sup>1</sup> /4													UCFCF206-20		UC206-20				
	1 <sup>1</sup> /4													UCFCF207-20		UC207-20				
	1 <sup>5</sup> /16	5 1/4	3.625	4 <sup>3</sup> /8	<b>3</b> <sup>3</sup> / <sub>32</sub>	15/32	7/8	9/32	15/32	1 <sup>9</sup> /32	1.689	0.689	7/16	UCFCF207-21		UC207-21				
35	1 <sup>3</sup> /8	133	92.075		78.6	12	22.2	7.1	11.9	32.5	42.9	17.5	M10	UCFCF207-22	FCF207	UC207-22	1.8	25.7	15.4	13.9
		155	2.075		, 0.0	12	22.2	7.1	11.2	52.5	12.9	17.5	mil	UCFCF207		UC207				
	1 <sup>7</sup> /16													UCFCF207-23		UC207-23				
	1 <sup>1</sup> / <sub>2</sub>	5 1/4	3.625	4 <sup>3</sup> /8	3 <sup>3</sup> /32	15/32	1 <sup>1</sup> / <sub>32</sub>	3/8	15/32	1 %16	1.937	0.748	7/16	UCFCF208-24		UC208-24				
40	1 <sup>9</sup> /16	133	92.075	111.1	78.6	12	26.1	9.5	11.9	39.7	49.2	19	M10	UCFCF208-25	FCF208	UC208-25	2.1	29.1	17.8	14.0
														UCFCF208		UC208				
	1 5/8							_ (						UCFCF209-26		UC209-26				
45	1 11/16	6 <sup>5</sup> / <sub>32</sub>	4.25	5 <sup>1</sup> /8	3 5/8	17/32	7/8	7/32	15/32	1 <sup>13</sup> / <sub>32</sub>	1.937	0.748	1/2	UCFCF209-27	FCF209	UC209-27	2.8	34.1	21.3	14.0
	1 <sup>3</sup> / <sub>4</sub>	156	107.95	130.2	92.05	13.5	22	5.5	12	35.7	49.2	19	M12	UCFCF209-28		UC209-28				
													-	UCFCF209		UC209				
	1 7/8													UCFCF210-30		UC210-30				
50	1 15/16	6 <sup>3</sup> /8	4.5	5 <sup>3</sup> /8	3 <sup>51</sup> / <sub>64</sub>	17/32	<b>1</b> <sup>1</sup> / <sub>16</sub>	11/32	5/8	1 5/8	2.031	0.748	1/2	UCFCF210-31	FCF210	UC210-31	3.2	35.1	23.3	14.4
		162	114.3	136.5	96.5	13.5	27.1	8.7	15.9	41.3	51.6	19	M12	UCFCF210		UC210				
	2													UCFCF210-32		UC210-32				
	2	- 1/	_	-		10 (	71	7/	7/	4.17/	2 4 9 5	0.07.		UCFCF211-32		UC211-32				
55	2 <sup>1</sup> / <sub>8</sub>	7 1/8	5	6	4 <sup>1</sup> / <sub>4</sub>	<sup>19</sup> / <sub>32</sub>	7/8	7/32	7/8	1 <sup>17</sup> / <sub>32</sub>	2.189	0.874	1/2	UCFCF211-34	FCF211	UC211-34	4.2	43.4	29.4	14.4
		181	127	152.4	107.8	15	22.2	5.5	22.2	38.9	55.6	22.2	M14	UCFCF211		UC211				
	2 <sup>3</sup> /16													UCFCF211-35		UC211-35				

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCFCF206JL3, UC206L3)
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.

Н FCF

FCF FCF



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3s}$ ), variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ), tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

			ι	Jnit: mm
Housing No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y
F205~FCF206	0 -0.046	±0.5	0.7	0.2
F207~FCF210	0 -0.054	±0.5	0.7	0.2
F211	0 -0.063	±0.8	1	0.3

	Unit: mm
Housing No.	$\Delta_{Ns}$
FCF205~FCF211	±0.2

NCFC

# Cylindrical bore









Sha mm	<b>'t Dia.</b> inch	Dimensions inch mm											Bolt Size	Unit No.	Housing No.	Bearing No.	Load F	sic Ratings N	Factor	Mass	
	d	L	$H_3$	J	$J_1$	N	$A_1$	$A_2$	$A_3$	$A_4$	$B_1$	S	$d_1$	inch mm				C <sub>r</sub>	$C_{0r}$	fo	kg
20	3/4	3 <sup>15</sup> / <sub>16</sub> 100	2.4409 62	3 <sup>5</sup> / <sub>64</sub> 78	2 <sup>11</sup> / <sub>64</sub> 55.1	<sup>15</sup> / <sub>32</sub> 12	<sup>13</sup> / <sub>16</sub> 20.5	<sup>25</sup> / <sub>64</sub> 10	<sup>13</sup> / <sub>64</sub> 5	1 <sup>3</sup> / <sub>16</sub> 29.8	1 <sup>9</sup> / <sub>32</sub> 32.5	0.500 12.7	1 <sup>3</sup> / <sub>4</sub> 44.5	<sup>3</sup> / <sub>8</sub> M10	NCFC204-12 NCFC204	FC204	NC204-12 NC204	12.8	6.65	13.2	0.87
25	<sup>7</sup> / <sub>8</sub> <sup>15</sup> / <sub>16</sub>	4 <sup>17</sup> / <sub>32</sub> 115	2.7559 70	3 <sup>35</sup> / <sub>64</sub> 90	2 <sup>1</sup> / <sub>2</sub> 63.6	<sup>15</sup> / <sub>32</sub> 12	<sup>13/16</sup> 21	<sup>25</sup> / <sub>64</sub> 10	<sup>15</sup> / <sub>64</sub> 6	1 <sup>9</sup> / <sub>32</sub> 32.2	1 <sup>7</sup> / <sub>16</sub> 36.5	0.563 14.3	1 <sup>15/</sup> 16 49.2	<sup>3</sup> /8 M10	NCFC205-14 NCFC205-15 NCFC205 NCFC205-16	FC205	NC205-14 NC205-15 NC205 NC205-16	14.0	7.85	13.9	1.15
30	1 <sup>1</sup> /8 1 <sup>3</sup> /16 1 <sup>1</sup> /4	4 <sup>29</sup> / <sub>32</sub> 125	3.1496 80	3 <sup>15</sup> / <sub>16</sub> 100	2 <sup>25</sup> / <sub>32</sub> 70.7	<sup>15</sup> / <sub>32</sub> 12	<sup>29</sup> / <sub>32</sub> 23	<sup>25</sup> / <sub>64</sub> 10	<sup>5</sup> / <sub>16</sub> 8	1 <sup>11</sup> / <sub>32</sub> 33.8	1 <sup>9</sup> / <sub>16</sub> 39.7	0.626 15.9	2 <sup>3</sup> / <sub>16</sub> 55.6	<sup>3</sup> /8 M10	NCFC206-18 NCFC206 NCFC206-19 NCFC206-20	FC206	NC206-18 NC206 NC206-19 NC206-20	19.5	11.3	13.9	1.5
	1 <sup>1</sup> / <sub>4</sub>	5 <sup>5</sup> / <sub>16</sub> 135	3.5433 90	4 <sup>21</sup> / <sub>64</sub> 110	3 <sup>1</sup> / <sub>16</sub> 77.8	<sup>35</sup> / <sub>64</sub> 14	1 <sup>1</sup> / <sub>32</sub> 26	<sup>7</sup> / <sub>16</sub> 11	<sup>5</sup> / <sub>16</sub> 8	1 <sup>1</sup> / <sub>2</sub> 38	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>7</sup> / <sub>16</sub> 61.9	<sup>7/</sup> 16 M12	NCFC207-20	FC207	NC207-20	25.7	15.4	13.9	2.0
35	1 <sup>3</sup> / <sub>8</sub>	5 <sup>5</sup> / <sub>16</sub> 135	3.5433 90	4 <sup>21</sup> / <sub>64</sub> 110	3 <sup>1</sup> / <sub>16</sub> 77.8	<sup>35</sup> / <sub>64</sub> 14	1 <sup>1</sup> / <sub>32</sub> 26	<sup>7</sup> / <sub>16</sub> 11	<sup>5</sup> / <sub>16</sub> 8	1 <sup>1</sup> / <sub>2</sub> 38	1 <sup>3</sup> / <sub>4</sub> 44.5	0.689 17.5	2 <sup>9</sup> / <sub>16</sub> 65.1	<sup>7</sup> / <sub>16</sub> M12	NCFC207-22 NCFC207 NCFC207-23	FC207	NC207-22 NC207 NC207-23	25.7	15.4	13.9	2.0
40	1 <sup>1</sup> / <sub>2</sub>	5 <sup>23</sup> / <sub>32</sub> 145	3.9370 100	4 <sup>23</sup> / <sub>32</sub> 120	3 <sup>11</sup> / <sub>32</sub> 84.8	<sup>35</sup> / <sub>64</sub> 14	1 <sup>1</sup> / <sub>32</sub> 26	<sup>7</sup> / <sub>16</sub> 11	<sup>25</sup> / <sub>64</sub> 10	1 <sup>11</sup> / <sub>16</sub> 42.8	2 50.8	0.748 19	2 <sup>11</sup> / <sub>16</sub> 68.3	<sup>7/16</sup> M12	NCFC208-24 NCFC208	FC208	NC208-24 NC208	29.1	17.8	14.0	2.4
	1 5/8	6 <sup>5</sup> / <sub>16</sub> 160	4.1339 105	5 <sup>13</sup> / <sub>64</sub> 132	3 <sup>43</sup> / <sub>64</sub> 93.3	⁵/ <sub>8</sub> 16	1 <sup>1</sup> / <sub>32</sub> 26	<sup>25</sup> / <sub>64</sub> 10	<sup>15</sup> / <sub>32</sub> 12	1 <sup>21</sup> / <sub>32</sub> 41.8	2 50.8	0.748 19	2 <sup>13</sup> / <sub>16</sub> 71.4	<sup>1</sup> / <sub>2</sub> M14	NCFC209-26	FC209	NC209-26	34.1	21.3	14.0	3.0
45	1 <sup>11</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>4</sub>	6 <sup>5</sup> / <sub>16</sub> 160	4.1339 105	5 <sup>13</sup> / <sub>64</sub> 132	3 <sup>43</sup> / <sub>64</sub> 93.3	<sup>5</sup> /8 16	1 <sup>1</sup> / <sub>32</sub> 26	<sup>25</sup> / <sub>64</sub> 10	<sup>15</sup> / <sub>32</sub> 12	1 <sup>21</sup> / <sub>32</sub> 41.8	2 50.8	0.748 19	2 <sup>15</sup> / <sub>16</sub> 74.6	1/2 M14	NCFC209-27 NCFC209-28 NCFC209	FC209	NC209-27 NC209-28 NC209	34.1	21.3	14.0	3.0
50	1 <sup>15</sup> / <sub>16</sub>	6 <sup>1</sup> / <sub>2</sub> 165	4.3307 110	5 <sup>7</sup> / <sub>16</sub> 138	3 <sup>27</sup> / <sub>32</sub> 97.6	<sup>5</sup> / <sub>8</sub> 16	1 <sup>3</sup> / <sub>32</sub> 28	<sup>25</sup> / <sub>64</sub> 10	<sup>15</sup> / <sub>32</sub> 12	1 <sup>3</sup> / <sub>4</sub> 44.1	2 <sup>3</sup> / <sub>32</sub> 53.1	0.748 19	3 <sup>3</sup> / <sub>8</sub> 85.7	1/ <sub>2</sub> M14	NCFC210-31 NCFC210 NCFC210-32	FC210	NC210-31 NC210 NC210-32	35.1	23.3	14.4	3.5
55	2	7 <sup>9</sup> / <sub>32</sub> 185	4.9213 125	150	4 <sup>11</sup> / <sub>64</sub> 106.1	19	1 <sup>7</sup> / <sub>32</sub> 31	<sup>33</sup> / <sub>64</sub> 13	<sup>15</sup> / <sub>32</sub> 12	1 <sup>7</sup> /8 47.9	2 <sup>1</sup> / <sub>4</sub> 57.1	0.874 22.2	3 <sup>1</sup> / <sub>2</sub> 88.9	<sup>5</sup> /8 M16	NCFC211-32	FC211	NC211-32	43.4	29.4	14.4	4.6
	2 <sup>3</sup> /16	7 <sup>9</sup> / <sub>32</sub> 185	125	5 <sup>29</sup> / <sub>32</sub> 150	106.1	19	1 <sup>7</sup> / <sub>32</sub> 31	<sup>33</sup> / <sub>64</sub> 13	<sup>15</sup> / <sub>32</sub> 12	1 <sup>7</sup> /8 47.9	2 <sup>1</sup> / <sub>4</sub> 57.1	0.874 22.2	3 <sup>5</sup> /8 92.1	<sup>5</sup> /8 M16	NCFC211 NCFC211-35	FC211	NC211 NC211-35	43.4	29.4	14.4	4.6
60	2 1/4	7 <sup>11</sup> / <sub>16</sub> 195	5.3150 135	160	4 <sup>29</sup> / <sub>64</sub> 113.1	19	1 <sup>13</sup> / <sub>32</sub> 36	17	12	2 <sup>9</sup> / <sub>32</sub> 58.3	2 <sup>5</sup> /8 66.7	1.000 25.4	4 <sup>1</sup> / <sub>16</sub> 103.2	<sup>5</sup> /8 M16	NCFC212-36	FC212	NC212-36	52.4	36.2	14.4	5.7
	2 <sup>7</sup> /16	7 <sup>11</sup> / <sub>16</sub> 195	5.3150 135		4 <sup>29</sup> / <sub>64</sub> 113.1		1 <sup>13</sup> / <sub>32</sub> 36	<sup>43</sup> / <sub>64</sub> 17	<sup>15</sup> / <sub>32</sub> 12	2 <sup>9</sup> / <sub>32</sub> 58.3	2 <sup>5</sup> /8 66.7	1.000 25.4	4 <sup>1</sup> / <sub>8</sub> 104.8	<sup>5</sup> /8 M16	NCFC212 NCFC212-39	FC212	NC212 NC212-39	52.4	36.2	14.4	5.7

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



F FC



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3s}$ ), variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ), tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

			ι	Jnit: mm
Housing No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y
C204~FC206	0 0.046	±0.5	0.7	0.2
C207~FC210	0 0.054	±0.5	0.7	0.2
C211~FC212	0 0.063	±0.8	1	0.3

	Unit: mm
Housing No.	$\Delta_{Ns}$
FC204~FC212	±0.2

UKFC

Tapered bore (with adapter)

*d*<sub>1</sub> **20 ~ 65 mm** 











									<u></u>						
Sh	aft Dia.	Dimensions	Bolt	Standard				Basic	Factor	With Pressed	Steel Cover		With Cast I	on Cover	
mm	n incl	inch	Size L	Unit Housing	Bearing	Adapter	Mass	Load Ratings		Unit No.	Dimension	Mass	Unit No.	Dimens	ion Mass
		mm		No. No.	No.	No.		kN		Open Type Closed Type	mm inch		Open Type Closed Type	mm i	nch
	$d_1$		inch mm				kg	$C_{ m r}$ $C_{ m 0r}$	$f_0$		$A_{\rm s}$	kg		$A_{ m c}$	kg
	3/4	4 <sup>17</sup> / <sub>32</sub> 2.7559 3 <sup>35</sup> / <sub>64</sub> 2 <sup>1</sup> / <sub>2</sub> <sup>15</sup> / <sub>32</sub> <sup>13</sup> / <sub>16</sub> <sup>25</sup> / <sub>64</sub> <sup>15</sup> / <sub>64</sub> 1 <sup>3</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>8</sub>	<sup>3</sup> /8	FC205 FC205	UK205	HE2305X	0.99	14.0 7.85	13.9			-		-	
20			M10	10205	011200	H2305X	0.99	11.0 7.05	13.5	UKFC205C UKFC205D	34.5 1 <sup>11</sup> / <sub>32</sub>	0.99	UKFC205FC UKFC205FD	43 1	<sup>21</sup> / <sub>32</sub> 1.2
	3/4		<sup>5</sup> /16 UKI	FCX05 FCX05	UKX05	HE2305X	1.2	19.5 11.3	13.9			-		-	
	_		M8			H2305X	1.2			UKFCX05C UKFCX05D	36.5 1 7/16	1.2		-	
	1		<sup>3/8</sup> M10	FC206 FC206	UK206	H2306X HE2306X	1.3	19.5 11.3	13.9	UKFC206C UKFC206D	36.5 1 7/16	1.3	UKFC206FC UKFC206FD	45 1	25/32 1.6
25			<sup>3</sup> /8			HE2306X H2306X	1.3 1.5			UKFCX06C UKFCX06D	38 1 1/2	1.5		_	
	1		M10 UK	FCX06 FCX06	UKX06	HE2306X	1.5	25.7 15.4	13.9						
	1 1/8		7/16			H22500X	1.7					-		-	
			M12 UK	FC207 FC207	UK207	H2307X	1.7	25.7 15.4	13.9	UKFC207C UKFC207D	41 1 5/8	1.7	UKFC207FC UKFC207FD	50 1	<sup>31</sup> / <sub>32</sub> 2.1
30	1 1/8	5 <sup>1</sup> / <sub>4</sub> 3.6220 4 <sup>3</sup> / <sub>8</sub> 3 <sup>3</sup> / <sub>32</sub> <sup>15</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>32</sub> <sup>23</sup> / <sub>64</sub> <sup>7</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>4</sub> 1 <sup>11</sup> / <sub>16</sub>	<sup>3</sup> / <sub>8</sub>		1110/07	HS2307X	1.9	20.1 17.0	110			-		-	
		133 92 111 78.5 12 26 9 11 31.5 43	M10	FCX07 FCX07	UKX07	H2307X	1.9	29.1 17.8	14.0	UKFCX07C UKFCX07D	43.5 1 <sup>23</sup> / <sub>32</sub>	1.9		-	
	1 <sup>1</sup> /4	5 <sup>23</sup> / <sub>32</sub> 3.9370 4 <sup>23</sup> / <sub>32</sub> 3 <sup>11</sup> / <sub>32</sub> <sup>35</sup> / <sub>64</sub> 1 <sup>1</sup> / <sub>32</sub> <sup>7</sup> / <sub>16</sub> <sup>25</sup> / <sub>64</sub> 1 <sup>1</sup> / <sub>2</sub> 1 <sup>13</sup> / <sub>16</sub>	7/16			HE2308X	2.0					-		-	
	1 <sup>3</sup> /8		M12 UK	FC208 FC208	UK208	HS2308X	2.0	29.1 17.8	14.0			-		-	
35			1112			H2308X	2.0			UKFC208C UKFC208D	45.5 1 <sup>25</sup> / <sub>32</sub>	2.0	UKFC208FC UKFC208FD	54 2	2.4
	'/4	<b>5</b> <sup>1</sup> / <sub>4</sub> <b>3.6220 4</b> <sup>3</sup> / <sub>8</sub> <b>3</b> <sup>3</sup> / <sub>32</sub> <sup>15</sup> / <sub>32</sub> <b>1</b> <sup>1</sup> / <sub>32</sub> <sup>23</sup> / <sub>64</sub> <sup>7</sup> / <sub>16</sub> <b>1</b> <sup>5</sup> / <sub>16</sub> <b>1</b> <sup>13</sup> / <sub>16</sub>	3/8			HE2308X	1.9					-			
	1 3/8		M10 UK	FCX08 FCX08	UKX08	HS2308X	1.9	34.1 21.3	14.0			-		-	
	1.1/					H2308X	1.9			UKFCX08C UKFCX08D	43.5 1 <sup>23</sup> / <sub>32</sub>	1.9		-	
	1 <sup>1</sup> / <sub>2</sub>			FC209 FC209	UK209	HE2309X	2.7	34.1 21.3	14.0			-		-	
40	1 1/2		M14 7/16			H2309X HE2309X	2.7 2.6			UKFC209C UKFC209D	44.5 1 <sup>3</sup> / <sub>4</sub>	2.7	UKFC209FC UKFC209FD	54 2	2 1/8 3.2
	1 72		M12 UK	FCX09 FCX09	UKX09	H2309X	2.6	35.1 23.3	14.4	UKFCX09C UKFCX09D	45 1 <sup>25</sup> / <sub>32</sub>	2.6		-	
	1 3/4		1/2			HE2310X	3.0					2.0		_	
			M14 UK	FC210 FC210	UK210	H2310X	3.0	35.1 23.3	14.4	UKFC210C UKFC210D	47 1 27/32	3.0	UKFC210FC UKFC210FD	58.5 2	3.5
45	1 <sup>3</sup> / <sub>4</sub>		7/16			HE2310X	3.1					-		-	
		162 118 136 96.2 14 25 7 16 34.5 55	M12 UK	FCX10 FCX10	UKX10	H2310X	3.1	43.4 29.4	14.4	UKFCX10C UKFCX10D	45 1 <sup>25</sup> / <sub>32</sub>	3.1		-	
	1 7/8	<b>7</b> 9/32 <b>4.9213 5</b> 29/32 <b>4</b> <sup>11</sup> /64 <sup>3</sup> /4 <b>1</b> <sup>7</sup> /32 <sup>33</sup> /64 <sup>15</sup> /32 <b>1</b> <sup>25</sup> /32 <b>2</b> <sup>5</sup> /16	5/8			HS2311X	4.3					-		-	
			M16 UK	FC211 FC211	UK211	H2311X	4.3	43.4 29.4	14.4	UKFC211C UKFC211D	51 2	4.3	UKFC211FC UKFC211FD	62.5 2	<sup>15</sup> / <sub>32</sub> 4.9
50	2		MIIO			HE2311X	4.3					-		-	
	1 7/8	7 3/32 5 5 63/64 4 15/64 5/8 1 1/32 5/32 55/64 1 5/16 2 5/16	1/2			HS2311X	4.0					-			
			M14 UKF	FCX11 FCX11	UKX11	H2311X	4.0	52.4 36.2	14.4	UKFCX11C UKFCX11D	48.5 1 <sup>29</sup> / <sub>32</sub>	4.0			
_	2 1/8	7 <sup>11</sup> / <sub>16</sub> 5.3150 6 <sup>19</sup> / <sub>64</sub> 4 <sup>29</sup> / <sub>64</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>13</sup> / <sub>32</sub> <sup>43</sup> / <sub>64</sub> <sup>15</sup> / <sub>32</sub> 2 <sup>3</sup> / <sub>32</sub> 2 <sup>7</sup> / <sub>16</sub>	5/-			HE2311X HS2312X	4.0					-		-	
	2 ./8		<sup>5/8</sup> UK	FC212 FC212	UK212	H2312X	4.9 4.9	52.4 36.2	14.4	UKFC212C UKFC212D	61.5 2 <sup>13</sup> / <sub>32</sub>	4.9	UKFC212FC UKFC212FD	74 2	<sup>29</sup> / <sub>32</sub> 5.7
55	2 1/8		<sup>1</sup> / <sub>2</sub>			HS2312X	5.1				01.5 2 -732	4.9		- 74 2	
	2 /0		M14 UK	FCX12 FCX12	UKX12	H2312X	5.1	57.2 40.1	14.4	UKFCX12C UKFCX12D	55.5 2 <sup>3</sup> /16	5.1		_	
	2 1/4					HE2313X	5.5					-		-	
		8 <sup>1</sup> / <sub>16</sub> 5.7087 6 <sup>11</sup> / <sub>16</sub> 4 <sup>47</sup> / <sub>64</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>13</sup> / <sub>32</sub> <sup>5</sup> / <sub>8</sub> <sup>35</sup> / <sub>64</sub> 2 <sup>3</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub>	5/8 UKI	FC213 FC213	UK213	H2313X	5.5	57.2 40.1	14.4	UKFC213C UKFC213D	60.5 2 <sup>3</sup> /8	5.5	UKFC213FC UKFC213FD	73 2	6.4
	2 <sup>3</sup> /8	205 145 170 120.2 19 36 16 14 53.5 65	M16			HS2313X	5.5					_		_	
60	2 <sup>1</sup> /4		1/			HE2313X	5.3					-		-	
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	M14 UK	FCX13 FCX13	UKX13	H2313X	5.3	62.2 44.1	14.5	UKFCX13C UKFCX13D	60.5 2 <sup>3</sup> / <sub>8</sub>	5.3			
	2 <sup>3</sup> /8		1114			HS2313X	5.3					-		-	
	2 <sup>1</sup> / <sub>2</sub>		5/8 UK	FC215 FC215	UK215	HE2315X	7.4	67.4 48.3	14.5			-		-	
65			M16	10215	0.210	H2315X	7.4	10.5		UKFC215C UKFC215D	67.5 2 <sup>21</sup> / <sub>32</sub>	7.4	UKFC215FC UKFC215FD	80 3	5/32 8.4
	2 <sup>1</sup> / <sub>2</sub>		5/8 UK	FCX15 FCX15	UKX15	HE2315X	7.7	72.7 53.0	14.6					-	
		222 164 190 134.3 19 35 12 22 48 73	M16			H2315X	7.7			UKFCX15C UKFCX15D	66.5 2 5/8	7.7		-	

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.
 A-1/4-28UNF

 A-1/4-28UNF
 COS-210, X05-X09

A-R1/8.... ..... 211~218, X10~X20 In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKFC206J + H2306X, UK206 + H2306X)
 As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UKFC206JL3 + H2306X, UK206L3 + H2306X)
 For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Housings of nodular graphite cast iron are also available.



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3s}$ ), variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ), tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

nm			Unit: mm
	Housi	ng No.	$\Delta_{Ns}$
	FC204~FC218	FCX05~FCX20	±0.2
,			

				L L	Jnit: mm
Housi	ng No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y
FC205~FC206	FCX05	0 -0.046	+0.5	0.7	0.2
FC207~FC210	FCX06~FCX10	0 -0.054	±0.5	0.7	0.2
FC211~FC217	FCX11~FCX15	0 -0.063		1	0.3
FC218	FCX16~FCX18	0	±0.8	1	
	FCX20	-0.072			0.4

#### UKFC

Tapered bore (with adapter)

*d*<sub>1</sub> **70 ~ 90 mm** 











Sha	t Dia.					Dime	nsions					Bolt		Standard				Basic	Factor	With Pre	essed St	eel Cover		With Cast Iron Cover			
mm	inch					in	nch					Size	Unit	Housing	Bearing	Adapter	Mass	Load Ratings		Unit No.		Dimension	n Mass	Uni	t No.	Dimensio	n Mass
						n	ım					inch	No.	No.	No.	No.		kN		Open Type Close	d Type	mm inc	h	Open Type	Closed Type	mm ine	2h
	$l_1$	L	$H_3$	J	$J_1$	N	$A_1$	$A_2$	$A_3$	$A_4$	$B_1$	mm					kg	$C_{ m r}$ $C_{ m 0r}$	f0			$A_{ m s}$	kg			$A_{ m c}$	kg
	2 <sup>3</sup> / <sub>4</sub>	9 <sup>7</sup> /16	6.6929	7 <sup>7</sup> /8	5 <sup>9</sup> /16	<sup>29</sup> /32	1 <sup>31</sup> / <sub>32</sub>	<sup>45</sup> /64	5/8	<b>2</b> <sup>15</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>16</sub>	<sup>3</sup> /4		50210	11/216	HE2316X	9.0	70.7 50.0	14.0		-		-	-	-		
70		240	170	200	141.4	23	42	18	16	62.5	78	M20	UKFC216	FC216	UK216	H2316X	9.0	72.7 53.0	14.6	UKFC216C UKFC	216D	72.5 2 <sup>27</sup>	32 9.0	UKFC216FC	UKFC216FD	87 3 <sup>7</sup>	/16 10.3
70	2 <sup>3</sup> / <sub>4</sub>	10 <sup>1</sup> /4	7.3228	<b>8</b> <sup>5</sup> /8	6 <sup>3</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	1 <sup>13</sup> /32	<sup>25</sup> /64	<sup>63</sup> /64	1 <sup>15</sup> /16	3 <sup>1</sup> / <sub>16</sub>	3/4	UKFCX16	FCX16	UKX16	HE2316X	11.4	84.0 61.9	14.5		-		-	-	-		
		260	186	219	154.8	23	36	10	25	49	78	M20	UKFCATO	FCATO	UKATO	H2316X	11.4	04.0 01.9	14.5	UKFCX16C UKFC	X16D	66.5 2 <sup>5</sup> /8	11.4	-	-		
		9 <sup>27</sup> / <sub>32</sub>	7.0866	<b>8</b> <sup>3</sup> / <sub>16</sub>	5 <sup>51</sup> / <sub>64</sub>	<sup>29</sup> / <sub>32</sub>	1 <sup>25</sup> / <sub>32</sub>	45/64	45/64	3 <sup>17</sup> / <sub>32</sub>	3 7/32	3/4	UKFC217	FC217	UK217	H2317X	10.4	84.0 61.9	14.5	UKFC217C UKFC	217D	74.5 2 <sup>15</sup> /	16 10.4	UKFC217FC	UKFC217FD	89 3 <sup>1</sup> /	/2 11.8
75	3	250	180	208	147.1	23	45	18	18	64.5	82	M20	011 (217	10217	01(21)	HE2317X	10.4	04.0 01.9	14.5		-		-	-	-		
13		10 <sup>1</sup> /4	7.3228	<b>8</b> <sup>5</sup> /8	6 <sup>3</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	1 <sup>13</sup> / <sub>32</sub>	<sup>25</sup> /64	<sup>63</sup> / <sub>64</sub>	2 <sup>1</sup> /16	3 <sup>7</sup> / <sub>32</sub>	3/4	UKFCX17	FCX17	UKX17	H2317X	12.6	96.1 71.5	14.5	UKFCX17C UKFC	X17D	71.5 2 <sup>13</sup> /	16 12.6	-	-		
	3	260	186	219	154.8	23	36	10	25	52	82	M20	UNICATI		01017	HE2317X	12.6	90.1 71.5	14.5		-		-	-	-		
		10 <sup>7</sup> / <sub>16</sub>	7.4803	8 <sup>21</sup> / <sub>32</sub>	6 <sup>1</sup> /8	<sup>29</sup> / <sub>32</sub>	1 <sup>31</sup> / <sub>32</sub>	<sup>55</sup> / <sub>64</sub>	<sup>45</sup> / <sub>64</sub>	2 <sup>13</sup> / <sub>16</sub>	3 <sup>3</sup> /8	3/4	UKFC218	FC218	UK218	H2318X	13.3	96.1 71.5	14.5	UKFC218C UKFC	2180	83.5 3 %	2 13.3	UKFC218FC		98 3 <sup>27</sup>	7/32 14.9
80		265	190	220	155.5	23	50	22	18	71.5	86	M20	0101 02 10	10210	011210	1125107	13.5	50.1 71.5	14.5		2100	05.5 57	12 13.5	014 62101 6	0101 02 101 0	<i>J</i> 0 <i>J</i>	/32 14.2
00		10 <sup>1</sup> / <sub>4</sub>	7.3228	<b>8</b> <sup>5</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	<b>1</b> <sup>11</sup> / <sub>16</sub>	15/32	1 <sup>7</sup> / <sub>64</sub>	<b>2</b> <sup>5</sup> / <sub>32</sub>	3 <sup>3</sup> /8	3/4	UKFCX18	FCX18	UKX18	H2318X	13.0	109 81.9	14.4				_	UKFCX18C	UKFCX18D	92 <u>3</u> <sup>5</sup> /	/8 15.1
		260	186	219	154.8	23	43	12	28	55	86	M20					15.0	105 01.9	1.4.4						OIG CATOD	JZ J1	° '.J.I
90	3 <sup>1</sup> / <sub>2</sub>	10 <sup>7</sup> /8	8.1102	<b>9</b> <sup>3</sup> /8	6 <sup>5</sup> /8	<sup>29</sup> / <sub>32</sub>	2 <sup>19</sup> / <sub>32</sub>	<sup>55</sup> /64	1 <sup>7</sup> /64	2 <sup>23</sup> / <sub>32</sub>	3 <sup>13</sup> / <sub>16</sub>	3/4	UKFCX20	FCX20	UKX20	HE2320X	17.1	133 105	14.4		-		-	-	-		-   -
50		276	206	238	168.3	23	66	22	28	69	97	M20	0111 0120	1 CA20	010/20	H2320X	17.1	155 105	1.4.4		-		-	UKFCX20C	UKFCX20D	116 4 %	/16 19.9

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See **Table 10.5** in P.62.)

 3. In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKFC206J + H2306X, UK206 + H2306X)

4. As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing.

(Example of Part No. : UKFC206JL3 + H2306X, UK206L3 + H2306X)

For the dimensions and forms of applicable beamings and adapters, s
 Housings of nodular graphite cast iron are also available.

230



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3a}$ ), variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2a}$ ), tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

Variations of tolerance of bolt hole diameter ( $\varDelta_{Ns}$ )

		Unit: mm
Housi	ng No.	$\Delta_{Ns}$
FC204~FC218	FCX05~FCX20	±0.2

				U	Jnit: mm
Housi	ng No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y
FC205~FC206	FCX05	0 0.046	+0.5	0.7	0.2
FC207~FC210	FCX06~FCX10	0 -0.054	±0.5	0.7	0.2
FC211~FC217	FCX11~FCX15	0 -0.063		1	0.3
FC218	FCX16~FCX18	0	±0.8	1	
	FCX20	-0.072			0.4

5. For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.



	ft Dia.								mensions	5					Bolt	Unit	Bearing	Unit	Bearing	Housing	Ba		Factor	Ma	155
mm	inch								inch						Size	No.	No.	No.	No.	No.	Load R				
	d	T	T	$J_1$	Ν	$H_3$	$A_1$	$A_2$	$mm$ $A_3$	Λ.	В	$B_1$	SBFC-RKP8	SAFC-FP9	inch mm						Cr k	$C_{0r}$	fo	k SBFC-RKP8	g SAFC-FP9
	3/4	3 <sup>15</sup> /16	3 5/64	2 <sup>11</sup> / <sub>64</sub>	<sup>15</sup> / <sub>32</sub>	2.4409	<sup>13</sup> / <sub>16</sub>	25/64	<sup>13</sup> / <sub>64</sub>	A4	0.984	1.220	0.276	0.295	3/8	SBFC204-12RKP8	SB204-12RKP8	SAFC204-12FP9	SA204-12FP9						
20	74	100	78	55.1	12	62	20.5	10	5	33.5	25	31	7	7.5	M10	SBFC204-T2NRF0	SB204RKP8	SAFC204FP9	SA204FP9	FC204	12.8	6.65	13.2	0.72	0.76
	7/8	100	70	55.1	12	02	20.5	10		55.5	25	51		7.5		SBFC205-14RKP8	SB205-14RKP8		SA205-14FP9						
	15/16	4 <sup>17</sup> / <sub>32</sub>	3 <sup>35</sup> / <sub>64</sub>	<b>2</b> 1/2	15/32	2.7559	13/16	<sup>25</sup> / <sub>64</sub>	15/64	1 <sup>5</sup> /16	1.063	1.220	0.295	0.295	3/8	SBFC205-15RKP8	SB205-15RKP8	SAFC205-15FP9	SA205-15FP9						
25	1	115	90	63.6	12	70	21	10	6	33.5	27	31	7.5	7.5	M10	SBFC205-16RKP8	SB205-16RKP8	SAFC205-16FP9	SA205-16FP9	FC205	14.0	7.85	13.9	0.93	0.98
																SBFC205RKP8	SB205RKP8	SAFC205FP9	SA205FP9						
	1 <sup>1</sup> /8															SBFC206-18RKP8	SB206-18RKP8	SAFC206-18FP9	SA206-18FP9						
20	1 <sup>3</sup> / <sub>16</sub>	4 <sup>29</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>16</sub>	2 <sup>25</sup> / <sub>32</sub>	15/32	3.1496	<sup>29</sup> / <sub>32</sub>	<sup>25</sup> / <sub>64</sub>	5/16	1 7/16	1.181	1.906	0.315	0.354	3/8	SBFC206-19RKP8	SB206-19RKP8	SAFC206-19FP9	SA206-19FP9	FCDOC	10.5	11.2	12.0	1.25	1.32
30	1 <sup>1</sup> /4	125	100	70.7	12	80	23	10	8	36.7	30	35.7	8	9	M10	SBFC206-20RKP8	SB206-20RKP8	SAFC206-20FP9	SA206-20FP9	FC206	19.5	11.5	13.9	1.25	1.32
																SBFC206RKP8	SB206RKP8	SAFC206FP9	SA206FP9						
	1 <sup>1</sup> / <sub>4</sub>															SBFC207-20RKP8	SB207-20RKP8	SAFC207-20FP9	SA207-20FP9					1.64	
	1 <sup>5</sup> /16	5 5/16	4 <sup>21</sup> / <sub>64</sub>	3 <sup>1</sup> / <sub>16</sub>	35/64	3.5433	1 <sup>1</sup> / <sub>32</sub>	7/16	5/16	1 <sup>19</sup> /32	1.260	1.531	0.335	0.374	7/16	-	-	SAFC207-21FP9	SA207-21FP9					-	
35	1 <sup>3</sup> /8	135	110	77.8	14	90	26	11	8	40.4	32	38.9	8.5	9.5	M12	SBFC207-22RKP8	SB207-22RKP8	SAFC207-22FP9	SA207-22FP9	FC207	25.7	15.4	13.9	1.64	1.79
	1 7/16	155	110	77.0	14	90	20		0	+0.+	52	50.9	0.5	2.5	IVITZ	SBFC207-23RKP8	SB207-23RKP8	SAFC207-23FP9	SA207-23FP9					1.64	
																SBFC207RKP8	SB207RKP8	SAFC207FP9	SA207FP9					1.64	
	1 <sup>1</sup> / <sub>2</sub>	5 <sup>23</sup> / <sub>32</sub>	4 <sup>23</sup> / <sub>32</sub>	3 <sup>11</sup> / <sub>32</sub>	35/64	3.937	1 1/32	7/16	25/64	1 <sup>23</sup> / <sub>32</sub>	1.339	1.720	0.354	0.433	7/16	SBFC208-24RKP8	SB208-24RKP8		SA208-24FP9					1.96	
40	1 <sup>9</sup> /16	145	120	84.8	14	100	26	11	10	43.7	34	43.7	9	11	M12	-	-	SAFC208-25FP9	SA208-25FP9	FC208	29.1	17.8	14.0	-	2.11
																SBFC208RKP8	SB208RKP8	SAFC208FP9	SA208FP9					1.96	
	1 5/8															-	-	SAFC209-26FP9	SA209-26FP9						
45	1 1/16	<b>6</b> <sup>5</sup> /16	5 <sup>13</sup> / <sub>64</sub>	3 <sup>43</sup> / <sub>64</sub>	5/8	4.1339	1 1/32	15/32	15/32	1 3/4	-	1.720	-	0.433	1/2	-	-	SAFC209-27FP9	SA209-27FP9	FC209	34.1	21.3	14.0	-	2.74
	1 3/4	160	132	93.3	16	105	26	12	12	44.7	-	43.7	-	11	M14	-	-	SAFC209-28FP9	SA209-28FP9						
	1 7/8														-	-	-	SAFC209FP9 SAFC210-30FP9	SA209FP9 SA210-30FP9						
50	1 <sup>1</sup> /8 1 <sup>15</sup> /16	<b>6</b> <sup>1</sup> / <sub>2</sub>	5 <sup>7</sup> / <sub>16</sub>	3 <sup>27</sup> / <sub>32</sub>	5/8	4.3307	1 <sup>3</sup> / <sub>32</sub>	15/32	15/32	1 <sup>3</sup> /4	-	1.720	-	0.433	1/2	-	-	SAFC210-30FP9 SAFC210-31FP9	SA210-30FP9 SA210-31FP9	FC210	35.1	22.2	144		2.05
50	1 19/16	165	138	97.6	16	110	28	12	12	44.7	-	43.7	-	11	M14	-	-	SAFC210-31FP9 SAFC210FP9	SA210-31FP9 SA210FP9	FC210	35.1	23.3	14.4	-	2.95
	2																-	SAFC210FP9 SAFC211-32FP9	SA210FP9 SA211-32FP9						
	2 <sup>1</sup> /8	<b>7</b> %/32	5 <sup>29</sup> /32	<b>4</b> <sup>11</sup> / <sub>64</sub>	3/4	4.9213	1 7/32	33/64	15/32	1 15/14	_	1.906	_	0.472	5/8		_	SAFC211-32FP9	SA211-32FP9						
55	2 <sup>3</sup> / <sub>16</sub>	185	150	106.1	-74 19	4.9213	31	13	12	49.4	-	48.4	_	12	M16	_	_	SAFC211-34FP9 SAFC211-35FP9	SA211-34FP9 SA211-35FP9	FC211	43.4	29.4	14.4	-	4.29
	2 -/ 16	103	150	100.1	19	125	21	15	12	49.4	-	40.4	-	12	10110	_	_	SAFC211-35FP9 SAFC211FP9	SA211-35FP9 SA211FP9						
			<u> </u>		<u> </u>	oro diama										- 2. For the dimension						<u> </u>			

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.

A-R1/8.. ..... 211

232



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3s}$ ), variations of tolerance of distance from mounting surface to center of spherical bore ( $\Delta_{A2s}$ ), tolerance of position of bolt hole (X), and tolerance of circumferential runout of spigot joint (Y)

			ι	Jnit: mm
Housing No.	$\Delta_{H3s}$	$\Delta_{A2s}$	X	Y
FC204~FC206	0 -0.046	±0.5	0.7	0.2
FC207~FC210	0 -0.054	±0.5	0.7	0.2
FC211	0 -0.063	±0.8	1	0.3

Variations of tolerance of bolt hole diameter ( $\Delta N_s$ ) Unit

	Unit. IIIIII
Housing No.	$\Delta_{Ns}$
FC204~FC211	±0.2

# UCSFC-H1S6





Sh	aft D	Dia.		Dimensions				Bolt Standard						Basic		Factor	With	Pressed Stainless St	Steel Cover										
mn	ı i	inch						in	ch							Size	Unit	Housing	Bearing	Mass	ss l	.oad Rati	ngs		Unit	t No.	Dime	ension	Mass
								m	m							inch	No.	No.	No.			kN			Open Type	Closed Type	mm	inch	1
	d		L	$H_3$	J	$J_1$	N	A	$A_1$	$A_2$	A	<b>A</b> 3	$A_4$	В	S	mm				kg	g	$C_{\mathrm{r}}$	$C_{0r}$	$f_0$			1	$A_{\rm s}$	kg
20		3/4	3 <sup>15</sup> / <sub>16</sub>	2.4409	3 <sup>5</sup> /64	↓ 2 <sup>11</sup> /e	4 <sup>15</sup> /32	<sup>53</sup> /64	<sup>13</sup> /32	2 25/6	4 13	/64 '	1 <sup>1</sup> /8	1.220	0.500	3/8	UCSFC204-12H1S	656204111	UC204-12S6	0.5	5	10.0	- 25	12.2	-	-	_	-	-
20			100	62	78	55.1	12	21	10	10	4	5 2	28.3	31	12.7	M10	UCSFC204H1S6	SFC204H1	UC204S6	0.5	5	10.9 5	.35	13.2	UCSFC204H1CS6	UCSFC204H1DS6	32.5	1 <sup>9</sup> /32	0.5
		<sup>7</sup> /8															UCSFC205-14H1S	5	UC205-14S6	0.6	5				-	-	-	-	-
25		<sup>15</sup> /16	4 <sup>17</sup> / <sub>32</sub>	2.7559	3 35/64	4 <b>2</b> <sup>1</sup> / <sub>2</sub>	15/32	27/32	13/32	2 <sup>25</sup> /6	4 15	/64 1	3/16	1.343	3 0.563	3/8	UCSFC205-15H1S	SFC205H1	UC205-15S6	0.6	5	11.9 6	5.3	13.9	-	-	_	-	- 1
25			115	70	90	63.6	12	21.5	10	10	6	6 2	29.8	34.1	14.3	M10	UCSFC205H1S6	3FC203H1	UC205S6	0.6	5	11.9 (		15.9	UCSFC205H1CS6	UCSFC205H1DS6	34.5	1 <sup>11</sup> / <sub>32</sub>	0.6
	1	I															UCSFC205-16H1S		UC205-16S6	0.6	5				-	-	-	-	-
	1	<sup>1</sup> / <sub>8</sub>															UCSFC206-18H1S	5	UC206-18S6	0.8	3				-	-	-	-	
30			4 <sup>29</sup> / <sub>32</sub>	3.1496	3 15/10	6 <b>2</b> <sup>25</sup> /3	2 15/32	<sup>29</sup> / <sub>32</sub>	<sup>13</sup> / <sub>32</sub>	2 <sup>25</sup> /6	4 5/	/16 1	9/32	1.500	0.626	3/8	UCSFC206H1S6	SFC206H1	UC206S6	0.8	3	16.5 9	0.05	13.9	UCSFC206H1CS6	UCSFC206H1DS6	36.5	1 7/16	0.8
50	1	l <sup>3</sup> /16	125	80	100	70.7	12	23	10	10	8	8 3	32.2	38.1	15.9	M10	UCSFC206-19H1S		UC206-1956	0.8	3	10.5		13.5	-	-	_	-	-
	_	1/4															UCSFC206-20H1S		UC206-20S6	0.8	_				-	-	-	-	
		<sup>1</sup> /4															UCSFC207-20H1S		UC207-20S6	1.1					-	-	-	-	-
		<sup>5</sup> / <sub>16</sub>	5 5/16	3.5433	4 <sup>21</sup> /64	4 3 <sup>1</sup> /1	5 35/64	1 <sup>1</sup> /3	2 15/3	2 7/16	5 5/	/16 1	7/16	1.689	9 0.689	7/16	UCSFC207-21H1S		UC207-21S6	1.1					-	-	_	-	-
35	1	<sup>3</sup> /8	135	90	110			26	12	11	- · ·	8 3	36.4	42.9			UCSFC207-22H1S	SFC207H1	UC207-22S6	1.1	1   1	21.8 12	.3	13.9	-	-	-	-	-
				20				20	. 2							2	UCSFC207H1S6		UC207S6	1.1					UCSFC207H1CS6	UCSFC207H1DS6	41	1 5/8	1.1
_	_	7/16															UCSFC207-23H1S		UC207-23S6	1.1	_				-	-	-	-	
		<sup>1</sup> / <sub>2</sub>	5 <sup>23</sup> /32	3.9370	4 <sup>23</sup> / <sub>3</sub>	2 3 11/3	2 35/64	1 <sup>1</sup> /3	2 15/2	2 7/14	5 25	/64	1 5/8	1.937	7 0.748	7/16	UCSFC208-24H1S		UC208-24S6	1.4					-	-	-	-	-
40	1	l <sup>9</sup> /16	145	100	120			26	12	11	1	0 4		49.2		M12	UCSFC208-25H1S	SFC208H1	UC208-2556	1.4	1   1	24.8 14	.3	14.0	-	-	-	-	-
			5		.20	01.0		20	12								UCSFC208H1S6		UC20856	1.4	1				UCSFC208H1CS6	UCSFC208H1DS6	45.5	1 <sup>25</sup> / <sub>32</sub>	1.4

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is A-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of spigot joint outside diameter ( $\Delta_{H3s}$ )

	Unit: mm
Housing No.	$\Delta_{H3s}$
SFC204H1~SFC206H1	0 -0.046
SFC207H1~SFC208H1	0 -0.054



Sha	ft Dia				[	Dimensior	ns				Bolt	Unit	Bearing	Unit	Bearing	Housing	Bas	sic	Factor	Ma	ass
mm	inch					inch					Size	No.	No.	No.	No.	No.	Load R	atings			
						mm											kl	N		k	cg
									SBPF	SAPF	inch							0	c		
	d	H	A	$A_1$	J	N	$H_2$	S	В	$B_1$	mm						$C_{\rm r}$	$C_{0r}$	$f_0$	SBPF	SAPF
12												SBPF201	SB201	SAPF201	SA201						
	1/2	23/	97	57	2 <sup>1</sup> / <sub>2</sub>	97	1 15/	0.226	0.066	1.122	1/	SBPF201-8	SB201-8	SAPF201-8	SA201-8						
15		3 <sup>3</sup> / <sub>16</sub>	<sup>9</sup> / <sub>16</sub>	5/32		9/ <sub>32</sub>	1 <sup>15</sup> / <sub>16</sub>	0.236	0.866		1/4	SBPF202	SB202	SAPF202	SA202	PF203	9.55	4.80	13.2	0.27	0.3
	5/8	81	14	4	63.5	7.1	49	6	22	28.5	M6	SBPF202-10	SB202-10	SAPF202-10	SA202-10						
17												SBPF203	SB203	SAPF203	SA203						
20	3/4	3 <sup>17</sup> / <sub>32</sub>	<sup>5</sup> /8	5/32	2 <sup>13</sup> / <sub>16</sub>	<sup>23</sup> / <sub>64</sub>	2 <sup>5</sup> / <sub>32</sub>	0.276	0.984	1.161	5/16	SBPF204-12	SB204-12	SAPF204-12	SA204-12	PF204	12.8	6 6 5	13.2	0.22	0.33
20		90	16	4	71.5	9	55	7	25	29.5	M8	SBPF204	SB204	SAPF204	SA204	PF204	12.8	6.65	13.2	0.33	0.33
	7/8											SBPF205-14	SB205-14	SAPF205-14	SA205-14						
25	15/16	3 <sup>3</sup> /4	<sup>23</sup> / <sub>32</sub>	5/32	2 <sup>63</sup> / <sub>64</sub>	23/64	2 3/8	0.295	1.063	1.201	5/16	SBPF205-15	SB205-15	SAPF205-15	SA205-15	PF205	14.0	7.85	13.9	0.38	0.42
25		95	18	4	76	9	60	7.5	27	30.5	M8	SBPF205	SB205	SAPF205	SA205	11205	14.0	7.05	15.9	0.50	0.42
	1											SBPF205-16	SB205-16	SAPF205-16	SA205-16						
	1 <sup>1</sup> /8											SBPF206-18	SB206-18	SAPF206-18	SA206-18						
30		4 <sup>7</sup> / <sub>16</sub>	3/4	<sup>13</sup> / <sub>64</sub>	3 <sup>9</sup> / <sub>16</sub>	<sup>7</sup> / <sub>16</sub>	2 <sup>25</sup> / <sub>32</sub>	0.315	1.181	1.335	3/8	SBPF206	SB206	SAPF206	SA206	PF206	19.5	11.3	13.9	0.62	0.65
50	1 <sup>3</sup> /16	113	19	5.2	90.5	11	71	8	30	33.9	M10	SBPF206-19	SB206-19	SAPF206-19	SA206-19	11200	19.5	11.5	15.9	0.02	0.05
	1 <sup>1</sup> /4											SBPF206-20	SB206-20	SAPF206-20	SA206-20						
	1 <sup>1</sup> / <sub>4</sub>											SBPF207-20	SB207-20	SAPF207-20	SA207-20						
	1 <sup>5</sup> /16	4 <sup>13</sup> / <sub>16</sub>	7/8	13/64	3 <sup>15</sup> /16	7/16	3 <sup>3</sup> / <sub>16</sub>	0.335	1.260	1.437	3/8			SAPF207-21	SA207-21						
35	1 <sup>3</sup> / <sub>8</sub>	122	22	5.2	100	11	81	8.5	32	36.5	M10	SBPF207-22	SB207-22	SAPF207-22	SA207-22	PF207	25.7	15.4	13.9	0.82	0.9
		122	~~	5.2	100		01	0.5	52	50.5		SBPF207	SB207	SAPF207	SA207						
	1 <sup>7</sup> /16											SBPF207-23	SB207-23	SAPF207-23	SA207-23						

Note 1)  $H_2$  is the minimum size of the mounting hole.

Remark For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance between centers of bolt holes ( $\Delta_{Js}$ )

	Unit: mm
Housing No.	$\Delta J_{s}$
PF203~PF207	+0.4

	Unit: mm
Housing No.	$\Delta_{Ns}$
PF203~PF207	±0.25



Sh	aft Dia					Dime	nsions					Bolt	Unit	Bearing	Unit	Bearing	Housing	Ba	sic	Factor	Τ
mm	inch					in	ch					Size	No.	No.	No.	No.	No.	Load R	atings	1	
	,		Ŧ			m			G	SBPFL	SAPFL	inch mm						kl Cr	N $C_{0r}$	fo	
- 10		H	L	Α	$A_1$	J	N	$H_2$	S	B	$B_1$		60051 aa4	60201	64051004	64201					+
12													SBPFL201	SB201	SAPFL201	SA201				1	
	1/2	3 3/16	2 5/16	<sup>9</sup> /16	5/32	$2^{1/2}$	9/32	1 <sup>15</sup> /16	0.236	0.866	1.122	1/4	SBPFL201-8	SB201-8	SAPFL201-8	SA201-8				1	
15		81	59	14	4	63.5	7.1	49	6	22	28.5	M6	SBPFL202	SB202	SAPFL202	SA202	PFL203	9.55	4.80	13.2	
	5/8												SBPFL202-10	SB202-10	SAPFL202-10	SA202-10				1	
17													SBPFL203	SB203	 SAPFL203	SA203				<u> </u>	+
20	3/4	3 17/32	2 5/8	5/8	5/32	2 <sup>13</sup> / <sub>16</sub>	<sup>23</sup> / <sub>64</sub>	2 <sup>5</sup> / <sub>32</sub>	0.276	0.984	1.161	5/16	SBPFL204-12	SB204-12	SAPFL204-12	SA204-12	PFL204	12.8	6.65	13.2	
	7/	90	67	16	4	71.5	9	55	7	25	29.5	M8	SBPFL204	SB204	SAPFL204	SA204				<u> </u>	+
	7/8												SBPFL205-14	SB205-14	SAPFL205-14	SA205-14				1	
25	15/10		2 <sup>25</sup> / <sub>32</sub>	23/32	5/32	2 <sup>63</sup> / <sub>64</sub>	<sup>23</sup> / <sub>64</sub>	2 <sup>3</sup> /8	0.295	1.063	1.201	5/16	SBPFL205-15	SB205-15	SAPFL205-15	SA205-15	PFL205	14.0	7.85	13.9	
		95	71	18	4	76	9	60	7.5	27	30.5	M8	SBPFL205	SB205	SAPFL205	SA205				1	
_	1												SBPFL205-16	SB205-16	 SAPFL205-16	SA205-16				L	_
	1 <sup>1</sup> /8												SBPFL206-18	SB206-18	SAPFL206-18	SA206-18				1	
30		4 7/16	3 <sup>5</sup> / <sub>16</sub>	3/4	<sup>13</sup> / <sub>64</sub>	3 <sup>9</sup> / <sub>16</sub>	7/16	2 <sup>25</sup> / <sub>32</sub>	0.315	1.181	1.335	3/8	SBPFL206	SB206	SAPFL206	SA206	PFL206	19.5	11.3	13.9	
50	1 <sup>3</sup> /16	113	84	19	5.2	90.5	11	71	8	30	33.9	M10	SBPFL206-19	SB206-19	SAPFL206-19	SA206-19	112200	15.5	11.5	13.5	
	1 <sup>1</sup> /4												SBPFL206-20	SB206-20	 SAPFL206-20	SA206-20				L	
	1 <sup>1</sup> / <sub>4</sub>												SBPFL207-20	SB207-20	SAPFL207-20	SA207-20				1	
	1 <sup>5</sup> /16	4 <sup>13</sup> / <sub>16</sub>	3 11/16	7/8	13/64	3 15/16	7/16	3 3/16	0.335	1.260	1.437	3/8			SAPFL207-21	SA207-21				1	
35	1 <sup>3</sup> /8	122	94	22	5.2	100	11	3 -716 81	8.5	32	36.5	M10	SBPFL207-22	SB207-22	SAPFL207-22	SA207-22	PFL207	25.7	15.4	13.9	
		122	94	22	5.2	100	11	01	0.5	32	50.5		SBPFL207	SB207	SAPFL207	SA207				1	
	1 7/16												SBPFL207-23	SB207-23	SAPFL207-23	SA207-23					

Note 1)  $H_2$  is the minimum size of the mounting hole.

Remark For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance between centers of bolt holes ( $\Delta_{Js}$ )

	Unit: mm
Housing No.	$\Delta J_{s}$
PFL203~PFL207	+0.4

	Unit: mm
Housing No.	$\Delta_{Ns}$
PFL203~PFL207	±0.25

Ma	ass	
k	g	
SBPFL	SAPFL	
0.19	0.22	
0.24	0.24	
0.28	0.32	
0.38	0.41	
0.66	0.74	

#### UCT

# Cylindrical bore (with set screws)

d 12 ~ (45) mm





With Pressed Steel Cover

										cover) are shown I	ons of $L_{\rm c}$ of T204JE3 a selow. T204JE3 $L_{\rm c}$ = 97 mm T205JE3 $L_{\rm c}$ = 102 mm		(housing wit	h cast iron
		Ba	sic	Factor		With Pressed S	Steel Co	ver			With Cast Ire	on Cove	r	
Bearing	Mass	Load R	atings		Uni	it No.	Dime	ension	Mass	Uni	it No.	Dime	ension	Mass
No.		kl	N		a -	0 0 1	mm	inch			0 0 1	mm	inch	1
			G		Open Type	One Side			1	Open Type	One Side			1
	kg	$C_{\rm r}$	$C_{0\mathrm{r}}$	fo		Closed Type	1	$A_{\rm s}$	kg		Closed Type	1	A <sub>c</sub>	kg
UC201	0.81				UCT201C	UCT201CD	45	1 <sup>25</sup> /32	0.81	-	-	-	-	
UC201-8	0.81				-	-	-	-	-	-	-	_	-	
UC202	0.79				UCT202C	UCT202CD	45	1 <sup>25</sup> / <sub>32</sub>	0.79	-	-	-	-	-
UC202-10	0.79	12.8	6.65	13.2	-	-	-	-	-	-	-	-	-	-
UC203	0.78				UCT203C	UCT203CD	45	1 <sup>25</sup> / <sub>32</sub>	0.78	-	-	-	-	-
UC204-12	0.78				-	-	-	-	-	-	-	-	-	-
UC204	0.76				UCT204C	UCT204CD	45	1 <sup>25</sup> / <sub>32</sub>	0.76	UCT204FC	UCT204FCD	62	2 7/16	1.1
UC205-14	0.84				-	-	-	-	-	-	-	-	-	-
UC205-15	0.84	14.0	7.85	13.9	-	-	-	-	-	-	-	-	-	-
UC205	0.84				UCT205C	UCT205CD	49	1 <sup>15</sup> / <sub>16</sub>	0.84	UCT205FC	UCT205FCD	66	2 <sup>19/32</sup>	1.2
UC205-16	0.84						-	-	-			-	-	-
UCX05	1.4	19.5	11.3	13.9	UCTX05C	UCTX05CD	53	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.4	_	-	-	-	-
UCX05-16 UC305	1.4 1.4						_		-	 UCT305C	UCT305CD	- 76	3	2.0
UC305-16	1.4	21.2	10.9	12.6	_	_	_	_	_	-	-	-	J	2.0
UC206-18	1.3				_	_	_	_	_	_		_	_	_
UC206	1.3				UCT206C	UCT206CD	53	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.3	UCT206FC	UCT206FCD	70	2 <sup>3</sup> /4	1.8
UC206-19	1.3	19.5	11.3	13.9	_	_	_	_ /32	_	_	_	_		_
UC206-20	1.3				_	_	_	_	_	_	_	_	_	_
UCX06	1.7				UCTX06C	UCTX06CD	60	2 <sup>3</sup> /8	1.7	-	-	-	-	-
UCX06-19	1.7	25.7	15.4	13.9	_	-	_	_	-	_	-	_	-	
UCX06-20	1.7				_	-	-	-	-	_	-	_	-	-
UC306	1.8	26.7	15.0	13.3	-	-	-	-	-	UCT306C	UCT306CD	82	<b>3</b> <sup>7</sup> / <sub>32</sub>	2.4
UC207-20	1.6				-	-	_	_	-	_	-	_	-	-
UC207-21	1.6				-	-	_	_	_	_	-	_	_	- 1
UC207-22	1.6	25.7	15.4	13.9	-	-	_	_	_	_	-	_	_	_
UC207	1.6				UCT207C	UCT207CD	60	2 <sup>3</sup> /8	1.6	UCT207FC	UCT207FCD	78	3 <sup>1</sup> / <sub>16</sub>	2.3
 UC207-23	1.6				-	-	-	-	-	-	-	-	_	
 UCX07-22	2.7				-	-	-	-	-	-	-	-	-	-
UCX07	2.7	29.1	17.8	14.0	UCTX07C	UCTX07CD	69	2 <sup>23</sup> / <sub>32</sub>	2.7	-	-	-	-	-
UCX07-23	2.7				-	-	-	-	-	_		-	-	_
UC307	2.3	33.4	19.3	13.2	-	-	-	-	-	UCT307C	UCT307CD	88	3 <sup>15</sup> / <sub>32</sub>	3.1
UC208-24	2.5				-	-	-	-	-	-	-	-	-	-
UC208-25	2.5	29.1	17.8	14.0	-	-	-	-	-	-	-	-	-	-
UC208	2.5				UCT208C	UCT208CD	69	2 <sup>23</sup> / <sub>32</sub>	2.5	UCT208FC	UCT208FCD	86	3 <sup>3</sup> /8	3.3
UCX08-24		34.1	21.3	14.0	-	-	-	-	-	-	-	-	-	-
UCX08	2.6	51.1	21.5	1 1.0	UCTX08C	UCTX08CD	69	2 <sup>23</sup> / <sub>32</sub>	2.6	_	-	-	-	
UC308-24	3.0	40.7	24.0	13.2	-	-	-	-	-	-	-	-	-	-
UC308	3.0				-	-	-	-	-	UCT308C	UCT308CD	96	3 <sup>25</sup> / <sub>32</sub>	4.0
UC209-26	2.4				-	-	-	-	-	-	-	-	-	-
UC209-27 UC209-28	2.4 2.4	34.1	21.3	14.0	-	_	-	-	-	-	_	-	-	-
UC209-28	2.4				– UCT209C	– UCT209CD	- 69	- 2 <sup>23</sup> / <sub>32</sub>	2.4	UCT209FC	UCT209FCD	- 88	- 3 <sup>15</sup> / <sub>32</sub>	- 3.2
UCX09-27	2.4						- 09	<u>Z</u> 20/32		-	-	- 00	-	- 5.2
UCX09-28		35.1	23.3	14.4	_	_	_	_	_	_	_	_	_	-
UCX09	2.9				UCTX09C	UCTX09CD	74	2 <sup>29</sup> / <sub>32</sub>	2.9	_	_	_	_	-

Image: bit in the image: bit in	Shaft Dia.	Dimensions	Standa	rd			Bas	c Fa	octor		With Pressed S	Steel Cover			With Cast Iro	n Cover	
VVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV					Bearing	Mass							Mass	Uni			Mass
Image:		mm	No.	No.	No.			-				mm inch	1			mm inch	
12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12         12<	d	A A. A. H. H. H. I. I. I. N. N. N. P. S.				ha	C	C.	£	Open Type		Δ	1-cr	Open Type		٨	ha
Image: Proper type         Image: Propertype         Image: Proper type         Image: P	u	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				ĸg	Ur	Cor	<i>J</i> 0		closed type	As	ĸg		closed type	Ac	kg
Image: Proper transition of transit ano transition of transition of transition of transitio										UCT201C	UCT201CD	45 1 <sup>25</sup> /3	2 0.81	-	-		-
I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I											-		-	-	-		-
Image: Proper test         Image: Propertest         Image: Proper test         Image: P		$1^{1}/_{4}$ $1^{5}/_{32}$ $1^{3}/_{16}$ $3^{1}/_{2}$ $2^{63}/_{64}$ $2^{3}$ $3^{11}/_{16}$ $2^{13}/_{32}$ $1^{3}/_{32}$ $2^{3}/_{4}$ $5/_{8}$ $1^{1}/_{4}$ 1.220 0.500								UCT202C	UCT202CD	45 1 <sup>25</sup> / <sub>3</sub>	2 0.79	-	-		-
N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N				T204			12.8	6.65 1	3.2	-	-		-	-	-		-
										UC1203C	UC1203CD		2 0.78	-	-		-
N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N													0.76			 62 27/14	1.1
No         o        No         No <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td> <td>-</td>						-					-			-	-		-
1         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2		1 1/4 15/32 15/16 3 1/2 2 63/64 2 3 13/16 2 7/16 13/32 2 3/4 5/8 1 1/4 1.343 0.563								_	_		_	_	_		_
1         1         1         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0		32 12 24 89 76 51 97 62 10 51 19 16 32 34.1 14.3	UCT205	T205	UC205	0.84	14.0	7.85 1	3.9	UCT205C	UCT205CD	49 1 <sup>15</sup> /1	6 0.84	UCT205FC	UCT205FCD	66 2 <sup>19</sup> / <sub>32</sub>	1.2
1         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3         1/3	25 1		UCT205-16		UC205-16	0.84				-	-		-	-	-		-
1         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2	25	1 <sup>15</sup> / <sub>32</sub> <sup>15</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>2</sub> 2 <sup>7</sup> / <sub>32</sub> 4 <sup>7</sup> / <sub>16</sub> 2 <sup>3</sup> / <sub>4</sub> <sup>13</sup> / <sub>32</sub> 2 <sup>1</sup> / <sub>4</sub> <sup>7</sup> / <sub>8</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>15</sup> / <sub>32</sub> 1.500 0.626		TX05			19.5	11.3 1	3.9	UCTX05C	UCTX05CD	53 2 <sup>3</sup> / <sub>32</sub>	1.4	-	-		-
1         3         12         2         6         10         10         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100         100        100        100	-									-	-		-	-	-		-
No         No<				T305			21.2	10.9 1	2.6	-	-			UC1305C			2.0
No         No<		36 12 26 89 80 62 122 76 12 65 26 16 36 38 15				-					_						
1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 №         1 № <td>1 / 8</td> <td><math>1 \frac{15}{32} \frac{15}{32} \frac{13}{32} \frac{41}{32} \frac{31}{2} \frac{27}{32} \frac{47}{16} \frac{23}{4} \frac{13}{32} \frac{21}{4} \frac{7}{8} \frac{5}{8} \frac{15}{32} \frac{15}{32} \frac{150000626}{15}</math></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>UCT206C</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1.8</td>	1 / 8	$1 \frac{15}{32} \frac{15}{32} \frac{13}{32} \frac{41}{32} \frac{31}{2} \frac{27}{32} \frac{47}{16} \frac{23}{4} \frac{13}{32} \frac{21}{4} \frac{7}{8} \frac{5}{8} \frac{15}{32} \frac{15}{32} \frac{150000626}{15}$								UCT206C							1.8
1/h         1/h <td>1 <sup>3</sup>/16</td> <td></td> <td></td> <td>T206</td> <td></td> <td></td> <td>19.5</td> <td>11.3   1</td> <td>3.9</td> <td>-</td> <td>-</td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>_</td>	1 <sup>3</sup> /16			T206			19.5	11.3   1	3.9	-	-			-			_
1/v         1/v <td>1 1/4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>_</td> <td></td> <td>_</td> <td>-</td> <td>_</td> <td></td> <td>-</td>	1 1/4									-	_		_	-	_		-
1/4         37         1/2         30         102         89         64         1/2         1/3         1/4         3/2         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4	30		UCTX06		UCX06	1.7				UCTX06C	UCTX06CD	60 2 <sup>3</sup> / <sub>8</sub>	1.7	-	-		-
1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4 <td>1 <sup>3</sup>/<sub>16</sub></td> <td></td> <td>UCTX06-19</td> <td>TX06</td> <td>UCX06-19</td> <td>9 1.7</td> <td>25.7</td> <td>15.4 1</td> <td>3.9</td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td>-</td>	1 <sup>3</sup> / <sub>16</sub>		UCTX06-19	TX06	UCX06-19	9 1.7	25.7	15.4 1	3.9	-	-		-	-	-		-
-         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -	1 <sup>1</sup> / <sub>4</sub>		UCTX06-20		UCX06-20	0 1.7				-	-		-	-	-		-
1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4 <td>-</td> <td></td> <td>UCT306</td> <td>T306</td> <td>UC306</td> <td>1.8</td> <td>26.7</td> <td>15.0 1</td> <td>3.3</td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>UCT306C</td> <td>UCT306CD</td> <td>82 3<sup>7</sup>/<sub>32</sub></td> <td>2.4</td>	-		UCT306	T306	UC306	1.8	26.7	15.0 1	3.3	-	-		-	UCT306C	UCT306CD	82 3 <sup>7</sup> / <sub>32</sub>	2.4
1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3         1 1/3 <th< td=""><td>1 1/4</td><td>41 10 28 100 90 70 137 85 14 74 28 18 41 43 17</td><td>UCT207-20</td><td></td><td>LIC207-20</td><td>0 16</td><td></td><td></td><td></td><td></td><td>_</td><td></td><td>_</td><td></td><td>_</td><td></td><td>_</td></th<>	1 1/4	41 10 28 100 90 70 137 85 14 74 28 18 41 43 17	UCT207-20		LIC207-20	0 16					_		_		_		_
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1										_	_		_	_	_		_
1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1         1/1 <td></td> <td></td> <td></td> <td>T207</td> <td></td> <td></td> <td>25.7</td> <td>15.4 1</td> <td>3.9</td> <td>-</td> <td>_</td> <td></td> <td>_</td> <td>-</td> <td>_</td> <td></td> <td>-</td>				T207			25.7	15.4 1	3.9	-	_		_	-	_		-
1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%         1%<		3/ 12 30 102 89 64 129 /8 13 64 22 16 3/ 42.9 1/.5	UCT207		UC207	1.6				UCT207C	UCT207CD	60 2 <sup>3</sup> / <sub>8</sub>	1.6	UCT207FC	UCT207FCD	78 3 <sup>1</sup> / <sub>16</sub>	2.3
1 1%         1 1%         5 /s         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1%         1 1% <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td>-</td><td></td><td>-</td><td>-</td><td>-</td><td></td><td>-</td></th<>										-	-		-	-	-		-
1/2         1/3         1/4         1/2         83         1/4         88         1/2         1/2         1/2         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4	1 3/8	$1^{15}/_{16}$ $5/_{8}$ $1^{13}/_{32}$ $4^{1}/_{2}$ $4^{1}/_{64}$ $3^{9}/_{32}$ $5^{21}/_{32}$ $3^{15}/_{32}$ $1^{9}/_{32}$ $3^{9}/_{32}$ $1^{5}/_{32}$ $3/_{4}$ $1^{15}/_{16}$ $1.937$ $0.748$											-	-	-		-
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	1.7/			1 X07			29.1	17.8   1	4.0	UCTX07C	UCTX07CD	69 2 <sup>23</sup> /3	2 2.7	-	-		-
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1 //16	1 25/32 5/8 1 1/4 4 3/8 3 15/16 2 15/16 5 29/32 3 11/16 19/32 3 5/32 1 3/16 25/32 1 25/32 1 800 0 748								-	-		-	-	_		-
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	-		UCT307	T307	UC307	2.3	33.4	19.3   1	3.2	-	-		-	UCT307C	UCT307CD	88 3 <sup>15</sup> / <sub>32</sub>	3.1
I = I = I = I = I = I = I = I = I = I	1 1/2		UCT208-24		UC208-24	4 2.5				-	-		-	-	-		-
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1 <sup>9</sup> /16		UCT208-25	T208	UC208-25	5 2.5	29.1	17.8   1	4.0	-	-		-	-	-		-
49         16         36         117         102         83         144         87         15         83         29         19         49         49         49         6         36.1         21.3         14.0         UCTX08C         UCTX08C <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>UCT208C</td> <td>UCT208CD</td> <td>69 2<sup>23</sup>/<sub>3</sub></td> <td>2 2.5</td> <td>UCT208FC</td> <td>UCT208FCD</td> <td>86 <b>3</b> <sup>3</sup>/<sub>8</sub></td> <td>3.3</td>										UCT208C	UCT208CD	69 2 <sup>23</sup> / <sub>3</sub>	2 2.5	UCT208FC	UCT208FCD	86 <b>3</b> <sup>3</sup> / <sub>8</sub>	3.3
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	<b>40</b>   1 <sup>1</sup> / <sub>2</sub>			TX08			34.1	21.3 1	4.0	-	-			-	-		-
Image: 10 bit	11/										UCTX08CD			-	-		-
15/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8         13/8 <th< td=""><td>1 '/2</td><td></td><td></td><td>T308</td><td></td><td></td><td>40.7</td><td>24.0 1</td><td>3.2</td><td>_</td><td>_</td><td></td><td></td><td></td><td></td><td></td><td>4.0</td></th<>	1 '/2			T308			40.7	24.0 1	3.2	_	_						4.0
45         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	1 5/8	ען 12 אין דע טו גען גען דע אין דע טו גע גען אין גע				-				_	_		-	-	-		
49         16         35         117         102         83         144         87         16         83         29         19         49         49         49         16         35         117         102         83         144         87         16         83         29         19         49         49         49         16         35         117         102         83         144         87         16         83         29         19         49         49         49         16         35         117         102         83         144         87         16         83         29         19         49         49         16         34.1         21.3         14.0 <td></td> <td>1<sup>15</sup>/<sub>16</sub> <sup>5</sup>/<sub>8</sub> 1<sup>3</sup>/<sub>8</sub> 4<sup>19</sup>/<sub>32</sub> 4<sup>1</sup>/<sub>64</sub> 3<sup>9</sup>/<sub>32</sub> 5<sup>21</sup>/<sub>32</sub> 3<sup>7</sup>/<sub>16</sub> <sup>5</sup>/<sub>8</sub> 3<sup>9</sup>/<sub>32</sub> 1<sup>5</sup>/<sub>32</sub> <sup>3</sup>/<sub>4</sub> 1<sup>15</sup>/<sub>16</sub> 1.937 0.748</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>_</td> <td></td> <td>_</td> <td>-</td> <td>_</td> <td></td> <td>_</td>		1 <sup>15</sup> / <sub>16</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>3</sup> / <sub>8</sub> 4 <sup>19</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>64</sub> 3 <sup>9</sup> / <sub>32</sub> 5 <sup>21</sup> / <sub>32</sub> 3 <sup>7</sup> / <sub>16</sub> <sup>5</sup> / <sub>8</sub> 3 <sup>9</sup> / <sub>32</sub> 1 <sup>5</sup> / <sub>32</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>15</sup> / <sub>16</sub> 1.937 0.748								-	_		_	-	_		_
45       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V				T209			34.1	21.3   1	4.0	-	-		-	-	-		-
UCX09-28 2.9 35.1 23.3 14.4	45		UCT209		UC209	2.4				UCT209C	UCT209CD	69 2 <sup>23</sup> / <sub>3</sub>	2 2.4	UCT209FC	UCT209FCD	88 3 <sup>15</sup> / <sub>32</sub>	3.2
1 <sup>3</sup> /4 49 16 38 117 102 83 149 90 16 86 29 19 49 516 19 UCTX09-28 TX09 UCX09-28 2.9 35.1 23.3 14.4		$1^{15}/_{16}$ $5/_{8}$ $1^{1}/_{2}$ $4^{19}/_{32}$ $4^{1}/_{64}$ $3^{9}/_{32}$ $5^{7}/_{8}$ $3^{17}/_{22}$ $5/_{8}$ $3^{3}/_{8}$ $1^{5}/_{32}$ $3/_{4}$ $1^{15}/_{14}$ 2021 0748								-	-		-	-	-		-
	1 <sup>3</sup> / <sub>4</sub>			TX09			35.1	23.3   1	4.4	-	-			-	-		-
UCX09       UCX09       UCX09       UCX09C       VCX09CD       74       2 <sup>29</sup> / <sub>32</sub> 2.9       -       -       -         Remarks       1. In Part No. of unit and units with covers. fitting codes follow bore diameter numbers (See Table 10.5 in P62.)       3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code 1.3 (1.2) follows the Part No. of unit or bearing. (Example 10.5 in P62.)			UCTX09		UCX09	2.9				UCTX09C	UCTX09CD			-	-		-

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCT206JL3, UC206L3)

As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.





				ι	Jnit: mm
	Housing No.		$\Delta_{A1s}$	$\Delta_{H1s}$	X
T204~T210	TX05~TX10	T305~T310	+0.2 0	0 0.5	0.5
T211~T217	TX11~TX17	T311~T318			0.6
		T319~T322	+0.3	0 -0.8	0.7
		T324~T328	0	-0.8	0.8



#### UCT

Cylindrical bore (with set screws)

d (45) ~ (75) mm













		*+					F									
-	ihaft Dia.	Dimensions	Standa	rd			Basi	Fac	tor	With Pressed	Stool Covor			With Cast Iro	n Covor	
	m inc		Unit	Housing	Bearing	a Mass				Unit No.	Dimension	Mass	Uni	t No.	Dimension	Mass
		mm	No.	No.	No.	9 111033	kN	ings		onit ito.	mm inch	mass	om		mm inch	mass
			140.	110.	NO.				O	pen Type One Side	iiiiii iiicii		Open Type	One Side	iiiii iiicii	1
	d	$A  A_1  A_2  H  H_1  H_2  L  L_1  L_2  L_3  N  N_1  N_2  B  S$				kg	Cr	$C_{0r}$ f	ō	Closed Type	$A_{ m s}$	kg		Closed Type	$A_{ m c}$	kg
	1 <sup>3</sup> /4	2 <sup>5</sup> / <sub>32</sub> <sup>45</sup> / <sub>64</sub> 1 <sup>1</sup> / <sub>2</sub> 5 <sup>7</sup> / <sub>16</sub> 4 <sup>59</sup> / <sub>64</sub> 3 <sup>17</sup> / <sub>32</sub> 7 4 <sup>11</sup> / <sub>32</sub> <sup>23</sup> / <sub>32</sub> 3 <sup>13</sup> / <sub>16</sub> 1 <sup>11</sup> / <sub>32</sub> <sup>15</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>32</sub> 2.244 0.866	UCT309-28		UC309-2	28 4.1	100					-	-	-		
4	45	55 18 38 138 125 90 178 110 18 97 34 24 55 57 22	UCT309	T309	UC309	4.1	48.9	29.5 13	.3			-	UCT309C	UCT309CD	102 4 <sup>1</sup> / <sub>32</sub>	5.4
	1 7/8		UCT210-30		UC210-3	30 2.6						-	-	-		-
	1 15/	$1^{15}/_{16}  5^{\prime}/_{8}  1^{15}/_{32}  4^{19}/_{32}  4^{1}/_{64}  3^{9}/_{32}  5^{7}/_{8}  3^{17}/_{32}  5^{\prime}/_{8}  3^{3}/_{8}  1^{5}/_{32}  3^{\prime}/_{4}  1^{15}/_{16}  2.031  0.748$	UCT210-31	T210	UC210-3		35.1	23.3 14	4			-	-	-		- 1
		49 16 37 117 102 83 149 90 16 86 29 19 49 51.6 19	UCT210	1210	UC210		55.1	23.5	''   U	JCT210C UCT210CD	74 2 <sup>29</sup> / <sub>32</sub>	2.6	UCT210FC	UCT210FCD	97 3 <sup>13</sup> / <sub>16</sub>	3.6
	2		UCT210-32		UC210-3				_			-		-		
	<b>50</b>   1 <sup>15</sup> /	$\begin{bmatrix} 16 \\ 2 \\ 17/_{32} \\ 55/_{64} \\ 1 \\ 2^{1}/_{32} \\ 5^{3}/_{4} \\ 5^{3}/_{8} \\ 4 \\ 1/_{32} \\ 6 \\ 2^{3}/_{32} \\ 4^{3}/_{16} \\ 3^{3}/_{4} \\ 3^{3}/_{4} \\ 1^{3}/_{8} \\ 3^{1}/_{32} \\ 2^{17}/_{32} \\ 2.189 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874 \\ 0.874$	UCTX10-31 UCTX10	TX10	UCX10-3 UCX10		42.4	29.4 14				-	-	-		-
	2	64         22         42         146         130         102         171         106         19         95         35         25         64         55.6         22.2	UCTX10-32	1710	UCX10-3		43.4	29.4   14	.4 0	JCTX10C UCTX10CD	76 3	4.4	-	-		-
	2	2 <sup>13</sup> / <sub>32</sub> <sup>25</sup> / <sub>32</sub> 1 <sup>9</sup> / <sub>16</sub> 5 <sup>15</sup> / <sub>16</sub> 5 <sup>33</sup> / <sub>64</sub> 3 <sup>27</sup> / <sub>32</sub> 7 <sup>17</sup> / <sub>32</sub> 4 <sup>19</sup> / <sub>32</sub> <sup>25</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>16</sub> 1 <sup>15</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>16</sub> 2 <sup>13</sup> / <sub>32</sub> 2.402 0.866										_				
	-	61 20 40 151 140 98 191 117 20 106 37 27 61 61 22	UCT310	T310	UC310	4.9	62.0	38.3   13	.2			-	UCT310C	UCT310CD	110 4 <sup>11</sup> / <sub>32</sub>	6.5
	2		UCT211-32		UC211-3	32 4.0						-	-	-		
	2 <sup>1</sup> /8	2 <sup>17</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>1</sup> / <sub>2</sub> 5 <sup>3</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>8</sub> 4 <sup>1</sup> / <sub>32</sub> 6 <sup>23</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>16</sub> <sup>3</sup> / <sub>4</sub> 3 <sup>3</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub> <sup>31</sup> / <sub>32</sub> 2 <sup>17</sup> / <sub>32</sub> 2.189 0.874	UCT211-34	T211	UC211-34	34 4.0	43.4	29.4 14				-	-	-		-
		64         22         38         146         130         102         171         106         19         95         35         25         64         55.6         22.2	UCT211	1211	UC211			29.7	U	JCT211C UCT211CD	76 3	4.0	UCT211FC	UCT211FCD	<b>99 3</b> <sup>29</sup> / <sub>32</sub>	5.2
	2 <sup>3</sup> /1	6	UCT211-35		UC211-3	_						-	-	-		
1	55	2 <sup>17</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>23</sup> / <sub>32</sub> 5 <sup>3</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>8</sub> 4 <sup>1</sup> / <sub>32</sub> 7 <sup>5</sup> / <sub>8</sub> 4 <sup>11</sup> / <sub>16</sub> <sup>3</sup> / <sub>4</sub> 4 <sup>1</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>17</sup> / <sub>32</sub> 2.563 1.000	UCTX11	TV11	UCX11		52.4	262 1		JCTX11C UCTX11CD	89 3 <sup>1</sup> / <sub>2</sub>	5.3	-	-		-
	2 <sup>3</sup> /1 2 <sup>1</sup> /4	<sup>6</sup> 64 22 44 146 130 102 194 119 19 102 35 32 64 65.1 25.4	UCTX11-35 UCTX11-36	TX11	UCX11-3 UCX11-3		52.4	36.2   14	.4			-	-	-		-
	2 74		UCT311-32		UC311-3							_				
	1	2 <sup>19</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>23</sup> / <sub>32</sub> 6 <sup>13</sup> / <sub>32</sub> 5 <sup>29</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>8</sub> 8 <sup>5</sup> / <sub>32</sub> 5 <sup>13</sup> / <sub>16</sub> 4 <sup>17</sup> / <sub>32</sub> 1 <sup>17</sup> / <sub>32</sub> 1 <sup>5</sup> / <sub>32</sub> 2 <sup>19</sup> / <sub>32</sub> 2.598 0.984	UCT311	T311	UC311		71.6	45.0 13	2			_	UCT311C	UCT311CD	114 4 <sup>1</sup> / <sub>2</sub>	7.9
	2 <sup>3</sup> /1	6 6 22 44 163 150 105 207 127 21 115 39 29 66 66 25	UCT311-35		UC311-32		1 110		-			_	-	_		-
	2 <sup>1</sup> /4		UCT212-36		UC212-3							-	-	-		
		2 <sup>17</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>21</sup> / <sub>32</sub> 5 <sup>3</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>8</sub> 4 <sup>1</sup> / <sub>32</sub> 7 <sup>5</sup> / <sub>8</sub> 4 <sup>11</sup> / <sub>16</sub> <sup>3</sup> / <sub>4</sub> 4 <sup>1</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>17</sup> / <sub>32</sub> 2.563 1.000	UCT212	T212	UC212	4.9	52.4	36.2 14		JCT212C UCT212CD	89 <b>3</b> <sup>1</sup> / <sub>2</sub>	4.9	UCT212FC	UCT212FCD	114 4 <sup>1</sup> / <sub>2</sub>	6.4
	2 <sup>3</sup> /8	64         22         42         146         130         102         194         119         19         102         35         32         64         65.1         25.4	UCT212-38	1212	UC212-3	38 4.9	52.4	30.2   14	.4			-	-	-		- 1
	<b>50</b> 2 <sup>7</sup> /1		UCT212-39		UC212-3							-	-	-		
		2 <sup>3</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>32</sub> 1 <sup>7</sup> / <sub>8</sub> 6 <sup>9</sup> / <sub>16</sub> 5 <sup>15</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>8</sub> 8 <sup>13</sup> / <sub>16</sub> 5 <sup>13</sup> / <sub>32</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 2.563 1.000	UCTX12	TX12	UCX12		57.2	40.1 14	.4 0	JCTX12C UCTX12CD	89 3 <sup>1</sup> / <sub>2</sub>	7.4	-	-		-
	2 7/1	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	UCTX12-39 UCT312		UCX12-3 UC312				_			-	UCT312C	UCT312CD	 124 4 <sup>7</sup> / <sub>8</sub>	9.9
	2 7/1		UCT312-39	T312	UC312-30		81.9	52.2   13	.2			_	-	-	124 4 78	9.9
	2 <sup>1</sup> / <sub>2</sub>		UCT213-40		UC213-4							-	_	_		
		70 26 44 167 151 111 224 137 21 121 41 32 70 65.1 25.4	UCT213	T213	UC213	6.9	57.2	40.1   14	.4 U	JCT213C UCT213CD	89 3 <sup>1</sup> / <sub>2</sub>	6.9	UCT213FC	UCT213FCD	114 4 <sup>1</sup> / <sub>2</sub>	8.6
	<b>55</b> 2 <sup>1/2</sup>	2 <sup>3</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>32</sub> 1 <sup>7</sup> / <sub>8</sub> 6 <sup>9</sup> / <sub>16</sub> 5 <sup>15</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>8</sub> 8 <sup>13</sup> / <sub>16</sub> 5 <sup>13</sup> / <sub>32</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 2.937 1.189	UCTX13-40	TX13	UCX13-4	40 7.6	62.2	44.1 14	5			-	-	-		
		70 26 48 167 151 111 224 137 21 121 41 32 70 74.6 30.2	UCTX13	INIS	UCX13		02.2		U	JCTX13C UCTX13CD	99 3 <sup>29</sup> / <sub>32</sub>	7.6	-	-		
	2 <sup>1</sup> / <sub>2</sub>	$3\frac{5}{32} \frac{11}{32} \frac{131}{32} \frac{7}{15}\frac{5}{32} \frac{6}{11}\frac{1}{16} \frac{49}{16} \frac{9}{3}\frac{8}{8} \frac{5}{3}\frac{3}{4} \frac{31}{32} \frac{59}{32} \frac{111}{16} \frac{11}{4} \frac{23}{4} \frac{2.953}{2.953} \frac{1.181}{1.181}$	UCT313-40	T313	UC313-4		92.7	59.9 13	.2			-	-	-		-
	23/	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	UCT313 UCT214-44		UC313 UC214-4	9.3			_			-	UCT313C	UCT313CD	122 4 <sup>13</sup> / <sub>16</sub>	11.4
	Z 3/4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UCT214-44	T214	UC214-4-		62.2	44.1   14	.5	JCT214C UCT214CD	99 3 <sup>29</sup> / <sub>32</sub>	7.0	UCT214FC	UCT214FCD	 124 4 <sup>7</sup> / <sub>8</sub>	8.9
	2 <sup>3</sup> /4		UCTX14-44		UCX14-4		-					-	-	-		
	70	70         26         48         167         151         111         232         140         21         21         41         32         70         77.8         33.3	UCTX14	TX14	UCX14		67.4	48.3   14	.5 U	JCTX14C UCTX14CD	<b>99 3</b> <sup>29</sup> / <sub>32</sub>	7.9	_	_		-
	2 <sup>3</sup> /4		UCT314-44	T214	UC314-4		104	68.2 13				-	-	-		
		90 26 52 202 180 130 252 155 25 140 46 36 85 78 33	UCT314	T314	UC314	11.1	104	68.2 13	.2			-	UCT314C	UCT314CD	124 47/8	13.4
	2 15/	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UCT215-47		UC215-4							-	-	-		-
		70 26 48 167 151 111 232 140 21 121 41 32 70 77.8 33.3	UCT215	T215	UC215		67.4	48.3   14	.5 U	JCT215C UCT215CD	<b>99 3</b> <sup>29</sup> / <sub>32</sub>	7.3	UCT215FC	UCT215FCD	124 4 <sup>7</sup> /8	9.2
	<b>75</b> 3 2 <sup>15</sup> /		UCT215-48 UCTX15-47		UC215-4							-	-	-		
	213/	<sup>16</sup> 2 <sup>3</sup> / <sub>4</sub> 1 <sup>7</sup> / <sub>64</sub> 1 <sup>7</sup> / <sub>8</sub> 7 <sup>1</sup> / <sub>4</sub> 6 <sup>1</sup> / <sub>2</sub> 4 <sup>3</sup> / <sub>8</sub> 9 <sup>1</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>2</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 3.252 1.311	UCTX15-47	TX15	UCX15-4 UCX15		72.7	53.0 14	6	JCTX15C UCTX15CD	 109 4 <sup>9</sup> / <sub>32</sub>	8.7	_			_
	3	70 28 48 184 165 111 235 140 21 121 41 32 70 82.6 33.3	UCTX15-48	IVID	UCX15-4		/ 2./	55.0   14				0./	_	_		_
	-				l ockis i		1					1				

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See **Table 10.5** in P.62.) 2. Part No. of applicable grease fittings are shown below.

B-R1/8 ...... 211~217, X10~X17, 309~328

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCT206JL3, UC206L3)

As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.





Variations of tolerance of groove width ( $\mathcal{L}_{A1s}$ ), variations of tolerance of distance between both grooves ( $\mathcal{L}_{H1s}$ ), and tolerance of symmetry of both groove sides (X)

				ι	Jnit: mm
	Housing No.		$\Delta_{A1s}$	$\Delta_{H1s}$	X
T204~T210	TX05~TX10	T305~T310	+0.2 0	0 0.5	0.5
T211~T217	TX11~TX17	T311~T318			0.6
		T319~T322	+0.3	0 -0.8	0.7
		T324~T328	0	-0.8	0.8

Form and dimensions of  $L_{\rm c}$  of T204JE3 and T205JE3 (housing with cast iron cover) are shown below.



#### UCT

# Cylindrical bore (with set screws)

d (75) ~ 140 mm











Shaft	t Dia.	Dimensions	Stand	ard			Basic	Factor	With	Pressed S	teel Cover			With Cast Irc	n Cover	
mm	inch	inch	Unit	Housing	Bearing	Mass	Load Ratings		Unit No.		Dimension	Mass	Uni	t No.	Dimension	Mass
		mm	No.	No.	No.		kN		Open Type Or	ne Side	mm inch		Open Type	One Side	mm inch	
c	ł	$A \hspace{0.1in} A_1 \hspace{0.1in} A_2 \hspace{0.1in} H \hspace{0.1in} H_1 \hspace{0.1in} H_2 \hspace{0.1in} L \hspace{0.1in} L_1 \hspace{0.1in} L_2 \hspace{0.1in} L_3 \hspace{0.1in} N \hspace{0.1in} N_1 \hspace{0.1in} N_2 \hspace{0.1in} B \hspace{0.1in} S$				kg	$C_{ m r}$ $C_{0 m r}$	f0		ed Type	$A_{ m s}$	kg		Closed Type	$A_{ m c}$	kg
75	2 <sup>15</sup> / <sub>16</sub>	3 <sup>17</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub> 8 <sup>1</sup> / <sub>2</sub> 7 <sup>9</sup> / <sub>16</sub> 5 <sup>3</sup> / <sub>16</sub> 10 <sup>5</sup> / <sub>16</sub> 6 <sup>5</sup> / <sub>16</sub> <sup>31</sup> / <sub>32</sub> 5 <sup>29</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>16</sub> 1 <sup>13</sup> / <sub>32</sub> 3 <sup>11</sup> / <sub>32</sub> 3.228 1.260 90 26 55 216 192 132 262 160 25 150 46 36 85 82 32	UCT315-47 UCT315 UCT315-48	T315	UC315-47 UC315 UC315-48	13.0	113 77.2	13.2					– UCT315C –	– UCT315CD –	 134 5 <sup>9</sup> / <sub>32</sub>	- 15.5 -
	3 <sup>1</sup> /8	2 <sup>3</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>32</sub> 2       7 <sup>1</sup> / <sub>4</sub> 6 <sup>1</sup> / <sub>2</sub> 4 <sup>3</sup> / <sub>8</sub> 9 <sup>1</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>2</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 3.252       1.311         70       26       51       184       165       111       235       140       21       121       41       32       70       82.6       33.3	UCT216-50 UCT216	T216	UC216-50 UC216	8.2 8.2	72.7 53.0	14.6	– UCT216C UC	– T216CD	 109 4 <sup>9</sup> / <sub>32</sub>	- 8.2	– UCT216FC	– UCT216FCD	 138 5 <sup>7</sup> / <sub>16</sub>	_ 10.6
80	-	2 7/8         1 7/64         2 1/8         7 25/32         6 13/16         4 7/8         10 1/4         6 3/8         1 3/32         6 3/16         1 7/8         1 1/2         2 7/8         3.374         1.343           73         28         54         198         173         124         260         162         28         157         48         38         73         85.7         34.1	UCTX16	TX16	UCX16	11.7	84.0 61.9	14.5	UCTX16C UC	TX16CD	113 4 7/16	11.7	-	-		-
	-	4 1/32       1 3/16       2 3/8       9 1/16       8 1/32       5 29/32       11 3/32       6 27/32       1 3/32       6 5/16       2 3/32       1 21/32       3 27/32       3.386       1.339         102       30       60       230       204       150       282       174       28       160       53       42       98       86       34	UCT316	T316	UC316	16.2	123 86.7	13.3	-	-		_	UCT316C	UCT316CD	138 5 7/16	19.1
	3 1/4	2 7/8 1 3/16 2 1/8 7 25/32 6 13/16 4 7/8 10 1/4 6 3/8 1 5/32 6 3/16 1 7/8 1 1/2 2 7/8 3.374 1.343 73 30 54 198 173 124 260 162 29 157 48 38 73 85.7 34.1	UCT217-52 UCT217	T217	UC217-52 UC217	11.0 11.0	84.0 61.9	14.5	– UCT217C UC	– T217CD	 113 4 <sup>7</sup> / <sub>16</sub>	- 11.0	– UCT217FC	– UCT217FCD	 142 5 <sup>19</sup> /33	- 13.7
85	3 <sup>7</sup> /16	2 7/8 1 7/64 2 1/8 7 25/32 6 13/16 4 7/8 10 1/4 6 3/8 1 3/32 6 3/16 1 7/8 1 1/2 2 7/8 3.780 1.563 73 28 54 198 173 124 260 162 28 157 48 38 73 96 39.7	UCTX17 UCTX17-55	TX17	UCX17 UCX17-55	11.7 11.7	96.1 71.5	14.5	UCTX17C UC	TX17CD -	123 4 <sup>27</sup> / <sub>32</sub>	11.7 _	_	-		-
	-	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	UCT317	T317	UC317	19.0	133 96.8	13.3	-	-		-	UCT317C	UCT317CD	146 5 <sup>3</sup> / <sub>4</sub>	22.3
90	3 <sup>1</sup> / <sub>2</sub>	4 <sup>11</sup> / <sub>32</sub> 1 <sup>17</sup> / <sub>64</sub> 2 <sup>19</sup> / <sub>32</sub> 10 <sup>1</sup> / <sub>32</sub> 8 <sup>31</sup> / <sub>32</sub> 6 <sup>5</sup> / <sub>16</sub> 12 <sup>9</sup> / <sub>32</sub> 7 <sup>9</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>16</sub> 6 <sup>7</sup> / <sub>8</sub> 2 <sup>1</sup> / <sub>4</sub> 1 <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>16</sub> 3.780 1.575 110 32 66 255 228 160 312 192 30 175 57 46 106 96 40	UCT318-56 UCT318	T318	UC318-56 UC318	21.6	143 107	13.3	-	-		-	– UCT318C	– UCT318CD	 150 5 <sup>29</sup> /3	25.4
95	-	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	UCT319	T319	UC319	24.9	153 119	13.3	-	-		-	UCT319C	UCT319CD	162 6 <sup>3</sup> / <sub>8</sub>	29.2
100	3 <sup>15</sup> / <sub>16</sub> 4	4 <sup>23</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 2 <sup>15</sup> / <sub>16</sub> 11 <sup>13</sup> / <sub>32</sub> 10 <sup>15</sup> / <sub>64</sub> 6 <sup>7</sup> / <sub>8</sub> 13 <sup>19</sup> / <sub>32</sub> 8 <sup>9</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>4</sub> 7 <sup>7</sup> / <sub>8</sub> 2 <sup>5</sup> / <sub>16</sub> 1 <sup>7</sup> / <sub>8</sub> 4 <sup>17</sup> / <sub>32</sub> 4.252 1.654 120 35 75 290 260 175 345 210 32 200 59 48 115 108 42	UCT320 UCT320-63 UCT320-64	T320	UC320 UC320-63 UC320-64		173 141	13.2		- - -			UCT320C - -	UCT320CD  -	174 6 <sup>27</sup> /3: 	36.3 - -
105	-	4 <sup>23</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 2 <sup>15</sup> / <sub>16</sub> 11 <sup>13</sup> / <sub>32</sub> 10 <sup>15</sup> / <sub>64</sub> 6 <sup>7</sup> / <sub>8</sub> 13 <sup>19</sup> / <sub>32</sub> 8 <sup>9</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>4</sub> 7 <sup>7</sup> / <sub>8</sub> 2 <sup>5</sup> / <sub>16</sub> 1 <sup>7</sup> / <sub>8</sub> 4 <sup>17</sup> / <sub>32</sub> 4.409 1.732 120 35 75 290 260 175 345 210 32 200 59 48 115 112 44	UCT321	T321	UC321	36.7	184 153	13.2	-	-		-	UCT321C	UCT321CD	178 <b>7</b>	42.7
110	-	5 1/8       1 1/2       3 5/32       12 19/32       11 7/32       7 9/32       15 5/32       9 1/4       1 1/2       8 15/32       2 9/16       2 1/16       4 29/32       4.606       1.811         130       38       80       320       285       185       385       235       38       215       65       52       125       117       46	UCT322	T322	UC322	39.7	205 180	13.2	-	-		-	UCT322C	UCT322CD	188 7 <sup>13</sup> / <sub>32</sub>	46.5
120	-	5 1/2       1 49/64       3 17/32       13 31/32       12 9/32       8 9/32       17       10 1/2       1 21/32       9 1/16       2 3/4       2 3/8       5 1/2       4.961       2.008         140       45       90       355       320       210       432       267       42       230       70       60       140       126       51	UCT324	T324	UC324	54.4	207 185	13.5	-	-		-	UCT324C	UCT324CD	196 7 <sup>23</sup> / <sub>32</sub>	63.9
130	-	5 29/32       1 31/32       3 15/16       15 5/32       13 25/32       8 21/32       18 5/16       11 7/32       1 25/32       9 7/16       2 15/16       2 9/16       5 29/32       5.315       2.126         150       50       100       385       350       220       465       285       45       240       75       65       150       135       54	UCT326	T326	UC326	69.3	229 214	13.6	-	-		-	UCT326C	UCT326CD	214 8 7/16	81.4
140	-	6 3/32       1 31/32       3 15/16       16 11/32       14 61/64       9 1/16       20 9/32       12 13/32       1 31/32       10 1/32       3 5/32       2 3/4       6 5/16       5.709       2.323         155       50       100       415       380       230       515       315       50       255       80       70       160       145       59	UCT328	T328	UC328	85.1	253 246	13.6	-	-		-	UCT328C	UCT328CD	222 8 <sup>3</sup> / <sub>4</sub>	101

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCT206JL3, UC206L3)
 As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.





Variations of tolerance of groove width ( $\mathcal{L}_{A1s}$ ), variations of tolerance of distance between both grooves ( $\mathcal{L}_{H1s}$ ), and tolerance of symmetry of both groove sides (X)

				ι	Jnit: mm
	Housing No.		$\Delta_{A1s}$	$\Delta_{H1s}$	X
T204~T210	TX05~TX10	T305~T310	+0.2 0	0 0.5	0.5
T211~T217	TX11~TX17	T311~T318			0.6
		T319~T322	+0.3	0 -0.8	0.7
		T324~T328	0	-0.8	0.8

Form and dimensions of  $L_{\rm c}$  of T204JE3 and T205JE3 (housing with cast iron cover) are shown below.



#### UCT-E

Cylindrical bore (with set screws)

*d* 12 ~ 50 mm



d         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A	sic Fact Ratings	Factor M	Ma
12         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2         1/2	-		
10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10<	$C_{0r}$ $f_0$	$f_0$	k
15         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17         17<			0
vi         1/v			
10         30         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         32         33         12         33         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123         123 <th< th=""><td></td><td></td><td>0</td></th<>			0
N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N         N	6.65 13.	13.2	
100         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4         1/4 <td></td> <td></td> <td>0</td>			0
3/4 1         1/4 2         1/4 2 <th< th=""><td></td><td></td><td>0</td></th<>			0
1         2         2         2         2         5         4         9         6         2         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1			
1         32         135         24         89         762         51         19         16         32         34.1         1.3         UCTOSE         UCT	7.05 1.2	13.9	0
1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1	7.65 15.	15.9	0
1         37         135         28         102         88.9         56         113         70         10         57         22         16         37         135         15.0         UCT20-161			
1 1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9         1/9 </th <th>11.3 13.</th> <th>13.9</th> <th>1</th>	11.3 13.	13.9	1
30         1 <sup>1</sup> / <sub>12</sub> 1 <sup>1</sup> /			
1 Mag         37         135         28         102         88.9         56         113         70         10         57         22         16         37         38.1         15.9         UCT206-30E         Probe 20E			
1/1/1         1/1/2         1/1/6         1/1/6         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2         1/1/2 <th< th=""><th>11.3 13.</th><th>13.9</th><th>1</th></th<>	11.3 13.	13.9	1
$ \frac{1}{1/4} \frac{1}{3} \frac$			
1/1/6         37         13.5         30         10.2         88.9         64         129         78         13         64         22         16         37         42.9         17.5         UCTX06-19E         UCX06-19E         UCX06-19E         UCX06-19E         UCX06-19E         UCX06-19E         UCX06-19E         UCX06-19E         UCX06-19E         UCX07-20E			
$ \frac{1}{1^{1}} 1$	15.4 13.	13.9	1
13/16 1/3/8         13/16 1/3/8     <			_
13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4         13/4 <th< th=""><th></th><th></th><th></th></th<>			
35         37         35.3         30         102         88.9         64         129         7.8         13         64         22         16         37         42.9         17.5         UCT207E         UCT207E         UC207-23E         UC207-23E         UC207-23E         UC207-23E         UC207-23E         UC207-23E         UC207-23E         UCX07-22E         UCX07-22E         UCX07-22E         UCX07-23E         UCX08-24E         UCX08-24E         UCX08-24E         UCX08-24E         UCX08-24E         UCX08-24E         UCX08-24E	15.4 13	13.9	1
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			
$ \frac{1}{17} \frac{1}{16} + \frac{1}{17} \frac{1}{17} + \frac{1}{16} + \frac{1}{17} \frac{1}{17} + \frac{1}{16} + \frac{1}{17} \frac{1}{17} + \frac{1}{17} \frac{1}{16} + \frac{1}{17} \frac{1}{17} \frac{1}{17} \frac{1}$			
17/6         49         17.5         36         114         101.6         83         144         88         15         83         29         19         49         49.2         19         UCR/07-23E         UCR/08E         UCR/0			
40         1½         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/6         1½/	17.8 14.	14.0	2
19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16       19/16 <th< th=""><th></th><th></th><th></th></th<>			
40         49         1/5         33         114         101.6         83         124         83         29         19         49         49.2         19         UCT208E         UCT208E         UCTX08-24E         UCX08-24E         UCX09-26E         UCX09-26E<	17.8 14	14.0	2
Image: condition of the state of t			-
49         17.5         36         117         101.6         83         144         87         15         83         29         19         49         49.2         19         UCTX08E         UCTX08E         UCT209-26E         UC209-27E         UC209-27E         UC209-27E         UC209-27E         UC209-27E         UCX08         UC209-27E         UCX09E         UCX09E         UC209-27E         UC209-27E         UC209-27E         UC209-27E         UC209-27E         UCX09-27E         UCX09-27E <th< th=""><th>21.2 14</th><th>14.0</th><th>2</th></th<>	21.2 14	14.0	2
11/1/16         11/5/16         11/5/16         11/5/16         11/5/16         13/4         19/32         5 21/32         37/16         5/8         3 9/32         1 5/32         3/4         1 15/16         1.937         0.748         UCT209-27E         UCT209-28E         UCT209-28E         UCT209-28E         UCT209-28E         UCT209-28E         UCT209-27E         UCT209-28E         UCT209-27E	21.3 14.	14.0	2
13/4       49       17.5       35       117       101.6       83       144       87       16       83       29       19       49       49.2       19       UCT209-28E       UCT209E       UC209       UC209 <th></th> <th></th> <th></th>			
45       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9	21.3 14.	14.0	2
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	23.3 14.	14.4	2
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
50       2       49       17.5       37       117       101.6       83       149       90       16       86       29       19       49       51.6       19       UCT210E       UCT210-32E       UC210       UC210-32         1       15/16       2       17/32       11/16       121/32       5 3/4       5 1/8       4 1/64       6 23/32       4 3/16       3/4       3 3/4       1 3/8       31/32       2 17/32       2.189       0.874       UCTX10-31E       UCX10-31E       UCX10-31E       UCX10       43.4       29.4			
50       2       49       17.5       37       117       101.6       83       149       90       16       86       29       19       49       51.6       19       UCT210E       UCT210-32E       UC210-32         1       15/16       2       17/32       11/16       121/32       53/4       51/8       41/64       623/32       43/16       3/4       33/4       13/8       31/32       2       17/32       2.189       0.874       UCTX10-31E       UCX10-31       UCX10-31       UCX10       43.4       29.4         1       15/16       27       42       146       130.17       102       171       106       19       95       35       25       64       55.6       22.2       UCTX10E       TX10E       UCX10       43.4       29.4	23.3 14.	14.4	2
1       15/16       2       17/32       1 1/16       1 21/32       5 3/4       5 1/8       4 1/64       6 23/32       4 3/4       3 3/4       1 3/8       31/32       2 17/32       2.189       0.874       UCTX10-31E       UCX10-31       UCX10-31         64       27       42       146       130 17       102       171       106       19       95       35       25       64       55.6       22.2			
$\begin{bmatrix} 2^{17}/32 & 1^{1}/16 & 1^{21}/32 & 5^{3}/4 & 5^{1}/8 & 4^{1}/64 & 6^{23}/32 & 4^{3}/16 & 3^{1}/4 & 3^{3}/4 & 1^{3}/8 & 3^{1}/32 & 2^{17}/32 & 2.189 & 0.874 \\ 64 & 27 & 42 & 146 & 130 17 & 102 & 171 & 106 & 19 & 95 & 35 & 25 & 64 & 556 & 222 \\ \end{bmatrix} $ UCTX10E UCX10 43.4 29.4			_
	29.4 1.4	14.4	4
	22.7 14.	· · · · ·	4

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCT206EL3, UC206L3) As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.



			ι	Jnit: mm
Housi	ng No.	⊿ <sub>A1s</sub>	$\Delta_{H1s}$	X
T204E~T210E	TX05E~TX10E	+0.2 0	0 -0.5	0.5
T211E~T217E	TX11E~TX17E	+0.3 0	0 -0.8	0.6

#### UCT-E

Cylindrical bore (with set screws)

*d* 55 ~ 85 mm



Shat	t Dia.							D	imensio	ns							Unit	Housing	Bearing	Ba	sic	Factor	Mass
mm	inch								inch								No.	No.	No.	Load F	Ratings		
									mm											k	N		
	d	A	$A_1$	$A_2$	H	$H_1$	$H_2$	L	$L_1$	$L_2$	$L_3$	N	$N_1$	$N_2$	В	S				$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$	kg
	2																UCT211-32E		UC211-32				
	2 <sup>1</sup> /8	<b>2</b> <sup>17</sup> / <sub>32</sub>	<b>1</b> <sup>1</sup> /16	<b>1</b> <sup>1</sup> / <sub>2</sub>	5 <sup>3</sup> /4	5 <sup>1</sup> /8	<b>4</b> <sup>1</sup> / <sub>64</sub>	6 <sup>23</sup> / <sub>32</sub>	4 <sup>3</sup> /16	3/4	3 <sup>3</sup> /4	1 <sup>3</sup> /8	<sup>31</sup> /32	<b>2</b> <sup>17</sup> / <sub>32</sub>	2.189	0.874	UCT211-34E	T211E	UC211-34	43.4	20.4	14.4	4.0
		64	27	38	146	130.17	102	171	106	19	95	35	25	64	55.6	22.2	UCT211E	IZITE	UC211	43.4	29.4	14.4	4.0
55	2 <sup>3</sup> / <sub>16</sub>																UCT211-35E		UC211-35				
		<b>2</b> 17/22	<b>1</b> <sup>1</sup> / <sub>16</sub>	1 <sup>23</sup> /32	5 <sup>3</sup> /4	5 <sup>1</sup> /8	4 1/64	7 5/8	4 <sup>11</sup> / <sub>16</sub>	3/4	4 <sup>1</sup> / <sub>32</sub>	1 <sup>3</sup> /8	1 <sup>1</sup> /4	2 <sup>17</sup> / <sub>32</sub>	2.563	1 000	UCTX11E		UCX11				
	2 <sup>3</sup> / <sub>16</sub>		27	44	146		1 /04	194		19	102	35	32	64			UCTX11-35E	TX11E	UCX11-35	52.4	36.2	14.4	5.3
	2 <sup>1</sup> /4	64	27	44	140	130.17	102	194	119	19	102	22	52	04	65.1	25.4	UCTX11-36E		UCX11-36				
	2 <sup>1</sup> / <sub>4</sub>																UCT212-36E		UC212-36				
		<b>2</b> <sup>17</sup> / <sub>32</sub>	<b>1</b> <sup>1</sup> / <sub>16</sub>	1 <sup>21</sup> /32	5 <sup>3</sup> /4	5 <sup>1</sup> /8	<b>4</b> <sup>1</sup> / <sub>64</sub>	7 5/8	<b>4</b> <sup>11</sup> / <sub>16</sub>	3/4	<b>4</b> 1/ <sub>32</sub>	1 <sup>3</sup> /8	1 <sup>1</sup> /4	<b>2</b> <sup>17</sup> / <sub>32</sub>	2.563	1.000	UCT212E	T212E	UC212	52.4	36.2	14.4	4.9
60	2 <sup>3</sup> /8	64	27	42	146	130.17	102	194	119	19	102	35	32	64	65.1	25.4	UCT212-38E	12121	UC212-38	52.4	50.2	14.4	-1.2
	2 7/16																UCT212-39E		UC212-39				
		2 <sup>3</sup> /4	<b>1</b> <sup>1</sup> /16	1 7/8	6 <sup>9</sup> /16	5 <sup>15</sup> /16	4 <sup>3</sup> /8	8 <sup>13</sup> /16		<sup>13</sup> /16	<b>4</b> <sup>3</sup> / <sub>4</sub>	1 5/8	1 <sup>1</sup> /4	2 <sup>3</sup> /4	2.563	1.000	UCTX12E	TX12E	UCX12	57.2	40.1	14.4	7.4
	2 7/16	70	27	48	167	150.8	111	224	137	21	121	41	32	70	65.1	25.4	UCTX12-39E		UCX12-39				
	<b>2</b> 1/2	2 <sup>3</sup> /4	<b>1</b> <sup>1</sup> /16	1 <sup>23</sup> /32	<b>6</b> <sup>9</sup> /16	5 <sup>15</sup> /16	4 <sup>3</sup> /8	8 <sup>13</sup> / <sub>16</sub>	5 <sup>13</sup> / <sub>32</sub>	13/16	4 <sup>3</sup> / <sub>4</sub>	1 5/8	1 <sup>1</sup> /4	2 <sup>3</sup> /4	2.563	1.000	UCT213-40E	T213E	UC213-40	57.2	40.1	14.4	6.9
65	21/	70	27	44	167	150.8	111	224	137	21	121	41	32	70	65.1	25.4	UCT213E	-	UC213				
	2 <sup>1</sup> /2	2 <sup>3</sup> /4	1 <sup>1</sup> /16	1 7/8	6 <sup>9</sup> /16	5 <sup>15</sup> /16	4 <sup>3</sup> /8	8 13/16	5 <sup>13</sup> / <sub>32</sub>	<sup>13</sup> /16	4 <sup>3</sup> / <sub>4</sub>	1 5/8	1 <sup>1</sup> /4	2 <sup>3</sup> /4	2.937	1.189	UCTX13-40E	TX13E	UCX13-40	62.2	44.1	14.5	7.6
	2 <sup>3</sup> / <sub>4</sub>	70 2 <sup>3</sup> / <sub>4</sub>	27 1 <sup>1</sup> / <sub>16</sub>	48 1 <sup>13</sup> / <sub>16</sub>	167 6 <sup>9</sup> / <sub>16</sub>	150.8 5 <sup>15</sup> / <sub>16</sub>	111 4 <sup>3</sup> /8	224 8 <sup>13</sup> / <sub>16</sub>	137 5 <sup>13</sup> / <sub>32</sub>	21 <sup>13</sup> / <sub>16</sub>	121 4 <sup>3</sup> / <sub>4</sub>	41 1 <sup>5</sup> /8	32 1 <sup>1</sup> / <sub>4</sub>	70 2 <sup>3</sup> / <sub>4</sub>	74.6 2.937	30.2 1.189	UCTX13E UCT214-44E		UCX13 UC214-44				
	2 74	70	27	46	167	150.8	111	224	137	21	121	41	32	70	74.6	30.2	UCT214E	T214E	UC214-44	62.2	44.1	14.5	7.0
70	2 3/4	2 3/4	1 <sup>1</sup> / <sub>16</sub>	1 7/8	6 <sup>9</sup> / <sub>16</sub>	5 <sup>15</sup> /16	4 <sup>3</sup> / <sub>8</sub>	9 <sup>1</sup> /8	5 <sup>1</sup> / <sub>2</sub>	13/16	4 3/4	1 5/8	1 <sup>1</sup> /4	2 3/4	3.063	1.331	UCTX14-44E		UCX14-44				<u> </u>
	- / 4	70	27	48	167	150.8	111	232	140	21	121	41	32	70	77.8	33.3	UCTX14E	TX14E	UCX14	67.4	48.3	14.5	7.9
	2 15/16		27									_					UCT215-47E		UC215-47				<u> </u>
		2 <sup>3</sup> /4	<b>1</b> <sup>1</sup> /16	1 1/8	<b>6</b> <sup>9</sup> /16	5 <sup>15</sup> /16	4 ³/8	9 <sup>1</sup> /8	5 <sup>1</sup> / <sub>2</sub>	13/16	4 <sup>3</sup> /4	1 5/8	1 <sup>1</sup> /4	2 <sup>3</sup> /4	3.063	1.331	UCT215E	T215E	UC215	67.4	48.3	14.5	7.3
	3	70	27	48	167	150.8	111	232	140	21	121	41	32	70	77.8	33.3	UCT215-48E		UC215-48				
75	2 15/16	22/	11/	17/	71/	614	4.27	0.1/	5.17	12 /	4.27	1.57	11/	22/	2.252	1 2 1 1	UCTX15-47E		UCX15-47				
		2 <sup>3</sup> /4	1 <sup>1</sup> / <sub>16</sub>	1 7/8	7 1/4	6 <sup>1</sup> / <sub>2</sub>	4 <sup>3</sup> / <sub>8</sub>	9 <sup>1</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>2</sub>	<sup>13</sup> / <sub>16</sub>	4 <sup>3</sup> / <sub>4</sub>	1 5/8	1 <sup>1</sup> / <sub>4</sub>	2 <sup>3</sup> / <sub>4</sub>		1.311	UCTX15E	TX15E	UCX15	72.7	53.0	14.6	8.7
	3	70	27	48	184	165	111	235	140	21	121	41	32	70	82.6	33.3	UCTX15-48E		UCX15-48				
	3 <sup>1</sup> /8	2 <sup>3</sup> /4	<b>1</b> <sup>1</sup> / <sub>16</sub>	2	<b>7</b> 1/4	<b>6</b> <sup>1</sup> / <sub>2</sub>	4 <sup>3</sup> /8	<b>9</b> 1/4	5 <sup>1</sup> / <sub>2</sub>	13/16	<b>4</b> <sup>3</sup> / <sub>4</sub>	1 5/8	1 <sup>1</sup> /4	2 <sup>3</sup> /4	3.252	1.311	UCT216-50E	T216E	UC216-50	72.7	53.0	14.6	8.2
80		70	27	51	184	165	111	235	140	21	121	41	32	70	82.6	33.3	UCT216E	1210E	UC216	/ 2./	55.0	14.0	0.2
00	_	<b>3</b> 1/2	<b>1</b> <sup>13</sup> / <sub>16</sub>	2 <sup>11</sup> /16	<b>7</b> <sup>25</sup> / <sub>32</sub>	<b>6</b> <sup>13</sup> / <sub>16</sub>	4 7/8	10 <sup>1</sup> /4	6 <sup>3</sup> /8	1 <sup>3</sup> / <sub>32</sub>	<b>6</b> <sup>3</sup> / <sub>16</sub>	1 7/8	1 <sup>1</sup> / <sub>2</sub>	2 7/8	3.374	1.343	UCTX16E	TX16E	UCX16	84.0	61.9	14.5	12.4
		89	46	68	198	173	124	260	162	28	157	48	38	73	85.7	34.1		TXTOL		01.0	01.2	U.1.5	12.7
	3 1/4	3 <sup>1</sup> / <sub>2</sub>	1 <sup>13</sup> / <sub>16</sub>		7 <sup>25</sup> / <sub>32</sub>		4 <sup>7</sup> /8	10 <sup>1</sup> / <sub>4</sub>	6 <sup>3</sup> /8	1 <sup>5</sup> / <sub>32</sub>	6 <sup>3</sup> / <sub>16</sub>	1 7/8	1 <sup>1</sup> / <sub>2</sub>	2 7/8	3.374	1.343	UCT217-52E	T217E	UC217-52	84.0	61.9	14.5	12.1
85		89	46	68	198	173	124	260	162	29	157	48	38	73	85.7	34.1	UCT217E		UC217				<u> </u>
		3 <sup>1</sup> / <sub>2</sub>	1 <sup>13</sup> / <sub>16</sub>	2 11/16	7 <sup>25</sup> / <sub>32</sub>		4 <sup>7</sup> / <sub>8</sub>	10 <sup>1</sup> / <sub>4</sub>	6 <sup>3</sup> /8	1 <sup>3</sup> / <sub>32</sub>	6 <sup>3</sup> / <sub>16</sub>	1 7/8	1 <sup>1</sup> / <sub>2</sub>	2 7/8	3.780	1.563	UCTX17E	TX17E	UCX17	96.1	71.5	14.5	13.3
	3 7/16	89	46	68	198	173	124	260	162	28	157	48	38	73	96	39.7	UCTX17-55E		UCX17-55				

As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCT206EL3, UC206L3)
 As for the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Housings of nodular graphite cast iron are also available.

248



			ι	Jnit: mm
Housi	ng No.	$\Delta_{A1s}$	$\Delta_{H1s}$	X
T204E~T210E	TX05E~TX10E	+0.2 0	0 -0.5	0.5
T211E~T217E	TX11E~TX17E	+0.3 0	0 -0.8	0.6

# NAT-E

Cylindrical bore (with eccentric locking collar)

*d* 12 ~ 75 mm





Shaf	t Dia.							Di	mensio	ns							Unit	Housing	Bearing	Ba	sic	Factor	Mass
mm	inch								inch								No.	No.	No.	Load R	latings		
									mm											k	N		
C	1	A	$A_1$	$A_2$	H	$H_1$	$H_2$	L	$L_1$	$L_2$	$L_3$	N	$N_1$	$N_2$	$B_1$	S				$C_{ m r}$	$C_{0\mathrm{r}}$	$f_0$	kg
12																	NAT201E		NA201				0.83
	1/2																NAT201-8E		NA201-8				
15		1 <sup>1</sup> /4	17/32	<sup>13</sup> /16	3 <sup>1</sup> /2	3	2	3 <sup>11</sup> / <sub>16</sub>	2 <sup>13</sup> /32	13/32	2	3/4	5/8	1 <sup>1</sup> /4	1.720	0.673	NAT202E		NA202				0.81
	5/8	32	13.5	21	89	76.2	51	94	61	10	51	19	16	32	43.7	17.1	NAT202-10E	T204E	NA202-10	12.8	6.65	13.2	
17		52	15.5	21	0,	70.2	51	21	01	10	51	15	10	52	13.7	.,	NAT203E		NA203				0.8
	3/4																NAT204-12E		NA204-12				0.84
20	7.1																NAT204E		NA204				
	7/8	1.1/	17/	15 /	2.17	2	2	<b>a</b> 12 /	27/	12 (	2	27	5/	11/	1 740	0.000	NAT205-14E		NA205-14				
25	15/16	1 1/4	<sup>17</sup> / <sub>32</sub>	<sup>15</sup> /16	3 <sup>1</sup> / <sub>2</sub>	3	2	3 <sup>13</sup> / <sub>16</sub>	2 <sup>7</sup> / <sub>16</sub>	<sup>13</sup> / <sub>32</sub>	2	3/4	<sup>5</sup> /8	1 <sup>1</sup> / <sub>4</sub>	1.748		NAT205-15E	T205E	NA205-15	14.0	7.85	13.9	0.89
	1	32	13.5	24	89	76.2	51	97	62	10	51	19	16	32	44.4	17.5	NAT205E NAT205-16E		NA205 NA205-16				
	1 <sup>1</sup> /8																NAT205-18E		NA205-18				
	1 /0	1 15/32	17/32	1 <sup>3</sup> /32	4 <sup>1</sup> / <sub>32</sub>	<b>3</b> <sup>1</sup> / <sub>2</sub>	<b>2</b> <sup>7</sup> / <sub>32</sub>	4 <sup>7</sup> /16	<b>2</b> <sup>3</sup> / <sub>4</sub>	<sup>13</sup> /32	2 <sup>1</sup> /4	7/8	<sup>5</sup> /8	1 <sup>15</sup> /32	1.906	0.720	NAT206E		NA206				
30	1 3/16	37	13.5	28	102	88.9	56	113	70	10	57	22	16	37	48.4	18.3	NAT206-19E	T206E	NA206-19	19.5	11.3	13.9	1.39
	1 1/4																NAT206-20E		NA206-20				
	1 <sup>1</sup> / <sub>4</sub>																NAT207-20E		NA207-20				
	1 5/16	1 15/	17/	13/	41/	2.1/	<b>3</b> 17/	E 3/	21/	17.	<b>3</b> 17/	77.	57.	1 <sup>15</sup> /32	2 0 1 2	0.740	NAT207-21E		NA207-21				
35	1 <sup>3</sup> /8	1 <sup>15</sup> / <sub>32</sub>	<sup>17</sup> / <sub>32</sub> 13.5	1 <sup>3</sup> / <sub>16</sub> 30	4 <sup>1</sup> / <sub>32</sub> 102	3 1/ <sub>2</sub> 88.9	2 <sup>17</sup> / <sub>32</sub> 64	5 <sup>3</sup> / <sub>32</sub> 129	3 <sup>1</sup> / <sub>16</sub> 78	1/ <sub>2</sub> 13	2 <sup>17</sup> / <sub>32</sub> 64	7/ <sub>8</sub> 22	⁵/ <sub>8</sub> 16	37			NAT207-22E	T207E	NA207-22	25.7	15.4	13.9	1.73
		57	15.5	50	102	00.9	04	129	70	15	04	22	10	57	51.1	18.8	NAT207E		NA207				
	1 <sup>7</sup> /16																NAT207-23E		NA207-23				
	1 <sup>1</sup> / <sub>2</sub>	1 15/16	11/16	1 <sup>5</sup> /16	<b>4</b> <sup>1</sup> / <sub>2</sub>	4	<b>3</b> <sup>9</sup> / <sub>32</sub>	5 <sup>21</sup> /32	3 <sup>15</sup> /32	5/8	3 <sup>9</sup> /32	1 <sup>15</sup> /32	3/4	1 15/16	2.217	0.843	NAT208-24E		NA208-24				
40	1 %16	49	17.5	33	114	101.6	83	144	88	16	83	29	19	49	56.3	21.4	NAT208-25E	T208E	NA208-25	29.1	17.8	14.0	2.74
	1.5/												_			-	NAT208E		NA208				
	1 5/8	<b>1</b> <sup>15</sup> / <sub>16</sub>	11/	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	4	29/~~	E 21/m	37/	5/-	29/	1.5/	3/4	1 <sup>15</sup> /16	2 217	0.942	NAT209-26E		NA209-26 NA209-27				
45	1 <sup>11</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>4</sub>	49	<sup>11/</sup> 16 17.5	35	117	4 101.6	3 <sup>9</sup> / <sub>32</sub> 83	5 <sup>21</sup> / <sub>32</sub> 144	3 <sup>7</sup> /16 87	⁵/8 16	3 <sup>9</sup> / <sub>32</sub> 83	1 <sup>5</sup> / <sub>32</sub> 29	-74 19	49	56.3	0.843 21.4	NAT209-27E NAT209-28E	T209E	NA209-27 NA209-28	34.1	21.3	14.0	2.57
	1-74	49	17.5	33	117	101.0	65	144	67	10	05	29	19	49	50.5	21.4	NAT209-28E		NA209-28 NA209				
	1 7/8																NAT210-30E		NA210-30				
	1 15/16	1 15/16	11/16	1 <sup>15</sup> / <sub>32</sub>	4 <sup>19</sup> / <sub>32</sub>	4	3 <sup>9</sup> / <sub>32</sub>	5 <sup>7</sup> /8	3 <sup>17</sup> / <sub>32</sub>	<sup>5</sup> /8	3 <sup>3</sup> /8	1 5/32	3/4	1 <sup>15</sup> /16	2.469	0.969	NAT210-31E		NA210-31				
50		49	17.5	37	117	101.6	83	149	90	16	86	29	19	49	62.7	24.6	NAT210E	T210E	NA210	35.1	23.3	14.4	2.81
	2																NAT210-32E		NA210-32				
	2																NAT211-32E		NA211-32				
55	2 <sup>1</sup> /8	<b>2</b> <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> /16	<b>1</b> <sup>1</sup> / <sub>2</sub>	5 <sup>3</sup> /4	5 <sup>1</sup> /8	<b>4</b> <sup>1</sup> / <sub>32</sub>	6 <sup>23</sup> / <sub>32</sub>	4 <sup>3</sup> / <sub>16</sub>	3/4	3 <sup>3</sup> /4	1 <sup>3</sup> /8	<sup>31</sup> / <sub>32</sub>	<b>2</b> <sup>17</sup> / <sub>32</sub>	2.811	1.094	NAT211-34E	T211E	NA211-34	43.4	29.4	14.4	4.28
35		64	27	38	146	130.17	102	171	106	19	95	35	25	64	71.4	27.8	NAT211E	1211	NA211	43.4	29.4	14.4	4.20
	2 <sup>3</sup> /16																NAT211-35E		NA211-35				
	2 <sup>1</sup> / <sub>4</sub>				(					24				e 17/			NAT212-36E		NA212-36				
60	234	2 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	1 <sup>21</sup> / <sub>32</sub>	5 <sup>3</sup> / <sub>4</sub>	5 1/8	4 <sup>1</sup> / <sub>32</sub>	7 5/8	4 <sup>11</sup> / <sub>16</sub>	3/4	4 <sup>1</sup> / <sub>32</sub>	1 3/8	1 <sup>1</sup> / <sub>4</sub>	2 <sup>17</sup> / <sub>32</sub>			NAT212E	T212E	NA212	52.4	36.2	14.4	5.23
	2 <sup>3</sup> /8	64	27	42	146	130.17	102	194	119	19	102	35	32	64	77.8	31	NAT212-38E		NA212-38				
	2 <sup>7</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>2</sub>	2 <sup>3</sup> /4	<b>1</b> <sup>1</sup> /16	1 <sup>23</sup> / <sub>32</sub>	6 <sup>9</sup> /16	5 <sup>15</sup> /16	4 <sup>3</sup> /8	<b>8</b> 13/1-	5 <sup>13</sup> / <sub>32</sub>	13/16	<b>4</b> <sup>3</sup> / <sub>4</sub>	1 5/8	1 <sup>1</sup> /4	2 <sup>3</sup> /4	3.374	1.343	NAT212-39E NAT213-40E		NA212-39 NA213-40				
65	2.12	70	27	44	167	150.8	4 3/8	224	137	21	4 3/4 121	41	32	2 3/4 70	3.374 85.7	34.1	NAT213-40E	T213E	NA213-40 NA213	57.2	40.1	14.4	7.49
	2 <sup>3</sup> /4	2 <sup>3</sup> / <sub>4</sub>	1 <sup>1</sup> /16	1 <sup>13</sup> /16		5 <sup>15</sup> / <sub>16</sub>	4 3/8		5 <sup>13</sup> / <sub>32</sub>	<sup>13</sup> /16	4 <sup>3</sup> / <sub>4</sub>	41 1 <sup>5</sup> /8	32 1 <sup>1</sup> /4	2 <sup>3</sup> /4	3.374		NAT213E NAT214-44E		NA213 NA214-44				
70		70	27	46	167	150.8	111	224	137	21	121	41	32	70	85.7	34.1	NAT214E	T214E	NA214	62.2	44.1	14.5	7.87
75	2 <sup>15</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>16</sub>	1 7/8	6 <sup>9</sup> / <sub>16</sub>	5 <sup>15</sup> / <sub>16</sub>	4 <sup>3</sup> / <sub>8</sub>	9 <sup>1</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>2</sub>	13/16	4 <sup>3</sup> / <sub>4</sub>	1 5/8	1 1/4	2 <sup>3</sup> / <sub>4</sub>	3.626	1.469	NAT215-47E	Tale	NA215-47	67.4	40.2	145	7.02
75		70	27	48	167	150.8	111	232	140	21	121	41	32	70	92.1	37.3	NAT215E	T215E	NA215	67.4	48.3	14.5	7.83

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



		ι	Jnit: mm
Housing No.	$\Delta_{A1s}$	$\Delta_{H1s}$	X
T204E~T210E	+0.2 0	0 -0.5	0.5
T211E~T215E	+0.3 0	0 -0.8	0.6

# NCT

Cylindrical bore

(with concentric locking collar) *d* 20 ~ 60 mm





Sha	ft Dia.						-		Dime	nsions								Unit	Housing	Bearing	Ba	sic	Factor	Mass
mm	inch									ch								No.	No.	No.		atings		muss
111111	men									m								110.	140.	110.	k	-		
								_			_				_		.							
	d	A	$A_1$	$A_2$	Η	$H_1$	$H_2$	L	$L_1$	$L_2$	$L_3$	Ν	$N_1$	$N_2$	$B_1$	S	$d_1$				$C_{ m r}$	$C_{0r}$	$f_0$	kg
20	3/4	1 <sup>1</sup> / <sub>4</sub>	<sup>15</sup> / <sub>32</sub>	<sup>13</sup> / <sub>16</sub>	<b>3</b> 1/2	2 <sup>63</sup> / <sub>64</sub>	2	3 11/16	2 <sup>13</sup> / <sub>32</sub>	<sup>13</sup> / <sub>32</sub>	2	3/4	<sup>5</sup> /8	1 1/4	1 <sup>9</sup> / <sub>32</sub>	0.500	1 <sup>3</sup> /4	NCT204-12	T204	NC204-12	12.8	6.65	13.2	0.9
20		32	12	21	89	76	51	94	61	10	51	19	16	32	32.5	12.7	44.5	NCT204	1204	NC204	12.0	0.05	13.2	0.5
	7/8																	NCT205-14		NC205-14				
25	15/16	1 <sup>1</sup> /4	15/32	15/16	<b>3</b> 1/2	2 <sup>63</sup> / <sub>64</sub>	2	3 <sup>13</sup> / <sub>16</sub>	2 7/16	13/32	2	3/4	5/8	1 <sup>1</sup> /4	1 7/16	0.563	1 <sup>15</sup> /16	NCT205-15	T205	NC205-15	14.0	7.85	13.9	1.0
		32	12	24	89	76	51	97	62	10	51	19	16	32	36.5	14.3	49.2	NCT205	.205	NC205		/105		
	1																	NCT205-16		NC205-16				<u> </u>
	1 <sup>1</sup> /8																	NCT206-18		NC206-18				
30		1 <sup>15</sup> / <sub>32</sub>	15/32	1 <sup>3</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>2</sub>	2 <sup>7</sup> / <sub>32</sub>	4 <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	13/32	2 <sup>1</sup> / <sub>4</sub>	7/8	5/8	1 15/32	1 %16	0.626	2 <sup>3</sup> / <sub>16</sub>	NCT206	T206	NC206	19.5	11.3	13.9	1.5
	1 <sup>3</sup> /16	37	12	28	102	89	56	113	70	10	57	22	16	37	39.7	15.9	55.6	NCT206-19		NC206-19				
	1 <sup>1</sup> /4																	NCT206-20		NC206-20				
	1 <sup>1</sup> / <sub>4</sub>	1 15/32	15/32	1 <sup>3</sup> /16	4 <sup>1</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>2</sub>	2 <sup>17</sup> / <sub>32</sub>	5 <sup>3</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>16</sub>	1/2	2 17/32	7/8	5/8	1 15/32	1 <sup>3</sup> /4	0.689	2 7/16	NCT207-20	T207	NC207-20	25.7	15.4	13.9	1.9
		37	12	30	102	89	64	129	78	13	64	22	16	37	44.5	17.5	61.9							
35	1 3/8	1 15/32	15/32	1 <sup>3</sup> /16	4 <sup>1</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>2</sub>	2 <sup>17</sup> /32	5 <sup>3</sup> / <sub>32</sub>	3 <sup>1</sup> /16	1/2	2 <sup>17</sup> / <sub>32</sub>	7/8	5/8	1 <sup>15</sup> /32	1 <sup>3</sup> /4	0.689	2 <sup>9</sup> /16	NCT207-22		NC207-22				
		37	12	30	102	89	64	129	78	13	64	22	16	37	44.5	17.5	65.1	NCT207	T207	NC207	25.7	15.4	13.9	1.9
	1 7/16																	NCT207-23		NC207-23				
40	1 <sup>1</sup> / <sub>2</sub>	1 <sup>15</sup> /16	5/8	1 5/16	<b>4</b> <sup>1</sup> / <sub>2</sub>	<b>4</b> <sup>1</sup> / <sub>64</sub>	3 9/32	5 <sup>21</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>32</sub>	5/8	<b>3</b> <sup>9</sup> / <sub>32</sub>	1 5/32	3/4	1 <sup>15</sup> /16	2	0.748	2 <sup>11</sup> / <sub>16</sub>	NCT208-24	T208	NC208-24	29.1	17.8	14.0	2.9
	1.5/	49	16	33	114	102	83	144	88	16	83	29	19	49	50.8	19	68.3	NCT208		NC208				
	1 5/8	1 15/16	5/8	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>64</sub>	3 <sup>9</sup> / <sub>32</sub>	5 <sup>21</sup> / <sub>32</sub>	3 7/16	5/8	3 <sup>9</sup> / <sub>32</sub>	1 5/32	3/4	1 <sup>15</sup> / <sub>16</sub>	2	0.748	2 <sup>13</sup> / <sub>16</sub>	NCT209-26	T209	NC209-26	34.1	21.3	14.0	2.8
	1 11/	49	16	35	117	102	83	144	87	16	83	29	19	49	50.8	19	71.4	NCT200.27		NC200.27				
45	<b>1</b> <sup>11</sup> / <sub>16</sub>	1 <sup>15</sup> /16	5/8	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>64</sub>	<b>3</b> <sup>9</sup> / <sub>32</sub>	5 <sup>21</sup> / <sub>32</sub>	3 <sup>7</sup> / <sub>16</sub>	5/8	3 <sup>9</sup> /32	1 <sup>5</sup> /32	3/4	1 <sup>15</sup> /16	2	0.748	2 <sup>15</sup> /16	NCT209-27	T200	NC209-27	24.1	21.2	14.0	2.0
	1 3/4	49	16	35	117	102	83	144	87	16	83	29	19	49	50.8	19	74.6	NCT209-28	T209	NC209-28	34.1	21.3	14.0	2.8
	1 15/16																	NCT209 NCT210-31		NC209 NC210-31				
50	1 . 716	1 <sup>15</sup> / <sub>16</sub>	<sup>5</sup> /8	1 <sup>15</sup> / <sub>32</sub>	4 <sup>19</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>64</sub>	<b>3</b> <sup>9</sup> / <sub>32</sub>	5 <sup>7</sup> /8	<b>3</b> <sup>17</sup> / <sub>32</sub>	5/8	3 <sup>3</sup> /8	1 5/32	3/4	1 <sup>15</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>32</sub>	0.748	3 <sup>3</sup> /8		T210		25.1	22.2	144	2.2
50		49	16	37	117	102	83	149	90	16	86	29	19	49	53.1	19	85.7	NCT210	T210	NC210	35.1	23.3	14.4	3.2
	2	2 <sup>17</sup> /32	55/64	1 <sup>1</sup> /2	5 <sup>3</sup> /4	5 <sup>1</sup> /8	4 <sup>1</sup> / <sub>32</sub>	6 <sup>23</sup> / <sub>32</sub>	4 <sup>3</sup> /16	3/4	3 <sup>3</sup> /4	1 <sup>3</sup> /8	31/32	2 <sup>17</sup> / <sub>32</sub>	2 <sup>1</sup> /4	0.874	<b>3</b> <sup>1</sup> / <sub>2</sub>	NCT210-32		NC210-32				
	2		22	38	5 °/4 146	130	4 '/32	0 - 3/32 171	4 -716 106	19	3 °/4 95	35	25		2 ·/4 57.1	22.2	3 ·/2 88.9	NCT211-32	T211	NC211-32	43.4	29.4	14.4	4.4
55		64 2 <sup>17</sup> / <sub>32</sub>	55/64	1 <sup>1</sup> /2	5 <sup>3</sup> / <sub>4</sub>	5 <sup>1</sup> /8	4 1/32	6 <sup>23</sup> /32	4 <sup>3</sup> / <sub>16</sub>	3/4	3 <sup>3</sup> /4	35 1 <sup>3</sup> /8	<sup>31</sup> / <sub>32</sub>	64 2 <sup>17</sup> / <sub>32</sub>	2 <sup>1</sup> /4	0.874	3 <sup>5</sup> /8	NCT211		NC211				<u> </u>
	2 <sup>3</sup> /16		22	38	146	130	102	171	106	19	95	35	25	64	2 ·/4 57.1	22.2	92.1	NCT211-35	T211	NC211-35	43.4	29.4	14.4	4.4
	2 <sup>3</sup> /16 2 <sup>1</sup> /4	64 2 <sup>17</sup> / <sub>32</sub>	55/64	1 <sup>21</sup> /32	5 <sup>3</sup> / <sub>4</sub>	5 <sup>1</sup> /8	4 1/32	7 5/8	4 <sup>11</sup> /16	3/4	4 <sup>1</sup> / <sub>32</sub>	35 1 <sup>3</sup> /8	25 1 <sup>1</sup> /4	2 <sup>17</sup> / <sub>32</sub>	2 5/8	1.000	92.1 4 <sup>1</sup> /16							
	2 /4	64	22	42	146	130	102	194	119	19	102	35	32	64	66.7	25.4	103.2	NCT212-36	T212	NC212-36	52.4	36.2	14.4	5.6
60		2 <sup>17</sup> / <sub>32</sub>	55/ <sub>64</sub>	1 <sup>21</sup> / <sub>32</sub>	5 3/4	5 1/8	4 1/32	7 5/8	4 <sup>11</sup> / <sub>16</sub>	3/4	4 1/32	1 <sup>3</sup> / <sub>8</sub>	1 <sup>1</sup> / <sub>4</sub>	2 <sup>17</sup> / <sub>32</sub>	2 5/8	1.000	4 1/8	NCT212		NC212				<u> </u>
	2 7/16	64	22	42	146	130	102	194	119	19	102	35	32	64	66.7	25.4	104.8	NCT212-39	T212	NC212-39	52.4	36.2	14.4	5.6
	2 /16	04	22	42	140	150	102	194	119	19	102	22	52	04	00.7	20.4	104.0	NC1212-39		11/2212-39				

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



		ι	Jnit: mm
Housing No.	$\Delta_{A1s}$	$\Delta_{H1s}$	X
T204~T210	+0.2 0	0 -0.5	0.5
T211~T212	+0.3 0	0 -0.8	0.6

# NCT-E

Cylindrical bore

(with concentric locking collar) *d* 20 ~ 60 mm





Sha	ft Dia.						-		Dimer	nsions								Unit	Housing	Bearing	Ba	sic	Factor	Mass
mm	inch								in									No.	No.	No.	Load R			
									m												k	-		
	1		٨	4	77	77	77	T	7	T	T	77	NT.	77	D	G	1				C	C	£	ha
	d	A	$A_1$	$A_2$	Н	$H_1$	$H_2$	L	$L_1$	$L_2$	$L_3$	Ν	$N_1$	$N_2$	$B_1$	S	$d_1$				$C_{\rm r}$	$C_{0r}$	fo	kg
20	3/4	1 <sup>1</sup> / <sub>4</sub>	17/32	13/16	3 <sup>1</sup> / <sub>2</sub>	3	2	3 11/16	2 <sup>13</sup> / <sub>32</sub>	13/32	2	3/4	5/8	1 1/4	1 <sup>9</sup> / <sub>32</sub>	0.500	1 <sup>3</sup> /4	NCT204-12E	T204E	NC204-12	12.8	6.65	13.2	0.9
	7/	32	13.5	21	89	76.2	51	94	61	10	51	19	16	32	32.5	12.7	44.5	NCT204E		NC204				
	7/8	11/	17/	15 /	2.17	2	2	2 12/	27/	12 /	2	27	E /	11/	17/	0.542	1 15 /	NCT205-14E		NC205-14				
25	15/16	1 1/4	17/32	<sup>15</sup> / <sub>16</sub>	3 <sup>1/2</sup>	3	2	3 13/16	2 7/16	<sup>13</sup> / <sub>32</sub>	2	3/4	5/8	1 <sup>1</sup> /4	1 <sup>7</sup> /16	0.563	1 <sup>15</sup> / <sub>16</sub>	NCT205-15E	T205E	NC205-15	14.0	7.85	13.9	1.0
	1	32	13.5	24	89	76.2	51	97	62	10	51	19	16	32	36.5	14.3	49.2	NCT205E NCT205-16E		NC205 NC205-16				
	1 <sup>1</sup> /8																	NCT205-18E		NC205-18				
	1,0	1 15/32	17/32	1 <sup>3</sup> / <sub>32</sub>	4 <sup>1</sup> / <sub>32</sub>	3 1/2	2 7/32	4 7/16	2 <sup>3</sup> /4	13/32	2 <sup>1</sup> / <sub>4</sub>	7/8	5/8	1 <sup>15</sup> / <sub>32</sub>	1 <sup>9</sup> /16	0.626	2 <sup>3</sup> /16	NCT206E		NC206				
30	1 3/16	37	13.5	28	102	88.9	56	113	70	10	57	22	16	37	39.7	15.9	55.6	NCT206-19E	T206E	NC206-19	19.5	11.3	13.9	1.5
	1 <sup>1</sup> /4																	NCT206-20E		NC206-20				
	1 <sup>1</sup> / <sub>4</sub>	1 <sup>15</sup> / <sub>32</sub>	17/32	1 <sup>3</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>32</sub>	<b>3</b> <sup>1</sup> / <sub>2</sub>	2 <sup>17</sup> / <sub>32</sub>	5 <sup>3</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>16</sub>	1/2	2 <sup>17</sup> / <sub>32</sub>	7/8	5/8	1 15/32	1 <sup>3</sup> / <sub>4</sub>	0.689	2 <sup>7</sup> / <sub>16</sub>	NCT207-20E	T207E	NC207-20	25.7	15.4	13.9	1.9
		37	13.5	30	102	88.9	64	129	78	13	64	22	16	37	44.5	17.5	61.9		12076		25.7	15.4	15.9	1.9
35	1 <sup>3</sup> / <sub>8</sub>	1 <sup>15</sup> /32	17/32	1 <sup>3</sup> /16	<b>4</b> <sup>1</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>2</sub>	2 <sup>17</sup> /32	5 <sup>3</sup> /32	3 <sup>1</sup> / <sub>16</sub>	1/2	2 <sup>17</sup> /32	7/8	5/8	1 <sup>15</sup> /32	1 <sup>3</sup> /4	0.689	2 <sup>9</sup> /16	NCT207-22E		NC207-22				
		37	13.5	30	102	88.9	64	129	78	13	64	22	16	37	44.5	17.5	65.1	NCT207E	T207E	NC207	25.7	15.4	13.9	1.9
	1 <sup>7</sup> / <sub>16</sub>																	NCT207-23E		NC207-23				
40	1 <sup>1</sup> / <sub>2</sub>	1 <sup>15</sup> /16	<sup>11</sup> / <sub>16</sub>	1 <sup>5</sup> /16	4 <sup>1</sup> / <sub>2</sub>	4	3 <sup>9</sup> / <sub>32</sub>	5 <sup>21</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>32</sub>	<sup>5</sup> /8	3 <sup>9</sup> / <sub>32</sub>	1 5/32	<sup>3</sup> /4	1 <sup>15</sup> / <sub>16</sub>	2	0.748	2 <sup>11</sup> / <sub>16</sub> 68.3	NCT208-24E NCT208E	T208E	NC208-24	29.1	17.8	14.0	2.9
	1 5/8	49 1 <sup>15</sup> /16	17.5	33 1 <sup>3</sup> /8	114 4 <sup>19</sup> / <sub>32</sub>	101.6 4	83 3 <sup>9</sup> / <sub>32</sub>	144 5 <sup>21</sup> / <sub>32</sub>	88 3 <sup>7</sup> / <sub>16</sub>	<u>16</u> 5/8	83 3 <sup>9</sup> / <sub>32</sub>	29 1 <sup>5</sup> / <sub>32</sub>	19 <sup>3</sup> / <sub>4</sub>	49 1 <sup>15</sup> / <sub>16</sub>	50.8 2	19 0.748	2 <sup>13</sup> / <sub>16</sub>			NC208				
	1 / 8	49	17.5	35	117	101.6	83	144	87	16	83	29	19	49	50.8	19	71.4	NCT209-26E	T209E	NC209-26	34.1	21.3	14.0	2.8
45	1 11/16													-		-		NCT209-27E		NC209-27				<u> </u>
	1 <sup>3</sup> /4	1 <sup>15</sup> /16	<sup>11</sup> / <sub>16</sub>	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	4	3 <sup>9</sup> / <sub>32</sub>	5 <sup>21</sup> / <sub>32</sub>	3 1/16	5/8	3 <sup>9</sup> / <sub>32</sub>	1 5/32	<sup>3</sup> /4	1 <sup>15</sup> / <sub>16</sub>	2	0.748	2 <sup>15</sup> /16	NCT209-28E	T209E	NC209-28	34.1	21.3	14.0	2.8
		49	17.5	35	117	101.6	83	144	87	16	83	29	19	49	50.8	19	74.6	NCT209E		NC209				
	1 <sup>15</sup> /16	1 15/16	11/16	1 15/32	4 <sup>19</sup> / <sub>32</sub>	4	3 9/32	5 7/8	3 17/32	5/。	3 <sup>3</sup> /8	1 5/32	3/4	1 <sup>15</sup> / <sub>16</sub>	2 <sup>3</sup> /32	0.748	3 <sup>3</sup> /8	NCT210-31E		NC210-31				
50		49	17.5	37	117	101.6	83	149	90	16	86	29	19	49	53.1	19	85.7	NCT210E	T210E	NC210	35.1	23.3	14.4	3.2
_	2																	NCT210-32E		NC210-32				
	2	2 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> /2	5 <sup>3</sup> /4	5 <sup>1</sup> /8	4 <sup>1</sup> / <sub>32</sub>	6 <sup>23</sup> / <sub>32</sub>	4 <sup>3</sup> / <sub>16</sub>	<sup>3</sup> / <sub>4</sub>	3 <sup>3</sup> /4	1 <sup>3</sup> /8	<sup>31</sup> / <sub>32</sub>	2 <sup>17</sup> / <sub>32</sub>	2 <sup>1</sup> /4	0.874	3 <sup>1</sup> / <sub>2</sub>	NCT211-32E	T211E	NC211-32	43.4	29.4	14.4	4.4
55		64 2 <sup>17</sup> / <sub>32</sub>	27 1 <sup>1</sup> /16	38 1 <sup>1</sup> / <sub>2</sub>	146 5 <sup>3</sup> /4	130.17 5 <sup>1</sup> /8	102 4 <sup>1</sup> / <sub>32</sub>	171 6 <sup>23</sup> /32	106 4 <sup>3</sup> / <sub>16</sub>	19 <sup>3</sup> /4	95 3 <sup>3</sup> /4	35 1 <sup>3</sup> /8	25 <sup>31/32</sup>	64 2 <sup>17</sup> / <sub>32</sub>	57.1 2 <sup>1</sup> / <sub>4</sub>	22.2 0.874	88.9 3 <sup>5</sup> /8	NCT211E		NC211				
	2 <sup>3</sup> /16	64	27	38	146	130.17	102	171	106	19	95	35	25	64	57.1	22.2	92.1	NCT211-35E	T211E	NC211-35	43.4	29.4	14.4	4.4
	2 1/4	2 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> /16	1 <sup>21</sup> /32	5 <sup>3</sup> /4	5 1/8	4 1/32	7 5/8	4 11/16	3/4	4 1/32	1 3/8	1 <sup>1</sup> /4	2 <sup>17</sup> / <sub>32</sub>	2 5/8	1.000	4 <sup>1</sup> / <sub>16</sub>							
		64	27	42	146	130.17	102	194	119	19	102	35	32	64	66.7	25.4	103.2	NCT212-36E	T212E	NC212-36	52.4	36.2	14.4	5.6
60		2 <sup>17</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	1 <sup>21</sup> / <sub>32</sub>	5 <sup>3</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>8</sub>	4 <sup>1</sup> / <sub>32</sub>	7 5/8	4 <sup>11</sup> / <sub>16</sub>	3/4	4 <sup>1</sup> / <sub>32</sub>	1 <sup>3</sup> /8	1 <sup>1</sup> / <sub>4</sub>	2 <sup>17</sup> / <sub>32</sub>	2 5/8	1.000	4 <sup>1</sup> / <sub>8</sub>	NCT212E	T212E	NC212	52.4	36.2	14.4	5.6
	2 7/16	64	27	42	146	130.17	102	194	119	19	102	35	32	64	66.7	25.4	104.8	NCT212-39E	IZIZE	NC212-39	52.4	30.2	14.4	5.6

For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
 Representative examples of the forms of housing are indicated.



		ι	Jnit: mm
Housing No.	$\Delta_{A1s}$	$\Delta_{H1s}$	X
T204E~T210E	+0.2 0	0 -0.5	0.5
T211E~T212E	+0.3 0	0 -0.8	0.6

#### UKT

# Tapered bore (with adapter)

*d*<sub>1</sub> **20 ~ 50 mm** 











Shaft	t Dia.	Dimensions		Standard				Basic	Factor	With Pressed	Steel Cover		With Ca	t Iron Cover	
	inch	inch	Unit	Housing	Bearing	Adapter	Mass	Load Ratings		Unit No.	Dimension	Mass	Unit No.	Dimension	Mass
		mm	No.	No.	No.	No.		kN			mm inch			mm inch	
	7						1	a a		Open Type One Side		,	Open Type One Si		,
d	l1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					kg	$C_{ m r}$ $C_{0 m r}$	fo	Closed Type	$A_{\rm s}$	kg	Closed T	ype $A_{c}$	кg
	3/4	1 <sup>1</sup> / <sub>4</sub> <sup>15</sup> / <sub>32</sub> <sup>15</sup> / <sub>16</sub> 3 <sup>1</sup> / <sub>2</sub> 2 <sup>63</sup> / <sub>64</sub> 2 3 <sup>13</sup> / <sub>16</sub> 2 <sup>7</sup> / <sub>16</sub> <sup>13</sup> / <sub>32</sub> 2 <sup>3</sup> / <sub>4</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub>	UKT205	T205	UK205	HE2305X	0.88	14.0 7.85	13.9			-			-
		32 12 24 89 76 51 97 62 10 51 19 16 32 35	0111205	1205	011205	H2305X	0.88	11.0 7.05	13.5	UKT205C UKT205CD	49 1 <sup>15</sup> /16	0.88	UKT205FC UKT205F	CD 66 2 <sup>19</sup> /3	2 1.3
20	3/4	$1 \frac{15}{32} \frac{15}{32} \frac{13}{32} \frac{41}{32} \frac{31}{2} \frac{27}{32} \frac{47}{16} \frac{23}{4} \frac{13}{32} \frac{21}{4} \frac{7}{8} \frac{5}{8} \frac{15}{32} \frac{13}{38}$	UKTX05	TX05	UKX05	HE2305X	1.3	19.5 11.3	13.9			-			-
	3/4	37         12         28         102         89         56         113         70         10         57         22         16         37         35           1 <sup>13</sup> / <sub>32</sub> <sup>15</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>2</sub> 3 <sup>5</sup> / <sub>32</sub> 2 <sup>7</sup> / <sub>16</sub> 4 <sup>13</sup> / <sub>16</sub> 3 <sup>15</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>32</sub> 5 <sup>1</sup> / <sub>8</sub> 1 <sup>13</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub>				H2305X	1.3 1.5			UKTX05C UKTX05CD	53 2 <sup>3</sup> / <sub>32</sub>	1.3			
	74	36 12 26 89 80 62 122 76 12 65 26 16 36 35	UKT305	T305	UK305	H2305X	1.5	21.2 10.9	12.6				UKT305C UKT3050		2.1
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-		H2306X	1.3			UKT206C UKT206CD	53 2 <sup>3</sup> / <sub>32</sub>	1.3	UKT206FC UKT206F		1.8
	1	37 12 28 102 89 56 113 70 10 57 22 16 37 38	UKT206	T206	UK206	HE2306X	1.3	19.5 11.3	13.9			-			_
25		1 <sup>15</sup> / <sub>32</sub> <sup>15</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 4 <sup>1</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>2</sub> 2 <sup>17</sup> / <sub>32</sub> 5 <sup>3</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>16</sub> <sup>1</sup> / <sub>2</sub> 2 <sup>17</sup> / <sub>32</sub> <sup>7</sup> / <sub>8</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>15</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>2</sub>	UKTX06	TX06	UKX06	H2306X	1.7	25.7 15.4	13.9	UKTX06C UKTX06CD	60 2 <sup>3</sup> /8	1.7			-
23	1	37 12 30 102 89 64 129 78 13 64 22 16 37 38	ONTAGO	17.00	010,000	HE2306X	1.7	23.7 13.4	13.5			-			-
		$1\frac{5}{8}\frac{5}{8}\frac{1}{3}_{32}\frac{3}{15}_{16}\frac{3}{35}_{64}\frac{2}{3}_{4}\frac{5}{5}\frac{13}{32}\frac{3}{11}_{32}\frac{9}{16}\frac{2}{29}_{32}\frac{1}{3}_{32}\frac{23}{32}\frac{1}{5}_{8}\frac{1}{12}$	UKT306	T306	UK306	H2306X	1.9	26.7 15.0	13.3			-	UKT306C UKT3060	D 82 3 <sup>7</sup> / <sub>32</sub>	2.5
	1 1 <sup>1</sup> /8	41         16         28         100         90         70         137         85         14         74         28         18         41         38           1         1 <sup>5</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 4 <sup>1</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>2</sub> 2 <sup>17</sup> / <sub>32</sub> 5 <sup>3</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>2</sub> 2 <sup>17</sup> / <sub>32</sub> 7 <sup>1</sup> / <sub>8</sub> 5 <sup>1</sup> / <sub>8</sub> 1 <sup>15</sup> / <sub>32</sub> 1 <sup>11</sup> / <sub>16</sub>				HE2306X HS2307X	1.9					-			-
	1 /8	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT207	T207	UK207	H2307X	1.7	25.7 15.4	13.9	– – – UKT207C UKT207CD	 60 2 <sup>3</sup> /8	1.7	UKT207FC UKT207F	CD 78 3 <sup>1</sup> / <sub>16</sub>	2.5
	1 <sup>1</sup> /8	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				H2307X	2.6					-			
30		49 16 36 114 102 83 144 88 15 83 29 19 49 43	UKTX07	TX07	UKX07	H2307X	2.6	29.1 17.8	14.0	UKTX07C UKTX07CD	69 2 <sup>23</sup> / <sub>32</sub>	2.6			-
	1 <sup>1</sup> /8	1 <sup>25</sup> / <sub>32</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 4 <sup>3</sup> / <sub>8</sub> 3 <sup>15</sup> / <sub>16</sub> 2 <sup>15</sup> / <sub>16</sub> 5 <sup>29</sup> / <sub>32</sub> 3 <sup>11</sup> / <sub>16</sub> <sup>19</sup> / <sub>32</sub> 3 <sup>5</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> <sup>25</sup> / <sub>32</sub> 1 <sup>25</sup> / <sub>32</sub> 1 <sup>11</sup> / <sub>16</sub>	UKT307	T307	UK307	HS2307X	2.4	33.4 19.3	13.2			-			-
		45 16 32 111 100 75 150 94 15 80 30 20 45 43	011307	1507	01(307	H2307X	2.4	55.4 19.5	13.2			-	UKT307C UKT3070	D 88 3 15/3	2 3.3
	1 1/4	1 <sup>15</sup> / <sub>16</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>5</sup> / <sub>16</sub> 4 <sup>1</sup> / <sub>2</sub> 4 <sup>1</sup> / <sub>64</sub> 3 <sup>9</sup> / <sub>32</sub> 5 <sup>21</sup> / <sub>32</sub> 3 <sup>15</sup> / <sub>32</sub> <sup>5</sup> / <sub>8</sub> 3 <sup>9</sup> / <sub>32</sub> 1 <sup>5</sup> / <sub>32</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>15</sup> / <sub>16</sub> 1 <sup>13</sup> / <sub>16</sub>				HE2308X	2.5					-			-
	1 <sup>3</sup> /8	49 16 33 114 102 83 144 88 16 83 29 19 49 46	UKT208	T208	UK208	HS2308X	2.5	29.1 17.8	14.0			-			-
	1 <sup>1</sup> /4					H2308X HE2308X	2.5			UKT208C UKT208CD	69 2 <sup>23</sup> / <sub>32</sub>	2.5	UKT208FC UKT208F	CD 86 3 3/8	3.4
	1 <sup>3</sup> /8	1 <sup>15</sup> / <sub>16</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>13</sup> / <sub>32</sub> 4 <sup>19</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>64</sub> 3 <sup>9</sup> / <sub>32</sub> 5 <sup>21</sup> / <sub>32</sub> 3 <sup>7</sup> / <sub>16</sub> <sup>19</sup> / <sub>32</sub> 3 <sup>9</sup> / <sub>32</sub> 1 <sup>5</sup> / <sub>32</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>15</sup> / <sub>16</sub> 1 <sup>13</sup> / <sub>16</sub>	UKTX08	TX08	UKX08	HS2308X	2.6	34.1 21.3	14.0			_			
55	1 /0	49 16 36 117 102 83 144 87 15 83 29 19 49 46	UNITAGO		010100	H2308X	2.6	51.1 21.5	11.0	UKTX08C UKTX08CD	69 2 <sup>23</sup> / <sub>32</sub>	2.6			_
	1 <sup>1</sup> /4					HE2308X	3.0					-			-
	1 <sup>3</sup> /8	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT308	T308	UK308	HS2308X	3.0	40.7 24.0	13.2			-			-
						H2308X	3.0					-	UKT308C UKT3080	D 96 3 <sup>25</sup> /3	2 4.0
	1 <sup>1</sup> / <sub>2</sub>	$1 \frac{15}{16} \frac{5}{8} \frac{13}{8} \frac{419}{32} \frac{41}{64} \frac{39}{32} \frac{521}{32} \frac{37}{16} \frac{5}{8} \frac{39}{32} \frac{15}{32} \frac{3}{4} \frac{115}{16} \frac{131}{32}$	UKT209	T209	UK209	HE2309X	2.5	34.1 21.3	14.0			-			-
	11/.	49         16         35         117         102         83         144         87         16         83         29         19         49         50           1         1 <sup>5</sup> / <sub>16</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>2</sub> 4 <sup>19</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>64</sub> 3 <sup>9</sup> / <sub>32</sub> 5 <sup>7</sup> / <sub>8</sub> 3 <sup>17</sup> / <sub>32</sub> 5 <sup>7</sup> / <sub>8</sub> 3 <sup>17</sup> / <sub>32</sub> 5 <sup>7</sup> / <sub>8</sub> 3 <sup>3</sup> / <sub>8</sub> 1 <sup>5</sup> / <sub>32</sub> 3 <sup>1</sup> / <sub>4</sub> 1 <sup>15</sup> / <sub>16</sub> 1 <sup>31</sup> / <sub>32</sub>				H2309X HE2309X	2.5			UKT209C UKT209CD	69 2 <sup>23</sup> / <sub>32</sub>	2.5	UKT209FC UKT209F	CD 88 3 15/3	2 3.4
40	1 <sup>1</sup> / <sub>2</sub>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UKTX09	TX09	UKX09	H2309X	2.9	35.1 23.3	14.4	– – – UKTX09C UKTX09CD	 74 2 <sup>29/32</sup>	2.9			_
	1 <sup>1</sup> /2	$\frac{1}{2^{5/32}} + \frac{1}{5^{64}} + \frac{1}{2^{5/16}} + \frac{1}{5^{9/64}} + \frac{1}{3^{17/32}} + \frac{1}{7} + \frac{1}{4^{17/32}} + \frac{1}{7} + \frac{1}{4^{17/32}} + \frac{1}{7} + \frac{1}{4^{17/32}} + \frac{1}{7} + \frac{1}{1^{17/32}} + \frac{1}{1^{$		-		HE2309X	4.2					-			_
		55         18         38         138         125         90         178         110         18         97         34         24         55         50	UKT309	T309	UK309	H2309X	4.2	48.9 29.5	13.3			_	UKT309C UKT3090	D 102 4 1/32	5.5
	1 <sup>3</sup> /4	1 <sup>15</sup> / <sub>16</sub> <sup>5</sup> / <sub>8</sub> 1 <sup>15</sup> / <sub>32</sub> 4 <sup>19</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>64</sub> 3 <sup>9</sup> / <sub>32</sub> 5 <sup>7</sup> / <sub>8</sub> 3 <sup>17</sup> / <sub>32</sub> <sup>5</sup> / <sub>8</sub> 3 <sup>3</sup> / <sub>8</sub> 1 <sup>5</sup> / <sub>32</sub> <sup>3</sup> / <sub>4</sub> 1 <sup>15</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>32</sub>	UKT210	T210	UK210	HE2310X	2.7	35.1 23.3	14.4			-			-
		49 16 37 117 102 83 149 90 16 86 29 19 49 55	011210	1210	01/210	H2310X	2.7	33.1 23.3	14.4	UKT210C UKT210CD	74 2 <sup>29</sup> / <sub>32</sub>	2.7	UKT210FC UKT210F	CD 97 3 <sup>13</sup> /10	6 3.8
45	1 <sup>3</sup> /4	2 <sup>17</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>21</sup> / <sub>32</sub> 5 <sup>3</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>8</sub> 4 <sup>1</sup> / <sub>32</sub> 6 <sup>23</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>16</sub> <sup>3</sup> / <sub>4</sub> 3 <sup>3</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub> <sup>31</sup> / <sub>32</sub> 2 <sup>17</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>32</sub>	UKTX10	TX10	UKX10	HE2310X	4.4	43.4 29.4	14.4			-			-
	13/	64 22 42 146 130 102 171 106 19 95 35 25 64 55				H2310X	4.4			UKTX10C UKTX10CD	76 3	4.4			-
	1 3/4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT310	T310	UK310	HE2310X H2310X	5.0 5.0	62.0 38.3	13.2			_	– – – UKT310C UKT3100	D = -	- 6.7
	1 7/8					H2310X HS2311X	4.1					-		D 110 4 173	
	. , .	2 <sup>17</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>1</sup> / <sub>2</sub> 5 <sup>3</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>8</sub> 4 <sup>1</sup> / <sub>32</sub> 6 <sup>23</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>16</sub> <sup>3</sup> / <sub>4</sub> 3 <sup>3</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub> <sup>31</sup> / <sub>32</sub> 2 <sup>17</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>16</sub>	UKT211	T211	UK211	H2311X	4.1	43.4 29.4	14.4	UKT211C UKT211CD	76 3	4.1	UKT211FC UKT211F		2 5.4
	2	64         22         38         146         130         102         171         106         19         95         35         25         64         59				HE2311X	4.1					-			_
	1 <sup>7</sup> /8	2 17/32 55/64 1 23/32 5 3/4 5 1/8 4 1/32 7 5/8 4 11/16 3/4 4 1/32 1 3/8 1 1/4 2 17/32 2 5/16				HS2311X	5.1					-			-
50		$\begin{bmatrix} 2 & 7_{32} & -7_{64} & 1 & -7_{32} & 3 & 7_{74} & 3 & 7_{8} & 4 & 7_{32} & 7_{78} & 4 & 7_{16} & -7_{74} & 4 & 7_{32} & 1 & 7_{78} & 1 & 7_{74} & 2 & 7_{32} & 2 & 7_{16} \\ \hline 64 & 22 & 44 & 146 & 130 & 102 & 194 & 119 & 19 & 102 & 35 & 32 & 64 & 59 \\ \end{bmatrix}$	UKTX11	TX11	UKX11	H2311X	5.1	52.4 36.2	14.4	UKTX11C UKTX11CD	89 3 <sup>1</sup> / <sub>2</sub>	5.1			-
	2				-	HE2311X	5.1					-			-
	1 7/8	2 <sup>19</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>23</sup> / <sub>32</sub> 6 <sup>13</sup> / <sub>32</sub> 5 <sup>29</sup> / <sub>32</sub> 4 <sup>1</sup> / <sub>8</sub> 8 <sup>5</sup> / <sub>32</sub> 5 <sup>13</sup> / <sub>16</sub> 4 <sup>17</sup> / <sub>32</sub> 1 <sup>17</sup> / <sub>32</sub> 1 <sup>5</sup> / <sub>32</sub> 2 <sup>19</sup> / <sub>32</sub> 2 <sup>5</sup> / <sub>16</sub>	LINTERS	Tarr	11/211	HS2311X	6.4	71.6 45.5	12.2			-			-
	2	66         22         44         163         150         105         207         127         21         115         39         29         66         59	UKT311	T311	UK311	H2311X HE2311X	6.4 6.4	71.6 45.0	13.2			-	UKT311C UKT3110	D 114 4 <sup>1</sup> / <sub>2</sub>	8.3
	2						0.4					-			-

4. As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UKT206JL3 + H2306X, UK206L3 + H2306X)
5. For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
6. Housings of nodular graphite cast iron are also available.





Variations of tolerance of groove width ( $\mathcal{L}_{A1s}$ ), variations of tolerance of distance between both grooves ( $\mathcal{L}_{H1s}$ ), and tolerance of symmetry of both groove sides (X)

				ι	Jnit: mm
	Housing No.		$\Delta_{A1s}$	$\Delta_{H1s}$	X
T205~T210	TX05~TX10	T305~T310	+0.2 0	0 -0.5	0.5
T211~T217	TX11~TX17	T311~T318			0.6
		T319~T322	+0.3	0	0.7
		T324~T328	5	-0.8	0.8

Form and dimension of  $L_c$  of T205JE3 (housing with cast iron cover) are shown below





#### UKT

#### Tapered bore (with adapter)

*d*<sub>1</sub> 55 ~ 125 mm





With Pressed Steel Cover







Shaft Dia.	Dimensions		Standard				Ba	sic	Factor	١	With Pressed St	teel Cover			With Cast Iro	n Cover	
mm inch	inch	Unit	Housing	Bearing	Adapter	Mass		Ratings		Uni	t No.	Dimension	Mass	Uni	t No.	Dimension	Mass
	mm	No.	No.	No.	No.		k	N		Open Type	One Side	mm inch		Open Type	One Side	mm inch	
$d_1$	$egin{array}{cccccccccccccccccccccccccccccccccccc$					kg	$C_{\rm r}$	$C_{0r}$	fo		Closed Type	$A_{\rm s}$	kg		Closed Type	$A_{ m c}$	kg
21/									5								<u> </u>
2 1/8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT212	T212	UK212	H52312X H2312X	4.8	52.4	36.2	14.4	– UKT212C		 89 3 <sup>1</sup> / <sub>2</sub>	-	– UKT212FC	– UKT212FCD	$   114$ $4^{1}/_{2}$	-
2 1/8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				HS2312X	7.3					UKT212CD		4.8			<u>    114    4 ·/2</u> _	6.3
55 2 / 8	70 26 48 167 151 111 224 137 21 121 41 32 70 62	UKTX12	TX12	UKX12	H2312X	7.3	57.2	40.1	14.4	UKTX12C	UKTX12CD	89 3 <sup>1</sup> /2	7.3	_	_		_
2 1/8	2 <sup>25</sup> / <sub>32</sub> <sup>55</sup> / <sub>64</sub> 1 <sup>13</sup> / <sub>16</sub> 7 6 <sup>19</sup> / <sub>64</sub> 4 <sup>7</sup> / <sub>16</sub> 8 <sup>21</sup> / <sub>32</sub> 5 <sup>5</sup> / <sub>16</sub> <sup>29</sup> / <sub>32</sub> 4 <sup>27</sup> / <sub>32</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>7</sup> / <sub>32</sub> 2 <sup>25</sup> / <sub>32</sub> 2 <sup>7</sup> / <sub>16</sub>		T212	1.11/24.2	HS2312X	7.5	01.0	52.2	12.2	-	-		-	_	-		-
	71 22 46 178 160 113 220 135 23 123 41 31 71 62	UKT312	T312	UK312	H2312X	7.5	81.9	52.2	13.2	_	-		_	UKT312C	UKT312CD	124 4 7/8	9.9
2 1/4	2 <sup>3</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>32</sub> 1 <sup>23</sup> / <sub>32</sub> 6 <sup>9</sup> / <sub>16</sub> 5 <sup>15</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>8</sub> 8 <sup>13</sup> / <sub>16</sub> 5 <sup>13</sup> / <sub>32</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 2 <sup>9</sup> / <sub>16</sub>				HE2313X	6.8				-	-		-	-	-		-
	70 26 44 167 151 111 224 137 21 121 41 32 70 65	UKT213	T213	UK213	H2313X	6.8	57.2	40.1	14.4	UKT213C	UKT213CD	89 3 1/2	6.8	UKT213FC	UKT213FCD	114 4 <sup>1</sup> / <sub>2</sub>	8.5
2 <sup>3</sup> / <sub>8</sub> 2 <sup>1</sup> / <sub>4</sub>			-		HS2313X	6.8				_	-		-		-		
60	2 <sup>3</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>32</sub> 1 <sup>7</sup> / <sub>8</sub> 6 <sup>9</sup> / <sub>16</sub> 5 <sup>15</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>8</sub> 8 <sup>13</sup> / <sub>16</sub> 5 <sup>13</sup> / <sub>32</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 2 <sup>9</sup> / <sub>16</sub>	UKTX13	TY13	UKX13	HE2313X H2313X	7.2	62.2	44.1	14.5	– UKTX13C	– UKTX13CD	99 3 <sup>29</sup> /32	7.2	_	-		-
2 3/8	70 26 48 167 151 111 224 137 21 121 41 32 70 65	ORTATS		010(15	HS2313X		02.2		14.5	_	_		-	_	_		
2 1/4					HE2313X	9.4				_	_		-		_		_
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT313	T313	UK313	H2313X	9.4	92.7	59.9	13.2	-	-		-	UKT313C	UKT313CD	122 4 <sup>13</sup> / <sub>16</sub>	11.6
2 <sup>3</sup> /8	80 26 50 190 170 116 238 146 25 134 43 32 70 65				HS2313X	9.4				-	-		-	_	-		
2 1/2	2 <sup>3</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>32</sub> 1 <sup>13</sup> / <sub>16</sub> 6 <sup>9</sup> / <sub>16</sub> 5 <sup>15</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>8</sub> 8 <sup>13</sup> / <sub>16</sub> 5 <sup>13</sup> / <sub>32</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 2 <sup>7</sup> / <sub>8</sub>	UKT215	T215	UK215	HE2315X	7.4	67.4	48.3	14.5	-	-		-	-	-		-
21/	70         26         48         167         151         111         232         140         21         121         41         32         70         73           23/         17/         17/         71/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/         61/				H2315X	7.4				UKT215C	UKT215CD	99 3 <sup>29</sup> / <sub>32</sub>	7.4	UKT215FC	UKT215FCD	124 4 <sup>7</sup> / <sub>8</sub>	9.4
<b>65</b> 2 <sup>1/2</sup>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UKTX15	TX15	UKX15	HE2315X H2315X	8.4	72.7	53.0	14.6	– UKTX15C	– UKTX15CD	100 494	-	-	-		-
2 1/2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		-		HE2315X	8.4						109 4 %	8.4				<u> </u>
- /-	90 26 55 216 192 132 262 160 25 150 46 36 85 73	UKT315	T315	UK315	H2315X	13.1	113	77.2	13.2	_	_		_	UKT315C	UKT315CD	134 5 <sup>9</sup> / <sub>32</sub>	15.9
2 <sup>3</sup> /4	2 <sup>3</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>32</sub> 2 7 <sup>1</sup> / <sub>4</sub> 6 <sup>1</sup> / <sub>2</sub> 4 <sup>3</sup> / <sub>8</sub> 9 <sup>1</sup> / <sub>4</sub> 5 <sup>1</sup> / <sub>2</sub> <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>4</sub> 3 <sup>1</sup> / <sub>16</sub>	UKT216	T216	11/216	HE2316X	8.5	70.7	52.0	14.6	-	-		-	-	-		-
	70 26 51 184 165 111 235 140 21 121 41 32 70 78	UKIZIO	T216	UK216	H2316X	8.5	/2./	53.0	14.0	UKT216C	UKT216CD	109 4 <sup>9</sup> / <sub>32</sub>	8.5	UKT216FC	UKT216FCD	138 5 <sup>7</sup> / <sub>16</sub>	11.0
<b>70</b> 2 <sup>3/4</sup>	2 <sup>7</sup> / <sub>8</sub> 1 <sup>7</sup> / <sub>64</sub> 2 <sup>1</sup> / <sub>8</sub> 7 <sup>25</sup> / <sub>32</sub> 6 <sup>13</sup> / <sub>16</sub> 4 <sup>7</sup> / <sub>8</sub> 10 <sup>1</sup> / <sub>4</sub> 6 <sup>3</sup> / <sub>8</sub> 1 <sup>3</sup> / <sub>32</sub> 6 <sup>3</sup> / <sub>16</sub> 1 <sup>7</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>2</sub> 2 <sup>7</sup> / <sub>8</sub> 3 <sup>1</sup> / <sub>16</sub>	UKTX16	TX16	UKX16	HE2316X	11.8	84.0	61.9	14.5	-	-		-	-	-		-
	73 28 54 198 173 124 260 162 28 157 48 38 73 78				H2316X	11.8				UKTX16C	UKTX16CD	113 4 <sup>7</sup> / <sub>16</sub>	11.8		_		-
2 3/4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT316	T316	UK316	HE2316X H2316X	16.3 16.3	123	86.7	13.3	_	-		-	– UKT316C	UKT316CD	 138 5 <sup>7</sup> / <sub>16</sub>	19.4
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				H2317X	11.2				UKT217C	UKT217CD	113 4 7/16	11.2	UKT217FC	UKT217FCD	142 5 <sup>19</sup> / <sub>32</sub>	
3	73 30 54 198 173 124 260 162 29 157 48 38 73 82	UKT217	T217	UK217	HE2317X	11.2	84.0	61.9	14.5	-	-		_	-	-		-
75	2 <sup>7</sup> / <sub>8</sub> 1 <sup>7</sup> / <sub>64</sub> 2 <sup>1</sup> / <sub>8</sub> 7 <sup>25</sup> / <sub>32</sub> 6 <sup>13</sup> / <sub>16</sub> 4 <sup>7</sup> / <sub>8</sub> 10 <sup>1</sup> / <sub>4</sub> 6 <sup>3</sup> / <sub>8</sub> 1 <sup>3</sup> / <sub>32</sub> 6 <sup>3</sup> / <sub>16</sub> 1 <sup>7</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>2</sub> 2 <sup>7</sup> / <sub>8</sub> 3 <sup>7</sup> / <sub>32</sub>	UKTX17	TX17	UKX17	H2317X	11.4	96.1	71.5	14.5	UKTX17C	UKTX17CD	123 4 <sup>27</sup> / <sub>32</sub>	11.4	-	-		-
3	73 28 54 198 173 124 260 162 28 157 48 38 73 82	UNIXI		01017	HE2317X	11.4	50.1	71.5	14.5	_	-		-	_	-		
3	$4\frac{1}{32}  1\frac{17}{64}  2\frac{17}{32}  9\frac{7}{16}  8\frac{27}{64}  5\frac{31}{32}  11\frac{23}{32}  7\frac{7}{32}  1\frac{3}{16}  6\frac{11}{16}  2\frac{3}{32}  1\frac{21}{32}  3\frac{27}{32}  3\frac{7}{32}  3\frac{7}{3$	UKT317	T317	UK317	H2317X	18.9	133	96.8	13.3	-	-		-	UKT317C	UKT317CD	146 5 <sup>3</sup> / <sub>4</sub>	22.4
3	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		-		HE2317X	18.9	-			_			-		_		-
80 –	110 32 66 255 228 160 312 192 30 175 57 46 106 86	UKT318	T318	UK318	H2318X	21.7	143	107	13.3	-	-		-	UKT318C	UKT318CD	150 5 <sup>29</sup> / <sub>32</sub>	25.9
<b>9F</b> 3 <sup>1</sup> /4	4 <sup>11</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 2 <sup>27</sup> / <sub>32</sub> 10 <sup>5</sup> / <sub>8</sub> 9 <sup>29</sup> / <sub>64</sub> 6 <sup>1</sup> / <sub>2</sub> 12 <sup>11</sup> / <sub>16</sub> 7 <sup>3</sup> / <sub>4</sub> 1 <sup>7</sup> / <sub>32</sub> 7 <sup>3</sup> / <sub>32</sub> 2 <sup>1</sup> / <sub>4</sub> 1 <sup>13</sup> / <sub>16</sub> 4 <sup>3</sup> / <sub>16</sub> 3 <sup>17</sup> / <sub>32</sub>	UKT319	T210	11/210	HE2319X	25.2	152	110	12.2	-	-		-	_	-		-
85	110 35 72 270 240 165 322 197 31 180 57 46 106 90	UK1319	T319	UK319	H2319X	25.2	153	119	13.3	-	-		-	UKT319C	UKT319CD	162 6 <sup>3</sup> /8	29.9
<b>90</b> 3 1/2	4 <sup>23</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>8</sub> 2 <sup>15</sup> / <sub>16</sub> 11 <sup>13</sup> / <sub>32</sub> 10 <sup>15</sup> / <sub>64</sub> 6 <sup>7</sup> / <sub>8</sub> 13 <sup>19</sup> / <sub>32</sub> 8 <sup>9</sup> / <sub>32</sub> 1 <sup>1</sup> / <sub>4</sub> 7 <sup>7</sup> / <sub>8</sub> 2 <sup>5</sup> / <sub>16</sub> 1 <sup>7</sup> / <sub>8</sub> 4 <sup>17</sup> / <sub>32</sub> 3 <sup>13</sup> / <sub>16</sub>	UKT320	T320	UK320	HE2320X	30.4	173	141	13.2	-	-		-	-	-		-
	120 35 75 290 260 175 345 210 32 200 59 48 115 97				H2320X	30.4				-	-		-	UKT320C	UKT320CD	174 6 <sup>27</sup> / <sub>32</sub>	
100 4	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT322	T322	UK322	H2322X HE2322X	39.5 39.5	205	180	13.2	-	-		-	UKT322C	UKT322CD	188 7 <sup>13</sup> / <sub>32</sub>	46.4
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$									_			-	-			
110 –	140 45 90 355 320 210 432 267 42 230 70 60 140 112	UKT324	T324	UK324	H2324	54.7	207	185	13.5	-	-		-	UKT324C	UKT324CD	196 7 <sup>23</sup> / <sub>32</sub>	65.0
<b>115</b> 4 <sup>1</sup> / <sub>2</sub>	5 <sup>29</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub> 3 <sup>15</sup> / <sub>16</sub> 15 <sup>5</sup> / <sub>32</sub> 13 <sup>25</sup> / <sub>32</sub> 8 <sup>21</sup> / <sub>32</sub> 18 <sup>5</sup> / <sub>16</sub> 11 <sup>7</sup> / <sub>32</sub> 1 <sup>25</sup> / <sub>32</sub> 9 <sup>7</sup> / <sub>16</sub> 2 <sup>15</sup> / <sub>16</sub> 2 <sup>9</sup> / <sub>16</sub> 5 <sup>29</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>4</sub>	UKT326	T326	111/226	HE2326	69.1	220	214	13.6	-	-		-	-	-		-
115	150 50 100 385 350 220 465 285 45 240 75 65 150 121	0K1320	1320	UK326	H2326	69.1	229	214	13.0	-	-		-	UKT326C	UKT326CD	214 87/16	82.4
125 –	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	UKT328	T328	UK328	H2328	85.1	253	246	13.6	_	_		_	UKT328C	UKT328CD	222 8 <sup>3</sup> / <sub>4</sub>	102
	155 50 100 415 380 230 515 315 50 255 80 70 160 131																

In Part No. of unit with adapters and bearing with adapters, Part No. of applicable adapter follow the Part No. shown in the dimensional tables. (Example of Part No. : UKT206J + H2306X, UK206 + H2306X)

As for the triple seal type product (205 is the double seal type product), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UKT206JL3 + H2306X, UK206L3 + H2306X)
 For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Housings of nodular graphite cast iron are also available.





Variations of tolerance of groove width ( $\mathcal{L}_{A1s}$ ), variations of tolerance of distance between both grooves ( $\mathcal{L}_{H1s}$ ), and tolerance of symmetry of both groove sides (X)

				ι	Jnit: mm
	Housing No.		$\Delta_{A1s}$	$\Delta_{H1s}$	X
T205~T210	TX05~TX10	T305~T310	+0.2 0	0 -0.5	0.5
T211~T217	TX11~TX17	T311~T318			0.6
		T319~T322	+0.3	0	0.7
		T324~T328	5	-0.8	0.8

Form and dimension of  $L_{
m c}$  of T205JE3 (housing with cast iron cover) are shown below

T205JE3  $L_{\rm c}$  = 102 mm  $L_{c}$ 



#### UCTRS

# Cylindrical bore (with set screws)

*d* 25 ~ 35 mm



Shat	ft Dia.						Dim	ensions						S	tandard		Ba	sic	Factor	Mass
mm	inch						i	nch						Unit	Housing	Bearing	Load F	Ratings		
							1	nm						No.	No.	No.	k	N		
	d	A	$A_1$	$A_2$	H	$H_1$	L	$L_1$	$L_3$	N	$N_1$	В	S				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo	kg
	7/8													UCTRS205-14		UC205-14				0.68
25	15/16	1 <sup>3</sup> /8	1/4	<sup>13</sup> /16	<b>3</b> <sup>5</sup> / <sub>32</sub>	2 <sup>5</sup> /8	<b>3</b> <sup>19</sup> / <sub>32</sub>	<b>2</b> <sup>7</sup> / <sub>32</sub>	1 <sup>9</sup> /16	<sup>25</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1.343	0.563	UCTRS205-15	TRS205	UC205-15	14.0	7.85	13.9	0.66
25		35	6.35	21	80	66.7	91	56	40	19.84	20	34.1	14.3	UCTRS205	185205	UC205	14.0	7.85	13.9	0.65
	1													UCTRS205-16		UC205-16				0.65
	1 <sup>1</sup> /8													UCTRS206-18		UC206-18				1.25
30		1 <sup>3</sup> /8	1/4	<sup>15</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>8</sub>	<b>3</b> 1/2	4 <sup>11</sup> / <sub>32</sub>	2 11/16	<b>2</b> <sup>17</sup> / <sub>32</sub>	3/4	15/16	1.500	0.626	UCTRS206	TRS206	UC206	19.5	11.3	13.9	1.23
30	1 <sup>3</sup> /16	35	6.35	24	105	88.9	110	68	64	19.05	24	38.1	15.9	UCTRS206-19	185200	UC206-19	19.5	11.5	13.9	1.23
	1 <sup>1</sup> /4													UCTRS206-20		UC206-20				1.21
	1 1/4													UCTRS207-20		UC207-20				1.35
	1 <sup>5</sup> /16	1 3/8	1/4	31/32	<b>4</b> 1/8	<b>3</b> 1/2	41/2	2 11/16	<b>2</b> 17/32	3/4	15/16	1.689	0.690	UCTRS207-21		UC207-21				1.31
35	1 <sup>3</sup> /8				1 /0	0 /2	1 /2	- /.0	- /52	· · ·			0.689	UCTRS207-22	TRS207	UC207-22	25.7	15.4	13.9	1.29
		35	6.35	25	105	88.9	114	68	64	19.05	24	42.9	17.5	UCTRS207		UC207				1.29
	1 7/16													UCTRS207-23		UC207-23				1.26



		ι	Jnit: mm
Housing No.	$\Delta_{A1s}$	$\Delta_{H1s}$	X
TRS205~TRS207	+0.2 0	0 -0.5	0.5

# UCST-H1S6

Cylindrical bore (with set screws)

*d* 20 ~ 50 mm





Shaf	ft Dia.									Dimen	nsions	5							Unit	Housing	Bearing	Ba	sic	Factor	Mass	Wit	Pressed Stainless	steel Co	ver	
mm	inch	L								inc	ch								No.	No.	No.	Load R	latings			Uni	t No.	Dim	ension	Mass
										mı	m											k	N			Open Type	One Side	mm	inch	
(	d	A	4 .	$A_1$	$A_2$	Η	$H_1$	$H_2$	L	1	$L_1$	$L_2$	$L_3$	N	$N_1$	$N_2$	В	S				Cr	$C_{0\mathrm{r}}$	fo	kg		Closed Type	-	$A_{\rm s}$	kg
20	3/4	1 <sup>1</sup> /		15/32	<sup>29</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>2</sub>	2 <sup>63</sup> / <sub>64</sub>	1 <sup>13</sup> / <sub>16</sub>	3 <sup>1</sup> /	<sup>2</sup> 2	<sup>5</sup> / <sub>16</sub>	11/32	1 23/32	3/4	<sup>23</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>4</sub>	1.22			ST204H1	UC204-1256	10.9	5.35	13.2	0.73	-	-	-	-	-
		32	2	12	23	89	76	46	89	) 5	59	9	44	19	18	32	31	12.7			UC204S6		5100		0	UCST204H1CS6	UCST204H1CDS6	45	1 <sup>25</sup> / <sub>32</sub>	0.73
	7/8																		UCST205-14H		UC205-14S6					-	-	-	-	-
25	15/16	6 1 <sup>1</sup> /	1/4 1	15/32	31/32	<b>3</b> 1/2	2 <sup>63</sup> /64	1 <sup>13</sup> /16	3 <sup>21</sup> /	32 2	3/8	11/32	1 <sup>23</sup> / <sub>32</sub>	3/4	23/32	1 <sup>1</sup> /4	1.34	3 0.56	UCST205-15H	ST205H1	UC205-15S6	11.9	6.30	13.9	0.79	-	-	-	-	-
25		32	2	12	25	89	76	46	93	6	60	9	44	19	18	32	34.	14.3		51205111	UC205S6		0.50	13.5	0.75	UCST205H1CS6	UCST205H1CDS6	49	1 <sup>15</sup> /16	0.79
	1																		UCST205-16		UC205-16S6					-	-	-	-	-
	1 <sup>1</sup> / <sub>8</sub>																		UCST206-18H		UC206-18S6					-	-	-	-	-
30		1 <sup>15</sup> /	<sup>5</sup> / <sub>32</sub> 1	15/32	1 <sup>1</sup> / <sub>16</sub>	<b>4</b> 1/ <sub>32</sub>	3 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>16</sub>	4 <sup>3</sup> /	16 2	5/8	11/32	1 <sup>31</sup> / <sub>32</sub>	7/8	<sup>23</sup> / <sub>32</sub>	1 <sup>15</sup> / <sub>3</sub>	1.50	0 0.62	5 UCST206H1S	ST206H1	UC206S6	16.5	9.05	13.9	1.1	UCST206H1CS6	UCST206H1CDS6	53	2 <sup>3</sup> / <sub>32</sub>	1.1
30	1 <sup>3</sup> / <sub>16</sub>	37	7	12	27	102	89	52	106	66	67	9	50	22	18	37	38.	15.9	UCST206-19H	31200111	UC206-19S6	10.5	9.05	13.9	'.'	-	-	-	-	-
	1 <sup>1</sup> /4																		UCST206-20H		UC206-20S6					-	-	-	-	-
	1 <sup>1</sup> / <sub>4</sub>																		UCST207-20H		UC207-20S6					-	-	- 1	-	-
	1 5/16	1 15	5/32 1	15/32	1 7/32	4 1/22	2 1/2	<b>7</b> 7/22	<b>A</b> 11/	(	15/	71.0	<b>7</b> 7/22	7/2	23/22	1 <sup>15</sup> /3	1 60	9 0.68	UCST207-21H		UC207-21S6					-	-	- 1	-	-
35	1 <sup>3</sup> /8	37		12	31	4 /32	J /2	2 /32 56	110	0 7	716	11	<b>2</b> 732 56	78	18	37		) 17.5	UCST207-221	ST207H1	UC207-22S6	21.8	12.3	13.9	1.5	-	-	- 1	_ /	-
		5/		12	21	102	09	50	113	9 /	/5		50	22	10	57	42.3	/ 1/	UCST207H1S		UC207S6					UCST207H1CS6	UCST207H1CDS6	60	2 <sup>3</sup> /8	1.5
	1 7/16																		UCST207-23H		UC207-23S6					-	-	-	-	-
	1 <sup>1</sup> / <sub>2</sub>	1 15	5/16	5/8	1 <sup>1</sup> /4	41/-	4.1/	<b>2</b> 29/	E 5/		11/22	9/	<b>2</b> 17/	1 5/	25/~~	1 15/.	1 02	7 0.74	UCST208-24		UC208-24S6					-	-	-	-	-
40	1 9/16			-/8 1.c		4 ./2	4 764	Z ~~/32	10	16 J'	0.732	-/16 1 4	2/32	1 5/32	<sup>25</sup> / <sub>32</sub>	40			UCST208-25	ST208H1	UC208-25456	24.8	14.3	14.0	2.0	-	-	- 1	_	-
		49	9	10	32	114	102	74	135	5 6	80	14	04	29	20	49	49.2	. 19	UCST208H1S		UC208S6					UCST208H1CS6	UCST208H1CDS6	69	2 <sup>23</sup> / <sub>32</sub>	2.0
	1 5/8																		UCST209-26		UC209-26S6					-	-	-	-	-
45	1 <sup>11</sup> /16	6 1 <sup>15</sup> /	5/16	5/8	1 11/32	<b>4</b> <sup>19</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>64</sub>	<b>2</b> <sup>29</sup> / <sub>32</sub>	5 <sup>13</sup> /	/ <sub>32</sub> 3 <sup>1</sup>	11/32	<sup>9</sup> /16	<b>2</b> <sup>19</sup> / <sub>32</sub>	1 5/32	<sup>25</sup> / <sub>32</sub>	1 <sup>15</sup> /1	1.93	7 0.74	B UCST209-27H	ST209H1	UC209-27S6	27.8	16.2	14.0	21	-	-	- 1	_ /	-
45	1 <sup>3</sup> / <sub>4</sub>	49	9	16	34	117	102	74	137	7 8	85	14	66	29	20	49	49.2	. 19	UCST209-28	51209H1	UC209-2856	27.8	16.2	14.0	2.1	-	-	- 1	_	-
																			UCST209H1S		UC209S6					UCST209H1CS6	UCST209H1CDS6	69	2 <sup>23</sup> /32	2.1
	1 7/8																		UCST210-30H		UC210-30S6					-	-	-	_	-
50	1 15/16	6 1 <sup>15</sup> /	<sup>5</sup> / <sub>16</sub>	<sup>5</sup> /8	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>64</sub>	2 <sup>29</sup> / <sub>32</sub>	5 5/	8 3	7/16	<sup>9</sup> / <sub>16</sub>	2 <sup>27</sup> / <sub>32</sub>	1 5/32	<sup>25</sup> / <sub>32</sub>	1 15/1	2.03	1 0.74	UCST210-31H	CTRACIN	UC210-31S6	20.0	10.0	144		-	-	- 1	_	-
50		49	9	16	35	117	102	74	143	3 8	87	14	72	29	20	49	51.6	i 19	UCST210H1S	ST210H1	UC21056	29.8	18.6	14.4	2.3	UCST210H1CS6	UCST210H1CDS6	74	2 <sup>29</sup> / <sub>32</sub>	2.3
	2																		UCST210-32H		UC210-3256					-	-	- 1	_ /	-

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)

 2. Part No. of the applicable grease fitting is B-1/4-28UNFN12.

 3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



		ι	Jnit: mm
Housing No.	⊿ <sub>A1s</sub>	$\Delta_{H1s}$	X
ST204H1~210H1	+0.2 0	0 -0.5	0.5

# UCST-EH1S6

Cylindrical bore (with set screws)

*d* 20 ~ 50 mm





5	Shaft D	Dia.								Dim	ensior	15								Unit	Housing	Bearing		Basic	Factor	Mass	Wit	h Pressed Stainless S	eel Cov	er	
m	nm i	inch								i	inch									No.	No.	No.	Load	Ratings			Uni	it No.	Dime	ension	Mass
	d		A	$A_1$	$A_2$	Н	$H_1$	$H_2$	1	1 r,	mm	$L_2$	$L_3$	N	$N_1$	Ν	2	В	S				Cr	kN $C_{0r}$	fo	kg	Open Type	One Side Closed Type		inch As	kg
		24											1 22 (											0.01	,,,						
2	20	3/4	1 <sup>1</sup> / <sub>4</sub>	<sup>17</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	3 1/2	3	1 13/1	16 3 <sup>1</sup>	<sup>1</sup> / <sub>2</sub>	2 5/16	11/32	1 23/32	3/4	<sup>23</sup> / <sub>32</sub>				0.500	UCST204-12EH1S6 UCST204EH1S6	ST204EH1	UC204-1256	10.9	5.35	13.2	0.73	UCST204EH1CS6		-	- 1.25/	-
		7/8	32	13.5	23	89	76.2	46	8	9	29	9	44	19	18	32	<u> </u>	31	12.7	UCST204EH156		UC204S6	-				UC51204EH1C50	UCST204EH1CDS6	45	1 <sup>25</sup> / <sub>32</sub>	0.73
		<sup>15</sup> / <sub>16</sub>	<b>1</b> <sup>1</sup> / <sub>4</sub>	17/32	31/32	3 1/2	3	1 13/-	16 <b>3</b> <sup>21</sup>	1/32	<b>2</b> 3/8	11/32	1 23/32	3/4	23/37	11	/4 1	343	0.563			110205-1554					_	_	_	_	
2	25	7.10	32	13.5	25	89	76.2	46	9	3	60	9	44	19	18	32		34.1	14.3	UCST205EH1S6	ST205EH1	UC205S6	11.9	6.30	13.9	0.79	UCST205EH1CS6	UCST205EH1CDS6	49	1 <sup>15</sup> /16	0.79
	1	1																		UCST205-16EH1S6		UC205-1656					-	-	_	_	_
	1	<sup>1</sup> / <sub>8</sub>																		UCST206-18EH1S6		UC206-1856					-	-	-	-	-
-	30		1 <sup>15</sup> / <sub>32</sub>	17/32	1 <sup>1</sup> / <sub>16</sub>	<b>4</b> <sup>1</sup> / <sub>32</sub>	<b>3</b> 1/2	2 <sup>1</sup> / <sub>1</sub>	6 <b>4</b> <sup>3</sup>	/16	2 <sup>5</sup> /8	11/32	1 <sup>31</sup> / <sub>32</sub>	7/8	<sup>23</sup> / <sub>32</sub>	1 <sup>15</sup>	/32 1	.500	0.626		ST206EH1	UC206S6	16.5	9.05	13.9	1.1	UCST206EH1CS6	UCST206EH1CDS6	53	<b>2</b> <sup>3</sup> / <sub>32</sub>	1.1
		<sup>3</sup> / <sub>16</sub>	37	13.5	27	102	88.9	52	10	06	67	9	50	22	18	37	7	38.1	15.9	UCST206-19EH1S6	512002111	UC206-1956		2100			-	-	-	-	-
_		$1/_4$																		UCST206-20EH1S6		UC206-2056					-	-	-	-	
		5/16																		UCST207-20EH1S6 UCST207-21EH1S6		UC207-2056 UC207-2156					-	-	-	-	-
		1 <sup>3</sup> /8	1 <sup>15</sup> /32	17/32	1 <sup>7</sup> /32	4 <sup>1</sup> / <sub>32</sub>	<b>3</b> <sup>1</sup> / <sub>2</sub>	2 <sup>7</sup> /3	2 <b>4</b> <sup>11</sup>	<sup>1</sup> /16	2 <sup>15</sup> /16	<sup>7</sup> /16	<b>2</b> <sup>7</sup> / <sub>32</sub>	7/8	<sup>23</sup> / <sub>32</sub>	1 <sup>15</sup>	/32 1	.689	0.689	UCST207-22EH156	ST207EH1			12.3	13.9	1.5	_	_	_	_	
-		/0	37	13.5	31	102	88.9	56	11	19	75	11	56	22	18	37	· ·	42.9	17.5	UCST207EH1S6	51207 Litt	UC207 2230	21.0	12.5	15.5	1.5	UCST207EH1CS6	UCST207EH1CDS6	60	2 <sup>3</sup> /8	1.5
	1	7/16																		UCST207-23EH1S6		UC207-2356					-	-	_		_
	1	<sup>1</sup> / <sub>2</sub>	1 15/16	11/16	1.1/	4.17	4	2 29/			2 11/	9/	2 17/	15/	25 /	1 15	/	027	0.740	UCST208-24EH1S6		UC208-2456					-	-	-	-	-
4	<b>10</b>   1	l <sup>9</sup> /16	49	17.5	32	4 ./2	4	2 - 3/3	32 J - 15	716 . 25	05 ···/32	-/16 1 /	Z ··/32	20	20	1.0		49.2	0.748	UCST208-25EH1S6	ST208EH1	UC208-2549	6 24.8	14.3	14.0	2.0	-	-	-	-	-
_			77	17.5	52	114	101.0	/-	1.		05	14	04	29	20	т.		79.2	19	UCST208EH1S6		UC20856	_				UCST208EH1CS6	UCST208EH1CDS6	69	2 <sup>23</sup> / <sub>32</sub>	2.0
		<sup>5</sup> /8						<b>a</b> 20 (					• • • • •		25.4					UCST209-26EH1S6		UC209-2656					-	-	-	-	-
4		1 <sup>11</sup> / <sub>16</sub>		11/16	1 1/32	4 19/32	4	2 29/3	32 <b>5</b> 13	3/32 .	3 11/32	9/16	2 19/32	1 5/32	<sup>25</sup> /32	1 19	/16 ]	.937	0.748		ST209EH1	UC209-2756	2/8	16.2	14.0	2.1	-	-	-	-	-
		3/4	49	17.5	34	117	101.6	74	13	37	85	14	60	29	20	45	,	49.2	19	UCST209-28EH1S6 UCST209EH1S6		UC209-2856 UC20956					UCST209EH1CS6	UCST209EH1CDS6	- 69	- 2 <sup>23</sup> / <sub>32</sub>	21
_	1	7/8																		UCST210-30EH156		UC20930								<u>Z</u> 23/32	
	1	<sup>15</sup> / <sub>16</sub>	1 <sup>15</sup> /16	11/16	1 <sup>3</sup> /8	4 <sup>19</sup> / <sub>32</sub>	4	2 <sup>29</sup> /	32 <b>5</b> <sup>4</sup>	5/8	3 7/16	<sup>9/</sup> 16	2 <sup>27</sup> / <sub>32</sub>	1 5/32	25/32	1 15	/16 2	2.031	0.748			UC210-3156					_	_	_	_	-
5	50		49	17.5	35	117	101.6	74	14	43	87	14	72	29	20	49	)	51.6	19	UCST210EH1S6	ST210EH1	UC210S6	29.8	18.6	14.4	2.3	UCST210EH1CS6	UCST210EH1CDS6	74	2 <sup>29</sup> / <sub>32</sub>	2.3
	2	2																		UCST210-32EH1S6		UC210-3256					_	_	_	-	-

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See Table 10.5 in P.62.)
2. Part No. of the applicable grease fitting is B-1/4-28UNFN12.
3. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



		ι	Jnit: mm
Housing No.	$\Delta_{A1s}$	$\Delta_{H1s}$	X
ST204EH1~210EH1	+0.2 0	0 -0.5	0.5

#### UCTH

Cylindrical bore (with set screws)

*d* 12 ~ 65 mm



 $A_1$  $A_2$ 





With Pressed Steel Cover

							-	<u>A</u>	<u></u>						
Shaft Dia.	Dimensions	Bolt	Standard			Basic	Factor	Wit	h Pressed Steel C	over		Wit	h Cast Iron Cov	ər	
mm inch	inch	Size	Unit	Bearing	Mass	Load Ratings		Unit	No.	Dimension	Mass	Unit No		Dimension	Mass
	mm	inch	No.	No.		kN		Open Type	One Side	mm inch		Open Type	One Side	mm inch	
d	$H \hspace{0.4cm} L \hspace{0.4cm} L_1 \hspace{0.4cm} A \hspace{0.4cm} J \hspace{0.4cm} J_1 \hspace{0.4cm} J_2 \hspace{0.4cm} N \hspace{0.4cm} T \hspace{0.4cm} T_1 \hspace{0.4cm} A_1 \hspace{0.4cm} A_2 \hspace{0.4cm} A_0 \hspace{0.4cm} B \hspace{0.4cm} S$	mm			kg	$C_{ m r}$ $C_{ m 0r}$	$f_0$	opentype	Closed Type	$A_{ m s}$	kg		Closed Type	$A_{ m c}$	kg
12			UCTH201-150	UC201	6.7			UCTH201C-150 U	UCTH201CD-150	45 1 <sup>25</sup> / <sub>32</sub>	6.7	-	-		_
1/2			UCTH201-8-150	UC201-8	6.7			-	-		-	-	-		-
15	7 <sup>7</sup> / <sub>8</sub> 12 <sup>17</sup> / <sub>32</sub> 14 <sup>13</sup> / <sub>16</sub> 1 <sup>31</sup> / <sub>32</sub> 4 <sup>39</sup> / <sub>64</sub> 6 <sup>1</sup> / <sub>16</sub> 2 <sup>9</sup> / <sub>16</sub> <sup>15</sup> / <sub>32</sub> 6 <sup>1</sup> / <sub>32</sub> 3 <sup>15</sup> / <sub>32</sub> <sup>1</sup> / <sub>4</sub> 1 <sup>7</sup> / <sub>64</sub> 1 <sup>13</sup> / <sub>16</sub> 1.220 0.500	3/8	UCTH202-150	UC202	6.7			UCTH202C-150 U	UCTH202CD-150	45 1 <sup>25</sup> / <sub>32</sub>	6.7	-	-		-
5/8	200 318 376 50 117 154 65 12 153 88 6 28 46.3 31 12.7	M10	UCTH202-10-150	UC202-10	6.7	12.8 6.65	13.2	-	-		-	-	-		-
17	200 510 570 50 117 154 05 12 155 00 0 20 40.5 51 12.7	14110	UCTH203-150	UC203	6.7			UCTH203C-150 U	UCTH203CD-150	45 1 <sup>25</sup> / <sub>32</sub>	6.7	-	-		-
3/4			UCTH204-12-150	UC204-12				-	-		-	-	-		-
20			UCTH204-150	UC204	6.7			UCTH204C-150 U	UCTH204CD-150	45 1 <sup>25</sup> / <sub>32</sub>	6.7	UCTH204FC-150 UC	TH204FCD-150	62 2 <sup>7</sup> / <sub>16</sub>	7.0
7/8		27	UCTH205-14-150	UC205-14				-	-		-	-	-		-
<b>25</b> <sup>15/16</sup>	$77/_8  12  17/_{32}  14  27/_{32}  131/_{32}  439/_{64}  61/_{16}  29/_{16}  15/_{32}  531/_{32}  315/_{32}  1/_4  17/_{64}  17/_8  1.343  0.563$	3/8	UCTH205-15-150	UC205-15		14.0 7.85	13.9				-				-
1	200 318 377 50 117 154 65 12 152 88 6 28 47.8 34.1 14.3	M10	UCTH205-150 UCTH205-16-150	UC205	6.7			UCTH205C-150 U	UCTH205CD-150	49 1 <sup>15</sup> / <sub>16</sub>	6.7	UCTH205FC-150 UC	TH205FCD-150	66 2 <sup>19</sup> / <sub>32</sub>	7.1
1 <sup>1</sup> /8			UCTH205-18-150	UC205-16 UC206-18				_	_		-		_		
1 / 6	8 <sup>3</sup> / <sub>8</sub> 13 <sup>7</sup> / <sub>32</sub> 16 <sup>1</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub> 4 <sup>31</sup> / <sub>32</sub> 6 <sup>17</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub> <sup>15</sup> / <sub>32</sub> 5 <sup>5</sup> / <sub>8</sub> 3 <sup>15</sup> / <sub>16</sub> <sup>1</sup> / <sub>4</sub> 1 <sup>17</sup> / <sub>64</sub> 2 <sup>1</sup> / <sub>8</sub> 1.500 0.626	3/8	UCTH206-150	UC206	8.0			UCTH206C-150 U	- UCTH206CD-150	$53 2^{3}/_{32}$	8.0	UCTH206FC-150 UC	TH206ECD-150	70 2 <sup>3</sup> / <sub>4</sub>	8.5
<b>30</b> 1 <sup>3</sup> / <sub>16</sub>	213 336 407 50 126 166 65 12 143 100 6 32 54.2 38.1 15.9	M10	UCTH206-19-150	UC206-19		19.5 11.3	13.9	-	-			-	-		-
1 1/4			UCTH206-20-150	UC206-20				_	_		_	_	_		_
1 1/4			UCTH207-20-230	UC207-20				_	_		-	_	_		_
1 5/16			UCTH207-21-230	UC207-21	10.5			-	_		_	-	_		_
<b>35</b> 1 <sup>3</sup> / <sub>8</sub>	8 <sup>3</sup> / <sub>8</sub> 16 <sup>15</sup> / <sub>16</sub> 19 <sup>11</sup> / <sub>16</sub> 1 <sup>31</sup> / <sub>32</sub> 6 <sup>13</sup> / <sub>16</sub> 6 <sup>17</sup> / <sub>32</sub> 2 <sup>9</sup> / <sub>16</sub> <sup>15</sup> / <sub>32</sub> 8 <sup>5</sup> / <sub>8</sub> 4 <sup>7</sup> / <sub>32</sub> <sup>1</sup> / <sub>4</sub> 1 <sup>17</sup> / <sub>64</sub> 2 <sup>1</sup> / <sub>4</sub> 1.689 0.689	3/8	UCTH207-22-230			25.7 15.4	13.9	-	_		_	-	_		_
	213 430 500 50 173 166 65 12 219 107 6 32 57.4 42.9 17.5	M10	UCTH207-230	UC207	10.5			UCTH207C-230 U	UCTH207CD-230	60 2 <sup>3</sup> /8	10.5	UCTH207FC-230 UC	TH207FCD-230	78 3 <sup>1</sup> / <sub>16</sub>	11.2
1 7/16			UCTH207-23-230	UC207-23	10.5			-	-		-	-	-		_
1 <sup>1</sup> / <sub>2</sub>	9 <sup>7</sup> / <sub>32</sub> 20 <sup>19</sup> / <sub>32</sub> 23 <sup>19</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub> 8 <sup>35</sup> / <sub>64</sub> 7 <sup>9</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>8</sub> <sup>15</sup> / <sub>32</sub> 11 <sup>21</sup> / <sub>32</sub> 4 <sup>11</sup> / <sub>16</sub> <sup>1</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub> 2 <sup>9</sup> / <sub>16</sub> 1.937 0.748	3/-	UCTH208-24-300	UC208-24	12.5			-	-		-	-	-		-
<b>40</b> 1 <sup>9</sup> / <sub>16</sub>	234 523 599 50 217 192 67 12 296 119 6 35 65.2 49.2 19	-78 M10	UCTH208-25-300	UC208-25	12.5	29.1 17.8	14.0	-	-		-	-	-		-
	234 323 337 30 217 132 07 12 250 115 0 33 03.2 45.2 15	WITO	UCTH208-300		12.5			UCTH208C-300 U	UCTH208CD-300	69 2 <sup>23</sup> / <sub>32</sub>	12.5	UCTH208FC-300 UC	TH208FCD-300	86 3 <sup>3</sup> /8	13.3
1 5/8			UCTH209-26-300	UC209-26				-	-		-	-	-		-
<b>45</b> 1 <sup>11/16</sup>	9 <sup>7</sup> / <sub>32</sub> 20 <sup>19</sup> / <sub>32</sub> 23 <sup>17</sup> / <sub>32</sub> 1 <sup>31</sup> / <sub>32</sub> 8 <sup>35</sup> / <sub>64</sub> 7 <sup>9</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>8</sub> <sup>15</sup> / <sub>32</sub> 11 <sup>11</sup> / <sub>16</sub> 4 <sup>21</sup> / <sub>32</sub> <sup>1</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub> 2 <sup>9</sup> / <sub>16</sub> 1.937 0.748	3/8	UCTH209-27-300	UC209-27		34.1 21.3	14.0	-	-		-	-	-		-
1 3/4	234 523 598 50 217 192 67 12 297 118 6 35 65.2 49.2 19	M10	UCTH209-28-300	UC209-28		2.115		-	-		-	-	-		-
			UCTH209-300		12.4			UCTH209C-300 U	UCTH209CD-300	69 2 <sup>23</sup> / <sub>32</sub>	12.4	UCTH209FC-300 UC	TH209FCD-300	88 3 <sup>15</sup> / <sub>32</sub>	13.2
1 <sup>7</sup> / <sub>8</sub> 1 <sup>15</sup> / <sub>16</sub>	07/. 003/. 003/. 131/. 05/. 79/. 05/. 10/. 44/01/. 43/. 1/. 43/. 001/. 0004. 07/0	7/	UCTH210-30-300 UCTH210-31-300	UC210-30 UC210-31				-	-		-	-	-		-
50	9 <sup>7</sup> / <sub>32</sub> 20 <sup>3</sup> / <sub>4</sub> 23 <sup>3</sup> / <sub>4</sub> 1 <sup>31</sup> / <sub>32</sub> 8 <sup>5</sup> / <sub>8</sub> 7 <sup>9</sup> / <sub>16</sub> 2 <sup>5</sup> / <sub>8</sub> <sup>19</sup> / <sub>32</sub> 11 <sup>21</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>4</sub> 1 <sup>/</sup> <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub> 2 <sup>21</sup> / <sub>32</sub> 2.031 0.748 234 527 603 50 219 192 67 15 296 121 6 35 67.6 51.6 19	<sup>7</sup> / <sub>16</sub> M12	UCTH210-31-300		12.6	35.1 23.3	14.4				-			 97 3 <sup>13</sup> /16	-
2	234 527 603 50 219 192 67 15 296 121 6 35 67.6 51.6 19	IVITZ	UCTH210-300	UC210-32				UCTH210C-300 U	UCTH210CD-300	74 2 <sup>29</sup> / <sub>32</sub>	12.6	UCTH210FC-300 UC	TH2T0FCD-300	9/ 3 13/16	13.6
2			UCTH210-32-300	UC210-32				_	_		-	_	_		
2 <sup>1</sup> /8	11 31/32 21 15/32 24 3/4 2 9/16 9 1/16 9 7/16 2 15/32 19/32 11 15/32 5 9/16 1/4 1 1/2 2 13/16 2.189 0.874	7/16	UCTH211-34-300	UC211-34					_						
55 2 /*	304 545 629 65 230 240 63 15 291 141 6 38 71.4 55.6 22.2	M12	UCTH211-300		20.1	43.4 29.4	14.4	UCTH211C-300 U	UCTH211CD-300	76 3	20.1	UCTH211FC-300 UC	TH211FCD-300	<b>99 3</b> <sup>29</sup> / <sub>32</sub>	213
2 <sup>3</sup> /16	561 515 525 65 256 276 65 15 271 171 0 56 71.4 53.0 22.2	11112	UCTH211-35-300	UC211-35				_	_			-	-		
2 1/4			UCTH212-36-300	UC212-36				-	_		-	_	_		-
	11 <sup>31</sup> / <sub>32</sub> 22 <sup>15</sup> / <sub>32</sub> 25 <sup>5</sup> / <sub>8</sub> 2 <sup>9</sup> / <sub>16</sub> 9 <sup>9</sup> / <sub>16</sub> 9 <sup>7</sup> / <sub>16</sub> 2 <sup>15</sup> / <sub>32</sub> <sup>19</sup> / <sub>32</sub> 11 <sup>11</sup> / <sub>32</sub> 6 <sup>1</sup> / <sub>16</sub> <sup>1</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>2</sub> 3 <sup>1</sup> / <sub>16</sub> 2.563 1.000	7/16	UCTH212-300		21.4			UCTH212C-300 U	UCTH212CD-300	89 3 <sup>1</sup> / <sub>2</sub>	21.4	UCTH212FC-300 UC	TH212FCD-300	114 4 <sup>1</sup> / <sub>2</sub>	21.9
<b>60</b> 2 <sup>3</sup> /8	304 571 651 65 243 240 63 15 288 154 6 38 77.7 65.1 25.4	M12	UCTH212-38-300	UC212-38		52.4 36.2	14.4	-	-		_	-	-		_
2 7/16			UCTH212-39-300	UC212-39				-	_		_	-	_		_
<b>6</b> 2 <sup>1</sup> / <sub>2</sub>	13 1/16 23 31/32 28 1/16 2 9/16 10 15/64 10 15/64 2 5/8 19/32 11 13/16 7 1/4 1 11/16 3 1/4 2.563 1.000	<sup>7</sup> /16	UCTH213-40-300	UC213-40		572 401	14.4	-	-		-	-	-		-
65	332 609 713 65 260 260 67 15 300 178 6 43 82.7 65.1 25.4	M12	UCTH213-300	UC213	25.5	57.2 40.1	14.4	UCTH213C-300 U	UCTH213CD-300	89 <u>3 1/2</u>	25.5	UCTH213FC-300 UC	TH213FCD-300	114 4 <sup>1</sup> / <sub>2</sub>	27.2
Remarks 1 In P	art No. of unit and units with covers. fitting codes follow bore diameter numbers. (See <b>Table 10.5</b> in P.62.)			4 If heavy l	and (P	/C > 0.12 vik	ration	or impact occurs, co	ntact with EVH						

4. If heavy load (P<sub>r</sub>/C<sub>r</sub> > 0.12), vibration, or impact occurs, contact with FYH.
5. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.
6. Tapered bore (with adapter) type products are also available. (Example of Part No. : UKTH205J-150 + H2305X, UK205 + H2305X)



With Cast Iron Cover

Variations of tolerance of distance between centers of bolt holes ( $\Delta_{J_{sr}}, \Delta_{J_{1s}}$ ) Links

		Unit: mm
Nominal unit code	$\Delta J_{s}$	$\Delta J_{J1s}$
UCTH201~UCTH213	±0.5	±0.5



UCTL



*d* 20 ~ 45 mm





Shaft Dia.						Dime	nsions					Bolt	Star	ndard		Ba	asic	Factor		With Pressed Steel C	lover			With Cast Iron Co	/er	
mm						m	ım					Size	Unit	Bearing	Mass	Load	Ratings		Uni	it No.	Dimension	Mass	Uni	t No.	Dimension	Mass
												mm	No.	No.		k	kN		Open Type	One Side	mm		Open Type	One Side	mm	
d	E	I	$H_1$	$H_2$	L	J	N	T	$T_1$	В	S				kg	C <sub>r</sub>	$C_{0\mathrm{r}}$	fo		Closed Type	$A_{ m s}$	kg		Closed Type	$A_{ m c}$	kg
	7	7	44	146	430	370	15	100	135	31	12.7	M12	UCTL204-100	UC204	6.0	12.8	6.65	13.2	UCTL204C-100	UCTL204CD-100	45	6.0	-	-	-	-
20	7	7	44	146	530	470	15	200	135	31	12.7	M12	UCTL204-200	UC204	7.0	12.8	6.65	13.2	UCTL204C-200	UCTL204CD-200	45	7.0	-	-	-	-
20	7	7	44	146	630	570	15	300	135	31	12.7	M12	UCTL204-300	UC204	7.5	12.8	6.65	13.2	UCTL204C-300	UCTL204CD-300	45	7.5	-	-	-	-
	7	7	44	146	730	670	15	400	135	31	12.7	M12	UCTL204-400	UC204	8.0	12.8	6.65	13.2	UCTL204C-400	UCTL204CD-400	45	8.0	-	-	-	-
	8	32	44	156	440	380	15	100	140	34.1	14.3	M12	UCTL205-100	UC205	7.0	14.0	7.85	13.9	UCTL205C-100	UCTL205CD-100	49	7.0	-	-	-	-
25	8	2	44	156	540	480	15	200	140	34.1	14.3	M12	UCTL205-200	UC205	7.5	14.0	7.85	13.9	UCTL205C-200	UCTL205CD-200	49	7.5	-	-	-	-
	8	32	44	156	640	580	15	300	140	34.1	14.3	M12	UCTL205-300	UC205	8.0	14.0	7.85	13.9	UCTL205C-300	UCTL205CD-300	49	8.0	-	-	-	-
	6	_	44	156	740	680	15	400	140	34.1	14.3	M12	UCTL205-400	UC205	9.0	14.0	7.85	13.9	UCTL205C-400	UCTL205CD-400	49	9.0	-	-	_	
	8	57	44	166	450	390	15	100	145	38.1	15.9	M12	UCTL206-100	UC206	7.0	19.5		13.9	UCTL206C-100	UCTL206CD-100	53	7.0	UCTL206FC-100	UCTL206FCD-100	70	7.5
30	8	57	44	166	550	490	15	200	145	38.1	15.9	M12	UCTL206-200	UC206	8.0	19.5	11.3	13.9	UCTL206C-200	UCTL206CD-200	53	8.0	UCTL206FC-200	UCTL206FCD-200	70	8.5
	8	57	44	166	650	590	15	300	145	38.1	15.9	M12	UCTL206-300	UC206	9.0	19.5	11.3	13.9	UCTL206C-300	UCTL206CD-300	53	9.0	UCTL206FC-300	UCTL206FCD-300	70	9.5
	8		44	166	750	690	15	400	145	38.1	15.9	M12	UCTL206-400	UC206	9.5	19.5		13.9	UCTL206C-400	UCTL206CD-400	53		UCTL206FC-400	UCTL206FCD-400	70	10
	9	12	44	176	460	400	15	100	150	42.9	17.5	M12	UCTL207-100	UC207	8.0	25.7	15.4	13.9	UCTL207C-100	UCTL207CD-100	60	8.0	UCTL207FC-100	UCTL207FCD-100	78	9.0
35	9	12	44	176	560	500	15	200	150	42.9	17.5	M12	UCTL207-200	UC207	8.5	25.7	15.4	13.9	UCTL207C-200	UCTL207CD-200	60	8.5	UCTL207FC-200	UCTL207FCD-200	78	9.5
	9		44	176	660	600	15	300	150	42.9	17.5	M12	UCTL207-300	UC207	9.0	25.7	15.4	13.9	UCTL207C-300	UCTL207CD-300	60	9.0	UCTL207FC-300	UCTL207FCD-300	78	10
	9		44	176	760	700	15	400	150 155	42.9 49.2	17.5	M12 M12	UCTL207-400 UCTL208-100	UC207 UC208	10 8.5	25.7	15.4 17.8	13.9	UCTL207C-400 UCTL208C-100	UCTL207CD-400 UCTL208CD-100	60 69	10	UCTL207FC-400 UCTL208FC-100	UCTL207FCD-400 UCTL208FCD-100	78 86	9.5
		'/ 17	44	196	570	510	15	200	155	49.2	19	M12 M12	UCTL208-200	UC208	9.0	29.1	17.8	14.0	UCTL208C-200	UCTL208CD-200	69		UCTL208FC-200	UCTL208FCD-200	86	10
40		'/ 17	44	186	670	610	15	300	155	49.2	19	M12 M12	UCTL208-200	UC208	10	29.1	17.8	14.0	UCTL208C-200	UCTL208CD-200	69	10	UCTL208FC-300	UCTL208FCD-300	86	11
		'/ 17	44	186	770	710	15	400	155	49.2	19	M12	UCTL208-300	UC208	10.5	29.1	17.8	14.0	UCTL208C-300	UCTL208CD-300	69	10.5	UCTL208FC-300	UCTL208FCD-300	86	11.5
	10		44	192	480	420	15	100	160	49.2	19	M12	UCTL209-100	UC208	9.0	34.1	21.3	14.0	UCTL209C-100	UCTL208CD-400	69		UCTL209FC-100	UCTL209FCD-100	88	10
	10	0	44	192	580	520	15	200	160	49.2	19	M12	UCTL209-200	UC209	9.5	34.1	21.3	14.0	UCTL209C-200	UCTL209CD-200	69		UCTL209FC-200	UCTL209FCD-200	88	10.5
45	10	0	44	192	680	620	15	300	160	49.2	19	M12	UCTL209-300	UC209	10.5	34.1	21.3	14.0	UCTL209C-300	UCTL209CD-300	69	10.5	UCTL209FC-300	UCTL209FCD-300	88	11.5
	10		44	192	780	720	15	400	160	49.2	19	M12	UCTL209-400	UC209	11	34.1	21.3	14.0	UCTL209C-400	UCTL209CD-400	69	11	UCTL209FC-400	UCTL209FCD-400	88	12

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter codes. (See **Table 10.5** in P.62.) 2. Part No. of applicable grease fittings is C-1/4-28UNF.

3. As for the triple seal type product (204 and 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UCTL206JL3-100, UC206L3)

4. The unit should be mounted so that load is applied to the frame mounting surface vertically and downward.

5. If heavy load ( $P_r/C_r > 0.12$ ), vibration, or impact occurs, contact with FYH. Tapered bore (with adapter) type bearing units are also available. (Example of Part No.: UKTL206J-100 + H2306X, UK206 + H2306X)
 If frame parts need to be corrosion resistant, contact with FYH.
 For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

268



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\mathcal{A}_{Hs})$  and variations of tolerance of distance between centers of bolt holes  $(\mathcal{A}_{Js})$ 

		Unit: mm
Nominal unit code	$\Delta_{Hs}$	$\Delta J_{s}$
UCTL204~207	+2	±0.5
UCTL208, 209		±0.8

With Cast Iron Cover

B





UCTU200



Shaft Dia.						Dimen	sions					Bolt	Star	ndard		Basic	Factor		With Pressed Steel	Cover			With Cast Iron Co	ver	
mm						mn						Size	Unit	Bearing	Mass	Load Ratings	lactor		it No.	Dimension	Mass	Uni	t No.	Dimension	Mass
11111						1111						Jize	No.	No.	IVIASS	kN				mm	IVIASS	om		mm	Mass
												mm	NO.	NO.		RIV.		Open Type	One Side			Open Type	One Side		
d	H	$H_1$	$H_2$	L		J	N	T	$T_1$	В	S				kg	$C_{ m r}$ $C_{ m 0r}$	fo		Closed Type	$A_{ m s}$	kg		Closed Type	$A_{\rm c}$	kg
	97	44	190	870	0	810	22	500	155	49.2	. 19	M18	UCTU208-500	UC208	21	29.1 17.8	14.0	UCTU208C-500	UCTU208CD-500	69	21	UCTU208FC-500	UCTU208FCD-500	86	22
	97	44	190	970	0	910	22	600	155	49.2	. 19	M18	UCTU208-600	UC208	22	29.1 17.8	14.0	UCTU208C-600	UCTU208CD-600	69	22	UCTU208FC-600	UCTU208FCD-600	86	23
40	97	44	190	1,070	0 1	1,010	22	700	155	49.2	19	M18	UCTU208-700	UC208	24	29.1 17.8	14.0	UCTU208C-700	UCTU208CD-700	69	24	UCTU208FC-700	UCTU208FCD-700	86	25
	97	44	190	1,170	0 1	1,110	22	800	155	49.2		M18	UCTU208-800	UC208	26	29.1 17.8		UCTU208C-800	UCTU208CD-800	69	26		UCTU208FCD-800	86	27
	97	44	190	1,270	0 1	1.210	22	900	155	49.2	19	M18	UCTU208-900	UC208	28	29.1 17.8		UCTU208C-900	UCTU208CD-900	69	28	UCTU208FC-900	UCTU208FCD-900	86	29
	102	44	200	, 880	0	820	22	500	160	49.2	19	M18	UCTU209-500	UC209	22	34.1 21.3	14.0	UCTU209C-500	UCTU209CD-500	69	22	UCTU209FC-500	UCTU209FCD-500	88	23
	102	44	200	980	0	920	22	600	160	49.2	19	M18	UCTU209-600	UC209	24	34.1 21.3	14.0	UCTU209C-600	UCTU209CD-600	69	24	UCTU209FC-600	UCTU209FCD-600	88	25
45	102	44	200	1,080	0 1	1,020	22	700	160	49.2	19	M18	UCTU209-700	UC209	25	34.1 21.3	14.0	UCTU209C-700	UCTU209CD-700	69	25	UCTU209FC-700	UCTU209FCD-700	88	26
	102	44	200	1,180	0 1	1,120	22	800	160	49.2	. 19	M18	UCTU209-800	UC209	27	34.1 21.3	14.0	UCTU209C-800	UCTU209CD-800	69	27		UCTU209FCD-800	88	28
	102	44	200	1,280		1,220	22	900	160	49.2		M18	UCTU209-900	UC209	29	34.1 21.3		UCTU209C-900	UCTU209CD-900	69	29		UCTU209FCD-900	88	30
	107	44	210	890		830	22	500	165	51.6	i 19	M18	UCTU210-500	UC210	23	35.1 23.3		UCTU210C-500	UCTU210CD-500	74	23	UCTU210FC-500	UCTU210FCD-500	97	24
	107	44	210	990		930	22	600	165	51.6		M18	UCTU210-600	UC210	25	35.1 23.3		UCTU210C-600	UCTU210CD-600	74	25		UCTU210FCD-600	97	26
50	107	44	210	1,090	0 1	1,030	22	700	165	51.6	5 19	M18	UCTU210-700	UC210	27	35.1 23.3		UCTU210C-700	UCTU210CD-700	74	27		UCTU210FCD-700	97	28
	107	44	210	1,190		1,130	22	800	165	51.6	5 19	M18	UCTU210-800	UC210	28	35.1 23.3		UCTU210C-800	UCTU210CD-800	74	28		UCTU210FCD-800	97	29
	107	44	210	1,290		1,230	22	900	165	51.6		M18	UCTU210-900	UC210	30	35.1 23.3		UCTU210C-900	UCTU210CD-900	74	30		UCTU210FCD-900	97	31
	115	44	230	910	-	850	22	500	175	55.6		M18	UCTU211-500	UC211	25	43.4 29.4		UCTU211C-500	UCTU211CD-500	76	25	UCTU211FC-500	UCTU211FCD-500	99	26
	115	44	230	1,010	0	950	22	600	175	55.6	22.2	M18	UCTU211-600	UC211	27	43.4 29.4	14.4	UCTU211C-600	UCTU211CD-600	76	27		UCTU211FCD-600	99	28
55	115	44	230	1,110		1,050	22	700	175	55.6		M18	UCTU211-700	UC211	28	43.4 29.4		UCTU211C-700	UCTU211CD-700	76	28		UCTU211FCD-700	99	29
	115	44	230	1,210		1,150	22	800	175	55.6		M18	UCTU211-800	UC211	30	43.4 29.4		UCTU211C-800	UCTU211CD-800	76	30		UCTU211FCD-800	99	31
	115	44	230	1.310		1.250	22	900	175	55.6		M18	UCTU211-900	UC211	32	43.4 29.4		UCTU211C-900	UCTU211CD-900	76	32		UCTU211FCD-900	99	33
	120	44	240	920	• •	860	22	500	180	65.1		M18	UCTU212-500	UC212	26	52.4 36.2	-	UCTU212C-500	UCTU212CD-500	89	26		UCTU212FCD-500	114	28
	120	44	240	1,020		960	22	600	180	65.1		M18	UCTU212-600	UC212	28	52.4 36.2		UCTU212C-600	UCTU212CD-600	89	28		UCTU212FCD-600	114	30
60	120	44	240	1,120		1,060	22	700	180	65.1		M18	UCTU212-700	UC212	30	52.4 36.2		UCTU212C-700	UCTU212CD-700	89	30		UCTU212FCD-700	114	32
	120	44	240	1,220		1,160	22	800	180	65.1		M18	UCTU212-800	UC212	31	52.4 36.2		UCTU212C-800	UCTU212CD-800	89	31		UCTU212FCD-800	114	33
	120	44	240	1,320		1,260	22	900	180	65.1	25.4	M18	UCTU212-900	UC212	33	52.4 36.2	14.4	UCTU212C-900	UCTU212CD-900	89	33		UCTU212FCD-900	114	35
	145	55	285	940		880	22	500	190	75	30	M18	UCTU313-500	UC313	40	92.7 59.9		-	-	-	_	UCTU313C-500	UCTU313CD-500	122	42
	145	55	285	1,040	0	980	22	600	190	75	30	M18	UCTU313-600	UC313	43	92.7 59.9		_	_	-	_	UCTU313C-600	UCTU313CD-600	122	45
65	145	55	285	1,140		1,080	22	700	190	75	30	M18	UCTU313-700	UC313	46	92.7 59.9		_	_	_	_	UCTU313C-700	UCTU313CD-700	122	48
	145	55	285	1,240		1,180	22	800	190	75	30	M18	UCTU313-800	UC313	49	92.7 59.9		_	_	_	_	UCTU313C-800	UCTU313CD-800	122	51
	145	55	285	1.340		1,280	22	900	190	75	30	M18	UCTU313-900	UC313	51	92.7 59.9		_	_	_	_	UCTU313C-900	UCTU313CD-900	122	53
	150	55	295	960		900	22	500	200	78	33	M18	UCTU314-500	UC314	44	104 68.2		_	_	-	_	UCTU314C-500	UCTU314CD-500	124	46
	150	55	295	1,060		1,000	22	600	200	78	33	M18	UCTU314-600	UC314	46	104 68.2	13.2	_	_	-		UCTU314C-600	UCTU314CD-600	124	48
70	150	55	295	1,160		1,100	22	700	200	78	33	M18	UCTU314-700	UC314	48	104 68.2	13.2	_	_	_	_	UCTU314C-700	UCTU314CD-700	124	50
	150	55	295	1,260		1,200	22	800	200	78	33	M18	UCTU314-800	UC314	51	104 68.2		_	_	_	_	UCTU314C-800	UCTU314CD-800	124	53
	150	55	295	1,360		1,300	22	900	200	78	33	M18	UCTU314-900	UC314	53	104 68.2	13.2	_	_			UCTU314C-900	UCTU314CD-900	124	55
	155	55	305	980		920	22	500	210	82	32	M18	UCTU315-500	UC315	54	113 77.2		_	_	_	_	UCTU315C-500	UCTU315CD-500	134	57
	155	55	305	1.080		1.020	22	600	210	82	32	M18	UCTU315-600	UC315	57	113 77.2		_	_			UCTU315C-600	UCTU315CD-600	134	60
75	155	55	305	1,180		1,120	22	700	210	82	32	M18	UCTU315-700	UC315	59	113 77.2		_	_	_		UCTU315C-700	UCTU315CD-700	134	62
,,,	155	55	305	1,280		1,220	22	800	210	82	32	M18	UCTU315-800	UC315	61	113 77.2		_		_		UCTU315C-800	UCTU315CD-800	134	64
	155	55	305	1,200		1,220	22	900	210	82	32	M18	UCTU315-900	UC315	64	113 77.2	13.2					UCTU315C-900	UCTU315CD-900	134	67
	160	55	315	1,000		940	22	500	210	86	34	M18	UCTU316-500	UC316	57	123 86.7	13.3	_			_	UCTU316C-500	UCTU316CD-500	134	60
	160	55	315	1,100		940 1.040	22	600	220	86	34 34	M18	UCTU316-600	UC316	60	123 86.7	13.3					UCTU316C-600	UCTU316CD-500	138	63
80	160	55	315	1,200		1,140	22	700	220	86	34 34	M18	UCTU316-700	UC316	62	123 86.7	13.3			_	_	UCTU316C-700	UCTU316CD-000	138	65
30	160	55	315	1,200		1,140	22	800	220	86	34 34	M18	UCTU316-800	UC316	64	123 86.7	13.3			_		UCTU316C-800	UCTU316CD-700	138	67
	160	55	315	,		1,240	22	800 900	220	80 86	34 34	M18	UCTU316-900	UC316	67	123 86.7				_	-		UCTU316CD-800	138	70
	001	22	315	1,400	υI	1,340	22	900	220	80	54	11/118	0010316-900	1 00316	0/	23 86./	13.3	-	-	-		00103160-900	001031600-900	130	///

The unit should be mounted so that load is applied to the frame mounting surface vertically and downward.
 If heavy load (*P*<sub>T</sub>/*C*<sub>T</sub> > 0.12), vibration, or impact occurs, contact with FYH.
 Tapered bore (with adapter) type bearing units are also available. (Example of Part No. : UKTU208J-500 + H2308X, UK208 + H2308X)

7. If frame parts need to be corrosion resistant, contact with FYH.

8. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



With Cast Iron Cover

Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\varDelta_{Ha})$  and variations of tolerance of distance between centers of bolt holes  $(\varDelta_{Ja})$ 

		Unit: mm
Nominal unit code	$\Delta_{Hs}$	$\Delta J_{S}$
UCTU208~212 UCTU313~315	±2	±0.8
UCTU316~318		±1.2



Shaft Dia						Dimer	sions					Bolt	Star	ndard		Ba	Basic	Factor		Nith Pressed Steel	Cover			With Cast Iron Co	/er	
mm						m	m					Size	Unit	Bearing	Mass	Load I	d Ratings		Uni	t No.	Dimension	Mass	Uni	t No.	Dimension	Mass
												mm	No.	No.		k	kN		Open Type	One Side	mm		Open Type	One Side	mm	
d	H	I	$H_1$	$H_2$	L	J	Ν	T	$T_1$	В	S				kg	Cr	$C_{0r}$	f0		Closed Type	$A_{ m s}$	kg		Closed Type	$A_{ m c}$	kg
	16	55	55	325	1,020	960	22	500	230	96	40	M18	UCTU317-500	UC317	62	133	96.8	13.3	-	-	-	-	UCTU317C-500	UCTU317CD-500	146	65
	16	55	55	325	1,120	1,060	22	600	230	96	40	M18	UCTU317-600	UC317	64	133	96.8	13.3	-	-	-	-	UCTU317C-600	UCTU317CD-600	146	67
85	16	55	55	325	1,220	1,160	22	700	230	96	40	M18	UCTU317-700	UC317	67	133	96.8	13.3	-	-	-	-	UCTU317C-700	UCTU317CD-700	146	70
	16	55	55	325	1,320	1,260	22	800	230	96	40	M18	UCTU317-800	UC317	69	133	96.8	13.3	-	-	-	-	UCTU317C-800	UCTU317CD-800	146	72
	16	55	55	325	1,420	1,360	22	900	230	96	40	M18	UCTU317-900	UC317	71	133	96.8	13.3	-	-	-	-	UCTU317C-900	UCTU317CD-900	146	74
	17	0	55	335	1,050	990	22	500	245	96	40	M18	UCTU318-500	UC318	65	143	107	13.3	-	-	-	-	UCTU318C-500	UCTU318CD-500	150	68
	17	0	55	335	1,150	1,090	22	600	245	96	40	M18	UCTU318-600	UC318	67	143	107	13.3	-	-	-	-	UCTU318C-600	UCTU318CD-600	150	70
90	17	0	55	335	1,250	1,190	22	700	245	96	40	M18	UCTU318-700	UC318	70	143	107	13.3	-	-	-	-	UCTU318C-700	UCTU318CD-700	150	73
	17	'0	55	335	1,350	1,290	22	800	245	96	40	M18	UCTU318-800	UC318	72	143	107	13.3	-	-	-	-	UCTU318C-800	UCTU318CD-800	150	75
	17	0	55	335	1,450	1,390	22	900	245	96	40	M18	UCTU318-900	UC318	74	143	107	13.3	-	-	-	-	UCTU318C-900	UCTU318CD-900	150	77

272

4. The unit should be mounted so that load is applied to the frame mounting surface vertically and downward.
5. If heavy load (*P*./*C*<sub>r</sub> > 0.12), vibration, or impact occurs, contact with FYH.
6. Tapered bore (with adapter) type bearing units are also available. (Example of Part No. : UKTU208J-500 + H2308X, UK208 + H2308X)
7. If frame parts need to be corrosion resistant, contact with FYH.
8. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of distance from mounting bottom to center of spherical bore  $(\Delta_{Hs})$  and variations of tolerance of distance between centers of bolt holes  $(\Delta_{Js})$ 

		Unit: mm
Nominal unit code	$\Delta_{Hs}$	$\Delta J_{s}$
UCTU208~212 UCTU313~315	±2	±0.8
UCTU316~318		±1.2

SBPTH

Cylindrical bore (with set screws) d 12 ~ 25 mm





Shaft Dia.	Dimensions															Bolt	Unit		Bearing	Ba	sic	Factor Mass	
mm	inch														Size	No.		No.	Load Ratings				
	mm															inch				k	Ν		
d	H	L	$L_1$	A	J	$J_1$	$J_2$	N	T	$T_1$	$A_1$	$A_2$	$A_0$	В	S	mm				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo	kg
12	<b>5</b> <sup>5</sup> / <sub>16</sub>	<b>8</b> <sup>9</sup> / <sub>32</sub>	8 <sup>21</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	2 <sup>61</sup> / <sub>64</sub>	4 <sup>39</sup> / <sub>64</sub>	<sup>31</sup> / <sub>32</sub>	11/32	3 <sup>15</sup> / <sub>32</sub>	2 <sup>23</sup> / <sub>32</sub>	1/8	<sup>35</sup> / <sub>64</sub>	1 <sup>3</sup> / <sub>16</sub>	0.866	0.236	<sup>5</sup> /16	SBPTH201-90		SB201	9.55	4.80	13.2	0.91
12	135	210	220	27	75	117	25	9	88	69	3.2	13.9	29.9	22	6	M8	SBP10201-90		3B201	9.55	4.80	13.2	0.91
15	5 5/16	<b>8</b> 9/ <sub>32</sub>	8 <sup>21</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	2 <sup>61</sup> / <sub>64</sub>	4 <sup>39</sup> / <sub>64</sub>	31/32	11/32	<b>3</b> <sup>15</sup> / <sub>32</sub>	2 <sup>23</sup> / <sub>32</sub>	1/8	<sup>35</sup> / <sub>64</sub>	1 <sup>3</sup> / <sub>16</sub>	0.866	0.236	5/16	SBPTH202-90		SB202	9.55	4.80	13.2	0.91
15	135	210	220	27	75	117	25	9	88	69	3.2	13.9	29.9	22	6	M8	30FTH202-90		30202	9.55	4.00	13.2	0.91
17	5 5/16	<b>8</b> 9/ <sub>32</sub>	8 <sup>21</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	2 <sup>61</sup> / <sub>64</sub>	4 <sup>39</sup> / <sub>64</sub>	31/32	11/32	<b>3</b> <sup>15</sup> / <sub>32</sub>	2 <sup>23</sup> / <sub>32</sub>	1/8	<sup>35</sup> / <sub>64</sub>	1 <sup>3</sup> / <sub>16</sub>	0.866	0.236	5/16	SBPTH203-90		SB203	9.55	4.80	13.2	0.91
17	135	210	220	27	75	117	25	9	88	69	3.2	13.9	29.9	22	6	M8	3DF1H203-90		30203	9.55	4.00	15.2	0.91
20	5 5/16	<b>8</b> 9/ <sub>32</sub>	8 <sup>21</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>16</sub>	2 <sup>61</sup> / <sub>64</sub>	4 <sup>39</sup> / <sub>64</sub>	<sup>31</sup> / <sub>32</sub>	11/32	<b>3</b> <sup>15</sup> / <sub>32</sub>	2 <sup>23</sup> / <sub>32</sub>	1/8	<sup>35</sup> / <sub>64</sub>	1 <sup>1</sup> /4	0.984	0.276	5/16	SBPTH204-90		SB204	12.8	6.65	13.2	0.91
20	135	210	220	27	75	117	25	9	88	69	3.2	13.9	31.9	25	7	M8			3D204	12.0	0.05	15.2	0.91
25	<b>5</b> <sup>5</sup> /16	8 <sup>9</sup> / <sub>32</sub>	8 <sup>21</sup> / <sub>32</sub>	1 <sup>1</sup> /16	<b>2</b> <sup>61</sup> / <sub>64</sub>	4 <sup>39</sup> / <sub>64</sub>	<sup>31</sup> /32	11/32	<b>3</b> <sup>15</sup> / <sub>32</sub>	2 <sup>23</sup> / <sub>32</sub>	1/8	<sup>35</sup> /64	<b>1</b> <sup>5</sup> /16	1.063	0.295	5/16	SBPTH205-90		SB205	14.0	7.85	13.9	0.91
25	135	210	220	27	75	117	25	9	88	69	3.2	13.9	33.4	27	7.5	M8	3DF1H205-90		30205	14.0	7.85	13.9	0.91

 Remarks
 1. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

 2. If heavy load ( $P_r/C_r > 0.12$ ), vibration, or impact occurs, contact with FYH.



Variations of tolerance of distance between centers of bolt holes  $(\mathcal{J}_{Js}, \mathcal{J}_{J1s})$ 

		Unit: mm
Nominal unit code	$\Delta J_{S}$	$\Delta J_{J1s}$
SBPTH201~SBPTH205	±0.7	±0.7
### SBNPTH



Shaft Dia.								Dime	nsion	5							Bolt	Unit	Bearing	Ba	sic	Factor	Mass
mm								in	ich								Size	No.	No.	Load R	latings		
								n	nm								inch			k	Ν		
d	H	$H_1$	L	$L_1$	A	J	$J_1$	$J_2$	N	T	$T_1$	$A_1$	$A_2$	$A_0$	В	S	mm			$C_{ m r}$	$C_{0\mathrm{r}}$	fo	kg
12	3 15/16	3 17/32	10 <sup>1</sup> / <sub>4</sub>	<b>9</b> <sup>11</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>4</sub>	2 <sup>9</sup> / <sub>16</sub>	1/2	7/16	3 <sup>15</sup> / <sub>16</sub>	3 <sup>9</sup> / <sub>32</sub>	1/8	19/32	1 7/32	0.866	0.236	<sup>5</sup> /16	CONDTUDAL 100	CD201	0.55	4.00	12.2	0.02
12	100	90	260	246	27	235	65	12.5	11	100	83.5	3.2	15	31	22	6	M8	SBNPTH201-100	SB201	9.55	4.80	13.2	0.93
15	3 15/16	3 <sup>17</sup> / <sub>32</sub>	10 <sup>1</sup> / <sub>4</sub>	<b>9</b> <sup>11</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	<b>9</b> <sup>1</sup> / <sub>4</sub>	<b>2</b> <sup>9</sup> / <sub>16</sub>	1/2	7/16	3 <sup>15</sup> / <sub>16</sub>	<b>3</b> 9/ <sub>32</sub>	1/8	<sup>19/</sup> 32	1 7/32	0.866	0.236	<sup>5</sup> /16	SBNPTH202-100	SB202	9.55	4.80	13.2	0.93
15	100	90	260	246	27	235	65	12.5	11	100	83.5	3.2	15	31	22	6	M8	3DIVP1H202-100	30202	9.55	4.00	15.2	0.95
17	3 15/16	3 <sup>17</sup> / <sub>32</sub>	10 <sup>1</sup> / <sub>4</sub>	<b>9</b> <sup>11</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	<b>9</b> 1/ <sub>4</sub>	2 <sup>9</sup> / <sub>16</sub>	1/2	<sup>7</sup> / <sub>16</sub>	3 <sup>15</sup> / <sub>16</sub>	<b>3</b> <sup>9</sup> / <sub>32</sub>	1/8	<sup>19</sup> / <sub>32</sub>	1 <sup>7</sup> / <sub>32</sub>	0.866	0.236	5/16	SBNPTH203-100	SB203	9.55	4.80	13.2	0.93
17	100	90	260	246	27	235	65	12.5	11	100	83.5	3.2	15	31	22	6	M8	3DIVF 11203-100	30203	9.55	4.00	13.2	0.95
20	3 15/16	3 <sup>17</sup> / <sub>32</sub>	10 <sup>1</sup> / <sub>4</sub>	<b>9</b> <sup>11</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>4</sub>	<b>2</b> %/16	1/2	7/16	3 <sup>15</sup> / <sub>16</sub>	3 <sup>9</sup> / <sub>32</sub>	1/8	<sup>19</sup> / <sub>32</sub>	<b>1</b> <sup>5</sup> / <sub>16</sub>	0.984	0.276	5/16	SBNPTH204-100	SB204	12.8	6.65	13.2	0.93
20	100	90	260	246	27	235	65	12.5	11	100	83.5	3.2	15	33	25	7	M8	3DIVF 11204-100	30204	12.0	0.05	13.2	0.95
25	3 15/16	3 <sup>17</sup> / <sub>32</sub>	10 <sup>1</sup> /4	<b>9</b> <sup>11</sup> /16	<b>1</b> <sup>1</sup> /16	<b>9</b> <sup>1</sup> / <sub>4</sub>	2 <sup>9</sup> /16	1/2	7/16	<b>3</b> <sup>15</sup> / <sub>16</sub>	<b>3</b> <sup>9</sup> / <sub>32</sub>	1/8	<sup>19</sup> /32	1 11/32	1.063	0.295	5/16	SBNPTH205-100	SB205	14.0	7.85	13.9	0.93
25	100	90	260	246	27	235	65	12.5	11	100	83.5	3.2	15	34.5	27	7.5	M8	3DNF 11203-100	30203	14.0	7.05	13.9	0.95

 Remarks
 1. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.

 2. If heavy load ( $P_r/C_r > 0.12$ ), vibration, or impact occurs, contact with FYH.



Variations of tolerance of distance between centers of bolt holes  $(\mathcal{J}_{Js}, \mathcal{J}_{J1s})$ 

		Unit: mm
Nominal unit code	$\Delta J_{s}$	$\Delta J_{J1s}$
SBNPTH201~SBNPTH205	±0.7	±0.7

### UCC

### Cylindrical bore (with set screws)

*d* 12 ~ (45) mm







Shaf mm	<b>t Dia.</b> inch			Dimensions inch mm	;		Unit No.	Housing No.	Bearing No.		sic atings N	Factor	Mass
C	d	Н	Α	r	В	S				$C_{ m r}$	$C_{0\mathrm{r}}$	fo	kg
12 15 17 20	1/2 5/8 3/4	2.835 72	<sup>25</sup> / <sub>32</sub> 20	0.06 1.5	1.220 31	0.500 12.7	UCC201 UCC201-8 UCC202 UCC202-10 UCC203 UCC204-12 UCC204	C204	UC201 UC201-8 UC202 UC202-10 UC203 UC204-12 UC204	12.8	6.65	13.2	0.52 0.50 0.49 0.47
25	<sup>7</sup> / <sub>8</sub> <sup>15</sup> / <sub>16</sub>	3.150 80	<sup>55</sup> / <sub>64</sub> 22	0.06 1.5	1.343 34.1	0.563 14.3	UCC205-14 UCC205-15 UCC205 UCC205-16	C205	UC205-14 UC205-15 UC205 UC205-16	14.0	7.85	13.9	0.64
25	1	3.543 90 3.543	1 <sup>1</sup> / <sub>16</sub> 27 1 <sup>1</sup> / <sub>32</sub>	0.06 <u>1.5</u> 0.08	1.500 38.1 1.496	0.626 15.9 0.591	UCCX05 UCCX05-16 UCC305	CX05	UCX05 UCX05-16 UC305	19.5	11.3	13.9	1.0
	1 1 <sup>1</sup> /8	90	26	2	38	15	UCC305-16 UCC206-18	C305	UC305-16 UC206-18	21.2	10.9	12.6	1.5
	1 <sup>3</sup> / <sub>16</sub>	3.346 85	1 <sup>1</sup> / <sub>16</sub> 27	0.06 1.5	1.500 38.1	0.626 15.9	UCC206 UCC206-19 UCC206-20	C206	UC206 UC206-19 UC206-20	19.5	11.3	13.9	0.81
30	1 <sup>3</sup> / <sub>16</sub> 1 <sup>1</sup> / <sub>4</sub>	3.937 100	1 <sup>3</sup> / <sub>16</sub> 30	0.08 2	1.689 42.9	0.689 17.5	UCCX06 UCCX06-19 UCCX06-20	CX06	UCX06 UCX06-19 UCX06-20	25.7	15.4	13.9	1.3
	-	3.937 100	1 <sup>7</sup> / <sub>64</sub> 28	0.08 2	1.693 43	0.669 17	UCC306	C306	UC306	26.7	15.0	13.3	1.7
35	1 <sup>1</sup> / <sub>4</sub> 1 <sup>5</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>8</sub> 1 <sup>7</sup> / <sub>16</sub>	3.543 90	1 <sup>7</sup> / <sub>64</sub> 28	0.08 2	1.689 42.9	0.689 17.5	UCC207-20 UCC207-21 UCC207-22 UCC207 UCC207-23	C207	UC207-20 UC207-21 UC207-22 UC207 UC207-23	25.7	15.4	13.9	0.93
35	1 <sup>3</sup> /8 1 <sup>7</sup> / <sub>16</sub>	4.331 110	1 <sup>11</sup> / <sub>32</sub> 34	0.08 2	1.937 49.2	0.748 19	UCCX07-22 UCCX07 UCCX07-23	CX07	UCX07-22 UCX07 UCX07-23	29.1	17.8	14.0	1.7
	-	4.331 110	1 <sup>17</sup> / <sub>64</sub> 32	0.12 3	1.890 48	0.748 19	UCC307	C307	UC307	33.4	19.3	13.2	2.2
	1 <sup>1</sup> / <sub>2</sub> 1 <sup>9</sup> / <sub>16</sub>	3.937 100	1 <sup>3</sup> / <sub>16</sub> 30	0.08 2	1.937 49.2	0.748 19	UCC208-24 UCC208-25 UCC208	C208	UC208-24 UC208-25 UC208	29.1	17.8	14.0	1.2
40	$1^{1/2}$	4.724 120 4.724	1 <sup>1</sup> / <sub>2</sub> 38 1 <sup>11</sup> / <sub>32</sub>	0.08 2 0.12	1.937 49.2 2.047	0.748 19 0.748	UCCX08-24 UCCX08 UCC308-24	CX08	UCX08-24 UCX08 UC308-24	34.1	21.3	14.0	2.3
		4.724	34	0.12	2.047 52	0.748 19	UCC308	C308	UC308	40.7	24.0	13.2	2.2
45	1 <sup>5</sup> /8 1 <sup>11</sup> / <sub>16</sub> 1 <sup>3</sup> /4	4.331 110	1 <sup>7</sup> / <sub>32</sub> 31	0.08 2	1.937 49.2	0.748 19	UCC209-26 UCC209-27 UCC209-28 UCC209	C209	UC209-26 UC209-27 UC209-28 UC209	34.1	21.3	14.0	1.5

d (45) ~ 85 mm

Shaf mm	<b>t Dia.</b> inch			Dimensions inch mm	;		Unit No.	Housing No.	Bearing No.	Load F	<b>sic</b> latings N	Factor	Mass
	d	Н	Α	r	В	S				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo	kg
	1 <sup>11</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>4</sub>	4.724 120	1 <sup>1</sup> / <sub>2</sub> 38	0.08 2	2.031 51.6	0.748 19	UCCX09-27 UCCX09-28	CX09	UCX09-27 UCX09-28	35.1	23.3	14.4	2.3
45	1 3/4	5.118	1 1/2	0.12	2.244	0.866	UCCX09 UCC309-28	C309	UCX09 UC309-28	48.9	29.5	13.3	2.8
	1 <sup>7</sup> /8 1 <sup>15</sup> /16	<u>130</u> 4.724	38 1 <sup>19</sup> /64	3	2.031	0.748	UCC309 UCC210-30 UCC210-31		UC309 UC210-30 UC210-31				
	2	120	33	2	51.6	19	UCC210 UCC210-32	C210	UC210 UC210-32	35.1	23.3	14.4	2.0
50	1 15/16	5.118 130	1 <sup>37</sup> / <sub>64</sub> 40	0.1 2.5	2.189 55.6	0.874 22.2	UCCX10-31 UCCX10	CX10	UCX10-31 UCX10	43.4	29.4	14.4	2.8
	2	5.512 140	1 <sup>37</sup> / <sub>64</sub> 40	0.12	2.402 61	0.866	UCCX10-32 UCC310	C310	UCX10-32 UC310	62.0	38.3	13.2	3.2
	2 2 <sup>1</sup> / <sub>8</sub> 2 <sup>3</sup> / <sub>16</sub>	4.921 125	1 <sup>3</sup> / <sub>8</sub> 35	0.1 2.5	2.189 55.6	0.874 22.2	UCC211-32 UCC211-34 UCC211 UCC211	C211	UC211-32 UC211-34 UC211 UC211-35	43.4	29.4	14.4	2.2
55	2 <sup>3</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>4</sub>	5.906 150	1 <sup>21</sup> / <sub>32</sub> 42	0.1 2.5	2.563 65.1	1.000 25.4	UCCX11 UCCX11-35 UCCX11-35	CX11	UCX11 UCX11-35 UCX11-36	52.4	36.2	14.4	4.0
	2 2 <sup>3</sup> /16	5.906 150	1 <sup>47</sup> / <sub>64</sub> 44	0.12 3	2.598 66	0.984 25	UCC311-32 UCC311 UCC311-35	C311	UC311-32 UC311 UC311-35	71.6	45.0	13.2	3.9
60	2 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>8</sub> 2 <sup>7</sup> / <sub>16</sub>	5.118 130	1 <sup>1</sup> / <sub>2</sub> 38	0.1 2.5	2.563 65.1	1.000 25.4	UCC212-36 UCC212 UCC212-38 UCC212-39	C212	UC212-36 UC212 UC212-38 UC212-39	52.4	36.2	14.4	2.6
00	2 7/16	6.299 160	1 <sup>47</sup> / <sub>64</sub> 44	0.1 2.5	2.563 65.1	1.000 25.4	UCCX12 UCCX12-39	CX12	UCX12 UCX12-39	57.2	40.1	14.4	4.6
	2 <sup>7</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>2</sub>	6.299 160 5.512	1 <sup>13</sup> / <sub>16</sub> 46 1 <sup>37</sup> / <sub>64</sub>	0.12 3 0.1	2.795 71 2.563	1.024 26 1.000	UCC312 UCC312-39 UCC213-40	C312	UC312 UC312-39 UC213-40	81.9	52.2	13.2	4.8
65	2 1/2 2 1/2	140 6.693	40 1 <sup>31</sup> / <sub>32</sub>	2.5 0.12	<u>65.1</u> 2.953	25.4	UCC213-40 UCC213 UCC313-40	C213	UC213-40 UC213 UC313-40	57.2	40.1	14.4	3.0
	2 72 2 <sup>3</sup> / <sub>4</sub>	170 7.087	50 2 <sup>3</sup> / <sub>64</sub>	<u>3</u> 0.12	75	<u>30</u> 1.299	UCC313 UCC314-44	C313	UC313 UC314-44	92.7	59.9	13.2	5.7
70	2 <sup>15</sup> / <sub>16</sub>	180	52	3	78	33	UCC314 UCC315-47	C314	UC314 UC315-47	104	68.2	13.2	6.7
75	3	7.480 190	2 <sup>11</sup> / <sub>64</sub> 55	0.16 4	3.228 82	1.260 32	UCC315 UCC315-48	C315	UC315 UC315-48	113	77.2	13.2	7.8
80	-	7.874 200	2 <sup>23</sup> / <sub>64</sub> 60	0.16 4	3.386 86	1.339 34	UCC316	C316	UC316	123	86.7	13.3	9.2
85	-	8.465 215	2 <sup>33</sup> / <sub>64</sub> 64	0.16 4	3.780 96	1.575 40	UCC317	C317	UC317	133	96.8	13.3	11.7

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 309~328

 3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCC206JL3, UC206L3)

 4. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of outside diameter ( $\Delta_{Hs}$ ), variations of tolerance of width ( $\Delta_{As}$ ), and tolerance of circumferential runout of outside diameter (Y) 

				U	Jnit: mm
	Housing No.		$\Delta_{Hs}$	$\Delta_{As}$	Y
C204~C205			0 0.030		
C206~C210	CX05~CX08	C305~C308	0 0.035	±0.2	0.2
	CX09~CX10	C309~C310	0		
C211~C213	CX11~CX12	C311~C314	-0.040		0.3
		C315~C318	0		0.3
		C319	-0.046		
		C320~C322	0 0.052	±0.3	0.4
		C324~C328	0 0.057		

### UCC

Cylindrical bore (with set screws)

*d* 90 ~ 140 mm





Sha	ft Dia.			Dimensions	;		Unit	Housing	Bearing	В	asic	Factor	Mass
mm	inch			inch			No.	No.	No.	Load	Ratings		
				mm						1	kN		
	d	Н	A	r	В	S				$C_{ m r}$	$C_{0\mathrm{r}}$	fo	kg
90	3 1/2	8.858 225	2 <sup>19</sup> / <sub>32</sub> 66	0.16 4	3.780 96	1.575 40	UCC318-56 UCC318	C318	UC318-56 UC318	143	107	13.3	13.1
95	-	9.449 240	2 <sup>53</sup> / <sub>64</sub> 72	0.16 4	4.055 103	1.614 41	UCC319	C319	UC319	153	119	13.3	15.8
100	3 <sup>15</sup> / <sub>16</sub>	10.236 260	2 <sup>61</sup> / <sub>64</sub> 75	0.16 4	4.252 108	1.654 42	UCC320 UCC320-63 UCC320-64	C320	UC320 UC320-63 UC320-64	173	141	13.2	19.6
105	-	10.236 260	2 <sup>61</sup> / <sub>64</sub> 75	0.16 4	4.409 112	1.732 44	UCC321	C321	UC321	184	153	13.2	27.0
110	-	11.811 300	3 <sup>5</sup> / <sub>32</sub> 80	0.2 5	4.606 117	1.811 46	UCC322	C322	UC322	205	180	13.2	29.2
120	-	12.598 320	3 <sup>35</sup> / <sub>64</sub> 90	0.2 5	4.961 126	2.008 51	UCC324	C324	UC324	207	185	13.5	35.9
130	-	13.386 340	3 <sup>15</sup> / <sub>16</sub> 100	0.24 6	5.315 135	2.126 54	UCC326	C326	UC326	229	214	13.6	43.0
140	-	14.173 360	3 <sup>15</sup> / <sub>16</sub> 100	0.24 6	5.709 145	2.323 59	UCC328	C328	UC328	253	246	13.6	52.9

 Remarks
 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

 2. Part No. of applicable grease fittings are shown below.

 A-1/4-28UNF

 A-1/4-28UNF

 309~328

 3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (L2) follows the Part No. of unit or bearing. (Example of Part No. : UCC206JL3, UC206L3)

 4. For the dimensions and forms of applicable bearings, see the dimensional tables of ball bearing for unit.



Variations of tolerance of outside diameter ( $\Delta_{Hs}$ ), variations of tolerance of width ( $\Delta_{As}$ ), and tolerance of circumferential runout of outside diameter (Y)

				ι	Jnit: mm
	Housing No.		$\Delta_{Hs}$	$\Delta_{As}$	Y
C204~C205			0 -0.030		
C206~C210	CX05~CX08	C305~C308	0 0.035	±0.2	0.2
	CX09~CX10	C309~C310	0		
C211~C213	CX11~CX12	C311~C314	-0.040		0.3
		C315~C318	0		0.5
		C319	-0.046		
		C320~C322	0 0.052	±0.3	0.4
		C324~C328	0 0.057		

### UKC

### Tapered bore (with adapter)

*d*<sup>1</sup> **20 ∼ (50) mm** 







Shaft	t Dia.		Dimer	nsions		Unit	Housing	Bearing	Bas	sic	Factor	Adapter	Mas
mm	inch		in	ch		No.	No.	No.	Load R	atings		No.	
			m	m					kl	N			
d	1	Η	A	r	$B_1$				$C_{\rm r}$	$C_{0\mathrm{r}}$	fo		kg
	3/4	3.150 80	<sup>55/64</sup> 22	0.06 1.5	1 <sup>3</sup> /8 35	UKC205	C205	UK205	14.0	7.85	13.9	HE2305X H2305X	0.7
20	3/4	3.543	1 <sup>1</sup> / <sub>16</sub>	0.06	1 <sup>3</sup> /8	UKCX05	CX05	UKX05	19.5	11.3	13.9	HE2305X	0.9
	3/4	90 3.543	27 1 <sup>1</sup> / <sub>32</sub>	1.5 0.08	35 1 <sup>3</sup> /8	UKC305	C305	UK305	21.2	10.9	12.6	H2305X HE2305X	1.6
		90 3.346	26 1 <sup>1</sup> / <sub>16</sub>	2 0.06	35 1 <sup>1</sup> / <sub>2</sub>	UKC206	C206	UK206	19.5	11.3	13.9	H2305X H2306X	0.8
25	1	85 3.937	27 1 <sup>3</sup> /16	1.5 0.08	38 1 <sup>1</sup> / <sub>2</sub>	UKCX06	CX06	UKX06	25.7	15.4	13.9	HE2306X H2306X	1.3
25	1	100 3.937	30 1 <sup>7</sup> / <sub>64</sub>	2 0.08	38 1 <sup>1</sup> / <sub>2</sub>	UKC306	C306	UK306	26.7	15.0	13.3	HE2306X H2306X	1.8
	1 1 <sup>1</sup> /8	100 3.543	28 1 <sup>7</sup> / <sub>64</sub>	2	38 1 <sup>11</sup> / <sub>16</sub>							HE2306X HS2307X	
	1 <sup>1</sup> /8	90 4.331	28 1 <sup>11</sup> / <sub>32</sub>	2	43 1 <sup>11</sup> / <sub>16</sub>	UKC207	C207	UK207	25.7	15.4	13.9	H2307X HS2307X	1.0
30	1 <sup>1</sup> / <sub>8</sub>	110 4,331	34 1 <sup>17</sup> / <sub>64</sub>	2	43 1 <sup>11</sup> / <sub>16</sub>	UKCX07	CX07	UKX07	29.1	17.8	14.0	H2307X HS2307X	1.8
	1 <sup>1</sup> / <sub>4</sub>	110	32	3	43	UKC307	C307	UK307	33.4	19.3	13.2	H2307X HE2308X	2.2
	1 <sup>3</sup> /8	3.937 100	1 <sup>3</sup> / <sub>16</sub> 30	0.08 2	1 <sup>13</sup> / <sub>16</sub> 46	UKC208	C208	UK208	29.1	17.8	14.0	HS2308X HS2308X H2308X	1.5
35	1 <sup>1</sup> / <sub>4</sub> 1 <sup>3</sup> / <sub>8</sub>	4.724 120	1 <sup>1</sup> / <sub>2</sub> 38	0.08 2	1 <sup>13</sup> / <sub>16</sub> 46	UKCX08	CX08	UKX08	34.1	21.3	14.0	HE2308X HS2308X H2308X	2.4
	1 <sup>1</sup> /4 1 <sup>3</sup> /8	4.724 120	1 <sup>11</sup> / <sub>32</sub> 34	0.12 3	1 <sup>13</sup> / <sub>16</sub> 46	UKC308	C308	UK308	40.7	24.0	13.2	HE2308X HS2308X H2308X	2.
	1 <sup>1</sup> / <sub>2</sub>	4.331 110	1 <sup>7</sup> / <sub>32</sub> 31	0.08 2	1 <sup>31</sup> / <sub>32</sub> 50	UKC209	C209	UK209	34.1	21.3	14.0	HE2309X H2309X	1.
40	1 <sup>1</sup> / <sub>2</sub>	4.724 120	1 <sup>1</sup> / <sub>2</sub> 38	0.08 2	1 <sup>31</sup> / <sub>32</sub> 50	UKCX09	CX09	UKX09	35.1	23.3	14.4	HE2309X H2309X	2.
	1 <sup>1</sup> / <sub>2</sub>	5.118 130	1 <sup>1</sup> / <sub>2</sub> 38	0.12 3	1 <sup>31</sup> / <sub>32</sub> 50	UKC309	C309	UK309	48.9	29.5	13.3	HE2309X H2309X	2.
	1 <sup>3</sup> /4	4.724 120	1 <sup>19</sup> / <sub>64</sub> 33	0.08	2 <sup>5</sup> / <sub>32</sub> 55	UKC210	C210	UK210	35.1	23.3	14.4	HE2310X H2310X	2.
45	1 <sup>3</sup> /4	5.118 130	1 <sup>37</sup> / <sub>64</sub> 40	0.1 2.5	2 <sup>5</sup> / <sub>32</sub> 55	UKCX10	CX10	UKX10	43.4	29.4	14.4	HE2310X H2310X	2.
	1 <sup>3</sup> / <sub>4</sub>	5.512 140	1 <sup>37</sup> / <sub>64</sub> 40	0.12	2 <sup>5</sup> / <sub>32</sub> 55	UKC310	C310	UK310	62.0	38.3	13.2	HE2310X H2310X	3.
50	1 <sup>7</sup> / <sub>8</sub>	4.921 125	1 <sup>3</sup> / <sub>8</sub> 35	0.1 2.5	2 <sup>5</sup> /16 59	UKC211	C211	UK211	43.4	29.4	14.4	HS2311X H2311X HE2311X	2.
50	1 <sup>7</sup> /8	5.906 150	1 <sup>21</sup> / <sub>32</sub> 42	0.1 2.5	2 <sup>5</sup> / <sub>16</sub> 59	UKCX11	CX11	UKX11	52.4	36.2	14.4	HS2311X H2311X HE2311X	4.

*d*<sub>1</sub> (50) ~ 125 mm

Shaf	ft Dia.		Dimer			Unit	Housing	Bearing	Ba	sic	Factor	Adapter	Mass
mm	inch		in	ch		No.	No.	No.	Load R	atings		No.	
			m	m					k	Ν			
C	$d_1$	Н	A	r	$B_1$				$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$		kg
	1 7/8	5.906	1 47/64	0.12	2 <sup>5</sup> / <sub>16</sub>							HS2311X	
50	2	150	44	3	59	UKC311	C311	UK311	71.6	45.0	13.2	H2311X HE2311X	4.1
	2 <sup>1</sup> /8	5.118	1 1/2	0.1	2 7/16	UKC212	C212	UK212	52.4	36.2	14.4	HS2312X	3.1
	2 1/8	130 6.299	38 1 <sup>47</sup> / <sub>64</sub>	2.5 0.1	62 2 <sup>7</sup> / <sub>16</sub>							H2312X HS2312X	
55		160	44	2.5	62	UKCX12	CX12	UKX12	57.2	40.1	14.4	H2312X	4.4
	2 <sup>1</sup> / <sub>8</sub>	6.299 160	1 <sup>13</sup> / <sub>16</sub> 46	0.12 3	2 <sup>7</sup> / <sub>16</sub> 62	UKC312	C312	UK312	81.9	52.2	13.2	HS2312X H2312X	4.7
	2 1/4	5.512	1 37/64	0.1	2 <sup>9</sup> /16							HE2313X	
	2 <sup>3</sup> /8	140	40	2.5	65	UKC213	C213	UK213	57.2	40.1	14.4	H2313X HS2313X	3.3
60	2 1/4	6 602	1 21/	0.12	2.0/							HE2313X	
	2 3/8	6.693 170	1 <sup>31</sup> / <sub>32</sub> 50	0.12 3	2 <sup>9</sup> / <sub>16</sub> 65	UKC313	C313	UK313	92.7	59.9	13.2	H2313X HS2313X	5.8
65	2 1/2	7.480	2 11/64	0.16	2 7/8	UKC315	C315	UK315	113	77.2	13.2	HE2315X	8.0
	23/	190	55	4	73							H2315X	
70	2 3/4	7.874 200	2 <sup>23</sup> / <sub>64</sub> 60	0.16 4	3 <sup>1</sup> / <sub>16</sub> 78	UKC316	C316	UK316	123	86.7	13.3	HE2316X H2316X	9.2
75	3	8.465 215	2 <sup>33</sup> / <sub>64</sub> 64	0.16 4	3 <sup>7</sup> / <sub>32</sub> 82	UKC317	C317	UK317	133	96.8	13.3	H2317X HE2317X	11.6
80		8.858	2 <sup>19</sup> / <sub>32</sub>	0.16	3 <sup>3</sup> /8	UKC318	C318	UK318	143	107	13.3	H2318X	13.1
85	3 1/4	225 9.449	66 2 <sup>53</sup> / <sub>64</sub>	4 0.16	86 3 <sup>17</sup> / <sub>32</sub>	11/(2210	6210	11/210	152	110	12.2	HE2319X	16.1
85		240	72	4	90	UKC319	C319	UK319	153	119	13.3	H2319X	10.1
90	3 1/2	10.236 260	2 <sup>61</sup> / <sub>64</sub> 75	0.16 4	3 <sup>13</sup> / <sub>16</sub> 97	UKC320	C320	UK320	173	141	13.2	HE2320X H2320X	19.2
100	4	11.811 300	3 <sup>5</sup> / <sub>32</sub> 80	0.2 5	4 <sup>1</sup> / <sub>8</sub> 105	UKC322	C322	UK322	205	180	13.2	H2322X HE2322X	29.1
110	-	12.598	3 <sup>35</sup> / <sub>64</sub>	0.2	4 <sup>13</sup> / <sub>32</sub>	UKC324	C324	UK324	207	185	13.5	H2324	36.2
	4 <sup>1</sup> /2	320 13.386	90 3 <sup>15</sup> /16	5 0.24	112 4 <sup>3</sup> / <sub>4</sub>							HE2326	
115	1 /2	340	100	6	121	UKC326	C326	UK326	229	214	13.6	H2326	42.8
125	-	14.173	3 <sup>15</sup> / <sub>16</sub>	0.24	5 <sup>5</sup> / <sub>32</sub>	UKC328	C328	UK328	253	246	13.6	H2328	52.9
125	-	360	3 <sup>13</sup> /16 100	0.24 6	5 <sup>3</sup> / <sub>32</sub> 131	UKC328	C328	UK328	253	246	13.6	H2328	52



Variations of tolerance of outside diameter ( $\mathcal{A}_{Hs}$ ), variations of tolerance of width ( $\mathcal{A}_{As}$ ), and tolerance of circumferential runout of outside diameter (Y) L Los de

				L	Jnit: mm
	Housing No.		$\Delta_{Hs}$	$\Delta_{As}$	Y
C205			0 -0.030		
C206~C210	CX05~CX08	C305~C308	0 0.035	±0.2	0.2
	CX09~CX10	C309~C310	0		
C211~C213	CX11~CX12	C311~C314	-0.040		0.3
		C315~C318	0		0.3
		C319	-0.046		
		C320~C322	0 -0.052	±0.3	0.4
		C324~C328	0 0.057		

### UCHA

Cylindrical bore (with set screws)

*d* 12 ~ 75 mm







$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Load Ratings       kN       Cr     Cor       12.8     6.65	fo	kg
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	12.8 6.65		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	12.8 6.65		0.77
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	12.8 6.65		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	12.8 6.65		0.75
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		13.2	
$ \begin{array}{ c c c c c c c c c c } \hline 20 & & & & & & & & & & & & & & & & & & $			0.74
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			0.72
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			<u> </u>
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	14.0 7.85	13.9	0.87
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			<u> </u>
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	105 115		0.00
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	19.5 11.3	13.9	0.83
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			
$\begin{array}{c c c c c c c c c c c c c c c c c c c $			
35       1 3/8       70       40       92       116       19       Rp 3/4       -       42.9       17.5       UCHA207-22       HA207       UC207-22         1 7/16       1 1/2       2 7/8       1 9/16       3 25/32       4 3/4       3/4       5/64       1 937       0 748       UCHA208-24       UC208-24			
1 7/16         UCHA207         UC207           1 1/2         2 7/8         1 9/16         3 25/32         4 3/4         5/64         1 937         0 748         UCHA208-24         UC208-24	25.7 15.4	13.9	1.2
1 <sup>1</sup> / <sub>2</sub> 2 <sup>7</sup> / <sub>8</sub> 1 <sup>9</sup> / <sub>16</sub> 3 <sup>25</sup> / <sub>32</sub> 4 <sup>3</sup> / <sub>4</sub> 3 <sup>3</sup> / <sub>4</sub> 5 <sup>5</sup> / <sub>64</sub> 1937 0748 UCHA208-24 UC208-24			
$\frac{7}{8}$ $\frac{19}{16}$ $\frac{3}{32}$ $\frac{43}{4}$ $\frac{3}{4}$ $\frac{3}{4}$ $\frac{3}{64}$ $\frac{1937}{1037}$ $\frac{0748}{1034}$			<u> </u>
40 1 % 1 % 1 % 1 % 1 % 1 % 1 % 1 % 1 % 1	29.1 17.8	14.0	1.3
<b>40 1 7 3 40 96 121 19 Rp</b> <sup>3</sup> / <sub>4</sub> <b>2 49.2 19 UCHA208 UC208</b>	29.1 17.0	14.0	1.5
1 <sup>5</sup> / <sub>8</sub> UCHA209-26 UC209-26			<u> </u>
- 1 <sup>11</sup> / <sub>16</sub> 3 <sup>7</sup> / <sub>32</sub> 1 <sup>7</sup> / <sub>8</sub> 4 <sup>1</sup> / <sub>4</sub> 5 <sup>11</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>64</sub> 1.937 0.748 UCHA209-27 UC209-27	244 242	1.0	
<b>45</b> 1 3/4 82 48 108 136 21 Rp 1 5 49.2 19 UCHA209-28 HA209 UC209-28	34.1 21.3	14.0	1.7
UC209			
1 <sup>7</sup> / <sub>8</sub> UCHA210-30 UC210-30			
<b>50</b> 1 <sup>15</sup> / <sub>16</sub> 3 <sup>9</sup> / <sub>32</sub> 1 <sup>7</sup> / <sub>8</sub> 4 <sup>21</sup> / <sub>32</sub> 5 <sup>19</sup> / <sub>32</sub> 1 <sup>3</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>64</sub> 2.031 0.748 <b>UCHA210-31</b> HA210 UC210-31	35.1 23.3	14.4	2.1
83 48 118 142 21 Rp 1 5 51.6 19 UCHA210 UC210			
2         UCHA210-32         UC210-32           2         UCHA211-32         UC211-32			<u> </u>
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
<b>55</b> 2 /8 3 /16 2 /8 4 /32 5 /32 /32 732 732 732 2.189 0.874 0CHA21134 HA211 UC21134 UC21134 UC211	43.4 29.4	14.4	2.8
2 <sup>3</sup> / <sub>16</sub> UC4A211-35 UC211-35			
2 1/ <sub>4</sub> UCHA212-36 UC212-36			<u> </u>
4 <sup>1</sup> / <sub>32</sub> 2 <sup>3</sup> / <sub>8</sub> 5 <sup>19</sup> / <sub>32</sub> 6 <sup>13</sup> / <sub>16</sub> 1 <sup>3</sup> / <sub>32</sub> 2 <sup>23</sup> / <sub>64</sub> 2.563 1.000 UCHA212 UC212	52.4 26.2	144	20
60         2 <sup>3</sup> / <sub>8</sub> 102         60         142         173         28         Rp 1 <sup>1</sup> / <sub>4</sub> 9         65.1         25.4         UCHA212-38         HA212         UC212-38	52.4 36.2	14.4	3.9
2 <sup>7</sup> / <sub>16</sub> UC212-39 UC212-39			
<b>65</b> 2 <sup>1</sup> / <sub>2</sub> 4 <sup>19</sup> / <sub>32</sub> 2 <sup>3</sup> / <sub>4</sub> 6 <sup>17</sup> / <sub>32</sub> 7 <sup>7</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 3 <sup>7</sup> / <sub>8</sub> 2.563 1.000 <b>UCHA213-40</b> HA213 UC213-40	57.2 40.1	14.4	5.8
117 70 166 200 32 Rp 1 <sup>1</sup> / <sub>2</sub> 9.5 65.1 25.4 <b>UCHA213</b> UC213			
<b>70</b> $2^{3/4}$ $4^{19/32}$ $2^{3/4}$ $6^{17/32}$ $7^{7/8}$ $1^{1/4}$ $3/8$ $2.937$ $1.189$ <b>UCHA214-44</b> HA214 HA214 HA214 HA214 HA214	62.2 44.1	14.5	5.9
117         70         166         200         32         Rp 1 ½         9.5         74.6         30.2         UCHA214         UC214           2 <sup>15</sup> /16         100         0.30         0.00         100         0.00         100         UC215-47         UC215-47			<u> </u>
<b>75</b> 4 <sup>19</sup> / <sub>32</sub> 2 <sup>3</sup> / <sub>4</sub> 6 <sup>17</sup> / <sub>32</sub> 7 <sup>7</sup> / <sub>8</sub> 1 <sup>1</sup> / <sub>4</sub> 3 <sup>7</sup> / <sub>8</sub> 3.063 1.311 UCHA215 HA215 UC215		1	1
3 117 70 166 200 32 Rp 1 <sup>1</sup> / <sub>2</sub> 9.5 77.8 33.3 UCHA215 UC215-48 UC215-48	67.4 48.3	14.5	5.6

Remarks 1. In Part No. of unit and units with covers, fitting codes follow bore diameter numbers. (See Table 10.5 in P.62.)

3. As for the triple seal type product (from 201 to 205 are the double seal type products), suffix code L3 (or L2) follows the Part No. of unit or bearing. (Example of Part No. : UCHA206JL3, UC206L3)



Note 1) Dimensions N screw hole is apply JIS B0203 (Taper Pipe Threads) standards. It can not apply to the Parallel Pipe Male Thread. Also, below shown the dimensions of Parallel Pipe Female Thread.

					Unit: mm
	Fe	emale Threa	ıd	Thread	
	Major	Pitch	Minor	Number	Annhu
Nominal	Diameter	Diameter	Diameter	of Threads	Apply Male
of Thread				$\binom{\text{in 25.4}}{\text{mm}}$	Thread
	D	$D_2$	$D_1$	n	
Rp <sup>3</sup> / <sub>4</sub>	26.441	25.279	24.117	14	R 3/4
Rp 1	33.249	31.770	30.291	11	R 1
Rp 1 <sup>1</sup> / <sub>2</sub>	41.910	40.431	38.952	11	R 1 <sup>1</sup> / <sub>2</sub>
Rp 1 <sup>1</sup> / <sub>4</sub>	47.803	46.324	44.845	11	R 1 <sup>1</sup> / <sub>4</sub>

For the dimensions and forms of applicable bearings and adapters, see the dimensional tables of ball bearing for unit and adapter.
 Tapered bore (with adapter) type products are also available. (Example of Part No. : UKHA205J + H2305X, UK205 + H2305X)



Shaf	t Dia.				Dimer	nsions				Ba	sic	Factor	Bear	ring				Dime	nsions				Set	Screw	Mass
mm	inch				Dime	biolib				Load R		14000	No	-				Dime						g. Bore	mass
	men									k														G	
	ł	1	2		B		С	r (r	nin.)				Standard	L3 Type		$C_1$		S		$S_1$		$S_2$		a	
	c .	mm	inch	mm	inch	mm	inch	mm	inch	$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$			mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	kg
8	_	22	0.866	12	0.472	7	0.276	0.3	0.012	3.27	1.37	12.4	SU08	_	_	_	3.5	0.138	8.5	0.335	2.8	0.110	M3×0.35	_	0.012
10	_	26	1.024	15	0.591	8	0.315	0.3	0.012	4.55	1.95	12.3	SU000	_	_	_	5	0.197	10	0.394	3	0.118	M3×0.35	_	0.024
		28	1.102	15	0.591	8	0.315	0.3	0.012	5.10	2.40	13.2	SU001	-	_	_	5	0.197	10	0.394	3	0.118	M3×0.35	_	0.026
		40	1.575	22	0.866	12	0.472	0.6	0.024	9.55	4.80	13.2	SB201	-	_	_	6	0.236	16	0.630	4	0.157	M5×0.5	_	0.10
12	-	40	1.575	22	0.866	13	0.512	0.6	0.024	9.55	4.80	13.2	SB201RKP8	-	3.4	0.134	6	0.236	16	0.630	4	0.157	M5×0.5	_	0.10
		47	1.850	31	1.220	16	0.630	0.6	0.024	12.8	6.65	13.2	UC201	UC201L2	4	0.157	12.7	0.500	18.3	0.720	5	0.197	M6×0.75	_	0.21
		40	1.575	22	0.866	12	0.472	0.6	0.024	9.55	4.80	13.2	SB201-8	-	-	-	6	0.236	16	0.630	4	0.157	-	No.10-32UNF	0.10
-	1/2	40	1.575	22	0.866	13	0.512	0.6	0.024	9.55	4.80	13.2	SB201-8RKP8	-	3.4	0.134	6	0.236	16	0.630	4	0.157	_	No.10-32UNF	0.10
		47	1.850	31	1.220	16	0.630	0.6	0.024	12.8	6.65	13.2	UC201-8	UC201-8L2	4	0.157	12.7	0.500	18.3	0.720	5	0.197	_	<sup>1</sup> /4-28UNF	0.21
		32	1.260	16.5	0.650	9	0.354	0.3	0.012	5.60	2.85	13.9	SU002	-	-	-	5.5	0.217	11	0.433	3.3	0.130	M4×0.5	-	0.038
15		40	1.575	22	0.866	12	0.472	0.6	0.024	9.55	4.80	13.2	SB202	-	-	-	6	0.236	16	0.630	4	0.157	M5×0.5	-	0.10
15	_	40	1.575	22	0.866	13	0.512	0.6	0.024	9.55	4.80	13.2	SB202RKP8	-	3.4	0.134	6	0.236	16	0.630	4	0.157	M5×0.5	-	0.10
		47	1.850	31	1.220	16	0.630	0.6	0.024	12.8	6.65	13.2	UC202	UC202L2	4	0.157	12.7	0.500	18.3	0.720	5	0.197	M6×0.75	-	0.19
		40	1.575	22	0.866	12	0.472	0.6	0.024	9.55	4.80	13.2	SB202-10	-	-	-	6	0.236	16	0.630	4	0.157	-	No.10-32UNF	0.10
-	5/8	40	1.575	22	0.866	13	0.512	0.6	0.024	9.55	4.80	13.2	SB202-10RKP8	-	3.4	0.134	6	0.236	16	0.630	4	0.157	-	No.10-32UNF	0.10
		47	1.850	31	1.220	16	0.630	0.6	0.024	12.8	6.65	13.2	UC202-10	UC202-10L2	4	0.157	12.7	0.500	18.3	0.720	5	0.197	-	<sup>1</sup> /4-28UNF	0.19
		35	1.378	17.5	0.689	10	0.394	0.3	0.012	6.00	3.25	14.4	SU003	-	-	-	6	0.236	11.5	0.453	3.3	0.130	M4×0.5	-	0.050
17	_	40	1.575	22	0.866	12	0.472	0.6	0.024	9.55	4.80	13.2	SB203	-	-	-	6	0.236	16	0.630	4	0.157	M5×0.5	-	0.10
		40	1.575	22	0.866	13	0.512	0.6	0.024	9.55	4.80	13.2	SB203RKP8	-	3.4	0.134	6	0.236	16	0.630	4	0.157	M5×0.5	-	0.10
		47	1.850	31	1.220	16	0.630	0.6	0.024	12.8	6.65	13.2	UC203	UC203L2	 4	0.157	12.7	0.500	18.3	0.720	5	0.197	M6×0.75	-	0.18
		47	1.850	25	0.984	14	0.551	1	0.039	12.8	6.65	13.2	SB204-12	-	_	-	7	0.276	18	0.709	5	0.197	-	1/4-28UNF	0.15
-	3/4	47	1.850	25	0.984	15	0.591	1	0.039	12.8	6.65	13.2	SB204-12RKP8	-	3.7	0.146	7	0.276	18	0.709	5	0.197	-	<sup>1</sup> /4-28UNF	0.19
		47	1.850	31	1.220	16	0.630	1	0.039	12.8	6.65	13.2	UC204-12	UC204-12L2	 4	0.157	12.7	0.500	18.3	0.720	5	0.197	-	1/4-28UNF	0.16
		42	1.654	21	0.827	12	0.472	0.6	0.024	9.40	5.05	13.9	SU004	-	_	-	7	0.276	14	0.551	4	0.157	M5×0.5	-	0.080
20	-	47	1.850	25	0.984	14	0.551	1	0.039	12.8	6.65	13.2	SB204	-	-	-	-	0.276	18	0.709	5	0.197	M6×0.75	-	0.15
		47	1.850	25	0.984	15	0.591	1	0.039	12.8	6.65	13.2	SB204RKP8	-	3.7	0.146	7	0.276	18	0.709	5	0.197	M6×0.75	-	0.19
		47 52	1.850 2.047	31 27	1.220	16 15	0.630	1	0.039	12.8 14.0	6.65 7.85	13.2 13.9	UC204 SB205-14	UC204L2	4	0.157	12.7 7.5	0.500	18.3 19.5	0.720	5 5.5	0.197 0.217	M6×0.75		0.16
	7/8	52	2.047	27	1.063	15	0.591	1	0.039	14.0	7.85	13.9	SB205-14 SB205-14RKP8	-	- 3.7	0.146	7.5	0.295	19.5	0.768	5.5	0.217	_	<sup>1</sup> /4-28UNF	0.18
_	/8	52	2.047	34.1	1.343	17	0.669	1	0.039	14.0	7.85	13.9	UC205-14	UC205-14L2	5	0.140	14.3	0.295	19.5	0.780	5.5	0.217	_	<sup>1</sup> / <sub>4</sub> -28UNF	0.13
		52	2.047	27	1.063	15	0.591	1	0.039	14.0	7.85	13.9	SB205-15	-	 _	-	7.5	0.295	19.5	0.768	5.5	0.217		<sup>1</sup> /4-28UNF	0.25
_	15/16	52	2.047	27	1.063	15	0.591	1	0.039	14.0	7.85	13.9	SB205-15RKP8	_	3.7	0.146	7.5	0.295	19.5	0.768	5.5	0.217	_	<sup>1</sup> / <sub>4</sub> -28UNF	0.19
	, 10	52	2.047	34.1	1.343	17	0.669	1	0.039	14.0	7.85	13.9	UC205-15	UC205-15L2	5	0.197	14.3	0.563	19.8	0.780	5.5	0.217	_	<sup>1</sup> /4-28UNF	0.21
		47	1.850	22	0.866	12	0.472	0.6	0.035	10.1	5.85	14.5	SU005	-	_	-	7	0.276	15	0.591	4.5	0.177	M5×0.5	-	0.10
		52	2.047	27	1.063	15	0.591	1	0.039	14.0	7.85	13.9	SB205	_	_	_	7.5	0.295	19.5	0.768	5.5	0.217	M6×0.75	_	0.18
		52	2.047	27	1.063	15	0.591	1	0.039	14.0	7.85	13.9	SB205RKP8	_	3.7	0.146	7.5	0.295	19.5	0.768	5.5	0.217	M6×0.75	_	0.19
25	-	52	2.047	34.1	1.343	17	0.669	1	0.039	14.0	7.85	13.9	UC205	UC205L2	5	0.197	14.3	0.563	19.8	0.780	5.5	0.217	M6×0.75	_	0.20
		62	2.441	38	1.496	22	0.866	1.1	0.043	21.2	10.9	12.6	UC305	_	6	0.236	15	0.591	23	0.906	6	0.236	M6×0.75	_	0.45
		62	2.441	38.1	1.500	19	0.748	1	0.039	19.5	11.3	13.9	UCX05	UCX05L3	5	0.197	15.9	0.626	22.2	0.874	6	0.236	M6×0.75	_	0.39
		52	2.047	27	1.063	15	0.591	1	0.039	14.0	7.85	13.9	SB205-16	-	-	-	7.5	0.295	19.5	0.768	5.5	0.230	-	<sup>1</sup> /4-28UNF	0.18
		52	2.047	27	1.063	15	0.591	1	0.039	14.0	7.85	13.9	SB205-16RKP8	-	3.7	0.146	7.5	0.295	19.5	0.768	5.5	0.217	_	1/4-28UNF	0.19
_	1	52	2.047	34.1	1.343	17	0.669	1	0.039	14.0	7.85	13.9	UC205-16	UC205-16L2	5	0.197	14.3	0.563	19.8	0.780	5.5	0.217	_	<sup>1</sup> / <sub>4</sub> -28UNF	0.20
		62	2.441	38	1.496	22	0.866	1.1	0.043	21.2	10.9	12.6	UC305-16	-	6	0.236	15	0.591	23	0.906	6	0.236	M6×0.75	_	0.44
		62	2.441	38.1	1.500	19	0.748	1	0.039	19.5	11.3	13.9	UCX05-16	UCX05-16L3	5	0.197	15.9	0.626	22.2	0.874	6	0.236	_	<sup>1</sup> / <sub>4</sub> -28UNF	0.38
		62	2.441	30	1.181	16	0.630	1	0.039	19.5	11.3	13.9	SB206-18	-	-	-	8	0.315	22	0.866	6	0.236	-	1/4-28UNF	0.27
-	1 <sup>1</sup> /8	62	2.441	30	1.181	18	0.709	1	0.039	19.5	11.3	13.9	SB206-18RKP8	-	4.7	0.185	8	0.315	22	0.866	6	0.236	-	1/4-28UNF	0.31
		62	2.441	38.1	1.500	19	0.748	1	0.039	19.5	11.3	13.9	UC206-18	UC206-18L2	5	0.197	15.9	0.626	22.2	0.874	6	0.236	-	1/4-28UNF	0.34

Remarks 1. SU type product is the clean series ball bearing for unit. 2. From UC201 to 205 are the double seal type products (L2).



Sha	t Dia.				Dime	nsions				Ba	asic	Factor	Bear	ring				Dime	nsions				Set	Screw	Mass
mm	inch				2						Ratings		N	2				2						. Bore	
											xΝ													G	
	d	L	)	j	В		С	r	min.)				Standard	L3 Type		$C_1$		S		$S_1$		$S_2$		_	
	a	mm	inch	mm	inch	mm	inch	mm	inch	$C_{\rm r}$	$C_{0\mathrm{r}}$	f0			mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	kg
		55	2.165	24.5	0.965	13	0.512	1	0.039	13.2	8.25	14.7	SU006	_	-	-	7.5	0.295	17	0.669	5.5	0.217	M5×0.5	_	0.15
		62	2.441	30	1.181	16	0.630	1	0.039	19.5	11.3	13.9	SB206	_	_	_	8	0.315	22	0.866	6	0.236	M6×0.75	_	0.27
		62	2.441	30	1.181	18	0.709	1	0.039	19.5	11.3	13.9	SB206RKP8	_	4.7	0.185	8	0.315	22	0.866	6	0.236	M6×0.75	_	0.31
30	-	62	2.441	38.1	1.500	19	0.748	1	0.039	19.5	11.3	13.9	UC206	UC206L3	5	0.197	15.9	0.626	22.2	0.874	6	0.236	M6×0.75	_	0.32
		72	2.835	42.9	1.689	20	0.787	1	0.039	25.7	15.4	13.9	UCX06	UCX06L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	M8×1	_	0.58
		72	2.835	43	1.693	24	0.945	1.1	0.043	26.7	15.0	13.3	UC306	_	6.5	0.256	17	0.669	26	1.024	6	0.236	M6×0.75	_	0.56
		62	2.441	30	1.181	16	0.630	1	0.039	19.5	11.3	13.9	SB206-19	-	-	-	8	0.315	22	0.866	6	0.236	-	1/4-28UNF	0.27
	13/	62	2.441	30	1.181	18	0.709	1	0.039	19.5	11.3	13.9	SB206-19RKP8	-	4.7	0.185	8	0.315	22	0.866	6	0.236	-	1/4-28UNF	0.31
-	1 <sup>3</sup> / <sub>16</sub>	62	2.441	38.1	1.500	19	0.748	1	0.039	19.5	11.3	13.9	UC206-19	UC206-19L2	5	0.197	15.9	0.626	22.2	0.874	6	0.236	_	1/4-28UNF	0.32
		72	2.835	42.9	1.689	20	0.787	1	0.039	25.7	15.4	13.9	UCX06-19	UCX06-19L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	_	5/16-24UNF	0.58
		62	2.441	30	1.181	16	0.630	1	0.039	19.5	11.3	13.9	SB206-20	-	-	-	8	0.315	22	0.866	6	0.236	-	1/4-28UNF	0.27
_	1 <sup>1</sup> / <sub>4</sub>	62	2.441	30	1.181	18	0.709	1	0.039	19.5	11.3	13.9	SB206-20RKP8	-	4.7	0.185	8	0.315	22	0.866	6	0.236	-	1/4-28UNF	0.31
	1 / 4	62	2.441	38.1	1.500	19	0.748	1	0.039	19.5	11.3	13.9	UC206-20	UC206-20L2	5	0.197	15.9	0.626	22.2	0.874	6	0.236	-	1/4-28UNF	0.30
		72	2.835	42.9	1.689	20	0.787	1	0.039	25.7	15.4	13.9	UCX06-20	UCX06-20L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	-	5/16-24UNF	0.55
		72	2.835	32	1.260	17	0.669	1.1	0.043	25.7	15.4	13.9	SB207-20	-	-	-	8.5	0.335	23.5	0.925	6	0.236	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.42
-	1 <sup>1</sup> / <sub>4</sub>	72	2.835	32	1.260	19	0.748	1.1	0.043	25.7	15.4	13.9	SB207-20RKP8	-	5	0.197	8.5	0.335	23.5	0.925	6	0.236	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.51
		72	2.835	42.9	1.689	20	0.787	1.1	0.043	25.7	15.4	13.9	UC207-20	UC207-20L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	-	5/16-24UNF	0.54
_	1 5/16	72	2.835	42.9	1.689	20	0.787	1.1	0.043	25.7	15.4	13.9	UC207-21	UC207-21L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	_	5/16-24UNF	0.51
		72	2.835	32	1.260	17	0.669	1.1	0.043	25.7	15.4	13.9	SB207-22	-	-	-	8.5	0.335	23.5	0.925	6	0.236	-	<sup>1</sup> /4-28UNF	0.42
-	1 <sup>3</sup> /8	72	2.835	32	1.260	19	0.748	1.1	0.043	25.7	15.4	13.9	SB207-22RKP8	-	5	0.197	8.5	0.335	23.5	0.925	6	0.236	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.51 0.48
		72	2.835	42.9	1.689	20	0.787	1.1	0.043	25.7	15.4	13.9	UC207-22 UCX07-22	UC207-22L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5 8	0.256	_	5/16-24UNF	
		80 72	3.150 2.835	49.2 32	1.937 1.260	21 17	0.827	<u>1.1</u> 1.1	0.043	29.1 25.7	17.8 15.4	14.0 13.9	SB207	UCX07-22L3	6	0.236	19 8.5	0.748	30.2 23.5	1.189 0.925	6	0.315	 M6×0.75	<sup>5</sup> /16-24UNF	0.75
		72	2.835	32	1.260	19	0.748	1.1	0.043	25.7	15.4	13.9	SB207RKP8	_	5	0.197	8.5	0.335	23.5	0.925	6	0.236	M6×0.75	_	0.51
35	_	72	2.835	42.9	1.689	20	0.787	1.1	0.043	25.7	15.4	13.9	UC207	UC207L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	M8×1	_	0.48
55		80	3.150	49.2	1.937	21	0.827	1.1	0.043	29.1	17.8	14.0	UCX07	UCX07L3	6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	_	0.75
		80	3.150	48	1.890	26	1.024	1.5	0.059	33.4	19.3	13.2	UC307	UC307L3	7.5	0.295	19	0.748	29	1.142	8	0.315	M8×1	_	0.71
		72	2.835	32	1.260	17	0.669	1.1	0.043	25.7	15.4	13.9	SB207-23	-	-	-	8.5	0.335	23.5	0.925	6	0.236	-	<sup>1</sup> /4-28UNF	0.42
		72	2.835	32	1.260	19	0.748	1.1	0.043	25.7	15.4	13.9	SB207-23RKP8	_	5	0.197	8.5	0.335	23.5	0.925	6	0.236	_	1/4-28UNF	0.51
-	1 <sup>7</sup> /16	72	2.835	42.9	1.689	20	0.787	1.1	0.043	25.7	15.4	13.9	UC207-23	UC207-23L3	5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	_	5/16-24UNF	0.45
		80	3.150	49.2	1.937	21	0.827	1.1	0.043	29.1	17.8	14.0	UCX07-23	UCX07-23L3	6	0.236	19	0.748	30.2	1.189	8	0.315	_	<sup>5</sup> /16-24UNF	0.72
		80	3.150	34	1.339	18	0.709	1.1	0.043	29.1	17.8	14.0	SB208-24	-	-	-	9	0.354	25	0.984	8	0.315	-	5/16-24UNF	0.60
		80	3.150	34	1.339	22	0.866	1.1	0.043	29.1	17.8	14.0	SB208-24RKP8	-	5.2	0.205	9	0.354	25	0.984	8	0.315	_	<sup>5</sup> /16-24UNF	0.65
-	1 <sup>1</sup> / <sub>2</sub>	80	3.150	49.2	1.937	21	0.827	1.1	0.043	29.1	17.8	14.0	UC208-24	UC208-24L3	6	0.236	19	0.748	30.2	1.189	8	0.315	_	5/16-24UNF	0.68
		85	3.346	49.2	1.937	22	0.866	1.1	0.043	34.1	21.3	14.0	UCX08-24	UCX08-24L3	6	0.236	19	0.748	30.2	1.189	8	0.315	-	5/16-24UNF	0.87
		90	3.543	52	2.047	28	1.102	1.5	0.059	40.7	24.0	13.2	UC308-24	UC308-24L3	8	0.315	19	0.748	33	1.299	10	0.394	M10×1.25	_	1.05
-	1 <sup>9</sup> /16	80	3.150	49.2	1.937	21	0.827	1.1	0.043	29.1	17.8	14.0	UC208-25	UC208-25L3	 6	0.236	19	0.748	30.2	1.189	8	0.315	_	5/16-24UNF	0.60
		80	3.150	34	1.339	18	0.709	1.1	0.043	29.1	17.8	14.0	SB208	-	-	-	9	0.354	25	0.984	8	0.315	M8×1	-	0.60
		80	3.150	34	1.339	22	0.866	1.1	0.043	29.1	17.8	14.0	SB208RKP8	-	5.2	0.205	9	0.354	25	0.984	8	0.315	M8×1	-	0.65
40	-	80	3.150	49.2	1.937	21	0.827	1.1	0.043	29.1	17.8	14.0	UC208	UC208L3	6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	-	0.64
		85	3.346	49.2	1.937	22	0.866	1.1	0.043	34.1	21.3	14.0	UCX08	UCX08L3	6	0.236		0.748	30.2	1.189	8	0.315	M8×1	-	0.83
		90	3.543	52	2.047	28	1.102	1.5	0.059	40.7	24.0	13.2	UC308	UC308L3	8	0.315		0.748	33	1.299	10	0.394	M10×1.25	-	1.00
-	1 5/8	85	3.346	49.2	1.937	22	0.866	1.1	0.043	34.1	21.3	14.0	UC209-26	UC209-26L3	6	0.236	19	0.748	30.2	1.189	8	0.315	-	5/16-24UNF	0.78
-	1 11/16	85	3.346	49.2	1.937	22	0.866	1.1	0.043	34.1	21.3	14.0	UC209-27	UC209-27L3	6	0.236	19	0.748	30.2	1.189	8	0.315	-	<sup>5</sup> / <sub>16</sub> -24UNF	0.74
		90	3.543	51.6	2.031	24	0.945	1.1	0.043	35.1	23.3	14.4	UCX09-27	UCX09-27L3	6	0.236		0.748	32.6	1.283	9	0.354	-	3/8-24UNF	0.93
	1 3/4	85	3.346	49.2	1.937	22		1.1	0.043	34.1	21.3	14.0	UC209-28	UC209-28L3	6	0.236	19 10	0.748	30.2	1.189	8	0.315	-	<sup>5</sup> / <sub>16</sub> -24UNF	0.70
-	1 3/4	90	3.543	51.6	2.031	24	0.945	1.1	0.043	35.1	23.3	14.4	UCX09-28	UCX09-28L3	6	0.236		0.748	32.6	1.283	9	0.354	- M10v1 25	3/8-24UNF	0.97
		100	3.937	57	2.244	30	1.181	1.5	0.059	48.9	29.5	13.3	UC309-28	UC309-28L3	8.5	0.335	22	0.866	35	1.378	10	0.394	M10×1.25	-	1.35

Remarks1. SU type product is the clean series ball bearing for unit.2. From UC201 to 205 are the double seal type products (L2).



Sha	t Dia.				Dime	nsions				R	asic	Factor	R	earing	Dimensions	Set Screw Ma
mm	inch				21110						Ratings			No.		Brg. Bore
	men										κΝ					G
	d	L	)	,	В		С	r (	min.)				Standard	L3 Type	$C_1$ $S$ $S_1$ $S_2$	G
	~	mm	inch	mm	inch	mm	inch	mm	inch	$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$				m inch kg
		85	3.346	49.2	1.937	22	0.866	1.1	0.043	34.1	21.3	14.0	UC209	UC209L3	6 0.236 19 0.748 30.2 1.189 8 0.315 M8>	- 0.6
45	_	90	3.543	51.6	2.031	24	0.945	1.1	0.043	35.1	23.3	14.4	UCX09	UCX09L3		(1.25 – 0.9
		100	3.937	57	2.244	30	1.181	1.5	0.059	48.9	29.5	13.3	UC309	UC309L3		(1.25 – 1.3
_	1 7/8	90	3.543	51.6	2.031	24	0.945	1.1	0.043	35.1	23.3	14.4	UC210-30	UC210-30L3		- <sup>3</sup> / <sub>8</sub> -24UNF 0.8
	. 15 /	90	3.543	51.6	2.031	24	0.945	1.1	0.043	35.1	23.3	14.4	UC210-31	UC210-31L3	<u>6 0.236 19 0.748 32.6 1.283 9 0.354</u>	- <sup>3</sup> / <sub>8</sub> -24UNF 0.8
-	1 <sup>15</sup> /16	100	3.937	55.6	2.189	25	0.984	1.1	0.043	43.4	29.4	14.4	UCX10-31	UCX10-31L3	7 0.276 22.2 0.874 33.4 1.315 9 0.354	- <sup>3</sup> / <sub>8</sub> -24UNF 1.3
		90	3.543	51.6	2.031	24	0.945	1.1	0.043	35.1	23.3	14.4	UC210	UC210L3	6 0.236 19 0.748 32.6 1.283 9 0.354 M10	(1.25 – 0.8
50	-	100	3.937	55.6	2.189	25	0.984	1.1	0.043	43.4	29.4	14.4	UCX10	UCX10L3	7 0.276 22.2 0.874 33.4 1.315 9 0.354 M10	(1.25 – 1.2
		110	4.331	61	2.402	32	1.260	2	0.079	62.0	38.3	13.2	UC310	UC310L3	9 0.354 22 0.866 39 1.535 12 0.472 M12	(1.5 – 1.6
	2	90	3.543	51.6	2.031	24	0.945	1.1	0.043	35.1	23.3	14.4	UC210-32	UC210-32L3	6         0.236         19         0.748         32.6         1.283         9         0.354	- <sup>3</sup> /8-24UNF 0.7
-	2	100	3.937	55.6	2.189	25	0.984	1.1	0.043	43.4	29.4	14.4	UCX10-32	UCX10-32L3	7 0.276 22.2 0.874 33.4 1.315 9 0.354	- <sup>3</sup> /8-24UNF 1.2
	2	100	3.937	55.6	2.189	25	0.984	1.5	0.059	43.4	29.4	14.4	UC211-32	UC211-32L3	7 0.276 22.2 0.874 33.4 1.315 9 0.354	- <sup>3</sup> /8-24UNF 1.2
-	2	120	4.724	66	2.598	34	1.339	2	0.079	71.6	45.0	13.2	UC311-32	UC311-32L3	10 0.394 25 0.984 41 1.614 12 0.472 M12	(1.5 – 2.0
-	2 <sup>1</sup> /8	100	3.937	55.6	2.189	25	0.984	1.5	0.059	43.4	29.4	14.4	UC211-34	UC211-34L3	7 0.276 22.2 0.874 33.4 1.315 9 0.354	- <sup>3</sup> /8-24UNF 1.1
		100	3.937	55.6	2.189	25	0.984	1.5	0.059	43.4	29.4	14.4	UC211	UC211L3	7 0.276 22.2 0.874 33.4 1.315 9 0.354 M10	(1.25 – 1.1
55	-	110	4.331	65.1	2.563	27	1.063	1.5	0.059	52.4	36.2	14.4	UCX11	UCX11L3	7.5 0.295 25.4 1.000 39.7 1.563 10.5 0.413 M10	(1.25 – 1.8
		120	4.724	66	2.598	34	1.339	2	0.079	71.6	45.0	13.2	UC311	UC311L3	10 0.394 25 0.984 41 1.614 12 0.472 M12	
		100	3.937	55.6	2.189	25	0.984	1.5	0.059	43.4	29.4	14.4	UC211-35	UC211-35L3	7 0.276 22.2 0.874 33.4 1.315 9 0.354	- <sup>3</sup> /8-24UNF 1.0
-	2 <sup>3</sup> /16	110	4.331	65.1	2.563	27	1.063	1.5	0.059	52.4	36.2	14.4	UCX11-35	UCX11-35L3	7.5 0.295 25.4 1.000 39.7 1.563 10.5 0.413	- <sup>3</sup> /8-24UNF 1.7
		120	4.724	66	2.598	34	1.339	2	0.079	71.6	45.0	13.2	UC311-35	UC311-35L3	10 0.394 25 0.984 41 1.614 12 0.472 M12	(1.5 – 1.6
-	2 <sup>1</sup> / <sub>4</sub>	110	4.331	65.1	2.563	27	1.063	1.5	0.059	52.4	36.2	14.4	UCX11-36	UCX11-36L3		- <sup>3</sup> / <sub>8</sub> -24UNF 1.7
-	2 <sup>1</sup> /4	110	4.331	65.1	2.563	27	1.063	1.5	0.059	52.4	36.2	14.4	UC212-36	UC212-36L3		- <sup>3</sup> /8-24UNF 1.6
		110	4.331	65.1	2.563	27	1.063	1.5	0.059	52.4	36.2	14.4	UC212	UC212L3	7.5 0.295 25.4 1.000 39.7 1.563 10.5 0.413 M10	
60	-	120	4.724	65.1	2.563	28	1.102	1.5	0.059	57.2	40.1	14.4	UCX12	UCX12L3	7.5 0.295 25.4 1.000 39.7 1.563 12 0.472 M12	
	23/	130	5.118	71	2.795	36	1.417	2.1	0.083	81.9	52.2	13.2	UC312	UC312L3	11.5 0.453 26 1.024 45 1.772 12 0.472 M12	
-	2 <sup>3</sup> /8	110 110	4.331	65.1	2.563	27	1.063	1.5	0.059	52.4	36.2	14.4	UC212-38	UC212-38L3		- <u>3/8-24UNF</u> 1.5
	27/	-	4.331	65.1	2.563	27	1.063	1.5	0.059	52.4	36.2	14.4	UC212-39 UCX12-39	UC212-39L3 UCX12-39L3		- <sup>3</sup> /8-24UNF 1.4
-	2 <sup>7</sup> /16	120	4.724	65.1 71	2.563 2.795	28	1.102	1.5	0.059	57.2	40.1	14.4				- <sup>1</sup> / <sub>2</sub> -20UNF 1.9
		130 120	5.118 4.724	65.1	2.795	36 28	1.417	2.1	0.083	81.9 57.2	52.2 40.1	13.2 14.4	UC312-39 UC213-40	UC312-39L3 UC213-40L3	11.5         0.453         26         1.024         45         1.772         12         0.472         M12           7.5         0.295         25.4         1.000         39.7         1.563         12         0.472	< <u>1.5 – 2.5</u> - <sup>1</sup> /2-20UNF 1.9
	2 1/2		4.724	74.6	2.505	20 30	1.102	1.5	0.059	62.2	40.1	14.4	UCX13-40	UCX13-40L3		
-	2 ./2	125 140	4.921 5.512	74.0	2.957	38			0.039	92.7	59.9	14.5	UC313-40	UC313-40L3		
		120	4.724	65.1	2.955	28	1.496	2.1	0.085	57.2	40.1	13.2	UC213	UC213L3	12         0.472         30         1.181         45         1.772         12         0.472         M12           7.5         0.295         25.4         1.000         39.7         1.563         12         0.472         M12	
65	_	125	4.921	74.6	2.937	30	1.181	1.5	0.059	62.2	44.1	14.5	UCX13	UCX13L3	9 0.354 30.2 1.189 44.4 1.748 12 0.472 M12	
05		140	5.512	75	2.957	38	1.496	2.1	0.083	92.7	59.9	13.2	UC313	UC313L3	12 0.472 30 1.181 45 1.772 12 0.472 M12	
		140	4.921	74.6	2.933	30	1.181	1.5	0.083	62.2	44.1	14.5	UC214-44	UC214-44L3		- <sup>1</sup> / <sub>2</sub> -20UNF 2.0
_	2 3/4	130	5.118	77.8	3.063	32	1.260	1.5	0.059	67.4	48.3	14.5	UCX14-44	UCX14-44L3		- <sup>1</sup> / <sub>2</sub> -200NF 2.7
	2 /4	150	5.906	78	3.071	40	1.575	2.1	0.039	104	68.2	13.2	UC314-44	UC314-44L3	12.5 0.492 33 1.299 45 1.772 12 0.472 M12	
		125	4.921	74.6	2.937	30	1.181	1.5	0.083	62.2	44.1	14.5	UC214	UC214L3	9 0.354 30.2 1.189 44.4 1.748 12 0.472 M12	
70	_	130	5.118	77.8	3.063	32	1.260	1.5	0.059	67.4	48.3	14.5	UCX14	UCX14L3	9 0.354 33.3 1.311 44.5 1.752 12 0.472 M12	
,,,		150	5.906	78	3.071	40	1.575	2.1	0.039	104	68.2	13.2	UC314	UC314L3	12.5 0.492 33 1.299 45 1.772 12 0.472 M12	
		130	5.118	77.8	3.063	32	1.260	1.5	0.0059	67.4	48.3	14.5	UC215-47	UC215-47L3		- <sup>1</sup> / <sub>2</sub> -20UNF 2.2
_	2 <sup>15</sup> /16		5.512	82.6	3.252	33	1.299	1.5	0.059	72.7	53.0	14.6	UCX15-47	UCX15-47L3	9 0.354 33.3 1.311 49.3 1.941 14 0.551	
	1.5	160	6.299	82	3.228	42	1.654	2.1	0.083	113	77.2	13.2	UC315-47	UC315-47L3	14.5 0.571 32 1.260 50 1.969 14 0.551 M14	
		130	5.118	77.8	3.063	32	1.260	1.5	0.005	67.4	48.3	14.5	UC215	UC215L3	9 0.354 33.3 1.311 44.5 1.752 12 0.472 M12	
75	_	140	5.512	82.6	3.252	33	1.299	1.5	0.059	72.7	53.0	14.6	UCX15	UCX15L3	9 0.354 33.3 1.311 49.3 1.941 14 0.551 M12	
		160	6.299	82	3.228	42	1.654	2.1	0.083	113	77.2	13.2	UC315	UC315L3	14.5 0.571 32 1.260 50 1.969 14 0.551 M14	
		130	5.118	77.8	3.063	32	1.260	1.5	0.059	67.4	48.3	14.5	UC215-48	UC215-48L3		- <sup>1</sup> / <sub>2</sub> -20UNF 2.1
_	3	140	5.512	82.6	3.252	33	1.299	1.5	0.059	72.7	53.0	14.6	UCX15-48	UCX15-48L3	9 0.354 33.3 1.311 49.3 1.941 14 0.551	
		160	6.299	82	3.228	42	1.654	2.1	0.083		77.2	13.2	UC315-48	UC315-48L3	14.5 0.571 32 1.260 50 1.969 14 0.551 M14	
Comorle			U.299			-12	1.007	2.1	0.000	1115	11.2	13.2	3431340	00010 4010	IMI4 16.0 FI 60.1 06 01.2 5 17.0 5.FI	

Remarks 1. SU type product is the clean series ball bearing for unit. 2. From UC201 to 205 are the double seal type products (L2).



Sha	ft Dia.				Dimer	sions				Ba	sic	Factor	Re	aring				Dime	nsions				Set	Screw	Mass
mm	inch				Dime	1310113					Ratings	i actor		No.				Dime	11310113					J. Bore	mass
111111	men										N			10.									DIQ	G	
	d	L		,	R		С	r (1	min.)				Standard	L3 Type		$C_1$		S		$S_1$		$S_2$		ŭ	
	u	mm	inch	mm	inch	mm	inch	mm	inch	$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$	Standard	Lotype	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	kg
_	3 <sup>1</sup> /8	140	5.512	82.6	3.252	33	1.299	2	0.079	72.7	53.0	14.6	UC216-50	UC216-50L3	9	0.354	33.3	1.311	49.3	1.941	14	0.551	_	<sup>1</sup> /2-20UNF	2.84
		140	5.512	82.6	3.252	33	1.299	2	0.079	72.7	53.0	14.6	UC216	UC216L3	9	0.354	33.3	1.311	49.3	1.941	14	0.551	M12×1.5	_	2.79
80	-	150	5.906	85.7	3.374	35	1.378	2	0.079	84.0	61.9	14.5	UCX16	UCX16L3	10	0.394	34.1	1.343	51.6	2.031	14	0.551	M12×1.5	_	3.87
		170	6.693	86	3.386	44	1.732	2.1	0.083	123	86.7	13.3	UC316	UC316L3	15	0.591	34	1.339	52	2.047	14	0.551	M14×1.5	_	5.60
_	3 1/4	150	5.906	85.7	3.374	35	1.378	2	0.079	84.0	61.9	14.5	UC217-52	UC217-52L3	10	0.394	34.1	1.343	51.6	2.031	14	0.551	_	1/2-20UNF	3.66
		150	5.906	85.7	3.374	35	1.378	2	0.079	84.0	61.9	14.5	UC217	UC217L3	10	0.394	34.1	1.343	51.6	2.031	14	0.551	M12×1.5	-	3.45
85	-	160	6.299	96	3.780	38	1.496	2	0.079	96.1	71.5	14.5	UCX17	UCX17L3	11	0.433	39.7	1.563	56.3	2.217	15	0.591	M12×1.5	-	5.05
		180	7.087	96	3.780	46	1.811	3	0.118	133	96.8	13.3	UC317	UC317L3	15	0.591	40	1.575	56	2.205	16	0.630	M16×1.5	-	6.90
_	3 7/16	160	6.299	96	3.780	38	1.496	2	0.079	96.1	71.5	14.5	UCX17-55	UCX17-55L3	11	0.433	39.7	1.563	56.3	2.217	15	0.591	_	<sup>1</sup> / <sub>2</sub> -20UNF	4.80
_	3 1/2	160	6.299	96	3.780	38	1.496	2	0.079	96.1	71.5	14.5	UC218-56	UC218-56L3	11	0.433	39.7	1.563	56.3	2.217	15	0.591	-	<sup>1</sup> /2-20UNF	4.46
	572	190	7.480	96	3.780	48	1.890	3	0.118	143	107	13.3	UC318-56	UC318-56L3	15.5	0.610	40	1.575	56	2.205	16	0.630	M16×1.5	-	8.03
		160	6.299	96	3.780	38	1.496	2	0.079	96.1	71.5	14.5	UC218	UC218L3	11	0.433	39.7	1.563	56.3	2.217	15	0.591	M12×1.5	-	4.35
90		170	6.693	104	4.094	40	1.575	2	0.079	109	81.9	14.4	UCX18	-	11.5	0.453	42.9	1.689	61.1	2.406	16	0.630	M14×1.5	-	6.00
		190	7.480	96	3.780	48	1.890	3	0.118	143	107	13.3	UC318	UC318L3	15.5	0.610	40	1.575	56	2.205	16	0.630	M16×1.5	-	7.87
95		200	7.874	103	4.055	50	1.969	3	0.118	153	119	13.3	UC319	UC319L3	 16.5	0.650	41	1.614	62	2.441	18	0.709	M16×1.5	-	8.91
100	_	190	7.480	117.5	4.626	43	1.693	2.1	0.083	133	105	14.4	UCX20	-	13	0.512	49.2	1.937	68.3	2.689	18	0.709	M16×1.5	-	8.56
		215	8.465	108	4.252	54	2.126	3	0.118	173	141	13.2	UC320	UC320L3	 18	0.709	42	1.654	66	2.598	20	0.787	M18×1.5	-	11.2
_	3 15/16	190	7.480	117.5	4.626	43	1.693	2.1	0.083	133	105	14.4	UCX20-63	-	13	0.512	49.2	1.937	68.3	2.689	18	0.709	-	5/8-18UNF	8.56
		215	8.465	108	4.252	54	2.126	3	0.118	173	141	13.2	UC320-63	UC320-63L3	18	0.709	42	1.654	66	2.598	20	0.787	M18×1.5	-	11.2
_	4	190	7.480	117.5	4.626	43	1.693	2.1	0.083	133	105	14.4	UCX20-64	-	13	0.512	49.2	1.937	68.3	2.689	18	0.709	-	5/8-18UNF	8.33
105		215	8.465	108	4.252	54	2.126	3	0.118	173	141	13.2	UC320-64	UC320-64L3	18	0.709	42	1.654	66	2.598	20	0.787	M18×1.5	-	11.0
105		225	8.858	112	4.409	56	2.205	3	0.118	184	153	13.2	UC321	-	19	0.748	44	1.732	68	2.677	20	0.787	M18×1.5	—	12.7
110		240	9.449	117	4.606	60	2.362	3	0.118	205	180	13.2	UC322	UC322L3	20	0.787	46	1.811	71	2.795	20	0.787	M18×1.5	-	15.1
120	-	260	10.236	126	4.961	64	2.520	3	0.118	207	185	13.5	UC324	UC324L3	21	0.827	51	2.008	75	2.953	20	0.787	M18×1.5	-	19.0
130		280	11.024	135	5.315	68	2.677	4	0.157	229	214	13.6	UC326	UC326L3	22	0.866	54	2.126	81	3.189	20	0.787	M20×1.5	-	23.6
140		300	11.811	145	5.709	72	2.835	4	0.157	253	246	13.6	UC328	UC328L3	23	0.906	59	2.323	86	3.386	20	0.787	M20×1.5	-	29.4

Remarks 1. SU type product is the clean series ball bearing for unit. 2. From UC201 to 205 are the double seal type products (L2).

# UC-S6, SU-S6 (Stainless steel series) Cylindrical bore (with set screws) d 10 ~ 60 mm







	<b>t Dia.</b> inch				Dime	nsions				Ba Load R	sic latings	Factor	Bearing No.					Dime	nsions				Set Screw Brg. Bore	Mass
			D		В		С		nin.)	k	N		Standard			$C_1$		s		$S_1$		$S_2$	G	
	d	mm	inch	mm	inch	mm	inch	mm	inch	$C_{\rm r}$	$C_{0\mathrm{r}}$	$f_0$	Standard		mm	inch	mm	inch	mm	inch	mm	inch	mm	kg
10	-	26	1.024	15	0.591	8	0.315	0.3	0.012	3.9	1.55	12.3	SU000S6		-	-	5	0.197	10	0.394	3	0.118	M3×0.35	0.024
		28	1.102	15	0.591	8	0.315	0.3	0.012	4.3	1.9	13.2	SU001S6		-	-	5	0.197	10	0.394	3	0.118	M3×0.35	0.026
12		40	1.575	27.4	1.079	13	0.512	0.6	0.024	8.15	3.85	13.2	UC201XS6		3.5	0.138	11.5	0.453	15.9	0.626	4	0.158	M5×0.5	0.10
	1/2	40	1.575	27.4	1.079	13	0.512	0.6	0.024	8.15	3.85	13.2	UC201-8XS6		3.5	0.138	11.5	0.453	15.9	0.626	4	0.158	M5×0.5	0.10
		32	1.260	16.5	0.650	9	0.354	0.3	0.012	4.7	2.25	13.9	SU002S6		-	-	5.5	0.217	11	0.433	3.3	0.130	M4×0.5	0.038
15		40	1.575	27.4	1.079	13	0.512	0.6	0.024	8.15	3.85	13.2	UC202XS6		3.5	0.138	11.5	0.453	15.9	0.626	4	0.158	M5×0.5	0.10
	5/8	40	1.575	27.4	1.079	13	0.512	0.6	0.024	8.15	3.85	13.2	UC202-10XS6		3.5	0.138	11.5	0.453	15.9	0.626	4	0.158	M5×0.5	0.10
17		35	1.378	17.5	0.689	10	0.394	0.3	0.012	5.1	2.6	14.4	SU003S6		-	-	6	0.236	11.5	0.453	3.3	0.130	M4×0.5	0.050
17	-	40	1.575	27.4	1.079	13	0.512	0.6	0.024	8.15	3.85	13.2	UC203XS6		3.5	0.138	11.5	0.453	15.9	0.626	4	0.158	M5×0.5	0.10
	3/4	47	1.850	31	1.220	16	0.630	1	0.039	10.9	5.35	13.2	UC204-12S6		4	0.157	12.7	0.500	18.3	0.720	5	0.197	M6×0.75	0.16
20		42	1.654	21	0.827	12	0.472	0.6	0.024	7.9	4	13.9	SU004S6		-	-	7	0.276	14	0.551	4	0.157	M5×0.5	0.080
		47	1.850	31	1.220	16	0.630	1	0.039	10.9	5.35	13.2	UC204S6		4	0.157	12.7	0.500	18.3	0.720	5	0.197	M6×0.75	0.16
	7/8	52	2.047	34.1	1.343	17	0.669	1	0.039	11.9	6.3	13.9	UC205-14S6		5	0.197	14.3	0.563	19.8	0.780	5.5	0.217	M6×0.75	0.23
	15/16	52	2.047	34.1	1.343	17	0.669	1	0.039	11.9	6.3	13.9	UC205-15S6		5	0.197	14.3	0.563	19.8	0.780	5.5	0.217	M6×0.75	0.21
25		47	1.850	22	0.866	12	0.472	0.6	0.024	8.5	4.65	14.5	SU005S6		-	-	7	0.276	15	0.591	4.5	0.177	M5×0.5	0.10
		52	2.047	34.1	1.343	17	0.669	1	0.039	11.9	6.3	13.9	UC205S6		5	0.197	14.3	0.563	19.8	0.780	5.5	0.217	M6×0.75	0.20
	1	52	2.047	34.1	1.343	17	0.669	1	0.039	11.9	6.3	13.9	UC205-16S6		5	0.197	14.3	0.563	19.8	0.780	5.5	0.217	M6×0.75	0.20
	1 <sup>1</sup> / <sub>8</sub>	62	2.441	38.1	1.500	19	0.748	1	0.039	16.5	9.05	13.9	UC206-18S6		5	0.197	15.9	0.626	22.2	0.874	6	0.236	M6×0.75	0.34
		55	2.165	24.5	0.965	13	0.512	1	0.039	11.2	6.6	14.7	SU006S6		_	_	7.5	0.295	17	0.669	5.5	0.217	M5×0.5	0.15
30		62	2.441	38.1	1.500	19	0.748	1	0.039	16.5	9.05	13.9	UC206S6		5	0.197	15.9	0.626	22.2	0.874	6	0.236	M6×0.75	0.32
	1 3/16	62	2.441	38.1	1.500	19	0.748	1	0.039	16.5	9.05	13.9	UC206-19S6		5	0.197	15.9	0.626	22.2	0.874	6	0.236	M6×0.75	0.32
	1 1/4	62	2.441	38.1	1.500	19	0.748	1	0.039	16.5	9.05	13.9	UC206-20S6		5	0.197	15.9	0.626	22.2	0.874	6	0.236	M6×0.75	0.30
	$1^{1}/4$	72	2.835	42.9	1.689	20	0.787	1.1	0.043	21.8	12.3	13.9	UC207-20S6		5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	M8×1	0.54
	1 5/16	72	2.835	42.9	1.689	20	0.787	1.1	0.043	21.8	12.3	13.9	UC207-21S6		5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	M8×1	0.51
35	1 3/8	72	2.835	42.9	1.689	20	0.787	1.1	0.043	21.8	12.3	13.9	UC207-22S6		5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	M8×1	0.48
		72	2.835	42.9	1.689	20	0.787	1.1	0.043	21.8	12.3	13.9	UC207S6		5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	M8×1	0.48
	1 7/16	72	2.835	42.9	1.689	20	0.787	1.1	0.043	21.8	12.3	13.9	UC207-2356		5.5	0.217	17.5	0.689	25.4	1.000	6.5	0.256	M8×1	0.45
	$1^{1}/_{2}$	80	3.150	49.2	1.937	20	0.827	1.1	0.043	24.8	14.3	14.0	UC208-2456		6	0.236	17.5	0.748	30.2	1.189	8	0.315	M8×1	0.68
40	1 9/16	80	3.150	49.2	1.937	21	0.827	1.1	0.043	24.8	14.3	14.0	UC208-2556		6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	0.60
10	. , 10	80	3.150	49.2	1.937	21	0.827	1.1	0.043	24.8	14.3	14.0	UC208S6		6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	0.64
	1 5/8	85	3.346	49.2	1.937	22	0.866	1.1	0.043	27.8	16.2	14.0	UC209-2656		6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	0.78
	1 11/16	85	3.346	49.2	1.937	22	0.866	1.1	0.043	27.8	16.2	14.0	UC209-27S6		6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	0.74
45	1 3/4	85	3.346	49.2	1.937	22	0.866	1.1	0.043	27.8	16.2	14.0	UC209-2856		6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	0.70
	1 / 4	85	3.346	49.2	1.937	22	0.866	1.1	0.043	27.8	16.2	14.0	UC209S6		6	0.236	19	0.748	30.2	1.189	8	0.315	M8×1	0.68
	1 7/8	90	3.543	51.6	2.031	24	0.945	1.1	0.043	29.8	18.6	14.4	UC210-30S6		6	0.236	19	0.748	32.6	1.283	9	0.354	M8×1	0.87
	1 <sup>15</sup> /16	90	3.543	51.6	2.031	24	0.945	1.1	0.043	29.8	18.6	14.4	UC210-3156		6	0.236	19	0.748	32.6	1.283	9	0.354	M8×1	0.82
50	1 /10	90	3.543	51.6	2.031	24	0.945	1.1	0.043	29.8	18.6	14.4	UC2105150		6	0.236	19	0.748	32.6	1.283	9	0.354	M8×1	0.80
	2	90	3.543	51.6	2.031	24	0.945	1.1	0.043	29.8	18.6	14.4	UC210-3256		6	0.236	19	0.748	32.6	1.283	9	0.354	M8×1	0.78
	2	100	3.937	55.6	2.031	24	0.945	1.1	0.043	36.8	23.5	14.4	UC211-3256		7	0.236	22.2	0.748	33.4	1.283	9	0.354	M10×1.25	1.26
	2 1/8	100	3.937	55.6	2.189	25	0.984	1.5	0.059	36.8	23.5	14.4	UC211-34S6		7	0.276	22.2	0.874	33.4	1.315	9	0.354	M10×1.25	1.15
55	2.78	100										14.4	UC21156		7	0.276	22.2	0.874	33.4 33.4	1.315	9			
	23/		3.937	55.6	2.189	25	0.984	1.5	0.059	36.8	23.5				7						9	0.354	M10×1.25	1.11
	$2^{3/_{16}}$ $2^{1/_4}$	100 110	3.937 4.331	55.6 65.1	2.189	25 27	0.984	1.5	0.059	36.8 44.5	23.5 29	14.4 14.4	UC211-35S6 UC212-36S6		7.5	0.276	22.2 25.4	0.874	33.4 39.7	1.315	10.5	0.354 0.413	M10×1.25 M10×1.25	1.09
	2 /4					27		1.5					UC212-3656							1.563	10.5			
60	23/	110	4.331	65.1	2.563		1.063	1.5	0.059	44.5	29	14.4			7.5	0.295	25.4	1.000	39.7			0.413	M10×1.25	1.54
	2 <sup>3</sup> /8	110	4.331	65.1	2.563	27	1.063	1.5	0.059	44.5	29	14.4	UC212-3856		7.5	0.295	25.4	1.000	39.7	1.563	10.5	0.413	M10×1.25	1.52
	2 <sup>7</sup> /16	110	4.331	65.1	2.563	27	1.063	1.5	0.059	44.5	29	14.4	UC212-39S6		7.5	0.295	25.4	1.000	39.7	1.563	10.5	0.413	M10×1.25	1.45

Remark S6 series product is the stainless steel series ball bearing for unit.















Sha	aft Dia					Dime	ensions					Ba	sic	Factor	Bearing					Dimer	nsions				Set 9	Screw	Mass
mm	inch											Load F	Ratings		No.										Brg.	Bore	
							_					k	Ν					-				_		_			
	d	-	D · ·	-	B ,		B1		C		nin.)	$C_{\rm r}$	$C_{0\mathrm{r}}$	fo				C1		S		$S_2$	a		mm	inch	kg
		mm	inch		inch		inch		inch	mm	inch				64201		mm	inch	mm	inch	mm	inch	mm	inch	MG: 0.75		
12		40 40	1.575 1.575	19 19.1	0.784 0.752	28.5 28.6	1.122 1.126	12 13	0.472 0.512	0.6 0.6	0.024 0.024	9.55 9.55	4.80 4.80	13.2 13.2	SA201 SA201F		24	0.134	6	0.236 0.256	4.8 4.8	0.189 0.189	28.6 28.6	1.126	M6×0.75 M6×0.75	-	0.13 0.13
12	_	40	1.850	34.2	1.346	43.7	1.720	16	0.630	0.0	0.024	12.8	4.60 6.65	13.2	NA201		3.4	0.134	6.5 17.1	0.230	4.0 4.8	0.189	33.3	1.126 1.311	M6×0.75	_	0.13
		47	1.575	19	0.784	28.5	1.122	10	0.030	0.6	0.039	9.55	4.80	13.2	SA201-8		4	0.157	6	0.075	4.0	0.189	28.6	1.126			0.29
_	1/2	40	1.575	19.1	0.752	28.6	1.126	13	0.512	0.6	0.024	9.55	4.80	13.2	SA201-8F		3.4	0.134	6.5	0.256	4.8	0.189	28.6	1.126	_	<sup>1</sup> /4-28UNF	0.13
	/2	47	1.850	34.2	1.346	43.7	1.720	16	0.630	1	0.039	12.8	6.65	13.2	NA201-8		4	0.157	17.1	0.673	4.8	0.189	33.3	1.311	_	<sup>1</sup> / <sub>4</sub> -28UNF	0.29
		40	1.575	19	0.784	28.5	1.122	12	0.472	0.6	0.024	9.55	4.80	13.2	SA202		-	-	6	0.236	4.8	0.189	28.6	1.126	M6×0.75	-	0.13
15	_	40	1.575	19.1	0.752	28.6	1.126	13	0.512	0.6	0.024	9.55	4.80	13.2	SA202F		3.4	0.134	6.5	0.256	4.8	0.189	28.6	1.126	M6×0.75	-	0.13
		47	1.850	34.2	1.346	43.7	1.720	16	0.630	1	0.039	12.8	6.65	13.2	NA202		4	0.157	17.1	0.673	4.8	0.189	33.3	1.311	M6×0.75	-	0.27
	5/8	40	1.575	19	0.784	28.5	1.122	12	0.472	0.6	0.024	9.55	4.80	13.2	SA202-10		-	-	6	0.236	4.8	0.189	28.6	1.126	-	1/4-28UNF	0.13
	78	47	1.850	34.2	1.346	43.7	1.720	16	0.630	1	0.039	12.8	6.65	13.2	NA202-10		4	0.157	17.1	0.673	4.8	0.189	33.3	1.311	-	1/4-28UNF	0.26
		40	1.575	19	0.784	28.5	1.122	12	0.472	0.6	0.024	9.55	4.80	13.2	SA203		-	-	6	0.236	4.8	0.189	28.6	1.126	M6×0.75	-	0.13
17	-	40	1.575	19.1	0.752	28.6	1.126	13	0.512	0.6	0.024	9.55	4.80	13.2	SA203F		3.4	0.134	6.5	0.256	4.8	0.189	28.6	1.126	M6×0.75	-	0.13
		47	1.850	34.2	1.346	43.7	1.720	16	0.630	1	0.039	12.8	6.65	13.2	NA203		4	0.157	17.1	0.673	4.8	0.189	33.3	1.311	M6×0.75	-	0.25
	37	47	1.850	20	0.787	29.5	1.161	14	0.551	1	0.039	12.8	6.65	13.2	SA204-12 SA204-12F		-	-	/	0.276	4.8	0.189	33.3	1.311	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.15
-	3/4	47	1.850	21.5	0.846	31	1.220	15	0.591	1	0.039	12.8	6.65	13.2			3.7	0.146	7.5	0.295	4.8	0.189	33.3	1.311	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.19
		47	1.850 1.850	34.2 20	1.346 0.787	43.7 29.5	1.720	16 14	0.630	1	0.039	12.8 12.8	6.65 6.65	13.2 13.2	NA204-12 SA204		4	0.157	17.1	0.673	4.8	0.189	33.3 33.3	1.311 1.311	 M6×0.75	<sup>1</sup> / <sub>4</sub> -28UNF	0.23
20	_	47	1.850	21.5	0.846	31	1.220	15	0.591	1	0.039	12.8	6.65	13.2	SA204F		3.7	0.146	7.5	0.295	4.8	0.189	33.3	1.311	M6×0.75	_	0.19
		47	1.850	34.2	1.346	43.7	1.720	16	0.630	1	0.039	12.8	6.65	13.2	NA204			0.140	17.1	0.673	4.8	0.189	33.3	1.311	M6×0.75	_	0.22
		52	2.047	21	0.827	30.5	1.201	15	0.591	1	0.039	14.0	7.85	13.9	SA205-14		-	-	7.5	0.295	4.8	0.189	38.1	1.500	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.22
-	7/8	52	2.047	34.9	1.374	44.4	1.748	17	0.669	1	0.039	14.0	7.85	13.9	NA205-14		5	0.197	17.5	0.689	4.8	0.189	38.1	1.500	_	<sup>1</sup> /4-28UNF	0.27
		52	2.047	21	0.827	30.5	1.201	15	0.591	1	0.039	14.0	7.85	13.9	SA205-15		-	-	7.5	0.295	4.8	0.189	38.1	1.500	-	1/4-28UNF	0.22
-	<sup>15</sup> /16	52	2.047	21.5	0.846	31	1.220	15	0.591	1	0.039	14.0	7.85	13.9	SA205-15F		3.7	0.146	7.5	0.295	4.8	0.189	38.1	1.500	-	1/4-28UNF	0.23
		52	2.047	34.9	1.374	44.4	1.748	17	0.669	1	0.039	14.0	7.85	13.9	NA205-15		5	0.197	17.5	0.689	4.8	0.189	38.1	1.500	-	1/4-28UNF	0.29
		52	2.047	21	0.827	30.5	1.201	15	0.591	1	0.039	14.0	7.85	13.9	SA205		-	-	7.5	0.295	4.8	0.189	38.1	1.500	M6×0.75	-	0.22
25	-	52	2.047	21.5	0.846	31	1.220	15	0.591	1	0.039	14.0	7.85	13.9	SA205F		3.7	0.146	7.5	0.295	4.8	0.189	38.1	1.500	M6×0.75	-	0.23
		52	2.047	34.9	1.374		1.748	17	0.669	1	0.039	14.0	7.85	13.9	NA205		5	0.197	17.5	0.689	4.8	0.189	38.1	1.500	M6×0.75	-	0.25
	1	52	2.047	21	0.827	30.5	1.201	15	0.591	1	0.039	14.0	7.85	13.9	SA205-16		-	-	7.5	0.295	4.8	0.189	38.1	1.500	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.22
-	1	52	2.047	21.5	0.846	31	1.220	15	0.591	1	0.039	14.0	7.85	13.9	SA205-16F		3.7	0.146	7.5	0.295	4.8	0.189	38.1	1.500	-	<sup>1</sup> / <sub>4</sub> -28UNF	0.23
		52 62	2.047	34.9 22	1.374 0.866	44.4 33.9	1.748	17 16	0.669	1	0.039	14.0 19.5	7.85	13.9 13.9	NA205-16 SA206-18		5	0.197	17.5 8	0.689	4.8 6	0.189	38.1 44.5	1.500 1.752	_	<sup>1</sup> / <sub>4</sub> -28UNF <sup>5</sup> / <sub>16</sub> -24UNF	0.25
_	1 <sup>1</sup> /8	62	2.441	23.8	0.937	35.7	1.406	18	0.709	1	0.039	19.5	11.3	13.9	SA206-18F		4.7	0.185	9	0.354	6	0.236	44.5	1.752	_	<sup>5</sup> /16-24UNF	0.34
	1,0	62	2.441	36.5	1.437	48.4	1.906	19	0.748	1	0.039	19.5	11.3	13.9	NA206-18		5	0.197	18.3	0.720	6	0.236	44.5	1.752	_	5/16-24UNF	0.43
		62	2.441	22	0.866	33.9	1.335	16	0.630	1	0.039	19.5	11.3	13.9	SA206		-	-	8	0.315	6	0.236	44.5	1.752	M8×1	-	0.3
30	_	62	2.441	23.8	0.937	35.7	1.406	18	0.709	1	0.039	19.5	11.3	13.9	SA206F		4.7	0.185	9	0.354	6	0.236	44.5	1.752	M8×1	-	0.34
		62	2.441	36.5	1.437	48.4	1.906	19	0.748	1	0.039	19.5	11.3	13.9	NA206		5	0.197	18.3	0.720	6	0.236	44.5	1.752	M8×1	-	0.41
		62	2.441	22	0.866	33.9	1.335	16	0.630	1	0.039	19.5	11.3	13.9	SA206-19		-	-	8	0.315	6	0.236	44.5	1.752	-	5/16-24UNF	0.3
_	1 <sup>3</sup> / <sub>16</sub>	62	2.441	23.8	0.937	35.7	1.406	18	0.709	1	0.039	19.5	11.3	13.9	SA206-19F		4.7	0.185	9	0.354	6	0.236	44.5	1.752	-	<sup>5</sup> /16-24UNF	0.34
	1 / 10	62	2.441	36.5	1.437	48.4	1.906	19	0.748	1	0.039	19.5	11.3	13.9	NA206-19		5	0.197	18.3	0.720	6	0.236	44.5	1.752	-	5/16-24UNF	0.41
		72	2.835	36.5	1.437	50	1.969	24	0.945	1.1	0.043	26.7	15.0	13.3	NA306-19		6.5	0.256	17.5	0.689	6.8	0.268	49.2	1.937	-	5/16-24UNF	
		62	2.441	22	0.866		1.335	16	0.630	1	0.039	19.5	11.3	13.9	SA206-20		-	-	8	0.315	6	0.236		1.752	-	<sup>5</sup> / <sub>16</sub> -24UNF	0.3
-	1 <sup>1</sup> / <sub>4</sub>	62	2.441	23.8	0.937	35.7	1.406	18	0.709	1	0.039	19.5	11.3	13.9	SA206-20F		4.7	0.185	9	0.354	6	0.236		1.752	-	<sup>5</sup> / <sub>16</sub> -24UNF	0.34
		62	2.441	36.5	1.437		1.906	19	0.748	1 1	0.039	19.5	11.3	13.9	NA206-20		5	0.197	18.3	0.720	6	0.236		1.752	-	5/16-24UNF	
	1 <sup>1</sup> /4	72	2.835	23	0.906		1.437	17	0.669	1.1	0.043	25.7	15.4	13.9	SA207-20		57	-	8.5	0.335 0.335	6.8	0.268	55.6		-	<sup>5</sup> /16-24UNF <sup>5</sup> /16-24UNF	
-	1.74	72	2.835 2.835	25.4 37.6	1.000 1.480		1.531 2.012	19 20	0.748	1.1	0.043 0.043	25.7	15.4 15.4	13.9 13.9	SA207-20F NA207-20		5.7 5.5	0.224	9.5 18.8		6.8	0.268		2.189	_	<sup>5</sup> / <sub>16</sub> -24UNF	
		72	2.835	23	0.906		1.437	17	0.787	<u>1.1</u> 1.1	0.043	25.7 25.7	15.4	13.9	SA207-20		5.5	0.217	18.8 8.5	0.740	6.8 6.8	0.268		2.189 2.189		<sup>5</sup> /16-24UNF	
_	1 5/16	72		25.4	1.000		1.531	19	0.748	1.1	0.043	25.7	15.4	13.9	SA207-21F		5.7	0.224	9.5	0.335	6.8	0.268	55.6		_	5/16-24UNF	
	. /10	72	2.835	37.6	1.480		2.012		0.787	1.1	0.043	25.7	15.4	13.9	NA207-21		5.5	0.224		0.740	6.8	0.268		2.189	_	5/16-24UNF	
		12	2.000	57.0	1.400	51.1	2.012	20	0.707		0.040	23.1	13.7	1.5.5	11/120/ 21	I	1 0.0	0.217	10.0	0.7 10	0.0	0.200	55.0	2.107	_	7 IO 2 TOTAL	0.05













Sha	ft Dia					Dime	nsions					Ba	sic	Factor	Bearing				Dimer	sions				Set 9	Screw	Mass
mm	inch											Load F	Ratings		No.									Brg.	Bore	
												k	N													
	d		D	Ĺ	В	I	<b>B</b> 1		C	<i>r</i> (r	min.)	$C_{\rm r}$	$C_{0\mathrm{r}}$	fo			$C_1$		S	1	$S_2$		$d_1$	mm	inch	kg
		mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	Cr	Cor	<i>J</i> 0		 mm	inch	mm	inch	mm	inch	mm	inch		men	
		72	2.835	23	0.906	36.5	1.437	17	0.669	1.1	0.043	25.7		13.9	SA207-22	-	-	8.5	0.335	6.8	0.268	55.6	2.189	-	<sup>5</sup> /16-24UNF	0.5
-	1 <sup>3</sup> / <sub>8</sub>	72	2.835	25.4	1.000	38.9	1.531	19	0.748	1.1	0.043	25.7	15.4	13.9	SA207-22F	5.7	0.224	9.5	0.335	6.8	0.268	55.6	2.189	-	<sup>5</sup> / <sub>16</sub> -24UNF	0.57
		72	2.835	37.6 23	1.480	51.1	2.012	20 17	0.787	1.1	0.043	25.7 25.7	15.4	13.9	NA207-22	5.5	0.217	18.8	0.740	6.8	0.268	55.6 55.6	2.189	-	5/16-24UNF	0.61
25		72	2.835		0.906	36.5 38.9	1.437 1.531	17	0.669 0.748	1.1 1.1	0.043 0.043	25.7	15.4 15.4	13.9	SA207 SA207F	57	- 0.224	8.5 9.5	0.335	6.8 6.8	0.268 0.268		2.189	M8×1	-	0.5 0.57
35	_	72	2.835 2.835	25.4 37.6	1.000 1.480	50.9 51.1	2.012	20	0.748	1.1	0.043	25.7	15.4	13.9 13.9	NA207	5.7	0.224	9.5 18.8	0.335 0.740	6.8	0.268	55.6 55.6	2.189 2.189	M8×1 M8×1	_	0.57
		72	2.835	23	0.906	36.5	1.437	17	0.669	1.1	0.043	25.7	15.4	13.9	SA207-23	-	-	8.5	0.335	6.8	0.268	55.6	2.189	-	<sup>5</sup> /16-24UNF	0.5
		72	2.835	25.4	1.000	38.9	1.531	19	0.748	1.1	0.043	25.7	15.4	13.9	SA207-23F	5.7	0.224	9.5	0.335	6.8	0.268	55.6	2.189	_	<sup>5</sup> / <sub>16</sub> -24UNF	0.57
-	1 <sup>7</sup> /16	72	2.835	37.6	1.480	51.1	2.012	20	0.787	1.1	0.043	25.7	15.4	13.9	NA207-23	5.5	0.217	18.8	0.740	6.8	0.268	55.6	2.189	_	5/16-24UNF	0.58
		80	3.150	38.1	1.500	51.6	2.031	26	1.024	1.5	0.059	33.4	19.3	13.2	NA307-23	7.5	0.295	18.3	0.720	6.8	0.268	55.5	2.185	-	5/16-24UNF	0.81
		80	3.150	27	1.063	40.5	1.595	18	0.709	1.1	0.043	29.1	17.8	14.0	SA208-24	-	-	9	0.354	6.8	0.268	60.3	2.374	-	5/16-24UNF	0.67
_	1 <sup>1</sup> / <sub>2</sub>	80	3.150	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	29.1	17.8	14.0	SA208-24F	6.4	0.252	11	0.433	6.8	0.268	60.3	2.374	-	<sup>5</sup> /16-24UNF	0.75
	1 /2	80	3.150	42.8	1.685	56.3	2.217	21	0.827	1.1	0.043	29.1	17.8	14.0	NA208-24	6	0.236	21.4	0.843	6.8	0.268	60.3	2.374	-	5/16-24UNF	0.83
		90	3.543	41.3	1.626	57.1	2.248	28	1.102	1.5	0.059	40.7	24.0	13.2	NA308-24	 8	0.315	19.8	0.780	8	0.315	63.5	2.500	-	3/8-24UNF	1.19
	1.07	80	3.150	27	1.063	40.5	1.595	18	0.709	1.1	0.043	29.1	17.8	14.0	SA208-25	-	-	9	0.354	6.8	0.268	60.3	2.374	-	<sup>5</sup> / <sub>16</sub> -24UNF	0.67
-	1 <sup>9</sup> /16	80	3.150	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		17.8	14.0	SA208-25F	6.4	0.252	11	0.433	6.8	0.268	60.3	2.374	-	5/16-24UNF	0.75
		80 80	3.150 3.150	42.8 27	1.685 1.063	56.3 40.5	2.217	21 18	0.827	1.1	0.043	29.1 29.1	17.8 17.8	14.0 14.0	NA208-25 SA208	6	0.236	21.4 9	0.843	6.8 6.8	0.268	60.3 60.3	2.374	 M8×1	<sup>5</sup> /16-24UNF	0.79
40	_	80	3.150	30.2	1.189	40.5	1.720	22	0.866	1.1	0.043	29.1	17.8	14.0	SA208	6.4	0.252	11	0.433	6.8	0.268	60.3	2.374	M8×1	_	0.75
40	_	80	3.150	42.8	1.685	56.3	2.217	21	0.800	1.1	0.043	29.1	17.8	14.0	NA208	6	0.232	21.4	0.843	6.8	0.268	60.3	2.374	M8×1		0.78
		85	3.346	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		21.3	14.0	SA209-26F	6	0.236	11	0.433	6.8	0.268	63.5	2.500	-	5/16-24UNF	0.82
-	1 5/8	85	3.346	42.8	1.685	56.3	2.217	22	0.866	1.1	0.043	34.1	21.3	14.0	NA209-26	6	0.236	21.4	0.843	6.8	0.268	63.5	2.500	-	5/16-24UNF	0.96
		85	3.346	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	34.1	21.3	14.0	SA209-27F	6	0.236	11	0.433	6.8	0.268	63.5	2.500	-	5/16-24UNF	0.82
-	<b>1</b> <sup>11</sup> / <sub>16</sub>	85	3.346	42.8	1.685	56.3	2.217	22	0.866	1.1	0.043	34.1	21.3	14.0	NA209-27	6	0.236	21.4	0.843	6.8	0.268	63.5	2.500	-	5/16-24UNF	0.91
		100	3.937	42.9	1.689	58.7	2.311	30	1.181	1.5	0.059		29.5	13.3	NA309-27	8.5	0.335	19.8	0.780	8	0.315	69.8	2.748	-	3/8-24UNF	1.47
_	1 3/4	85	3.346	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		21.3	14.0	SA209-28F	6	0.236	11	0.433	6.8	0.268	63.5	2.500	-	<sup>5</sup> / <sub>16</sub> -24UNF	0.82
		85	3.346	42.8	1.685	56.3	2.217	22	0.866	1.1	0.043		21.3	14.0	NA209-28	6	0.236	21.4	0.843	6.8	0.268	63.5	2.500	-	<sup>5</sup> /16-24UNF	0.87
45	-	85 85	3.346	30.2 42.8	1.189 1.685	43.7 56.3	1.720 2.217	22 22	0.866 0.866	1.1 1.1	0.043 0.043		21.3 21.3	14.0 14.0	SA209F NA209	6	0.236 0.236	11 21.4	0.433 0.843	6.8 6.8	0.268 0.268	63.5 63.5	2.500	M8×1 M8×1	_	0.82 0.85
		90	3.346 3.543	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	35.1	23.3	14.0	SA210-30F	6.6	0.250	11	0.433	6.8	0.268	69.9	2.500	-		0.85
-	1 7/8	90	3.543	49.2	1.937	62.7	2.469	24	0.945	1.1	0.043		23.3	14.4	NA210-30	6	0.236	24.6	0.969	6.8	0.268	69.9	2.752	_	<sup>5</sup> /16-24UNF	1.08
		90	3.543	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		23.3	14.4	SA210-31F	6.6	0.260	11	0.433	6.8	0.268	69.9	2.752	-	5/16-24UNF	0.85
_	1 <sup>15</sup> /16	90	3.543	49.2	1.937	62.7	2.469	24	0.945	1.1	0.043	35.1	23.3	14.4	NA210-31	6	0.236	24.6	0.969	6.8	0.268	69.9	2.752	-	5/16-24UNF	1.04
		110	4.331	49.2	1.937	66.6	2.622	32	1.260	2	0.079	62.0	38.3	13.2	NA310-31	9	0.354	24.6	0.969	8.7	0.343	76.2	3.000	-	3/8-24UNF	1.95
50		90	3.543	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	35.1	23.3	14.4	SA210F	6.6	0.260	11	0.433	6.8	0.268	69.9	2.752	M8×1	-	0.85
		90	3.543	49.2	1.937	62.7	2.469	24	0.945	1.1	0.043		23.3	14.4	NA210	 6	0.236	24.6	0.969	6.8	0.268	69.9	2.752	M8×1	-	1.01
		90	3.543	49.2	1.937	62.7	2.469	24	0.945	1.1	0.043	35.1	23.3	14.4	NA210-32	6	0.236	24.6	0.969	6.8	0.268	69.9	2.752	-	<sup>5</sup> /16-24UNF	0.99
-	2	100	3.937	32.4	1.276	48.4	1.906	24	0.945	1.5	0.059	43.4	29.4	14.4	SA211-32F	7	0.276	12	0.472	8	0.315	76.2	3.000	-	<sup>3</sup> / <sub>8</sub> -24UNF	1.2
		100	3.937	55.5	2.185	71.4	2.811	25	0.984	1.5	0.059	43.4	29.4	14.4	NA211-32	7	0.276	27.8	1.094	8	0.315	76.2	3.000	-	<sup>3</sup> /8-24UNF	1.58
-	2 <sup>1</sup> / <sub>8</sub>	100	3.937 3.937	32.4	1.276	48.4 71.4	1.906 2.811	24 25	0.945 0.984	1.5	0.059 0.059	43.4 43.4	29.4 29.4	14.4 14.4	SA211-34F NA211-34	/ 7	0.276 0.276	12 27.8	0.472 1.094	8 8	0.315	76.2 76.2	3.000 3.000	_	<sup>3</sup> /8-24UNF <sup>3</sup> /8-24UNF	1.2 1.49
		100	3.937	55.5 32.4	2.185	48.4	1.906	25	0.984	1.5 1.5	0.059		29.4	14.4	SA211-34	7	0.276	12	0.472	8	0.315		3.000	 M10×1.25	-/8-24UINF	1.49
55	-	100	3.937	55.5	2.185		2.811	25	0.945	1.5	0.059	43.4		14.4	NA211	7	0.276	27.8	1.094	8	0.315		3.000	M10×1.25	_	1.39
		100	3.937	32.4	1.276	48.4	1.906	24	0.945	1.5	0.059	43.4		14.4	SA211-35F	7	0.276	12	0.472	8	0.315		3.000	-	3/8-24UNF	1.2
_	2 <sup>3</sup> /16	100	3.937	55.5	2.185		2.811	25	0.984	1.5	0.059	43.4		14.4	NA211-35	7	0.276	27.8	1.094	8	0.315		3.000	-	<sup>3</sup> /8-24UNF	1.36
		120	4.724	55.6	2.189	73	2.874	34	1.339	2	0.079	71.6	45.0	13.2	NA311-35	10	0.394	27.8	1.094	8.7	0.343		3.248	-	3/8-24UNF	2.2
	2 <sup>1</sup> / <sub>4</sub>	110	4.331	61.9	2.437	77.8	3.063	27	1.063	1.5	0.059	52.4		14.4	NA212-36	7.5	0.295	31	1.220	8	0.315		3.315	-	<sup>3</sup> /8-24UNF	2.03
60		110	4.331	61.9	2.437		3.063	27	1.063	1.5	0.059	52.4		14.4	NA212	1	0.295	31	1.220	8	0.315		3.315	M10×1.25	-	1.87
	2 <sup>7</sup> /16	130	5.118	61.9	2.437	79.4	3.126	36	1.417	2.1	0.083	81.9	52.2	13.2	NA312-39	11.5	0.453	31	1.220	8.7	0.343	88.9	3.500	-	3/8-24UNF	3

### SA, SA-F, NA Cylindrical bore (with eccentric lock





Shaft Dia Dimensions Basic Factor Bearing Dimensions Load Ratings mm inch No. kN В  $C_1$ D  $B_1$ Cr (min.) S $S_2$  $d_1$ d $C_{
m r}$   $C_{0
m r}$  $f_0$ inch mm 2<sup>1</sup>/<sub>2</sub> 120 4.724 68.2 2.685 85.7 3.374 28 1.102 1.5 0.059 57.2 40.1 14.4 NA213-40 7.5 0.295 34.1 1.343 8.5 0.335 92 3.622 65 2.685 85.7 3.374 57.2 40.1 120 4.724 68.2 28 1.102 1.5 0.059 14.4 NA213 7.5 0.295 34.1 1.343 8.5 0.335 92 3.622 M1 2 <sup>3</sup>/<sub>4</sub> 125 4.921 68.2 2.685 85.7 3.374 30 1.181 1.5 0.059 62.2 44.1 14.5 NA214-44 9 0.354 34.1 1.343 8.5 0.335 97 3.819 70 125 4.921 68.2 2.685 85.7 3.374 30 1.181 1.5 0.059 62.2 44.1 14.5 NA214 9 0.354 34.1 1.343 8.5 0.335 97 3.819 M1 1.575 2 11/16 150 5.906 68.3 2.689 92.1 3.626 40 2.1 0.083 104 68.2 13.2 NA314-43 12.5 0.492 34.1 1.343 11.9 0.469 101.6 4.000 130 5.118 74.6 2.937 92.1 3.626 32 1.260 1.5 0.059 67.4 48.3 14.5 NA215 0.354 37.3 1.469 8.5 0.335 102 4.016 M1 9 75 130 5.118 74.6 2.937 92.1 3.626 32 1.260 1.5 0.059 67.4 48.3 14.5 NA215-48 9 0.354 37.3 1.469 8.5 0.335 102 4.016 3 160 6.299 74.6 2.937 100 3.937 42 1.654 2.1 0.083 113 77.2 13.2 NA315-47 14.5 0.571 37.3 1.469 12.7 0.500 112.7 4.437 2<sup>15</sup>/16

Screw	Mass
Bore	
inch	kg
<sup>3</sup> /8-24UNF	2.51
-	2.45
3/8-24UNF	2.94
-	2.92
<sup>1</sup> /2-20UNF	4.7
-	2.74
3/8-24UNF	2.72
5/8-18UNF	5.8
	Bore inch <sup>3</sup> /8-24UNF - <sup>3</sup> /8-24UNF <sup>-</sup> <sup>1</sup> /2-20UNF

NC2 Cylindrical bore (with concentric locking collar) d 20 ~ 60 mm





Sha	ft Dia.				Dimen	nsions				Ba	sic	Factor	Bearing	Collar					Dime	ensions					Cap Screw	Mass
mm	inch									Load R	latings		No.	No.												
										k	N															
	1	1	D	E	31		C		r	0	$C_{0r}$	£				$C_1$		S		$S_1$	5	53	a	$d_1$	inch	ha
	d	mm	inch	mm	inch	mm	inch	mm	inch	Cr	$C_{0r}$	fo			mm	inch	mm	inch	$\mathbf{m}\mathbf{m}$	inch	mm	inch	mm	inch	mm	kg
20	3/4	47	1.850	32.5	1.280	16	0.630	1	0.039	12.8	6.65	13.2	NC204-12	UCL204B	4	0.157	12.7	0.500	18.3	0.720	19.8	0.780	44 E	1.752	No.8-32UNC	0.30
20		47	1.050	52.5	1.200	10	0.050	I	0.059	12.0	0.05	15.2	NC204	UCL204BM	4	0.157	12.7	0.500	10.5	0.720	19.0	0.760	44.5	1.752	M4×0.7	0.50
	7/8												NC205-14	UCL205A											No.8-32UNC	
25	15/16	52	2.047	36.5	1.437	17	0.669	1	0.039	14.0	7.85	13.9	NC205-15	UCL205A	5	0.197	14.3	0.563	19.8	0.780	22.2	0.874	10.2	1.937	No.8-32UNC	0.40
25		52	2.047	50.5	1.437	17	0.009	'	0.059	14.0	7.05	13.9	NC205	UCL205AM		0.197	14.5	0.505	19.0	0.700	22.2	0.074	79.2	1.957	M4×0.7	0.40
	1												NC205-16	UCL205A											No.8-32UNC	<u> </u>
	1 <sup>1</sup> /8												NC206-18	UCL206A											No.8-32UNC	
30		62	2.441	39.7	1.563	19	0.748	1	0.039	19.5	11.3	13.9	NC206	UCL206AM	5	0.197	15.9	0.626	22.2	0.874	23.8	0.937	55.6	2.189	M4×0.7	0.50
50	1 <sup>3</sup> /16	02	2.111	55.7	1.505	15	0.7 10		0.007	19.5	11.5	13.5	NC206-19	UCL206A		0.197	15.5	0.020	22.2	0.07 1	23.0	0.237	55.0	2.105	No.8-32UNC	0.50
	1 <sup>1</sup> /4												NC206-20	UCL206A											No.8-32UNC	<u> </u>
	1 1/4	72	2.835	44.5	1.752	20	0.787	1.1	0.043	25.7	15.4	13.9	NC207-20	UCL207A	5.5	0.217	17.5	0.689	25.4	1.000	27	1.063	61.9	2.437	No.10-24UNC	0.80
35	1 <sup>3</sup> /8	=-											NC207-22	UCL207B											No.10-24UNC	
		72	2.835	44.5	1.752	20	0.787	1.1	0.043	25.7	15.4	13.9	NC207	UCL207BM	5.5	0.217	17.5	0.689	25.4	1.000	27	1.063	65.1	2.563	M5×0.8	0.80
	1 <sup>7</sup> / <sub>16</sub>												NC207-23 NC208-24	UCL207B UCL208A											No.10-24UNC No.10-24UNC	<u> </u>
40	1 '/2	80	3.150	50.8	2.000	21	0.827	1.1	0.043	29.1	17.8	14.0		UCL208A UCL208AM	6	0.236	19	0.748	30.2	1.189	31.8	1.252	68.3	2.689		1.0
_	1 5/8	85	3.346	50.8	2.000	22	0.866	1.1	0.043	34.1	21.3	14.0	NC208 NC209-26	UCL208AM UCL209A	6	0.236	19	0.748	30.2	1.189	31.8	1.252	71 /	2.811	M5×0.8 No.10-24UNC	1.1
	1 <sup>1</sup> / <sub>16</sub>	- 05	5.540	50.0	2.000	22	0.000	1.1	0.045	54.1	21.5	14.0	NC209-20	UCL209R		0.230	19	0.740	50.2	1.109	51.0	1.232	/1.4	2.011	No.10-24UNC	
45	1 3/4	85	3.346	50.8	2.000	22	0.866	1.1	0.043	34.1	21.3	14.0	NC209-28	UCL209B	6	0.236	19	0.748	30.2	1.189	31.8	1.252	74.6	2.937	No.10-24UNC	11
	1 /4	05	5.540	50.0	2.000	22	0.000		0.045	54.1	21.5	14.0	NC209	UCL209BM		0.230	12	0.740	50.2	1.102	51.0	1.232	74.0	2.757	M5×0.8	
	1 <sup>15</sup> /16												NC210-31	UCL210A											<sup>1</sup> / <sub>4</sub> -20UNC	<u> </u>
50		90	3.543	53.1	2.091	24	0.945	1.1	0.043	35.1	23.3	14.4	NC210	UCL210AM	6	0.236	19	0.748	32.6	1.283	34.1	1.343	85.7	3.374	M6×1	1.4
	2												NC210-32	UCL210A											1/4-20UNC	
	2	100	3.937	57.1	2.248	25	0.984	1.5	0.059	43.4	29.4	14.4	NC211-32	UCL211A	7	0.276	22.2	0.874	33.4	1.315	34.9	1.374	88.9	3.500	1/4-20UNC	1.5
55		100	2 0 2 7	F7 1	2.240	25	0.004	1.5	0.050	42.4	20.4	14.4	NC211	UCL211BM	-	0.276	22.2	0.074	22.4	1 215	24.0	1 274	02.1	2 6 2 6	M6×1	1.5
	2 <sup>3</sup> /16	100	3.937	57.1	2.248	25	0.984	1.5	0.059	43.4	29.4	14.4	NC211-35	UCL211B	/	0.276	22.2	0.874	33.4	1.315	34.9	1.374	92.1	3.626	<sup>1</sup> /4-20UNC	1.5
	2 <sup>1</sup> / <sub>4</sub>	110	4.331	66.7	2.626	27	1.063	1.5	0.059	52.4	36.2	14.4	NC212-36	UCL212A	7.5	0.295	25.4	1.000	39.7	1.563	41.3	1.626	103.2	4.063	5/16-18UNC	2.2
60		110	4.331	66.7	2.626	27	1.063	1.5	0.059	52.4	36.2	14.4	NC212	UCL212BM	7.5	0.295	25.4	1.000	39.7	1.563	41.3	1.626	104.8	4.126	M8×1.25	2.2
	2 7/16	110	1.551	00.7	2.020	27	1.003	1.5	0.059	52.4	50.2	14.4	NC212-39	UCL212B	.,	0.295	23.7	1.000	59.7	1.505	-1.J	1.020	10-1.0	7.120	<sup>5</sup> / <sub>16</sub> -18UNC	2.2

### ERC

Cylindrical bore (with concentric locking collar) Cylindrical O. D. d 20 ~ 60 mm





	Shaft Dia.		Dimensions		Factor	Bearing	Collar Dimensions	Cap Screw	Mass
n	nm inch			Load Ratings kN		No.	No.		
	d	$D$ $B_1$	$C$ $r$ $r_1$ (min.)	$C_{\rm r}$ $C_{0\rm r}$	fo		$C_{c}$ $S$ $S_{1}$ $S_{3}$ $a$ $f$ $d_{1}$ $D_{2}$	inch	kg
	3/4	mm inch mm inc			-	ERC204-12	UCL204B	No.8-32UNC	-
	20 /4	47 1.850 32.5 1.28	80 16 0.630 1 0.039 0.5 0.020	12.8 6.65	13.2	ERC204	UCL204BM	M4×0.7	0.36
	7/8					ERC205-14	UCL205A	No.8-32UNC	
	25	52 2.047 36.5 1.43	37 19 0.748 1 0.039 0.5 0.020	14.0 7.85	13.9	ERC205-15	UCL205A 5 0.197 14.3 0.563 19.8 0.780 22.2 0.874 2.38 0.094 1.07 0.042 49.2 1.937 57.7 2.27	No.8-32UNC	0.47
		52 2.017 50.5 1.12		11.0 7.05	15.5	ERC205	UCL205AM	M4×0.7	0.17
	1					ERC205-16	UCL205A	No.8-32UNC	
	1 <sup>1</sup> /8					ERC206-18	UCL206A	No.8-32UNC	
	30	62 2.441 39.7 1.56	63 22 0.866 1 0.039 0.5 0.020	19.5 11.3	13.9	ERC206	UCL206AM 5.5 0.217 15.9 0.626 22.2 0.874 23.8 0.937 3.18 0.125 1.65 0.065 55.6 2.189 67.5 2.65	M4×0.7	0.57
	1 <sup>3</sup> /16	02 2.441 35.7 1.50	0.000 1 0.000 0.0 0.020	12.5 11.5	13.2	ERC206-19	UCL206A	No.8-32UNC	0.57
	1 <sup>1</sup> /4					ERC206-20	UCL206A	No.8-32UNC	
	1 <sup>1</sup> / <sub>4</sub>	72 2.835 44.5 1.75	52 24 0.945 1.1 0.043 0.5 0.020	25.7 15.4	13.9		UCL207A 5.5 0.217 17.5 0.689 25.4 1.000 27 1.063 3.18 0.125 1.65 0.065 61.9 2.437 78.4 3.08		0.95
	<b>35</b> 1 <sup>3</sup> /8					ERC207-22	UCL207B	No.10-24UNC	
		72 2.835 44.5 1.75	52 24 0.945 1.1 0.043 0.5 0.020	25.7 15.4	13.9	ERC207	UCL207BM 5.5 0.217 17.5 0.689 25.4 1.000 27 1.063 3.18 0.125 1.65 0.065 65.1 2.563 78.4 3.08		0.95
_	1 7/16					ERC207-23	UCL207B	No.10-24UNC	
4	<b>40</b> 1 <sup>1</sup> / <sub>2</sub>	80 3.150 50.8 2.00	00 28 1.102 1.1 0.043 0.5 0.020	29.1 17.8	14.0	ERC208-24	UCL208A 6 0.236 19 0.748 30.2 1.189 31.8 1.252 3.18 0.125 1.65 0.065 68.3 2.689 86.4 3.40	No.10-24UNC	1.2
_						ERC208	UCL208AM	M5×0.8	
	1 5/8	85 3.346 50.8 2.00	00 28 1.102 1.1 0.043 0.5 0.020	34.1 21.3	14.0	ERC209-26	UCL209A 6 0.236 19 0.748 30.2 1.189 31.8 1.252 3.18 0.125 1.65 0.065 71.4 2.811 91.4 3.59		1.3
4	<b>45</b> 1 <sup>11/16</sup>					ERC209-27	UCL209B	No.10-24UNC	
	1 3/4	85 3.346 50.8 2.00	00 28 1.102 1.1 0.043 0.5 0.020	34.1 21.3	14.0	ERC209-28	UCL209B         6         0.236         19         0.748         30.2         1.189         31.8         1.252         3.18         0.125         1.65         0.065         74.6         2.937         91.4         3.59		1.3
_						ERC209	UCL209BM	M5×0.8	
	1 <sup>15</sup> /16					ERC210-31	UCL210A	1/4-20UNC	
-	50	90 3.543 53.1 2.09	91 28 1.102 1.1 0.043 0.5 0.020	35.1 23.3	14.4	ERC210	UCL210AM 7.5 0.295 19 0.748 32.6 1.283 34.1 1.343 3.18 0.125 2.41 0.095 85.7 3.374 96.3 3.79	M6×1	1.6
_	2					ERC210-32	UCL210A	1/4-20UNC	
	2	100 3.937 57.1 2.24	48 30 1.181 1.5 0.059 0.5 0.020	43.4 29.4	14.4	ERC211-32	UCL211A 7.5 0.295 22.2 0.874 33.4 1.315 34.9 1.374 3.18 0.125 2.41 0.095 88.9 3.500 106.3 4.18		1.8
-	<b>55</b> 2 <sup>3</sup> / <sub>16</sub>	100 3.937 57.1 2.24	48 30 1.181 1.5 0.059 0.5 0.020	43.4 29.4	14.4	ERC211 ERC211-35	UCL211BM UCL211B UCL211B	M6×1 <sup>1</sup> /4-20UNC	1.8
	2 <sup>1</sup> /4	110 4.331 66.7 2.62	26 32 1.260 1.5 0.059 0.5 0.020	52.4 36.2	14.4	ERC212-36	UCL212A 7.5 0.295 25.4 1.000 39.7 1.563 41.3 1.626 3.18 0.125 2.41 0.095 103.2 4.063 116.4 4.58	5/16-18UNC	2.5
(	50 2 <sup>7</sup> / <sub>16</sub>	110 4.331 66.7 2.62	26 32 1.260 1.5 0.059 0.5 0.020	52.4 36.2	14.4	ERC212 ERC212-39	UCL212BM UCL212B UCL212B	M8×1.25 <sup>5</sup> / <sub>16</sub> -18UNC	2.5

### UK

### Tapered bore (with adapter)

*d*<sub>1</sub> **20 ~ (50) mm** 









Shaft Dia. Dimensions Basic Factor Bearing H23 Series Adapter mm inch inch Load Ratings Mass Adapter Dimensions Mass Sleeve No. kg mm kN No. inch No. mm D $B_{\rm L}$ C $C_1$  $C_{\mathrm{r}}$  $C_{0\mathrm{r}}$ Standard L3 Type Standard L3 Type  $B_2$  $d_1$ d R fo  $B_1$  $d_2$ kg 0.984 2.047 0.945 0.945 0.669 0.197 HE2305X 1.378 0.315 1.496 AE2305X 3/4 0.095 14.0 13.9 UK205 UK205L2 7.85 0.18 0.18 A2305X 25 52 24 24 17 5 H2305X 35 8 38 3/4 0.984 2.441 1.063 0.748 0.197 HE2305X 1.378 0.315 1.496 AE2305X -20 19.5 11.3 13.9 UKX05 0.27 0.095 \_ \_ 25 62 27 19 5 H2305X 35 8 38 A2305X 3/4 0.984 2.441 0.866 0.236 1.378 0.315 1.496 1.063 HE2305X AE2305X -21.2 UK305 0.40 10.9 12.6 0.095 \_ \_ 22 H2305X 35 38 A2305X 25 62 27 6 2,441 1.063 1.063 0.748 0.197 H2306X 1.496 0.315 1.772 A2306X 1.181 19.5 11.3 13.9 UK206 UK206L3 0.29 0.29 0.13 30 62 27 27 19 HE2306X 38 45 HE2306X 1.181 2.835 1.181 0.787 0.217 H2306X 1.496 0.315 1.772 A2306X \_ 25 25.7 13.9 UKX06 0.43 0.13 15.4 \_ \_ 30 72 30 20 5.5 HE2306X 38 8 45 HE2306X 1.181 2.835 1.181 0.945 0.256 H2306X 1.496 0.315 1.772 A2306X -UK306 0.47 0.13 26.7 15.0 13.3 \_ \_ 30 72 24 6.5 HE2306X 38 45 HE2306X 30 8 1<sup>1</sup>/8 1.378 2.835 1.181 1.181 0.787 HS2307X 1.693 0.354 2.047 AS2307X 0.217 25.7 15.4 13.9 UK207 UK207L3 0.43 0.43 0.17 35 72 30 30 20 5.5 H2307X 43 9 52 A2307X 1 <sup>1</sup>/<sub>8</sub> 1.378 3.150 1.339 0.827 0.236 HS2307X 1.693 0.354 2.047 AS2307X -30 29.1 17.8 14.0 UKX07 0.53 0.17 \_ \_ 80 34 H2307X 43 52 A2307X 35 21 6 q 1.378 3.150 1.299 1.299 1.024 0.295 HS2307X 1.693 0.354 2.047 AS2307X  $1^{1}/_{8}$ 33.4 19.3 13.2 UK307 UK307L3 0.60 0.60 0.17 H2307X A2307X 33 7.5 43 52 35 80 33 26 1 <sup>1</sup>/<sub>4</sub> AF2308X HF2308X 1.575 3.150 1.339 1.339 0.827 0.236 1.811 0.394 2.283 UK208 UK208L3 1 <sup>3</sup>/8 29.1 17.8 14.0 0.58 0.58 HS2308X 0.22 AS2308X 80 34 34 21 46 10 58 40 6 H2308X A2308X AE2308X 1 1/4 HE2308X 1.575 3.346 1.417 0.866 1.811 0.394 2.283 \_ 0.236 35 1 <sup>3</sup>/8 34.1 21.3 14.0 UKX08 0.58 HS2308X 0.22 AS2308X \_ 40 85 36 \_ 22 6 46 10 58 H2308X A2308X 1<sup>1</sup>/4 HE2308X AE2308X 1.575 3.543 1.378 1.378 1.102 1.811 0.394 2.283 0.315 40.7 24.0 13.2 UK308 UK308L3 0.80 0.80 HS2308X 0.22 AS2308X  $1^{3}/8$ 40 90 35 35 28 8 46 10 58 H2308X A2308X 3.346 1.417 0.866 1.969 0.433 2.559 AE2309X 1 <sup>1</sup>/<sub>2</sub> 1.772 1.417 0.236 HE2309X 34.1 21.3 14.0 UK209 UK209L3 0.65 0.65 0.28 50 45 85 36 36 22 H2309X 11 65 A2309X 6 1 <sup>1</sup>/<sub>2</sub> 1.772 3.543 1.417 0.945 0.236 HE2309X 1.969 0.433 2.559 AE2309X \_ 40 35.1 23.3 14.4 UKX09 0.67 0.28 \_ \_ 90 H2309X 50 11 65 A2309X 45 36 24 6 1<sup>1</sup>/<sub>2</sub> 1,496 HF2309X AF2309X 1.772 3.937 1.496 1.181 0.335 1.969 0.433 2.559 48.9 29.5 13.3 UK309 UK309L3 1.08 1.08 0.28 38 30 H2309X 50 11 A2309X 45 100 38 8.5 65 1 <sup>3</sup>/4 1.969 3.543 1.417 1.417 0.945 0.236 HE2310X 2.165 0.472 2.756 AE2310X 35.1 23.3 14.4 UK210 UK210L3 0.65 0.65 0.36 H2310X 55 12 70 A2310X 90 24 50 36 36 6 1 <sup>3</sup>/4 1.969 3.937 1.575 -0.984 0.276 HE2310X 2.165 0.472 2.756 AE2310X 45 43.4 UKX10 0.89 0.36 29.4 14.4 \_ \_ H2310X 70 A2310X 50 100 40 25 55 12 7 1 <sup>3</sup>/4 1.969 4.331 1.575 1.575 1.260 0.354 HE2310X 2.165 0.472 2.756 AE2310X 62.0 UK310 UK310L3 1.38 0.36 38.3 13.2 1.38 H2310X 55 A2310X 50 110 40 40 32 9 12 70 1 7/8 HS2311X AS2311X 3.937 1.575 1.575 0.984 0.276 2.323 0.472 2.953 2.165 43.4 0.42 29.4 14.4 UK211 UK211L3 1.09 1.09 H2311X A2311X 40 25 59 12 75 55 100 40 7 HE2311X AE2311X 50 1 7/8 HS2311X AS2311X 2.165 4.331 1.850 1.063 0.295 2.323 0.472 2.953 \_ 52.4 36.2 14.4 UKX11 1.15 H2311X 0.42 A2311X \_ 27 55 110 47 7.5 59 12 75 \_ HE2311X AE2311X

Remarks 1. In Part No. of unit with adapters, Part No. of applicable adapters follow the Part No. shown in the dimensional tables.

(Example of Part No. : UK206 + H2306X, UK206L3 + H2306X)

2. Adapter series applicable to UK200 series

...UK200 .. H2300X series

UK200L3 (or L2) H2300X series

3. UK205 is the double seal type product (L2).

4. Inch bore diameter series adapters are also available (see the dimensional tables of adapters).





Adapter

### UK

### Tapered bore (with adapter)

*d*<sub>1</sub> (50) ~ (90) mm









Shaft Dia. Dimensions Basic Factor Bearing H23 Series Adapter mm inch inch Load Ratings Mass Adapter Dimensions Mass Sleeve No. mm kN kg No. inch No. mm  $d_1$ d Д  $B_{\rm L}$ C $C_1$  $C_{\mathrm{r}}$  $C_{0r}$ Standard L3 Type Standard L3 Type  $B_1$  $B_2$ R fo  $d_2$ kg HS2311X AS2311X 1 7/8 2.165 4.724 1.693 1.693 1.339 0.394 2.323 0.472 2.953 50 13.2 H2311X 0.42 A2311X 71.6 45.0 UK311 UK311L3 1.78 1.78 55 120 43 43 34 10 59 12 75 HE2311X AE2311X 2<sup>1</sup>/8 2.362 4.331 1.850 1.850 1.063 0.295 HS2312X 2.441 0.512 3.150 AS2312X 52.4 36.2 UK212 UK212L3 1.41 0.48 14.4 1.41 62 47 47 27 7.5 H2312X 13 80 A2312X 60 110 2 <sup>1</sup>/8 2.362 4.724 1.417 1.102 0.295 HS2312X 2.441 0.512 3.150 AS2312X \_ 55 57.2 40.1 14.4 UKX12 1.45 0.48 \_ \_ 62 A2312X 60 120 36 28 7.5 H2312X 13 80 5.118 1.850 1.850 1.417 2.441 0.512 3.150 2<sup>1</sup>/8 2.362 0.453 HS2312X AS2312X 81.9 52.2 13.2 UK312 UK312L3 2.06 2.06 0.48 130 47 11.5 H2312X 62 13 80 A2312X 60 47 36 2<sup>1</sup>/<sub>4</sub> HE2313X AE2313X 2.559 4.724 1.417 1.850 1.102 0.295 2.559 0.551 3.346 57.2 40.1 14.4 UK213 UK213L3 1.34 1.67 H2313X 0.56 A2313X 65 120 36 47 28 7.5 65 14 85 2 <sup>3</sup>/8 HS2313X AS2313X 2<sup>1</sup>/4 HE2313X AE2313X 2.559 4.921 1.575 \_ 1.181 0.354 2.559 0.551 3.346 60 62.2 44.1 14.5 UKX13 1.62 H2313X 0.56 A2313X 85 65 125 40 \_ 30 9 65 14 2 <sup>3</sup>/8 HS2313X AS2313X 2<sup>1</sup>/4 AE2313X HE2313X 2.559 5.512 1.929 1.929 1.496 0.472 2.559 0.551 3.346 92.7 59.9 13.2 UK313 UK313L3 2.71 2.71 H2313X 0.56 A2313X 65 140 49 49 38 12 65 14 85 AS2313X HS2313X 2 3/8 2<sup>1</sup>/<sub>2</sub> 2.953 5.118 1.575 2.008 1.260 0.354 HE2315X 2.874 0.591 3.858 AE2315X UK215 UK215L3 1.05 67.4 48.3 14.5 1.50 1.99 51 98 130 40 32 H2315X 73 15 A2315X 75 Q 2<sup>1</sup>/2 2.953 5.512 1.654 1.299 0.354 HE2315X 2.874 0.591 3.858 AE2315X -1.05 65 72.7 53.0 14.6 UKX15 2.10 \_ 75 140 42 33 9 H2315X 73 15 98 A2315X 2<sup>1</sup>/<sub>2</sub> 2.953 6.299 2.165 2.165 1.654 0.571 HE2315X 2.874 0.591 3.858 AE2315X 113 77.2 13.2 UK315 UK315L3 3.80 3.80 1.05 160 55 55 42 14.5 H2315X 73 15 98 A2315X 75 2 <sup>3</sup>/4 3.150 5.512 1.654 2.165 1.299 0.354 3.071 0.669 4.134 AE2316X HE2316X 72.7 UK216 UK216L3 53.0 14.6 1.96 2.56 1.3 H2316X 78 17 105 A2316X 80 140 42 55 33 9 2 <sup>3</sup>/4 5.906 1.378 0.394 3.071 4.134 3.150 1.732 HE2316X 0.669 AE2316X \_ 70 84.0 61.9 14.5 UKX16 2.64 1.3 \_ \_ 80 150 44 35 10 H2316X 78 17 105 A2316X 2 <sup>3</sup>/4 3.150 6.693 2.165 2.165 1.732 0.591 HE2316X 3.071 0.669 4.134 AE2316X 123 86.7 13.3 UK316 UK316I 3 4.39 4.39 1.3 170 55 55 44 15 H2316X 78 17 105 A2316X 80 3.346 5.906 1.732 2.244 1.378 0.394 H2317X 3.228 0.709 4.331 A2317X UK217L3 1.45 84.0 61.9 14.5 UK217 2.42 3.10 82 AE2317X 85 150 44 57 35 10 HF2317X 18 110 3.346 6.299 1.890 1.496 0.433 H2317X 3.228 0.709 4.331 A2317X 75 96.1 71.5 14.5 UKX17 3.25 1.45 -\_ 85 160 48 38 11 HE2317X 82 18 110 AE2317X 3.346 7.087 2.362 2.362 1.811 0.591 3.228 0.709 4.331 H2317X A2317X 133 96.8 13.3 UK317 UK317L3 5.30 5.30 1.45 85 180 60 60 46 15 HE2317X 82 18 110 AE2317X 1.496 3.543 6.299 1.890 2.480 0.433 0.709 4.724 3.386 96.1 71.5 14.5 UK218 UK218L3 2.90 3.77 H2318X 1.7 A2318X 90 160 48 63 38 11 86 18 120 3,543 6.693 1.969 1.575 0.453 3,386 0.709 4,724 \_ UKX18 A2318X 80 109 81.9 14.4 3.80 H2318X 1.7 \_ \_ 90 170 50 40 11.5 86 18 120 2.362 2.362 1.890 0.610 3.543 7,480 3.386 0.709 4.724 143 107 13.3 UK318 UK318L3 6.20 6.20 H2318X 1.7 A2318X \_ 90 190 60 60 48 15.5 86 18 120 3 <sup>1</sup>/<sub>4</sub> 3.740 7.874 2.598 2.598 1.969 0.650 3.543 0.748 4.921 85 153 13.3 UK319 UK319L3 7.31 7.31 H2319X 1.95 A2319X 119 95 66 50 16.5 90 19 125 200 66 3 <sup>1</sup>/<sub>2</sub> 3.937 7.480 2.126 1.693 0.512 HE2320X 3.819 0.787 5.118 AE2320X 90 5.36 2.2 133 105 14.4 UKX20 \_ \_

Remarks 1. In Part No. of unit with adapters, Part No. of applicable adapters follow the Part No. shown in the dimensional tables. (Example of Part No. : UK206 + H2306X, UK206L3 + H2306X)

13

43

2. Adapter series applicable to UK200 series LIK200 .... H2300X series

20

UK200L3 (or L2)..... H2300X series

97

H2320X

3. UK205 is the double seal type product (L2).

4. Inch bore diameter series adapters are also available (see the dimensional tables of adapters).

130

A2320X

100

190

54





Adapter

### UK

### Tapered bore (with adapter)











Shaf	t Dia.			Dime	nsions			Ba	asic	Factor		Bea	ring			н	23 Series	Adapte	r	
mm	inch			in	ch			Load F	Ratings		N	lo.	Ma	SS	Adapter	D	imension	S	Mass	Sleeve
				m	ım			k	N				k	g	No.		inch			No.
																	mm			1
(	$l_1$	d	D	В	$B_{ m L}$	C	$C_1$	$C_{\rm r}$	$C_{0r}$	$f_0$	Standard	L3 Type	Standard	L3 Type		$B_1$	$B_2$	$d_2$	kg	1
90	3 <sup>1</sup> / <sub>2</sub>	3.937	8.465	2.677	2.677	2.126	0.709	173	141	13.2	UK320	UK320L3	8.70	8.70	HE2320X	3.819	0.787	5.118	2.2	AE2320X
90		100	215	68	68	54	18	175	141	13.2	0K520	UK320L3	8.70	8.70	H2320X	97	20	130	2.2	A2320X
100		4.331	9.449	3.071	3.071	2.362	0.787	205	180	13.2	UK322	UK322L3	12.2	12.2	H2322X	4.134	0.827	5.709	2.75	A2322X
100	4	110	240	78	78	60	20	205	100	13.2	UKJZZ	UK322L3	12.2	12.2	HE2322X	105	21	145	2.75	AE2322X
110	_	4.724	10.236	3.425	3.425	2.520	0.827	207	185	13.5	UK324	UK324L3	16.1	16.1	H2324	4.409	0.866	6.102	3.2	A2324
110		120	260	87	87	64	21	207	105	13.5	01324	0K324L3	10.1	10.1		112	22	155	5.2	
115	4 <sup>1</sup> / <sub>2</sub>	5.118	11.024	3.425	3.425	2.677	0.866	229	214	13.6	UK326	UK326L3	18.8	18.8	HE2326	4.764	0.906	6.496	4.6	AE2326
115		130	280	87	87	68	22	229	229 214 13.0 <b>UK320</b>		UK320L3	10.0	10.0	H2326	121	23	165	4.0	A2326	
125	_	5.512	11.811	3.819	3.819	2.835	0.906	253	246	13.6 UK328 UK328L3 23.9	23.9	H2328	5.157	0.945	7.087	5.5	A2328			
125		140	300	97	97	72	23	255	270	13.0	01320	UNJZOLJ	23.9	23.9	112320	131	24	180	5.5	72320

Remarks 1. In Part No. of unit with adapters, Part No. of applicable adapters follow the Part No. shown in the dimensional tables. (Example of Part No. : UK206 + H2306X, UK206L3 + H2306X)





Adapter

### Ball Bearing Inserts 🛑

# ER, RB Cylindrical bore (with set screws), Cylindrical O. D. d 12 ~ 60 mm





ER



RB

Sha	aft Di	ia.			Dimensions			Ba	sic	Factor	Bea	aring			D	imensions	5			Set S	crew	M	ass
mm		nch			inch			Load F				No.			-	inch				Brg.			g
					mm				N							mm				(			0
	d		D	В	C	<i>r</i> (min.)	$r_1(\min.)$	Cr	$C_{0\mathrm{r}}$	fo	(ER)	(RB)	S	$S_1$	$S_2$	$C_{c}$	а	f	$D_2$	mm	inch	(ER)	(RB)
12											ER201	RB201								M6×0.75	-	0.27	0.27
	1	1/2	1.050	1 220	0.620	0.024	0.000				ER201-8	RB201-8	0.500	0 700	0.107	0.457	0.004	0.040	2.047	_	1/4-28UNF	0.27	0.27
15			1.850 47	1.220 31	0.630 16	0.024 0.6	0.020 0.5	12.8	6.65	13.2	ER202	RB202	0.500 12.7	0.720 18.3	0.197 5	0.157 4	0.094 2.38	0.042 1.07	2.067 52.5	M6×0.75	-	0.25	0.25
	1	5/8	47	31	10	0.0	0.5				ER202-10	RB202-10	12./	18.5	Э	4	2.38	1.07	52.5	-	1/4-28UNF	0.25	0.25
17											ER203	RB203								M6×0.75	-	0.24	0.24
20	3	3/4	1.850	1.220	0.630	0.039	0.020	12.8	6.65	13.2	ER204-12	RB204-12	0.500	0.720	0.197	0.157	0.094	0.042	2.067	-	1/4-28UNF	0.22	0.22
		- 1	47	31	16	1	0.5	12.0	0.05	13.2	ER204	RB204	 12.7	18.3	5	4	2.38	1.07	52.5	M6×0.75	_	0.22	0.22
		7/8									ER205-14	RB205-14								-	1/4-28UNF	0.3	0.29
25		15/16	2.047	1.343	0.748	0.039	0.020	14.0	7.85	13.9	ER205-15	RB205-15	0.563	0.780	0.217	0.197	0.094	0.042	2.272	-	<sup>1</sup> /4-28UNF	0.28	0.27
	1		52	34.1	19	1	0.5				ER205	RB205	14.3	19.8	5.5	5	2.38	1.07	57.7	M6×0.75	-	0.27	0.26
	1	1/2									ER205-16 ER206-18	RB205-16 RB206-18								-	<sup>1</sup> / <sub>4</sub> -28UNF	0.27	0.26
	1.	/ 0	2.441	1.500	0.866	0.039	0.020				ER206	RB206	0.626	0.874	0.236	0.217	0.125	0.065	2.657	M6×0.75	-	0.39	0.38
30	1	3/16	62	38.1	22	1	0.5	19.5	11.3	13.9	ER206-19	RB206-19	15.9	22.2	6	5.5	3.18	1.65	67.5	_	<sup>1</sup> /4-28UNF	0.39	0.38
		1/4	02	50.1	22		0.5				ER206-20	RB206-20	13.2	22.2	0	5.5	5.10	1.05	07.5	_	<sup>1</sup> / <sub>4</sub> -28UNF	0.37	0.36
	_	1/4									ER207-20	RB207-20								_	<sup>5</sup> /16-24UNF	0.69	0.68
	1	5/16									ER207-21	RB207-21								-	<sup>5</sup> / <sub>16</sub> -24UNF	0.66	0.65
35	1	3/8	2.835	1.689	0.945	0.043	0.020	25.7	15.4	13.9	ER207-22	RB207-22	0.689	1.000	0.256	0.217	0.125	0.065	3.087	_	<sup>5</sup> /16-24UNF	0.64	0.63
			72	42.9	24	1.1	0.5				ER207	RB207	17.5	25.4	6.5	5.5	3.18	1.65	78.4	M8×1	-	0.63	0.62
	17	<sup>7</sup> / <sub>16</sub>									ER207-23	RB207-23								_	5/16-24UNF	0.61	0.6
	1	1/2	3.150	1.937	1.102	0.043	0.020				ER208-24	RB208-24	0.748	1.189	0.315	0.236	0.125	0.065	3.402	-	5/16-24UNF	0.85	0.84
40	1 9	9/16	80	49.2	28	1.1	0.5	29.1	17.8	14.0	ER208-25	RB208-25	19	30.2	8	6	3.18	1.65	86.4	-	5/16-24UNF	0.82	0.81
				17.2	20		0.5				ER208	RB208	 12	50.2	0	0	5.10	1.05	00.1	M8×1	-	0.81	0.78
	1										ER209-26	-								-	5/16-24UNF	1.0	-
45		<sup>11</sup> / <sub>16</sub>	3.346	1.937	1.102	0.043	0.020	34.1	21.3	14.0	ER209-27	-	0.748	1.189	0.315	0.236	0.125	0.065	3.598	-	5/16-24UNF	0.96	-
	1.	3/4	85	49.2	28	1.1	0.5				ER209-28	-	19	30.2	8	6	3.18	1.65	91.4	-	5/16-24UNF	0.92	-
	1	7/8									ER209 ER210-30									M8×1		0.90	
		<sup>15</sup> / <sub>16</sub>	3.543	2.031	1.102	0.043	0.020				ER210-30	_	0.748	1.283	0.354	0.295	0.125	0.095	3.791	_	3/8-24UNF	1.05	_
50	1.	/10	90	51.6	28	1.1	0.5	35.1	23.3	14.4	ER210	_	19	32.6	9	7.5	3.18	2.41	96.3	M10×1.25	-	0.98	_
	2		50	51.0	20		0.5				ER210-32	_	12	52.0	2	7.5	5.10	2.41	20.5	_	3/8-24UNF	0.96	_
	2										ER211-32	-								_	<sup>3</sup> /8-24UNF	1.56	
	2	1/8	3.937	2.189	1.181	0.059	0.020				ER211-34	-	0.874	1.315	0.354	0.295	0.125	0.095	4.185	_	3/8-24UNF	1.45	-
55			100	55.6	30	1.5	0.5	43.4	29.4	14.4	ER211	-	22.2	33.4	9	7.5	3.18	2.41	106.3	M10×1.25	-	1.41	_
	2	<sup>3</sup> /16									ER211-35	-								_	<sup>3</sup> /8-24UNF	1.39	-
	2	1/4									ER212-36	-								-	<sup>3</sup> /8-24UNF	2.02	_
60			4.331	2.563	1.260	0.059	0.020	52.4	36.2	14.4	ER212	-	1.000	1.563	0.413	0.295	0.125	0.095	4.583	M10×1.25	-	1.89	-
00		3/8	110	65.1	32	1.5	0.5	52.4	50.2	17.4	ER212-38	-	25.4	39.7	10.5	7.5	3.18	2.41	116.4	_	3/8-24UNF	1.87	-
	2	7/16									ER212-39	-								_	<sup>3</sup> /8-24UNF	1.8	_

### Ball Bearing Inserts 🛑

SBB-RK



SAA-FP7

Shaft Dia	a. 🗌					Dime	nsions					Bas	sic	Factor	Bearing	Dimensions	Set Screw	Mass
mm in	-					Dime	11310113					Load R		ractor	No.	Differitions	Brg. Bore	IVId33
												kl	-		1101		Digibole	
d		1	)		В	i	<b>B</b> 1		С	$r(\mathbf{n})$	nin.)					$S$ $S_1$ $S_2$ $d_1$		
		mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	$C_0$	$C_{0\mathrm{r}}$	f0		mm inch mm inch mm inch mm	inch	kg
12		40	1.575	22	0.866	_	-	12	0.472	0.6	0.024	9.55	4.80	13.2	SBB201RK	6 0.236 to 0.020 4 0.157 M5×0.		0.10
12 -	-	40	1.575	19.1	0.752	28.6	1.126	13	0.512	0.6	0.024	9.55	4.80	13.2	SAA201FP7	6.5 0.256 16 0.630 4.8 0.189 28.6 1.126 M6×0.	′5	0.13
1,	/2	40	1.575	22	0.866	-	-	12	0.472	0.6	0.024	9.55	4.80	13.2	SBB201-8RK	6 0.236 4 0.157	No.10-32UNF	0.10
1	/2	40	1.575	19.1	0.752	28.6	1.126	13	0.512	0.6	0.024	9.55	4.80	13.2	SAA201-8FP7	6.5 0.256 4.8 0.189 28.6 1.126 -	1/4-28UNF	0.13
15 -	_	40	1.575	22	0.866	-	-	12	0.472	0.6	0.024	9.55	4.80	13.2	SBB202RK	6 0.236 4 0.157 M5×0.	-	0.10
		40	1.575	19.1	0.752	28.6	1.126	13	0.512	0.6	0.024	9.55	4.80	13.2	SAA202FP7	6.5 0.256 4.8 0.189 28.6 1.126 M6×0.		0.13
- <sup>5</sup> /	/8	40	1.575	22	0.866	-	-	12	0.472	0.6	0.024	9.55	4.80	13.2	SBB202-10RK	6 0.236 16 0.630 4 0.157	No.10-32UNF	0.10
17 -	-	40	1.575	22	0.866	-	-	12	0.472	0.6	0.024	9.55	4.80	13.2	SBB203RK SAA203FP7	6 0.236 4 0.157 M5×0.		0.10
3	/4	40 47	1.575 1.850	19.1 25	0.752	28.6	1.126	13 14	0.512	0.6	0.024 0.039	9.55 12.8	4.80 6.65	13.2 13.2	SBB204-12RK	6.5         0.256         4.8         0.189         28.6         1.126         M6×0.           7         0.276         0         0         5         0.197         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         <	1/4-28UNF	0.13
-	/4	47	1.850	21.5	0.904	31	1.220	15	0.591	1	0.039	12.8	6.65	13.2	SAA204-12FP7	7.5 0.295 18 0.709 4.8 0.189 33.3 1.311 -	1/4-28UNF	0.19
	/+	47	1.850	21.5	0.840	-	-	13	0.551	1	0.039	12.8	6.65	13.2	SBB204RK	7 0.276 5 0.197 M6×0		0.19
20 -	-	47	1.850	21.5	0.846	31	1.220	15	0.591	1	0.039	12.8	6.65	13.2	SAA204FP7	7.5 0.295 18 0.709 4.8 0.189 33.3 1.311 M6×0.		0.19
- 7,	/8	52	2.047	27	1.063	_	-	15	0.591	1	0.039	14.0	7.85	13.9	SBB205-14RK	7.5 0.295 19.5 0.768 5.5 0.217	1/4-28UNF	0.18
15	5/16	52	2.047	27	1.063	_	-	15	0.591	1	0.039	14.0	7.85	13.9	SBB205-15RK	7.5 0.295 10.5 0.768 5.5 0.217	1/4-28UNF	0.18
- 15	5/16	52	2.047	21.5	0.846	31	1.220	15	0.591	1	0.039	14.0	7.85	13.9	SAA205-15FP7	7.5 0.295 19.5 0.768 4.8 0.189 38.1 1.500 -	1/4-28UNF	0.23
25 -	_	52	2.047	27	1.063	-	-	15	0.591	1	0.039	14.0	7.85	13.9	SBB205RK	7.5 0.295 5.5 0.217 M6×0.	′5 –	0.18
23		52	2.047	21.5	0.846	31	1.220	15	0.591	1	0.039	14.0	7.85	13.9	SAA205FP7	7.5 0.295 4.8 0.189 38.1 1.500 M6×0.		0.23
_ 1		52	2.047	27	1.063	-	-	15	0.591	1	0.039	14.0	7.85	13.9	SBB205-16RK	7.5 0.295 5.5 0.217	1/4-28UNF	0.18
1	1	52	2.047	21.5	0.846	31	1.220	15	0.591	1	0.039	14.0	7.85	13.9	SAA205-16FP7	7.5 0.295 4.8 0.189 38.1 1.500 -	1/4-28UNF	0.23
- 11/		62	2.441	30	1.181	-	-	16	0.630	1	0.039		11.3	13.9	SBB206-18RK	8 0.315 22 0.866 6 0.236	<sup>1</sup> /4-28UNF	0.27
1 <sup>1</sup> /	/8	62	2.441	23.8	0.937	35.7	1.406	18 16	0.709	1	0.039		11.3 11.3	13.9 13.9	SAA206-18FP7 SBB206RK	9 0.354 22 6100 6 0.236 44.5 1.752 - 8 0.315 22 6 0.236 M6×0.	5/16-24UNF	0.34
30 -	-	62 62	2.441	23.8	0.937	_ 35.7	_ 1.406	18	0.030	1	0.039 0.039		11.3	13.9	SAA206FP7	8 0.315 9 0.354 22 0.866 6 0.236 M6×0. 6 0.236 44.5 1.752 M8×1	-	0.27
1 <sup>3</sup> /	/16	62	2.441	30	1.181	- 55.7	-	16	0.630	1	0.039		11.3	13.9	SBB206-19RK	8 0.315 co corr 6 0.236		0.34
- 1 <sup>3</sup> /		62	2.441	23.8	0.937	35.7	1.406	18	0.709	1	0.039		11.3	13.9	SAA206-19FP7	9 0.354 22 0.866 6 0.236 44.5 1.752 -	5/16-24UNF	0.34
11		62	2.441	30	1.181	_	-	16	0.630	1	0.039		11.3	13.9	SBB206-20RK	8 0.315 6 0.236	1/4-28UNF	0.27
- 1 <sup>1</sup> /	/4	62	2.441	23.8	0.937	35.7	1.406	18	0.709	1	0.039	19.5	11.3	13.9	SAA206-20FP7	9 0.354 22 0.866 6 0.236 44.5 1.752 -	5/16-24UNF	0.34
1 <sup>1</sup> /	/4	72	2.835	32	1.260	_	-	17	0.669	1.1	0.043	25.7	15.4	13.9	SBB207-20RK	8.5 0.335 6 0.236	1/4-28UNF	0.42
1 <sup>1</sup> /	/4	72	2.835	25.4	1.000	38.9	1.531	19	0.748	1.1	0.043	25.7	15.4	13.9	SAA207-20FP7	9.5 0.374 23.5 0.925 6.8 0.268 55.6 2.189 -	5/16-24UNF	0.57
- 1 <sup>5</sup> /		72	2.835	25.4	1.000	38.9	1.531	19	0.748	1.1	0.043		15.4	13.9	SAA207-21FP7	9.5 0.374 6.8 0.268 55.6 2.189 -	5/16-24UNF	0.57
- 13/		72	2.835	32	1.260	-	-	17	0.669	1.1	0.043	25.7	15.4	13.9	SBB207-22RK	8.5 0.335 23.5 0.925 6 0.236	<sup>1</sup> /4-28UNF	0.42
1 <sup>3</sup> /	/8	72	2.835	25.4	1.000	38.9	1.531	19	0.748	1.1	0.043	25.7	15.4	13.9	SAA207-22FP7	9.5 0.374 6.8 0.268 55.6 2.189 -	5/16-24UNF	0.57
35 -	_	72	2.835	32	1.260	-	-	17	0.669	1.1	0.043		15.4	13.9	SBB207RK	8.5 0.335 <u>6 0.236 M6×0.</u>		0.42
17	1/10	72 72	2.835 2.835	25.4 32	1.000	38.9	1.531	19 17	0.748	1.1	0.043	25.7 25.7	15.4 15.4	13.9 13.9	SAA207FP7 SBB207-23RK	9.5 0.374 6.8 0.268 55.6 2.189 M8×1 8.5 0.335 core 6 0.236		0.57
- 17		72 72	2.835	32 25.4	1.200	_ 38.9	1.531	17	0.869	1.1	0.043		15.4	13.9	SAA207-23FP7	8.5 0.335 9.5 0.374 23.5 0.925 6 0.236 6.8 0.268 55.6 2.189 -	<sup>5</sup> /16-24UNF	0.42
1 <sup>1</sup> /		80	3.150	34	1.339		-	19	0.748	1.1	0.043		17.8	13.9	SBB208-24RK	9 0354 8 0315	5/16-24UNF	0.60
- 11		80	3.150	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	29.1	17.8	14.0	SAA208-24FP7	11 0.433 25 0.984 6.8 0.268 60.3 2.374 -	<sup>5</sup> / <sub>16</sub> -24UNF	0.75
- 1 %		80	3.150	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		17.8	14.0	SAA208-25FP7	11 0.433 6.8 0.268 60.3 2.374 -	<sup>5</sup> /16-24UNF	0.75
		80	3.150	34	1.339	-	-	18	0.709	1.1	0.043	29.1	17.8	14.0	SBB208RK	9 0.354 op 2001 8 0.315 M8×1	_	0.60
40 -	_	80	3.150	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	29.1	17.8	14.0	SAA208FP7	11 0.433 25 0.984 6.8 0.268 60.3 2.374 M8×1	-	0.75
- 1 <sup>5</sup> /		85	3.346	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	34.1	21.3	14.0	SAA209-26FP7	11 0.433 6.8 0.268 63.5 2.500 -	5/16-24UNF	0.82
	1/16	85	3.346	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	34.1		14.0	SAA209-27FP7	11 0.433 6.8 0.268 63.5 2.500 -	5/16-24UNF	0.82
<b>45</b> 1 <sup>3</sup> /	/4	85	3.346	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043	34.1		14.0	SAA209-28FP7	11 0.433 6.8 0.268 63.5 2.500 -	<sup>5</sup> / <sub>16</sub> -24UNF	0.82
	1	85	3.346	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		21.3	14.0	SAA209FP7	11 0.433 6.8 0.268 63.5 2.500 M8x1	5/ 241015	0.82
- 17/		90	3.543	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		23.3	14.4	SAA210-30FP7	<u>11 0.433 6.8 0.268 69.9 2.752 -</u> <u>11 0.423 69 0.268 69.9 2.752 -</u>	5/16-24UNF	0.85
50	5/16	90 90	3.543	30.2	1.189	43.7	1.720	22	0.866	1.1	0.043		23.3 23.3	14.4	SAA210-31FP7 SAA210FP7	11 0.433 6.8 0.268 69.9 2.752 - 11 0.433 6.8 0.268 69.9 2.752 M8×1	5/16-24UNF	0.85
- 2		100	3.543 3.937	30.2 32.4	1.189 1.276	43.7 48.4	1.720 1.906	22 24	0.866	1.1	0.043	35.1 43.4		14.4	SAA210FP7 SAA211-32FP7	11 0.433 – – 6.8 0.268 69.9 2.752 M8×1 12 0.472 – – 8 0.315 76.2 3.000 –		0.85
- 2 <sup>1</sup> /		100	3.937	32.4	1.276	48.4	1.906	24	0.945	1.5	0.059	43.4		14.4	SAA211-32FP7 SAA211-34FP7	12 0.472 8 0.315 76.2 3.000 -	3/8-24UNF	1.2
55 -		100	3.937	32.4	1.276	48.4	1.906	24	0.945	1.5	0.059	43.4		14.4	SAA211FP7	12 0.472 8 0.315 76.2 3.000 M10×1		1.2
- 2 <sup>3</sup> /		100	3.937	32.4	1.276	48.4	1.906	24	0.945	1.5	0.059	43.4		14.4	SAA211-35FP7	12 0.472 8 0.315 76.2 3.000 -		1.2

SC Cylindrical bore d 17 ~ 40 mm



*			
$S\phi D_{-}$	<u>B</u> _	- \$d	
ł	4	J	

Shaft Dia.				Dime	nsions				Ba	sic	Factor	Bearing	Mass
mm									Load F	Ratings		No.	
								kN					
d	i	D	Ĺ	В		С	r(n	nin.)	$C_0$	$C_{0\mathrm{r}}$	fa		kg
	mm	inch	mm	inch	mm	inch	mm	inch	0	Cor	fo		кg
17	40	1.575	12	0.472	12	0.472	0.6	0.024	9.55	4.80	13.2	SC203	0.10
20	47	1.850	14	0.551	14	0.551	1	0.039	12.8	6.65	13.2	SC204	0.15
25	52	2.047	15	0.591	15	0.591	1	0.039	14.0	7.85	13.9	SC205	0.18
30	62	2.441	16	0.630	16	0.630	1	0.039	19.5	11.3	13.9	SC206	0.27
35	72	2.835	17	0.669	17	0.669	1.1	0.043	25.7	15.4	13.9	SC207	0.42
40	80	3.150	18	0.709	18	0.709	1.1	0.043	29.1	17.8	14.0	SC208	0.60

H2300X d1 20 ~ 110 mm



	Shaft	Dia. $d_1$			Dimensions			٨d	apter			Sla	eve		Lock Nut	Washer		M	ass	
mm	Shart	inch			inch				ipter				o.		No.	No.			ass .g	
111111		men						I.				IN IN			NO.	NO.		h	-8	
					mm															
(H)	(HE)	(HS)	(HA)	$B_1$	$B_2$	$d_2$	(H)	(HE)	(HS)	(HA)	(H)	(HE)	(HS)	(HA)			(H)	(HE)	(HS)	(HA)
			_	1.378	0.315	1.496	H2305X	_	_	_	A2305X	_	_	_	AN05	AW05X	0.095	-	_	
20	3/4	_	_	35	8	38		HE2305X	_	_	-	AE2305X	_	_	AN05	AW05X	-	0.085	_	_
	-	_	_				H2306X	-	-	-	A2306X	-	-	-	AN06	AW06X	0.13	-	_	_
	1	_	_	1.496	0.315	1.772	-	HE2306X	-	-	-	AE2306X	_	_	AN06	AW06X	_	0.12	_	_
25	-	7/8	-	38	8	45	-	-	HS2306X	-	-	-	AS2306X	_	-	-	_	_	0.16	-
	-	-	15/16				-	-	-	HA2306X	-	-	-	AA2306X	-	-	-	-	-	0.14
30	-	-	-	1.693	0.354	2.047	H2307X	-	-	-	A2307X	-	-	-	AN07	AW07X	0.17	-	-	-
50	-	-	1 <sup>3</sup> /16	43	9	52	-	-	-	HA2307X	 -	-	-	AA2307X	-	-	-	-	-	0.17
35	-	-	-	1.811	0.394	2.283	H2308X	-	-	-	A2308X	-	-	-	AN08	AW08X	0.22	-	-	-
	1 <sup>1</sup> /4	-	-	46	10	58	-	HE2308X	-	-	 -	AE2308X	-	-	AN08	AW08X	-	0.28	-	-
	-	-	-	1.969	0.433	2.559	H2309X	-	-	-	A2309X	_	-	-	AN09	AW09X	0.28	_	-	-
40	1 <sup>1</sup> / <sub>2</sub>	-	-	50	11	65	-	HE2309X	-	-	-	AE2309X	-	-	AN09	AW09X	-	0.32	-	-
	-	-	1 7/16				– H2210V		-	HA2309X	 A2310X	-	_	AA2309X	- ANI10		0.36	-	-	0.35
	13/	-	-	2.165	0.472	2.756	H2310X	_ HE2310X	_	-	A2510A	- A 53210V	-	-	AN10	AW10X	0.50	-	_	-
45	1 <sup>3</sup> / <sub>4</sub>	- 1 <sup>5</sup> /8	_	55	0.472 12	70	_	-	HS2310X	_	-	AE2310X	 AS2310X	_	AN10	AW10X	_	0.37	_ 0.46	-
	_	1 -/8	- 1 <sup>11</sup> /16	55	12	70	_	_	-	HA2310X	_	_	A32310A	 AA2310X	_	_	_	_	0.40	0.42
			-				H2311X			-	A2311X			-	AN11	AW11X	0.42			
	2	_	_	2.323	0.472	2.953	_	HE2311X	_	_	-	AE2311X	_	_	AN11	AW11X	_	0.40	_	_
50	- <sup>1</sup>	1 7/8	_	59	12	75	_	-	HS2311X	_	_	-	AS2311X	_	AN11	AW11X	_	_	0.50	_
	_	-	1 <sup>15</sup> /16			, 0	_	_	_	HA2311X	_	_	-	AA2311X	_	_	_	_	_	0.45
	-	_	-	2.441	0.512	3.150	H2312X	-	-	-	A2312X	-	-	-	AN12	AW12X	0.48	_	-	-
55	_	2 <sup>1</sup> /8	_	62	13	80	-	-	HS2312X	-	-	-	AS2312X	_	AN12	AW12X	_	_	0.52	_
	-	-	-				H2313X	-	-	-	A2313X	-	-	-	AN13	AW13X	0.56	-	-	-
60	2 <sup>1</sup> / <sub>4</sub>	-	-	2.559	0.551	3.346	-	HE2313X	-	-	-	AE2313X	-	-	AN13	AW13X	-	0.69	-	-
00	-	2 <sup>3</sup> /8	-	65	14	85	-	-	HS2313X	-	-	-	AS2313X	-	AN13	AW13X	-	_	0.55	-
	-	-	2 <sup>3</sup> / <sub>16</sub>				-	-	-	HA2313X	 -	-	-	AA2313X	-	-	-	-	-	0.76
	-	-	-				H2315X	-	-	-	A2315X	-	-	-	AN15	AW15X	1.05	-	-	-
65	2 <sup>1</sup> / <sub>2</sub>	-	-	2.874	0.591	3.858	-	HE2315X	-	-	-	AE2315X	-	-	AN15	AW15X	-	1.15	-	-
	-	-	2 <sup>7</sup> /16	73	15	98	-	-	-	HA2315X	-	-	-	AA2315X	-	-	-	-	-	1.15
	-	2 5/8	-				-	-	HS2315X	-	-	-	AS2315X	-	-	-	-	-	0.9	-
	-	-	-	3.071	0.669	4.134	H2316X	-	-	-	A2316X	-	-	-	AN16	AW16X	1.3	-	-	-
70	2 3/4	-	-	78	17	105	-	HE2316X	-	-	-	AE2316X	-	-	AN16	AW16X	_	1.3	_	-
	-	-	2 11/16				– H2317X			HA2316X	– A2317X		-	AA2316X	 AN17	AW17X	- 1.45		-	1.41
75	3		_	3.228	0.709	4.331	-	 HE2317X	_	_	AZ317X	 AE2317X	_	_	AN17 AN17	AW17X AW17X	1.45	1.35	_	_
15	J		2 <sup>15</sup> /16	82	18	110	_	-	_	HA2317X	_		_	HA2317X	_	_	_	-	_	1.48
			Z ~716				H2318X			-	A2318X				 AN18	AW18X	1.7			-
80	3 1/4	_	_	3.386	0.709	4.724	-	HE2318X	_	_	-	AE2318X	_	_	-	-	_	1.49	_	_
	_	_	3 <sup>3</sup> / <sub>16</sub>	86	18	120	_	_	_	HA2318X	_	-	_	AA2318X		_	_	_	_	1.62
	-	-	-	3.543	0.748	4.921	H2319X	-	-	-	A2319X	_	-	-	AN19	AW19X	1.95	_	_	-
85	3 1/4	-	-	90	19	125	-	HE2319X	-	-	-	AE2319X	-	-	AN19	AW19X	_	2.15	_	_
	-	-	-	3.819	0.787	5.118	H2320X	-	-	-	A2320X	-	-	-	AN20	AW20X	2.2	_	_	_
90	3 <sup>1</sup> / <sub>2</sub>	-	-				-	HE2320X	-	-	-	AE2320X	-	-	AN20	AW20X	_	2.3	-	-
	-	-	3 7/16	97	20	130	-	-	-	HA2320X	 -	-	_	AA2320X	-	-	_	_		2.47
100	-	-	-	4.134	0.827	5.709	H2322X	-	-	-	A2322X	-	-	-	AN22	AW22X	2.75	-	-	-
100	4	-	-	105	21	145	-	HE2322X	-	-	-	AE2322X	-	-	AN22	AW22X	-	2.55	-	-
	-	-	-	4.409	0.866	6.102	H2324	-	-	-	A2324	-	-	-	AN24	AW24	3.2	-	-	-
110	4 <sup>1</sup> / <sub>4</sub>	-	-	112	22	155	-	HE2324	-	-	-	AE2324	-	-	-	-	-	3.5	-	-
	-	-	4 <sup>3</sup> / <sub>16</sub>		~~~		-	-	-	HA2324	-	-	-	AA2324	-	-	-	-	-	3.79

H2300X d1 115 ~ 125 mm



		Shaft D	Dia. $d_1$			Dimensions			Ada	pter		Sleeve				Lock Nut	Washer		Ma	155	
mm	.		inch			inch			N	lo.			N	lo.		No.	No.		k	g	
						mm															
(H)	(	(HE)	(HS)	(HA)	$B_1$	$B_2$	$d_2$	(H)	(HE)	(HS)	(HA)	(H)	(HE)	(HS)	(HA)			(H)	(HE)	(HS)	(HA)
		-	-	-	4.764	0.906	6.496	H2326	-	-	-	A2326	-	-	-	AN26	AW26	4.6	-	-	_
115	4	4 <sup>1</sup> / <sub>2</sub>	-	-	4./04	23	165	-	HE2326	-	-	-	AE2326	-	-	AN26	AW26	_	4.7	_	_
		-	-	4 <sup>7</sup> / <sub>16</sub>	121	23	105	-	-	-	HA2326	-	-	-	AA2326	-	_	-	-	_	4.23
		-	-	-	5.157	0.945	7.087	H2328	-	-	-	A2328	-	-	-	AN28	AW28	5.5	-	_	-
125	5	5	-	-	121	24	180	-	HE2328	-	-	-	AE2328	-	-	-	_	-	5.1	_	-
		-	-	4 <sup>15</sup> / <sub>16</sub>	151	24	160	-	-	-	HA2328	-	-	-	AA2328	-	_	-	-	_	5.42

### **16 Parts and Accessories**

### 16.1 Part No. of Steel Plate Covers

	5							
Bearing	Shaft dia.	Steel plate	cover No.					
No.	(mm)	Open type	Sealed type					
UC201	12	C- 4×12	D- 4					
UC202	15	C- 4×15	D- 4					
UC203	17	C- 4×17	D- 4					
UC204	20	C- 4×20	D- 4					
UC205	25	C- 5×25	D- 5					
UC206	30	C- 6×30	D- 6					
UC207	35	C- 7×35	D- 7					
UC208	40	C- 8×40	D- 8					
UC209	45	C- 9×45	D- 9					
UC210	50	C-10×50	D-10					
UC211	55	C-11×55	D–11					
UC212	60	C-12×60	D–12					
UC213	65	C-13×65	D–13					
UC214	70	C-14×70	D-14					
UC215	75	C-15×75	D–15					
UC216	80	C-16×80	D–16					
UC217	85	C-17×85	D–17					
UC218	90	C-18×90	D–18					
UCX05	25	C- 6×25	D- 6					
UCX06	30	C- 7×30	D– 7					
UCX07	35	C- 8×35	D- 8					
UCX08	40	C- 9×40	D- 9					
UCX09	45	C-10×45	D–10					
UCX10	50	C-11×50	D-11					
UCX11	55	C-12×55	D–12					
UCX12	60	C-13×60	D–13					
UCX13	65	C-14×65	D-14					
UCX14	70	C-15×70	D–15					
UCX15	75	C-16×75	D–16					
UCX16	80	C-17×80	D–17					
UCX17	85	C–18×85	D–18					

## Table 16.1Part No. of steel plate cover for<br/>UC type bearing

Table 16.2Part No. of steel plate cover for<br/>UK type bearing

	Bearing	Shaft dia.	Steel plate	cover No.
	No.	(mm)	Open type	Sealed type
	-			
	-			
	-			
	-			
	UK205	20	C- 5×20	D- 5
	UK206	25	C- 6×25	D- 6
	UK207	30	C- 7×30	D- 7
	UK208	35	C- 8×35	D- 8
	UK209	40	C- 9×40	D- 9
	UK210	45	C–10×45	D-10
	UK211	50	C-11×50	D-11
	UK212	55	C-12×55	D-12
	UK213	60	C-13×60	D-13
	_			
	UK215	65	C–15×65	D–15
	UK216	70	C-16×70	D-16
	UK217	75	C-17×75	D–17
_	UK218	80	C–18×80	D–18
	UKX05	20	C- 6×20	D- 6
	UKX06	25	C- 7×25	D- 7
	UKX07	30	C- 8×30	D- 8
	UKX08	35	C- 9×35	D- 9
	UKX09	40	C-10×40	D-10
	UKX10	45	C-11×45	D-11
	UKX11	50	C-12×50	D-12
	UKX12	55	C–13×55	D-13
	UKX13	60	C-14×60	D-14
	-			
	UKX15	65	C–16×65	D-16
	UKX16	70	C-17×70	D-17
_	UKX17	75	C–18×75	D–18

Remark In the Part No. of the steel plate covers for shouldered shaft, shaft diameter follows the basic code of the cover. For example, Part No. of the cover for a shaft with 35 mm diameter for UC207 is C-7×35.

Table 16.4 Part No. of cast iron cover for

UK type bearing

### 16.2 Part No. of Cast Iron Covers

## Table 16.3Part No. of cast iron cover for<br/>UC type bearing

Bearing	Shaft	Cast iron	cover No.	Mounting		Bearing	Shaft	Cast iron	cover No.	Mounting
No.	dia. (mm)	Open type	Closed type	bolt (reference)		No.	dia. (mm)	Open type	Closed type	bolt (reference)
UC204	20	204FC×20	204FD	M3	-	-				
		(204FC3×20)1)	(204FD3) <sup>1)</sup>	(M4)						
UC205	25	205FC×25	205FD	M3		UK205	20	205FC×20	205FD	M3
		(205FC3×25) <sup>1)</sup>	(205FD3) <sup>1)</sup>	(M4)				(205FC3×20) <sup>1)</sup>	(205FD3) <sup>1)</sup>	(M4)
UC206	30	206FC×30	206FD	M4	M4 UK206		25	206FC×25	206FD	M4
UC207	35	207FC×35	207FD	M4 UK2		UK207	30	207FC×30	207FD	M4
UC208	40	208FC×40	208FD			UK208	35	208FC×35	208FD	
UC209	45	209FC×45	209FD			UK209	40	209FC×40	209FD	
UC210	50	210FC×50	210FD	M4		UK210	45	210FC×45	210FD	M4
UC211	55	211FC×55	211FD			UK211	50	211FC×50	211FD	
UC212	60	212FC×60	212FD			UK212	55	212FC×55	212FD	
UC213	65	213FC×65	213FD	M4		UK213	60	213FC×60	213FD	M4
UC214	70	214FC×70	214FD			-				
UC215	75	215FC×75	215FD			UK215	65	215FC×65	215FD	
UC216	80	216FC×80	216FD	M5		UK216	70	216FC×70	216FD	M5
UC217	85	217FC×85	217FD			UK217	75	217FC×75	217FD	
UC218	90	218FC×90	218FD			UK218	80	218FC×80	218FD	
UCX18	90	X18C×90	X18D	M5	_	UKX18	80	X18C×80	X18D	M5
		(X18C3×90) <sup>2)</sup>	(X18D3) <sup>2)</sup>					(X18C3×80) <sup>2)</sup>	(X18D3) <sup>2)</sup>	-
UCX20	100	X20C×100	X20D			UKX20	90	X20C×90	X20D	
		(X20C3×100) <sup>2)</sup>	(X20D3) <sup>2)</sup>					(X20C3×90) <sup>2)</sup>	(X20D3) <sup>2)</sup>	
UC305	25	305C×25	305D	M4	_	UK305	20	305C×20	305D	M4
UC306	30	306C×30	306D			UK306	25	306C×25	306D	
UC307	35	307C×35	307D			UK307	30	307C×30	307D	
UC308	40	308C×40	308D	M5		UK308	35	308C×35	308D	M5
UC309	45	309C×45	309D			UK309	40	309C×40	309D	
UC310	50	310C×50	310D			UK310	45	310C×45	310D	
UC311	55	311C×55	311D	M5		UK311	50	311C×50	311D	M5
UC312	60	312C×60	312D			UK312	55	312C×55	312D	
UC313	65	313C×65	313D			UK313	60	313C×60	313D	
UC314	70	314C×70	314D	M5		_				
UC315	75	315C×75	315D			UK315	65	315C×65	315D	M5
UC316	80	316C×80	316D			UK316	70	316C×70	316D	
UC317	85	317C×85	317D	M5		UK317	75	317C×75	317D	M5
UC318	90	318C×90	318D			UK318	80	318C×80	318D	
UC319	95	319C×95	319D			UK319	85	319C×85	319D	
UC320	100	320C×100	320D	M5		UK320	90	320C×90	320D	M5
UC321	105	321C×105	321D			_				
UC322	110	322C×110	322D			UK322	100	322C×100	322D	
UC324	120	324C×120	324D	M5		UK324	110	324C×110	324D	M5
UC326	130	326C×130	326D	M8		UK326	115	326C×115	326D	M8
UC328	140	328C×140	328D	-		UK328	125	328C×125	328D	

Note <sup>1)</sup> Items in parentheses are applicable to the pillow type (P), square four-bolt flange type (F), oval flange type (FL), and the take-up type (T) bearings, and can be mounted to housings with three hexagon socket head cap screws (use four to mount other items).
 <sup>2)</sup> Items in parentheses are applicable to the round flange cartridge type bearing (FC), and can be mounted to housings with three hexagon socket head cap screws (use four to mount other items).

Remark In the nominal codes of the cast iron covers for shouldered shaft, shaft diameter follows the basic code of the cover. For example, Part No. of the cover for a shaft with 60 mm diameter for UC210 is 210FC×60.





# SPHERICAL ROLLER BEARING UNITS

### Contents

### **1** Structure and Features

	1.1	Structure
	1.2	Features
2	Mod	els
	2.1	Model List
	2.2	Models and Features
3	Nom	enclature
4	Engi	neering Information
	•	neering Information332
	Insta	-
	Insta 5.1	Illation Guide
	<b>Insta</b> 5.1 5.2	Illation Guide Precautions

### 6 Dimensional Tables for Spherical Roller Bearing Units

XS2P, ZS2P
$d$ 1 $^{3}$ / <sub>8</sub> ~ 4 inch 40 ~ 100 mm
XSE2P, ZSE2P
$d$ 1 $^{3}$ / <sub>8</sub> ~ 4 inch 40 ~ 100 mm
XS4F, ZS4F
$d$ 1 $^{3}$ / <sub>8</sub> ~ 4 inch 40 ~ 100 mm
XSE4F, ZSE4F
$d$ 1 $^{3}/_{8}$ ~ 4 inch 40 ~ 100 mm
XS4FC, ZS4FC
$d$ 1 $^{3}/_{8}$ ~ 4 inch 40 ~ 100 mm
XST, ZST
d 1 <sup>15</sup> / <sub>16</sub> ~ 3 <sup>1</sup> / <sub>2</sub> inch 50 ~ 90 mm
XS4P, ZS4P
$d$ 2 $^{7/_{16}}$ ~ 4 inch 60 ~ 100 mm
XDS4P, ZDS4P
$d$ 2 $^{7}$ /16 ~ 4 inch 60 ~ 100 mm
XS4, ZS4
$d$ 1 $^{3}$ /8 ~ 4 inch 40 ~ 100 mm
XDS4, ZDS4
<i>d</i> 2 <sup>7</sup> / <sub>16</sub> ~ 4 inch 60 ~ 100 mm

### 1 Structure and Features

### **1 Structure and Features**

### 1.1 Structure

More than sixty years of experience and innovation in the field of mounted ball bearing units has lead to the production of mounted spherical roller units that cater to a wide range of applications and industries. Bearing and housing production are accomplished entirely by FYH while utilizing only the highest quality materials available. Through meticulous design enhancements and careful material selection this heavy duty mounted roller series attains the designation of "EXTRA TOUGH".

### **1.2 Features**

FYH spherical roller bearing units have many features and are available in various models. A wide selection of mounted units is offered to fit virtually any application.



# FYH

### 1 Triple Lip Seal

### ±2° Self Aligning capability

The triple-lip seal maintains positive contact with a special sealing ring at virtually any angle of shaft misalignment. Our new patent pending sealing design protects the bearing against a variety of wet and dry contaminants and dramatically improves bearing life. The ability to accommodate shaft expansion is also available.



Positive seal contact is maintained during mis-alignment at any angle.

### 2 Semi Solid Base

One piece ductile iron housings

Ductile iron housings are approximately twice as strong as cast iron, and the semi-solid base design provides an excellent mounting foundation and superior rigidity over competitive offerings. The standard housing material from FYH is ductile iron, and additional material options may also be available.



### **3 Lubrication**

FYH Roller Grease is a calcium sulfonate complex thickened lubricating grease formulated in 100% synthetic hydrocarbon base oil. FYH Roller Grease has excellent low temperature and high temperature performance, and it provides excellent extreme pressure and anti-wear protection. FYH Roller Grease also provides excellent corrosion protection and water wash-out resistance. Grease temperature range: -40 to 340°F (-40 to 170°C) FYH Roller Grease is also available in automatic lubricators.

### 4 Designed to Interchange with the Competition

Units are designed to interchange with most spherical roller unit footprints. Elongated bolt holes are dimensioned to allow for a shortened or extended mounting pitch to accommodate practically any competitive tapered roller or spherical roller design.

### 5 Convertible from Non-expansion to Expansion

By simply moving a snap ring on the back of the unit the bearing can easily be converted from non-expansion to expansion or vice versa.

This procedure can be easily performed in the field even after the unit has been mounted.



### 6 Locking Style

The patent pending Z-Lock is the first ever tapered bore locking collar system. Just tighten the cap screws properly and the specialized tapered bore collar provides extreme holding power on the shaft without causing any damage. This is a true 360 degree locking mechanism.

Disassembly is easily accomplished with two threaded holes in the collar for standard withdrawal dismounting.









### 2 Models

### 2.1 Model List

 Table 2.1 shows the models of FYH Spherical Roller Bearing Units.

		Bearing bore dia. Surface	Model		Shaft	dia.		Dimension
Model	Туре	(fixing to shaft)	code	(ind	eh)	(m	m)	table
		(inxing to shart)	coue	min.	max.	min.	max.	table
1 SPHERICAL	(1) 2-Bolt Base Pillow Block Units	with set screw collar lock	XS2P	1 <sup>3</sup> /8	4	40	100	P.338
ROLLER		with Z-Lock	ZS2P	1 <sup>3</sup> /8	4	40	100	P.338
BEARING	(2) 2-Bolt Base Type E Pillow Units	with set screw collar lock	XSE2P	1 <sup>3</sup> /8	4	40	100	P.340
UNITS		with Z-Lock	ZSE2P	1 <sup>3</sup> /8	4	40	100	P.340
	(3) 4-Bolt Flange Units	with set screw collar lock	XS4F	1 <sup>3</sup> /8	4	40	100	P.342
		with Z-Lock	ZS4F	1 <sup>3</sup> /8	4	40	100	P.342
	(4) 4-Bolt Type E Flange Units	with set screw collar lock	XSE4F	1 <sup>3</sup> /8	4	40	100	P.344
		with Z-Lock	ZSE4F	1 <sup>3</sup> /8	4	40	100	P.344
	(5) Flange Cartridge Units	with set screw collar lock	XS4FC	1 <sup>3</sup> / <sub>8</sub>	4	40	100	P.346
		with Z-Lock	ZS4FC	1 <sup>3</sup> /8	4	40	100	P.346
	(6) Take-Up Units	with set screw collar lock	XST	1 <sup>15</sup> / <sub>16</sub>	3 <sup>1</sup> / <sub>2</sub>	50	90	P.348
		with Z-Lock	ZST	1 <sup>15</sup> / <sub>16</sub>	3 <sup>1</sup> / <sub>2</sub>	50	90	P.348
	(7) 4-Bolt Base Pillow Block Units	with set screw collar lock	XS4P	2 <sup>7</sup> / <sub>16</sub>	4	60	100	P.350
		with Z-Lock	ZS4P	2 <sup>7</sup> / <sub>16</sub>	4	60	100	P.350
		with set screw collar lock (both)	XDS4P	2 <sup>7</sup> / <sub>16</sub>	4	60	100	P.352
		with Z-Lock (both)	ZDS4P	2 <sup>7</sup> / <sub>16</sub>	4	60	100	P.352
2 SPHERICAL	(1) XS Inserts	with set screw collar lock	XS	1 <sup>3</sup> / <sub>8</sub>	4	40	100	P.354
ROLLER	(2) ZS Inserts	with Z-Lock	ZS	1 <sup>3</sup> /8	4	40	100	P.354
BEARING	(3) XDS Inserts	with set screw collar lock (both)	XDS	2 <sup>7</sup> / <sub>16</sub>	4	60	100	P.355
INSERTS	(4) ZDS Inserts	with Z-Lock (both)	ZDS	2 <sup>7</sup> / <sub>16</sub>	4	60	100	P.355

### Table 2.1 FYH Spherical Roller Bearing Units models

### 2.2 Models and Features

### **1 SPHERICAL ROLLER BEARING UNITS**

### 1 2-Bolt Base Pillow Block Units



XS2P is a two-bolt pillow block unit with a setscrew locking insert system. This unit is equivalent to many of our competitors SRB style housings.

**XSE2P** is with Type E mounting dimensions which has a footprint that can accommodate both a tapered roller unit and a spherical roller unit for most shaft sizes.

**ZS2P** and **ZSE2P** have the same housing dimensions as the above styles but utilize our revolutionary Z-Lock concentric locking collar system.

2 4-Bolt Flange Units



XS4F XSE4F



754F ZSE4F **XS4F** is a four-bolt flange unit with set screw locking system. It has standard spherical roller unit mounting dimensions and a compact footprint for areas with limited space.

**XSE4F** has Type E mounting dimensions with the same footprint as a tapered roller unit.

**ZS4F** and **ZSE4F** have the same housing dimensions as the above units but utilize our revolutionary Z-Lock concentric locking collar system.







**XS4FC** is a piloted flange cartridge unit with a setscrew locking insert system. Its' pilot mounting dimensions are the same as the medium duty ball bearing units that allow for easy upgrades to a heavier duty series. The threaded withdrawal holes make for guick and easy dismounting.

**ZS4FC** carries as the same housing dimensions as the above unit but incorporate the revolutionary Z-Lock concentric locking collar system.

4 Take-Up Units



**XST** is a take-up unit with set screw locking system. It has rail slots that are compatible with many industrial frame sizes. This unit can safely handle high belt tension and heavy shock loads. ZST has the same housing dimensions as the XST units but incorporates the revolutionary Z-Lock concentric locking collar system.

5 4-Bolt Base Pillow Block Units

XST



XS4P

ZS4P

ZST

**XS4P** is a four-bolt base pillow block unit with standard spherical roller bearing mounting dimensions. Four mounting bolt-holes create a firm and secure fit to the mounting surface. The ends of the housing are flat to allow for mounting inside of a fixed frame assembly.

**ZS4P** is the Z-lock equivalent of the XS4P carrying the same housing dimensions but utilizing the revolutionary Z-Lock concentric locking collar system.

### 6 4-Bolt Base Pillow Block Units (Double Collar)



XDS4P

ZDS4P

**XDS4P** is the same as the XS4P above but utilizes a double lock. This insert has a setscrew locking mechanism on both the front and back of the inner ring.

This additional locking mechanism is helpful in applications where the bearing experiences some thrust loads on the inner ring that could cause a single locking unit to slip.

**ZDS4P** is the Z-lock equivalent of the XDS4P carrying the same housing dimensions but utilizing the revolutionary Z-Lock concentric locking collar system.

### 2 SPHERICAL ROLLER BEARING INSERTS



1 Spherical Roller Bearing Inserts (Single Collar)

**XS** is a setscrew locking insert that utilizes the patented Bullet Point setscrews at 120 degrees apart to hold shafting firmly in place. This is the most economical type of SRB insert and can be utilized in a wide variety of industrial and agricultural applications.

**ZS** is a concentric locking insert that utilizes a tapered collar that allows for fast mounting while avoiding damage to shafting that a setscrew unit can cause. The tapered collar keeps the 100% true concentric holding power and does not remove any clearance in the insert by over tightening like the adaptor sleeve locking system can. The unit is tightened down using a hex wrench on the cap screws in a star pattern. The insert can be uninstalled by removing all cap screws and using two of them in the withdrawal holes to disengage the collar.

### 2 Spherical Roller Bearing Inserts (Double Collar)





ZDS

**XDS** is the same as the XS above but utilizes a double lock. This insert has a setscrew locking mechanism on both the front and back of the inner ring. This additional locking mechanism is helpful in applications where the bearing experiences some thrust loads on the inner ring that could cause a single locking unit to slip.

**ZDS** is the same as the ZS above but utilizes a double lock. This insert has a concentric tapered collar on both the front and back of the inner ring. This additional locking mechanism is helpful in applications where a bearing experiences some thrust loads on the inner ring that could cause a single locking unit to slip.

### **3 Nomenclature**

The nomenclature of a FYH Spherical Roller Unit is comprised of the roller bearing unit model code which is made up using the bearing model code and the housing model code. This in combination with the diameter series code, bore diameter code, accessory code and any special



code for individual applications determines the FYH Spherical Roller Units part number.



http://www.fyhbearings.com/html/nomenclature\_r.html

Bearing No.	 XS410-32
Housing No.	 E2P10

### **EXPANSION Type**

Bore Size (inch)

Number of  $\frac{1}{16''}$  of Inches (ex. 39 =  $2\frac{7}{16''}$ )

### **Bore Size (base)**

Metric type x 5 mm of Number (ex. 13 = 65 mm)

### Series code

4 Spherical Roller

### Housing model code

- 2P 2 Bolt Pillow Block
- 4P 4 Bolt Pillow Block
- 4F 4 Bolt Flange
- 4FC Flange Cartridge
- T Take Up
- E2P 2 Bolt Pillow Block : TYPE E (inch)
- E4F 4 Bolt Flange : TYPE E (inch)

### INSERT-2 model code

- S Spherical Roller
- T Taper Roller

INSERT-1 Locking Type code

- X Set Screw Collar Lock
- XD Set Screw Collar Lock (Double Collar)

Z Z - Lock Concentric Locking System

### **4 Engineering Information**

### **Spherical Roller Bearing Life Calculations**

The relationship between the basic rating life, the basic dynamic load rating, and the dynamic equivalent load of the spherical roller bearing is indicated in Formula A. If the spherical roller bearing unit is being used at a fixed rotating speed, the life is indicated as time. This is shown in Formula B.

Basic Loads (lbf)								
Size Code	Dynamic C <sub>r</sub>	Static Cor						
XS408	19967	22744						
XS409	20834	24491						
XS410	21683	26306						
XS411	27191	33029						
XS413	39006	49591						
XS415	42032	54986						
XS418	63910	86343						
XS420	81897	111863						

A. 
$$L_{10} = \left(\frac{C_{\rm r}}{P_{\rm r}}\right)^{\frac{10}{3}}$$

B. 
$$L_{10h} = \frac{10^6 L_{10}}{60_n} = \frac{10^6}{60_n} \left(\frac{C_r}{P_r}\right)^{\frac{10}{3}}$$

*L*<sub>10</sub> : Basic Rating Life 10<sup>6</sup> rotations

L10h : Rated Life (hr)

- Cr : Basic Dynamic Load Rating (lbf)
- *P*<sub>r</sub> : Dynamic equivalent Load (lbf)
- n : Speed (min<sup>-1</sup>)

Limiting Speed for Seals									
Size Code	Standard Triple Lip Seal Limiting Speeds ( <i>dn</i> =110,000) RPM	Non Contact Seal Limiting Speeds ( <i>dn</i> =130,000) RPM							
XS408	2750	3200							
XS409	2450	2800							
XS410	2200	2600							
XS411	2000	2360							
XS413	1692	2000							
XS415	1460	1730							
XS418	1220	1440							
XS420	1100	1300							

# FYH

	Allowable Radial Load (lbf) at Various RPM																			
Shaft RPM																				
Size Size	Size	L <sub>10</sub> hours	50	100	150	300	500	750	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3200
		10000	7197	5846	5177	4205	3607	3194	2930	2774	2649	2545	2456	2380	2313	2253	2200	2151	2107	2067
1 <sup>3</sup> /8″		25000	5468	4441	3932	3194	2740	2426	2226	2107	2012	1933	1866	1808	1757	1712	1671	1634	1601	1570
1 <sup>7</sup> / <sub>16</sub> " 1 <sup>1</sup> /2"	XS408	50000	4441	3607	3194	2594	2226	1971	1808	1712	1634	1570	1516	1468	1427	1390	1357	1327	1300	1275
40 mm		70000	4015	3261	2887	2345	2012	1782	1634	1547	1477	1419	1370	1327	1290	1257	1227	1200	1175	1153
		100000	3607	2930	2594	2107	1808	1601	1468	1390	1327	1275	1231	1193	1159	1129	1102	1078	1056	1036
		10000	7510	6100	5401	4387	3764	3333	3057	2894	2764	2655	2563	2483	2413	2351	2295	2245		
1 11/16″		25000	5705	4634	4103	3333	2859	2532	2322	2199	2099	2017	1947	1886	1833	1786	1744	1705		
1 <sup>3</sup> /4"	XS409	50000	4634	3764	3333	2707	2322	2056	1886	1786	1705	1638	1581	1532	1489	1451	1416	1385		
45 mm		70000	4189	3402	3013	2447	2099	1859	1705	1615	1542	1481	1430	1385	1346	1311	1280	1252		
		100000	3764	3057	2707	2199	1886	1670	1532	1451	1385	1331	1285	1245	1209	1178	1150	1125		
		10000	7816	6349	5621	4566	3917	3469	3182	3012	2876	2763	2667	2584	2512	2447	2389			
1 <sup>15</sup> /16″		25000	5937	4823	4270	3469	2976	2635	2417	2288	2185	2099	2026	1963	1908	1859	1815			
2″	XS410	50000	4823	3917	3469	2817	2417	2140	1963	1859	1775	1705	1646	1595	1550	1510	1474			
50 mm		70000	4360	3541	3136	2547	2185	1935	1775	1680	1604	1541	1488	1442	1401	1365	1332			
		100000	3917	3182	2817	2288	1963	1738	1595	1510	1442	1385	1337	1295	1259	1226	1197			
		10000	9801	7961	7049	5726	4912	4350	3990	3778	3607	3465	3345	3241	3150					
		25000	7446	6048	5355	4350	3732	3304	3031	2870	2740	2632	2541	2462	2393					
2 <sup>3</sup> / <sub>16</sub> "	XS411	50000	6048	4912	4350	3533	3031	2684	2462	2331	2226	2138	2064	2000	1943					
55 mm		70000	5467	4441	3932	3194	2740	2426	2226	2107	2012	1933	1866	1808	1757					
		100000	4912	3990	3533	2870	2462	2180	2000	1893	1808	1737	1676	1624	1579					
		10000	14060	11421	10113	8214	7047	6240	5724	5419	5174	4971	4798	4649						
		25000	10681	8676	7682	6240	5353	4740	4348	4117	3931	3776	3645	3532						
2 <sup>7</sup> /16″	XS413	50000	8676	7047	6240	5068	4348	3850	3532	3344	3193	3067	2961	2869						
65 mm		70000	7843	6370	5641	4582	3931	3480	3193	3023	2886	2773	2677	2593						
		100000	7047	5724	5068	4117	3532	3127	2869	2716	2593	2491	2405	2330						
		10000	15151	12307	10897	8851	7594	6724	6168	5840	5576	5357								
2 <sup>11</sup> /16″		25000	11510	9349	8278	6724	5768	5108	4685	4436	4236	4069								
2 <sup>15</sup> /16"	XS415	50000	9349	7594	6724	5461	4685	4149	3806	3603	3440	3305								
75 mm		70000	8451	6864	6078	4937	4236	3750	3440	3257	3110	2988								
		100000	7594	6168	5461	4436	3806	3370	3091	2927	2794	2685								
		10000	23037	18712	16569	13458	11546	10224	9378	8879	8478									
		25000	17500	14215	12587	10224	8771	7766	7124	6745	6440									
3 <sup>7</sup> / <sub>16</sub> " 90 mm	XS418	50000	14215	11546	10224	8304	7124	6308	5787	5479	5231									
		70000	12850	10437	9242	7507	6440	5703	5231	4953	4729									
		100000	11546	9378	8304	6745	5787	5124	4700	4450	4249									
		10000	29521	23979	21232	17246	14796	13101	12018	11378	10864									
		25000			16129				9129	8643	8253									
3 <sup>15</sup> / <sub>16</sub> "	XS420	50000			13101		9129	8084	7415	7021	6703									
100 mm		70000		13375		9620	8253	7308	6703	6347	6060									
		100000		12018		8643	7415			5703	5445									
		100000	14790	12010	10041	00-5	7-113	0500	0025	5705	5445									<u> </u>

1. Blue area: The Standard Triple Lip Seal is used.

2. Green area: A non-contact seal is used.



### **5** Installation Guide

### 5.1 Precautions

- Read the entire installation guide prior to beginning.
- Bearings are precision instruments and they must always be handled carefully to prevent damage.
- Store bearings in a cool and dry location, and always leave bearings in original packaging until ready for installation.
- Bearing life calculations should be performed prior to installation to ensure that the selected unit is acceptable for the application.
- The use of more than two bearings on a single shaft is not recommended.
- To maximize the life of the bearing avoid mis-alignment and pre-loading by carefully following these instructions.
- Always lock out the power source and adhere closely to industry safety standards before performing any work on the equipment.

### 5.2 Preparation

The mounting surface and housing base must be clean, flat, and of sufficient thickness to support the weight of the entire assembly without deflecting or breaking. Make sure that the mounting surface is parallel to the plane of the shaft for pillow blocks, and perpendicular to the shaft for flanges and take-up units. FYH mounted bearings can accommodate up to  $\pm 2$  degrees of mis-alignment, however longer bearing life can be achieved if mis-alignment can be minimized during installation.

Check the shaft diameter and make sure that it is within tolerance as indicated in Table 1. Check that the shaft is straight, clean, and free of burrs or other imperfections. Use emery cloth or a fine file to smooth the surface as necessary. A small amount of lubricant may be applied to both the shaft and the bore of the bearing; however lubricant should not be applied to the areas where the bearing locking mechanism contacts the shaft. To ensure adequate locking power between the bearing and shaft the hardness of the shaft should not exceed Rc 45.

	Table 1 - Shaft Tolerance										
			h6	h7							
Shaft Si	ze (mm)	•	eed Greater Than Max RPM Rating	Shaft Speed Less Than 50% of Max RPM Rating							
Over	Incl.	Max (mm)	Min (mm)	Max (mm)	Min (mm)						
30	50	+0	-0.016	+0	-0.025						
50	80	+0	-0.019	+0	-0.03						
80	120	+0	-0.022	+0	-0.035						
120	180	+0	-0.025	+0	-0.04						

### Converting units from fixed to expansion

FYH mounted roller units are capable of operating in both a fixed or expansion configuration.

### **Before bearing installation**

On the back side of the unit (opposite the housing markings), remove the bearing retaining ring located on the inner diameter of the housing and move it back to the groove on the outer position of the housing. Slide the bearing insert rearward within the housing until it sits against the retaining ring that was just relocated. When ready for installation, slide the insert forward in the housing approximately one thirty-second of an inch (1/32'') and alternately tighten the set screws onto the shaft to the specified torque setting as shown in Table 4.

### After bearing installation

Before performing any work on the bearing, lock out the power source and allow the shaft and adjacent machinery to cool down to ambient temperature. Loosen the set screws or other locking mechanism to allow the shaft to move freely within the bore then follow the same procedures explained in the "Before bearing installation" section.
## 5.3 Installation

1. Slide the unit onto the shaft while holding the inner ring of the bearing.

Position the unit on the mounting surface so that the plane of the shaft is perpendicular to the face of the housing, and alternately tighten the mounting bolts to the specified torque as shown in Table 2.

Make sure to use bolts, washers, and nuts of sufficient strength and grade rating for the application.

2. Check the final position of the shaft and alternately tighten the set screws of the non-expansion unit onto the shaft to the specified torque setting as shown in Table 3. The set screws in the bearing on the opposite side of the shaft should line up

	Table 2 - Mo	unting Bolt Tig	ghtening Torqu	ie
Bolt	Size	Ti	ghtening Torq	ue
mm	inch	N-m	in-lbf	ft-lbf
M6	1/4	5	43	4
M8	<sup>5</sup> / <sub>16</sub>	10	92	8
M10	3/8	22	196	17
M12	1/2	38	334	27
M16	5/8	95	840	70
M18	-	139	1231	103
M20	3/4	189	1664	139
M22	7/8	260	2301	192
M27	1	484	4277	358

with the set screws of the bearing that was installed first (See Figure A). Expansion bearings should be installed only after the shaft and adjacent machinery has cooled down to the ambient temperature.

After positioning the expansion unit on the shaft slide the insert to the rearmost position within the housing until it seats against the retaining ring. Then slide the insert forward in the housing approximately one thirty second of an inch (1/32'') and alternately tighten the set screws onto the shaft to the specified torque setting as shown in Table 3. Allowable shaft expansion and expansion calculation data can be found in Table 4 and Formula 1 respectively.

3. Once installed, slowly rotate the bearing by hand to confirm that it turns smoothly and without resistance, vibration, or any other abnormalities.

	Table 3 - Set Scre	ew Tightenin	g Torque	
Size Code	Set Screw Size	N-m	in-lbf	ft-lbf
XS408	5/	145	128	11
XS409	<sup>5</sup> /16-28 UNF x <sup>1</sup> /2	14.5	128	11
XS410				
XS411	3/8-24 UNF x 5/8	25.5	226	19
XS413				
XS415				
XS418	<sup>1</sup> /2-20 UNF x <sup>3</sup> /4	56.5	500	42
XS420				

Table	4 - Allowable Shaft Expa	insion
Size Code	mm	inch
XS408	5	13/64
XS409	5	13/64
XS410	5	13/64
XS411	6	15/64
XS413	6	15/64
XS415	6	15/64
XS418	6	15/64
XS420	6	15/64



#### VIDEO ON INSTALLATION



Please scan the QR code with your mobile phone and watch an installation video. If you don't have the reader, get the QR Reader app at the app store. Or you can find it at our website as well.



#### 5.4 Lubrication

Proper lubrication practices will greatly extend the life of the bearing.

Bearings are factory lubricated with the proper amount and type of lubricant for most general purpose applications as well as many highly demanding operating environments, and except as recommended by FYH, no further lubrication is required upon installation.

#### Lubrication tips:

- The factory standard lubricant is a **Calcium Sulfonate** grease. Always use the same type of lubricant to avoid compatibility issues and other potential problems.
- When adding lubricant do so slowly and while the bearing is rotating until a small amount of lubricant can be seen coming out of the seals.
- At low speeds (below 200 RPM) it is acceptable to completely fill the bearing with grease.
- At moderate to high speeds it is not advisable to completely fill the bearing with grease as it could lead to overheating and reduced bearing life.
- It is generally better to use less lubrication more frequently than more lubricant less often.
- If the unit will not be operated for an extended period of time extra lubricant should be added to prevent corrosion.
- If the unit has not been operated for an extended period of time fresh lubricant should be added prior to start-up.
- If the unit becomes too hot during operation from over-lubrication remove the grease fitting and operate the unit for approximately thirty minutes to allow excess grease to purge.

Appropriate lubrication intervals can be determined by referring to Table 5; however experience should largely determine the actual lubrication regimen for a particular application. Consult with an FYH representative for assistance.

If a suitable Calcium Sulfonate lubricant is not available for re-lubrication then the following compatible lubricants may also be used:

#### Barium Complex, Calcium Stearate, Lithium Complex, Polyurea (Shear Stable)

The use of any other type of lubricant should be avoided to prevent compatibility issues with the Calcium Sulfonate grease that is originally supplied.

To find the proper lubrication interval in Table 5 obtain the relevant percentage of max allowable RPM by referring to Table 6. Example: XS411 with positive contact seals has a max RPM rating of 2000. If the application has an RPM of 600 then the percentage of max RPM is 30% (600/2000 = .30).

The amount of grease for replenishment can be found in Table 7.

	Table 5 - Lubrication Schedule														
Environment		Clean to Moo	lerately Dirty		Clea	n to Moderately I	Dirty	Dirty to Very Dirty							
Temperature (°C)		Under 12	0 degrees			5	From -20 to 200								
% of max allowable RPM	0 - 25%	25 - 50%	50 - 75%	75 - 100%	0 - 25%	0 - 25% 25 - 50% 50 - 100%									
Lubrication interval	From three to eight months	From one to three months	From one week to one month	Daily to once per week	From two to six weeks	From one week to one month	Daily to once per week	Daily to once per week							

# FYH

	Table 6 - Limiting Speed for Seals												
Size Code	Standard Triple Lip Seal Limiting	Non Contact Seal Limiting											
XS408	2750	3200											
XS409	2450	2800											
XS410	2200	2600											
XS411	2000	2360											
XS413	1692	2000											
XS415	1460	1730											
XS418	1220	1440											
XS420	1100	1300											

Table 7 - Gr	ease Amount for Replenishment
Size Code	Amount of Grease (grams)
XS408	7-8
XS409	7-9
XS410	8-9
XS411	10-12
XS413	19-22
XS415	22-26
XS418	40-46
XS420	50-59



337

#### XS2P

Cylindrical bore (with set screw collar lock)  $d 1^{3}/_{8} \sim 4$  inch

40 ~ 100 mm







ZS2P Cylindrical bore (with Z-Lock)  $d \, 1^{3}/_{8} \sim 4 \, \text{inch}$ 40 ~ 100 mm



Shaft Dia. inch mm							nsions ch m						Unit No.	Bearing No.	Unit No.	Bearing No.	Bolt Size
d	Н	L	A	J	N	$N_1$	$H_1$	$H_2$	$A_0$	В	S	$S_1$					inch mm
1 <sup>3</sup> /8													XS2P408-22	XS408-22	ZS2P408-22	ZS408-22	-
1 <sup>7</sup> /16	1 7/8	6 <sup>7</sup> /8	<b>2</b> <sup>5</sup> / <sub>32</sub>	5 <sup>9</sup> /32	<sup>19</sup> /32	1 <sup>3</sup> /32	1 <sup>1</sup> /4	3 <sup>25</sup> / <sub>32</sub>	2 <sup>5</sup> /8	2.531	1	1.531	XS2P408-23	XS408-23	ZS2P408-23	ZS408-23	1/2
<b>1</b> <sup>1</sup> / <sub>2</sub>	47.6	175	55	134	15	28	32	96	66.4	64.3	25.4	38.9	XS2P408-24	XS408-24	ZS2P408-24	ZS408-24	M12
40													XS2P408	XS408	ZS2P408	ZS408	
1 <sup>11</sup> /16	21/	7.2/	2 <sup>3</sup> /8	5 <sup>25</sup> /32	10/	1.2/	15/	<b>4</b> <sup>1</sup> / <sub>4</sub>	2 <sup>27</sup> /32	2.657	1	1 ( 5 7	XS2P409-27	XS409-27	ZS2P409-27	ZS409-27	1/2
1 <sup>3</sup> /4	2 <sup>1</sup> /8	7 3/8			19/32	1 <sup>3</sup> / <sub>32</sub>	1 5/16				1	1.657	XS2P409-28	XS409-28	ZS2P409-28	ZS409-28	
45	54	187	60	147	15	28	33	108	72.1	67.5	25.4	42.1	XS2P409	XS409	ZS2P409	ZS409	M12
1 <sup>15</sup> / <sub>16</sub>	2 <sup>1</sup> /4	8 <sup>3</sup> /8	2 <sup>7</sup> /16	6 <sup>17</sup> /32	<sup>25</sup> / <sub>32</sub>	1 <sup>5</sup> /16	1 <sup>3</sup> /8	4 <sup>1</sup> / <sub>2</sub>	3 <sup>1</sup> / <sub>16</sub>	2.843	1	1.843	XS2P410-31	XS410-31	ZS2P410-31	ZS410-31	5/8
50	57.2	213	62	166	20	33	35	114	77.8	72.2	25.4	46.8	XS2P410	XS410	ZS2P410	ZS410	M16
2	57.2	213	62	100	20	55	30	114	//.8	12.2	25.4	40.8	XS2P410-32	XS410-32	ZS2P410-32	ZS410-32	IVITO
55	<b>2</b> <sup>1</sup> / <sub>2</sub>	8 7/8	2 <sup>5</sup> /8	6 <sup>7</sup> /8	<sup>25</sup> / <sub>32</sub>	1 <sup>3</sup> / <sub>16</sub>	1 5/8	4 <sup>31</sup> / <sub>32</sub>	3 <sup>1</sup> /8	2.937	1.126	1.811	XS2P411	XS411	ZS2P411	ZS411	5/8
<b>2</b> <sup>3</sup> /16	63.5	225	67	175	20	30	41	126	79.5	74.6	28.6	46	XS2P411-35	XS411-35	ZS2P411-35	ZS411-35	M16
2 <sup>1</sup> / <sub>4</sub>	05.5	225	07	175	20	30	41	120	79.5	74.0	20.0	40	XS2P411-36	XS411-36	ZS2P411-36	ZS411-36	INITO
60													XS2P412	XS412	ZS2P412	ZS412	
<b>2</b> <sup>7</sup> / <sub>16</sub>	2 <sup>3</sup> /4	9 <sup>1</sup> / <sub>4</sub>	2 <sup>7</sup> /8	7 <sup>9</sup> / <sub>32</sub>	<sup>25</sup> / <sub>32</sub>	1 <sup>3</sup> /16	1 <sup>25</sup> / <sub>32</sub>	5 <sup>19</sup> / <sub>32</sub>	3 <sup>3</sup> /8	3.205	1.252	1.953	XS2P413-39	XS413-39	ZS2P413-39	ZS413-39	5/8
<b>2</b> <sup>1</sup> / <sub>2</sub>	69.8	235	73	185	20	30	45	142	86.1	81.4	31.8	49.6	XS2P413-40	XS413-40	ZS2P413-40	ZS413-40	M16
65													XS2P413	XS413	ZS2P413	ZS413	
70													XS2P414	XS414	ZS2P414	ZS414	
2 <sup>11</sup> / <sub>16</sub>													XS2P415-43	XS415-43	ZS2P415-43	ZS415-43	
2 <sup>3</sup> /4	3 <sup>1</sup> /4	10 <sup>7</sup> /16	3	8 <sup>9</sup> / <sub>32</sub>	<sup>15</sup> /16	1 <sup>9</sup> /32	1 7/8	6 <sup>3</sup> /8	3 <sup>13</sup> / <sub>16</sub>	3.594	1.252	2.343	XS2P415-44	XS415-44	ZS2P415-44	ZS415-44	3/4
2 <sup>15</sup> / <sub>16</sub>	82.6	265	76	210	24	32	48	162	97	91.3	31.8	59.5	XS2P415-47	XS415-47	ZS2P415-47	ZS415-47	M20
75													XS2P415	XS415	ZS2P415	ZS415	
3													XS2P415-48	XS415-48	ZS2P415-48	ZS415-48	
80													XS2P416	XS416	ZS2P416	ZS416	
3 <sup>1</sup> /4													XS2P417-52	XS417-52	ZS2P417-52	ZS417-52	
85	<b>3</b> <sup>3</sup> / <sub>4</sub>	13	3 3/8	10 5/16	1 <sup>1</sup> / <sub>16</sub>	1 23/32	2 <sup>1</sup> / <sub>4</sub>	7 <sup>15</sup> / <sub>32</sub>	<b>4</b> <sup>1</sup> / <sub>4</sub>	4.079	1.516	2.563	XS2P417	XS417	ZS2P417	ZS417	7/8
3 7/16	95.2	330	86	262	27	44	57	190	108.1	103.6	38.5	65.1	XS2P418-55	XS418-55	ZS2P418-55	ZS418-55	M22
<b>3</b> <sup>1</sup> / <sub>2</sub>													XS2P418-56	XS418-56	ZS2P418-56	ZS418-56	
90													XS2P418	XS418	ZS2P418	ZS418	
100	4.17.	15 <sup>1</sup> / <sub>4</sub>	3 <sup>3</sup> / <sub>4</sub>	111/	1.5/	2.5/	2 17/	8 <sup>11</sup> / <sub>32</sub>	4 <sup>23</sup> / <sub>32</sub>	4.484	1.626	2.858	XS2P420	XS420	ZS2P420	ZS420	1
3 <sup>15</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>4</sub>			11 <sup>1</sup> / <sub>4</sub>	1 <sup>5</sup> / <sub>32</sub>	2 <sup>5</sup> / <sub>16</sub>	2 <sup>17</sup> / <sub>32</sub>						XS2P420-63	XS420-63	ZS2P420-63	ZS420-63	M27
4	108	387	95	286	29	59	64	212	120.1	113.9	41.3	72.6	XS2P420-64	XS420-64	ZS2P420-64	ZS420-64	1/1/2/







## Bolt

## XSE2P

Cylindrical bore (with set screw collar lock)  $d 1^{3}/_{8} \sim 4$  inch

40 ~ 100 mm







ZSE2P Cylindrical bore (with Z-Lock)  $d \ 1^{3}/_{8} \sim 4$  inch 40 ~ 100 mm





Shaft Dia.							nsions						Unit	Bearing	Unit	Bearing	Bolt
inch						in							No.	No.	No.	No.	Size
mm						n	im										inch
d	H	L	A	J	N	$N_1$	$H_1$	$H_2$	$A_0$	В	S	$S_1$					mm
1 <sup>3</sup> / <sub>8</sub>													XSE2P408-22	XS408-22	ZSE2P408-22	ZS408-22	
1 7/16	1 7/8	7 <sup>3</sup> /8	2 <sup>5</sup> / <sub>32</sub>	5 <sup>9</sup> / <sub>32</sub>	<sup>19</sup> / <sub>32</sub>	1 <sup>3</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>4</sub>	3 25/32	2 5/8	2.531	1	1.531	XSE2P408-23	XS408-23	ZSE2P408-23	ZS408-23	1/2
1 <sup>1</sup> / <sub>2</sub>	47.6	187	55	134	15	28	32	96	66.4	64.3	25.4	38.9	XSE2P408-24	XS408-24	ZSE2P408-24	ZS408-24	M12
40													XSE2P408	XS408	ZSE2P408	ZS408	
1 <sup>11</sup> /16	2 <sup>1</sup> /8	7 7/8	2 <sup>3</sup> /8	5 <sup>25</sup> / <sub>32</sub>	<sup>19</sup> / <sub>32</sub>	1 <sup>3</sup> / <sub>32</sub>	1 5/16	4 <sup>1</sup> / <sub>4</sub>	2 <sup>27</sup> / <sub>32</sub>	2.657	1	1.657	XSE2P409-27	XS409-27	ZSE2P409-27	ZS409-27	1/2
1 3/4	2 78 54	200	2 -78 60	147	15	28	33	108	72.1	67.5	25.4	42.1	XSE2P409-28	XS409-28	ZSE2P409-28	ZS409-28	M12
45	54	200	00	147	15	20	22	100	72.1	07.5	25.4	42.1	XSE2P409	XS409	ZSE2P409	ZS409	INITZ
1 <sup>15</sup> /16	2 <sup>1</sup> /4	8 <sup>29</sup> /32	2 <sup>7</sup> /16	6 <sup>17</sup> / <sub>32</sub>	25/32	1 5/16	1 <sup>3</sup> /8	4 <sup>1</sup> / <sub>2</sub>	3 <sup>1</sup> /16	2.843	1	1.843	XSE2P410-31	XS410-31	ZSE2P410-31	ZS410-31	5/8
50	57.2	226	62	166	20	33	35	114	77.8	72.2	25.4	46.8	XSE2P410	XS410	ZSE2P410	ZS410	M16
2	57.2	220	02	100	20	22	55	114	//.0	12.2	25.4	40.0	XSE2P410-32	XS410-32	ZSE2P410-32	ZS410-32	MID
55	<b>2</b> <sup>1</sup> / <sub>2</sub>	9 <sup>21</sup> / <sub>32</sub>	2 <sup>5</sup> /8	7 <sup>1</sup> /8	<sup>25</sup> / <sub>32</sub>	1 <sup>13</sup> /32	1 5/8	4 <sup>31</sup> / <sub>32</sub>	3 <sup>1</sup> /8	2.937	1.126	1.811	XSE2P411	XS411	ZSE2P411	ZS411	5/8
<b>2</b> <sup>3</sup> /16	63.5	245	67	181	20	36	41	126	79.5	74.6	28.6	46	XSE2P411-35	XS411-35	ZSE2P411-35	ZS411-35	M16
2 <sup>1</sup> /4		245	07	101	20	50		120	79.5	74.0	20.0	40	XSE2P411-36	XS411-36	ZSE2P411-36	ZS411-36	
60													XSE2P412	XS412	ZSE2P412	ZS412	
2 <sup>7</sup> /16	<b>2</b> <sup>3</sup> / <sub>4</sub>	10 <sup>1</sup> /4	2 7/8	7 <sup>11</sup> /16	<sup>25</sup> / <sub>32</sub>	1 <sup>9</sup> /16	1 <sup>25</sup> / <sub>32</sub>	5 <sup>19</sup> / <sub>32</sub>	3 <sup>3</sup> /8	3.205	1.252	1.953	XSE2P413-39	XS413-39	ZSE2P413-39	ZS413-39	5/8
<b>2</b> <sup>1</sup> / <sub>2</sub>	69.8	260	73	195	20	40	45	142	86.1	81.4	31.8	49.6	XSE2P413-40	XS413-40	ZSE2P413-40	ZS413-40	M16
65													XSE2P413	XS413	ZSE2P413	ZS413	
70													XSE2P414	XS414	ZSE2P414	ZS414	
2 <sup>11</sup> / <sub>16</sub>													XSE2P415-43	XS415-43	ZSE2P415-43	ZS415-43	
<b>2</b> <sup>3</sup> / <sub>4</sub>	3 <sup>1</sup> /8	11 5/8	3	8 11/16	15/16	1 <sup>11</sup> /16	1 <sup>25</sup> / <sub>32</sub>	6 <sup>1</sup> / <sub>4</sub>	3 <sup>13</sup> / <sub>16</sub>	3.594	1.252	2.343	XSE2P415-44	XS415-44	ZSE2P415-44	ZS415-44	3/4
2 <sup>15</sup> /16	79.5	295	76	221	24	43	45	159	97	91.3	31.8	59.5	XSE2P415-47	XS415-47	ZSE2P415-47	ZS415-47	M20
75													XSE2P415	XS415	ZSE2P415	ZS415	
3													XSE2P415-48	XS415-48	ZSE2P415-48	ZS415-48	
80													XSE2P416	XS416	ZSE2P416	ZS416	
3 <sup>1</sup> /4													XSE2P417-52	XS417-52	ZSE2P417-52	ZS417-52	
85	3 <sup>3</sup> /4	13 <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> /8	10 5/16	1 <sup>1</sup> /16	1 <sup>23</sup> / <sub>32</sub>	2 <sup>1</sup> / <sub>4</sub>	7 <sup>15</sup> /32	4 <sup>1</sup> / <sub>4</sub>	4.079	1.516	2.563	XSE2P417	XS417	ZSE2P417	ZS417	7/8
3 7/16	95.2	343	86	262	27	44	57	190	108.1	103.6	38.5	65.1	XSE2P418-55	XS418-55	ZSE2P418-55	ZS418-55	M22
<b>3</b> 1/2													XSE2P418-56	XS418-56	ZSE2P418-56	ZS418-56	
90													XSE2P418	XS418	ZSE2P418	ZS418	
100	41/-	15 <sup>1</sup> / <sub>4</sub>	3 <sup>3</sup> / <sub>4</sub>	11 <sup>1</sup> /4	1 5/32	2 <sup>5</sup> / <sub>16</sub>	2 <sup>13</sup> / <sub>32</sub>	8 7/32	4 <sup>23</sup> / <sub>32</sub>	4.484	1.626	2.858	XSE2P420	XS420	ZSE2P420	ZS420	1
3 <sup>15</sup> /16	4 <sup>1</sup> / <sub>8</sub>												XSE2P420-63	XS420-63	ZSE2P420-63	ZS420-63	1
4	104.9	387	95	286	29	59	61	209	120.1	113.9	41.3	72.6	XSE2P420-64	XS420-64	ZSE2P420-64	ZS420-64	M27







## Bolt

## inch

#### 1/2 M12

#### 1/2 M12

#### M16

#### <sup>5</sup>/8 M16

#### 3/4 M20

#### 7/8 M22

## XS4F

Cylindrical bore (with set screw collar lock) d 1<sup>3</sup>/<sub>8</sub> ~ 4 inch 40 ~ 100 mm







## ZS4F Cylindrical bore (with Z-Lock) $d \ 1^{3}/_{8} \sim 4$ inch 40 ~ 100 mm





										1					
Shaft Dia.					Dimensions						Unit	Bearing	Unit	Bearing	Bolt
inch					inch						No.	No.	No.	No.	Size
mm					mm										inch
d	L	A	J	N	$A_1$	$A_0$	В	S	$S_1$						mm
1 <sup>3</sup> /8											XS4F408-22	XS408-22	ZS4F408-22	ZS408-22	
1 7/16	<b>4</b> <sup>3</sup> / <sub>4</sub>	2 <sup>3</sup> / <sub>32</sub>	3 17/32	<sup>35</sup> / <sub>64</sub>	3/4	2 <sup>3</sup> / <sub>4</sub>	2.531	1	1.531		XS4F408-23	XS408-23	ZS4F408-23	ZS408-23	1/2
1 1/2	121	53	89.7	14	19	70.2	64.3	25.4	38.9		XS4F408-24	XS408-24	ZS4F408-24	ZS408-24	M12
40											XS4F408	XS408	ZS4F408	ZS408	
1 <sup>11</sup> / <sub>16</sub>	5 <sup>1</sup> /8	<b>2</b> <sup>5</sup> / <sub>32</sub>	3 57/64	35/64	3/4	2 <sup>31</sup> / <sub>32</sub>	2.657	1	1.657		XS4F409-27	XS409-27	ZS4F409-27	ZS409-27	1/2
1 3/4	130	55	98.8	14	19	75.4	67.5	25.4	42.1		XS4F409-28	XS409-28	ZS4F409-28	ZS409-28	M12
45	150		90.0	14	19	73.4	07.5	23.4	42.1		XS4F409	XS409	ZS4F409	ZS409	10112
1 <sup>15</sup> /16	5 <sup>5</sup> / <sub>16</sub>	2 <sup>5</sup> /32	4 <sup>1</sup> / <sub>16</sub>	35/64	3/4	3 5/32	2.843	1	1.843		XS4F410-31	XS410-31	ZS4F410-31	ZS410-31	1/2
50	135	55	103.2	14	19	80.2	72.2	25.4	46.8		XS4F410	XS410	ZS4F410	ZS410	M12
2	155		103.2	14	19	80.2	12.2	23.4	40.8		XS4F410-32	XS410-32	ZS4F410-32	ZS410-32	IVITZ
55	5 <sup>29</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>32</sub>	4 <sup>33</sup> / <sub>64</sub>	21/32	1 <sup>1</sup> / <sub>32</sub>	3 1/4	2.937	1.126	1.811		XS4F411	XS411	ZS4F411	ZS411	5/8
2 <sup>3</sup> / <sub>16</sub>	150	58	114.7	17	26	82.2	74.6	28.6	46		XS4F411-35	XS411-35	ZS4F411-35	ZS411-35	M16
<b>2</b> <sup>1</sup> / <sub>4</sub>	150	56	114.7	17	20	82.2	74.0	28.0	40		XS4F411-36	XS411-36	ZS4F411-36	ZS411-36	INITO
60											XS4F412	XS412	ZS4F412	ZS412	
2 <sup>7</sup> / <sub>16</sub>	6 <sup>1</sup> / <sub>8</sub>	2 <sup>9</sup> / <sub>16</sub>	4 <sup>25</sup> / <sub>32</sub>	<sup>21</sup> / <sub>32</sub>	1 <sup>1</sup> / <sub>32</sub>	3 17/32	3.205	1.252	1.953		XS4F413-39	XS413-39	ZS4F413-39	ZS413-39	5/8
<b>2</b> <sup>1</sup> / <sub>2</sub>	156	65	121.4	17	26	89.3	81.4	31.8	49.6		XS4F413-40	XS413-40	ZS4F413-40	ZS413-40	M16
65											XS4F413	XS413	ZS4F413	ZS413	
70											XS4F414	XS414	ZS4F414	ZS414	
2 <sup>11</sup> / <sub>16</sub>											XS4F415-43	XS415-43	ZS4F415-43	ZS415-43	
<b>2</b> <sup>3</sup> / <sub>4</sub>	7 7/32	2 5/8	5 <sup>9</sup> / <sub>16</sub>	7/8	1 <sup>1</sup> / <sub>32</sub>	3 <sup>29</sup> / <sub>32</sub>	3.594	1.252	2.343		XS4F415-44	XS415-44	ZS4F415-44	ZS415-44	3/4
2 <sup>15</sup> /16	183	67	141.3	22	26	99.2	91.3	31.8	59.5		XS4F415-47	XS415-47	ZS4F415-47	ZS415-47	M20
75											XS4F415	XS415	ZS4F415	ZS415	
3											XS4F415-48	XS415-48	ZS4F415-48	ZS415-48	
80											XS4F416	XS416	ZS4F416	ZS416	
3 <sup>1</sup> / <sub>4</sub>											XS4F417-52	XS417-52	ZS4F417-52	ZS417-52	
85	8 9/32	<b>3</b> <sup>5</sup> / <sub>32</sub>	6 <sup>23</sup> / <sub>32</sub>	7/8	1 5/32	4 <sup>3</sup> / <sub>8</sub>	4.079	1.516	2.563		XS4F417	XS417	ZS4F417	ZS417	3/4
3 <sup>7</sup> / <sub>16</sub>	210	80	170.7	22	29	111.5	103.6	38.5	65.1		XS4F418-55	XS418-55	ZS4F418-55	ZS418-55	M20
<b>3</b> 1/2											XS4F418-56	XS418-56	ZS4F418-56	ZS418-56	
90											XS4F418	XS418	ZS4F418	ZS418	
100	9 <sup>1</sup> / <sub>4</sub>	3 <sup>19</sup> / <sub>32</sub>	7 <sup>39</sup> /64	<sup>63</sup> / <sub>64</sub>	1 <sup>3</sup> /16	4 <sup>27</sup> / <sub>32</sub>	4.484	1.626	2.858		XS4F420	XS420	ZS4F420	ZS420	7/8
3 <sup>15</sup> / <sub>16</sub>	235	3 <sup>12</sup> /32 91	193.3	25	30	123	4.484	41.3	72.6		XS4F420-63	XS420-63	ZS4F420-63	ZS420-63	M22
4	235	91	193.3	20	30	123	113.9	41.5	/2.0		XS4F420-64	XS420-64	ZS4F420-64	ZS420-64	IVIZZ





## Bolt

## inch

#### 1/2 M12

#### 1/2 M12

#### M12 \_\_\_\_\_

## <sup>5</sup>/8

#### 3/4 M20

#### 3/4 M20

## XSE4F

Cylindrical bore (with set screw collar lock)  $d 1^{3}/_{8} \sim 4$  inch 40 ~ 100 mm











	-	_		
			-	
		\ \-	l	
ŀ			2	
	_		Т	
ŀ				
_				
		-		
	$A_2$ A	1		

	I										1					
Shaft Dia.						nsions						Unit	Bearing	Unit	Bearing	Bolt
inch					in	ch						No.	No.	No.	No.	Size
mm					m	im										inch
d	L	Α	J	N	$A_1$	$A_2$	$A_0$	В	S	$S_1$						mm
1 <sup>3</sup> /8												XSE4F408-22	XS408-22	ZSE4F408-22	ZS408-22	1
1 <sup>7</sup> /16	4 <sup>19</sup> / <sub>32</sub>	2 <sup>15</sup> /32	3 <sup>1</sup> /2	35/64	1 <sup>1</sup> /16	1/2	3 <sup>1</sup> /16	2.531	1	1.531		XSE4F408-23	XS408-23	ZSE4F408-23	ZS408-23	1/2
1 1/2	117	63	88.9	14	27	13	77.8	64.3	25.4	38.9		XSE4F408-24	XS408-24	ZSE4F408-24	ZS408-24	M12
40												XSE4F408	XS408	ZSE4F408	ZS408	
1 <sup>11</sup> /16	5 <sup>11</sup> / <sub>32</sub>	2 <sup>15</sup> /16	4 <sup>1</sup> /8	35/64	1 <sup>3</sup> /16	5/8	<b>3</b> <sup>1</sup> / <sub>2</sub>	2.657	1	1.657		XSE4F409-27	XS409-27	ZSE4F409-27	ZS409-27	1/2
1 <sup>3</sup> /4	136				30							XSE4F409-28	XS409-28	ZSE4F409-28	ZS409-28	
45	130	75	104.9	14	30	16	88.8	67.5	25.4	42.1		XSE4F409	XS409	ZSE4F409	ZS409	M12
1 <sup>15</sup> / <sub>16</sub>	5 <sup>5</sup> /8	2 <sup>15</sup> /16	4 <sup>3</sup> /8	35/64	1 <sup>3</sup> /16	5/8	3 5/8	2.843	1	1.843		XSE4F410-31	XS410-31	ZSE4F410-31	ZS410-31	1/2
50	143	75	4 78	14	30	16	92	72.2	25.4	46.8		XSE4F410	XS410	ZSE4F410	ZS410	M12
2	145	/5	111	14	30	10	92	12.2	23.4	40.8		XSE4F410-32	XS410-32	ZSE4F410-32	ZS410-32	IVITZ
55	6 <sup>1</sup> / <sub>4</sub>	3 %	4 7/8	21/32	1 <sup>3</sup> /8	23/32	3 7/8	2.937	1.126	1.811		XSE4F411	XS411	ZSE4F411	ZS411	5/8
2 <sup>3</sup> /16	159	83	123.7	17	35	18	98.2	74.6	28.6	46		XSE4F411-35	XS411-35	ZSE4F411-35	ZS411-35	M16
2 <sup>1</sup> / <sub>4</sub>	155	05	123.7	17	55	10	50.2	74.0	20.0	40		XSE4F411-36	XS411-36	ZSE4F411-36	ZS411-36	
60												XSE4F412	XS412	ZSE4F412	ZS412	
2 <sup>7</sup> /16	6 7/8	<b>3</b> <sup>11</sup> / <sub>32</sub>	5 <sup>3</sup> /8	<sup>21</sup> / <sub>32</sub>	1 <sup>1</sup> /2	<sup>25</sup> / <sub>32</sub>	4 <sup>3</sup> / <sub>16</sub>	3.205	1.252	1.953		XSE4F413-39	XS413-39	ZSE4F413-39	ZS413-39	5/8
2 <sup>1</sup> / <sub>2</sub>	175	85	136.4	17	38	20	106.3	81.4	31.8	49.6		XSE4F413-40	XS413-40	ZSE4F413-40	ZS413-40	M16
65												XSE4F413	XS413	ZSE4F413	ZS413	
70												XSE4F414	XS414	ZSE4F414	ZS414	
2 <sup>11</sup> / <sub>16</sub>												XSE4F415-43	XS415-43	ZSE4F415-43	ZS415-43	
2 <sup>3</sup> /4	7 <sup>3</sup> /4	3 <sup>13</sup> /16	6	7/8	1 5/8	15/16	4 11/16	3.594	1.252	2.343		XSE4F415-44	XS415-44	ZSE4F415-44	ZS415-44	3/4
2 <sup>15</sup> / <sub>16</sub>	197	97	152.4	22	41	24	119	91.3	31.8	59.5		XSE4F415-47	XS415-47	ZSE4F415-47	ZS415-47	M20
75												XSE4F415	XS415	ZSE4F415	ZS415	
3												XSE4F415-48	XS415-48	ZSE4F415-48	ZS415-48	
80												XSE4F416	XS416	ZSE4F416	ZS416	
3 <sup>1</sup> / <sub>4</sub>												XSE4F417-52	XS417-52	ZSE4F417-52	ZS417-52	
85	9 <sup>1</sup> / <sub>4</sub>	4 <sup>9</sup> / <sub>32</sub>	7	7/8	1 7/8	<sup>31</sup> / <sub>32</sub>	5 5/16	4.079	1.516	2.563		XSE4F417	XS417	ZSE4F417	ZS417	3/4
3 7/16	235	109	177.8	22	48	24.5	135.1	103.6	38.5	65.1		XSE4F418-55	XS418-55	ZSE4F418-55	ZS418-55	M20
<b>3</b> <sup>1</sup> / <sub>2</sub>												XSE4F418-56	XS418-56	ZSE4F418-56	ZS418-56	
90												XSE4F418	XS418	ZSE4F418	ZS418	
100	10 <sup>1</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>2</sub>	7 <sup>3</sup> /4	<sup>63</sup> / <sub>64</sub>	2 <sup>1</sup> /8	1 <sup>3</sup> / <sub>32</sub>	6 <sup>1</sup> / <sub>2</sub>	4.484	1.626	2.858		XSE4F420	XS420	ZSE4F420	ZS420	7/8
3 <sup>15</sup> / <sub>16</sub>	260	140	196.9	25	54	28	165.2	113.9	41.3	72.6		XSE4F420-63	XS420-63	ZSE4F420-63	ZS420-63	M22
4	200	140	190.9	25	J4	20	105.2	113.5	41.5	72.0		XSE4F420-64	XS420-64	ZSE4F420-64	ZS420-64	IVIZZ







## Bolt

## inch

#### 1/2 M12

#### 1/2 M12

## M12

## <sup>5</sup>/8

#### 3/4 M20

#### 3/4 M20

## Flange Cartridge Units 🕳



Shaft Dia.								ensions							Unit	Bearing	Unit	Bearing	Bolt
inch								inch							No.	No.	No.	No.	Siz
mm								mm											inc
d	L	$H_3$	J	$J_1$	N	A	$A_1$	$A_2$	$A_3$	C	M	В	S	$S_1$					mn
1 <sup>3</sup> /8															XS4FC408-22	XS408-22	ZS4FC408-22	ZS408-22	
<b>1</b> <sup>7</sup> /16	5 <sup>1</sup> /4	3.625	4 <sup>3</sup> /8	3 <sup>3</sup> / <sub>32</sub>	15/32	1 <sup>27</sup> /32	<sup>13</sup> /16	11/16	1 <sup>1</sup> /32	2 <sup>17</sup> / <sub>32</sub>		2.531	1	1.531	XS4FC408-23	XS408-23	ZS4FC408-23	ZS408-23	1/2
1 <sup>1</sup> / <sub>2</sub>	133	92.1	111.1	78.6	12	46.8	21	17.3	26	64.3	3/8-16UNC	64.3	25.4	38.9	XS4FC408-24	XS408-24	ZS4FC408-24	ZS408-24	M1
40															XS4FC408	XS408	ZS4FC408	ZS408	
1 <sup>11</sup> /16	6 <sup>5</sup> /32	4.25	5 <sup>1</sup> /8	3 5/8	<sup>9</sup> /16	1 <sup>29</sup> /32	5/8	1/2	1 <sup>17</sup> /64	2 <sup>23</sup> /32		2.657	1	1.657	XS4FC409-27	XS409-27	ZS4FC409-27	ZS409-27	1/:
1 <sup>3</sup> / <sub>4</sub>		107.8	130.2	92.1	14	48.4		12.7	32.2	69.1	<sup>7</sup> /16-14UNC	67.5	25.4	42.1	XS4FC409-28	XS409-28	ZS4FC409-28	ZS409-28	M1
45	156	107.0	130.2	92.1	14	40.4	16	12.7	52.2	09.1	1/16-14UNC	07.5	25.4	42.1	XS4FC409	XS409	ZS4FC409	ZS409	
1 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> /8	4.5	5 <sup>3</sup> /8	3 <sup>51</sup> / <sub>64</sub>	<sup>9</sup> /16	2	3/4	<sup>9</sup> /16	1 <sup>17</sup> /64	2 <sup>55</sup> /64		2.843	1	1.843	XS4FC410-31	XS410-31	ZS4FC410-31	ZS410-31	5/8
50	162	114.3	136.5	96.5	14	50.8	19	14.3	32.2	72.6	7/16-14UNC	72.2	25.4	46.8	XS4FC410	XS410	ZS4FC410	ZS410	M1
2	102	114.5	150.5	20.5	14	50.0	12	14.5	52.2	72.0	716 140110	72.2	23.4	40.0	XS4FC410-32	XS410-32	ZS4FC410-32	ZS410-32	
55	7 1/8	5	6	4 <sup>1</sup> / <sub>4</sub>	35/64	2 <sup>3</sup> /16	25/32	<sup>9</sup> /16	1 <sup>27</sup> / <sub>64</sub>	3		2.937	1.126	1.811	XS4FC411	XS411	ZS4FC411	ZS411	5/
2 <sup>3</sup> /16	181	127	152.4	107.8	14	55.6	20	14.3	36.1	76.1	<sup>1</sup> / <sub>2</sub> -13UNC	74.6	28.6	46	XS4FC411-35	XS411-35	ZS4FC411-35	ZS411-35	M1
2 1/4	101	127	192.4	107.0	14	55.0	20	14.5	50.1	70.1	72 150110	74.0	20.0	40	XS4FC411-36	XS411-36	ZS4FC411-36	ZS411-36	
60															XS4FC412	XS412	ZS4FC412	ZS412	
2 <sup>7</sup> /16	7 5/8	5.5	6 <sup>1</sup> /2	4 <sup>19</sup> / <sub>32</sub>	<sup>35</sup> /64	<b>2</b> <sup>1</sup> / <sub>2</sub>	15/16	5/8	<b>1</b> <sup>9</sup> /16	3 <sup>7</sup> /16		3.205	1.252	1.953	XS4FC413-39	XS413-39	ZS4FC413-39	ZS413-39	5/8
<b>2</b> <sup>1</sup> / <sub>2</sub>	194	139.7	165.1	116.7	14	63.5	24	15.9	39.7	87.4	<sup>1</sup> / <sub>2</sub> -13UNC	81.4	31.8	49.6	XS4FC413-40	XS413-40	ZS4FC413-40	ZS413-40	M1
65															XS4FC413	XS413	ZS4FC413	ZS413	_
70															XS4FC414	XS414	ZS4FC414	ZS414	
2 11/16															XS4FC415-43	XS415-43	ZS4FC415-43	ZS415-43	
2 <sup>3</sup> /4	8 <sup>3</sup> /4	6.375	<b>7</b> <sup>1</sup> / <sub>2</sub>	5 <sup>19</sup> / <sub>64</sub>	<sup>43</sup> /64	2 <sup>5</sup> /8	31/32	3/4	1 <sup>5</sup> /8	3 <sup>41</sup> / <sub>64</sub>		3.594	1.252	2.343	XS4FC415-44	XS415-44	ZS4FC415-44	ZS415-44	3/4
2 <sup>15</sup> / <sub>16</sub>	222	161.9	190.5	134.7	17	66.7	25	19.1	41.3	92.5	5/8-11UNC	91.3	31.8	59.5	XS4FC415-47	XS415-47	ZS4FC415-47	ZS415-47	M2
75															XS4FC415	XS415	ZS4FC415	ZS415	
3															XS4FC415-48	XS415-48	ZS4FC415-48	ZS415-48	_
80															XS4FC416	XS416	ZS4FC416	ZS416	
3 <sup>1</sup> / <sub>4</sub>															XS4FC417-52	XS417-52	ZS4FC417-52	ZS417-52	
85	10 <sup>1</sup> / <sub>4</sub>	7.375	8 <sup>5</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>32</sub>	<sup>29</sup> / <sub>32</sub>	3	1 <sup>15</sup> / <sub>32</sub>	15/16	1 <sup>33</sup> / <sub>64</sub>	4 <sup>5</sup> / <sub>32</sub>		4.079	1.516	2.563	XS4FC417	XS417	ZS4FC417	ZS417	7/8
3 7/16	260	187.3	219.1	154.9	23	76.2	38	23.8	38.5	105.6	3/4-10UNC	103.6	38.5	65.1	XS4FC418-55	XS418-55	ZS4FC418-55	ZS418-55	M2
3 <sup>1</sup> / <sub>2</sub>															XS4FC418-56	XS418-56	ZS4FC418-56	ZS418-56	
90															XS4FC418	XS418	ZS4FC418	ZS418	_
100	10 7/8	8.125	9 <sup>3</sup> /8	6 <sup>5</sup> /8	<sup>29</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>2</sub>	1 <sup>9</sup> / <sub>16</sub>	1 <sup>1</sup> /4	1 <sup>29</sup> / <sub>32</sub>	4 <sup>9</sup> / <sub>16</sub>		4.484	1.626	2.858	XS4FC420	XS420	ZS4FC420	ZS420	1
3 15/16	276	206.4	238.1	168.4	23	88.9	40	31.4	48.4	115.9	<sup>3</sup> /4-10UNC	113.9	41.3	72.6	XS4FC420-63	XS420-63	ZS4FC420-63	ZS420-63	M2
4		200.1	200.1					5			,e			, 2.0	XS4FC420-64	XS420-64	ZS4FC420-64	ZS420-64	1







## Bolt

 $\phi H_3$ 

## inch

#### <sup>1</sup>/<sub>2</sub> M12

#### 1/2 M12

## M16

## M16

#### 3/4 M20

#### 7/8 M22

## XST

Cylindrical bore (with set screw collar lock)  $d \ 1^{15}/_{16} \sim 3^{1}/_{2}$  inch

50 ~ 90 mm







ZST Cylindrical bore (with Z-Lock)  $d \ 1^{15}/_{16} \sim 3^{1}/_{2}$  inch 50 ~ 90 mm







Shaft Dia.							D	Dimensio	ns							Unit	Bearing	Unit	Bearing
inch								inch								No.	No.	No.	No.
mm								mm											
d	Α	$A_1$	H	$H_1$	$H_2$	L	$L_1$	$L_2$	$L_3$	N	$N_1$	$N_2$	В	S	$S_1$				
1 <sup>15</sup> /16	2	11/16	<b>4</b> <sup>3</sup> / <sub>4</sub>	4	3 <sup>5</sup> /16	6 <sup>3</sup> / <sub>16</sub>	3 <sup>15</sup> / <sub>16</sub>	15/16	3 5/8	1 <sup>1</sup> /8	3/4	1 15/16	2.843	1	1.843	XST410-31	XS410-31	ZST410-31	ZS410-31
50				4									72.2	25.4		XST410	XS410	ZST410	ZS410
2	51	17.5	121	101.6	84	157.2	100	23.8	92	28.6	19.1	49.2	12.2	25.4	46.8	XST410-32	XS410-32	ZST410-32	ZS410-32
55	2 7/32	13/16	5 1/4	<b>4</b> <sup>1</sup> / <sub>2</sub>	3 27/32	7 <sup>1</sup> /16	4 5/8	15/16	3 5/8	1 3/8	1 1/4	2 <sup>1</sup> /4	2.937	1.126	1.811	XST411	XS411	ZST411	ZS411
2 <sup>3</sup> / <sub>16</sub>	56	20.6	133	114.3	98	179.4	117.5	23.8		34.9	31.8	57.2	74.6	28.6		XST411-35	XS411-35	ZST411-35	ZS411-35
2 <sup>1</sup> /4	50	20.0	155	114.5	90	179.4	117.5	23.0	92	54.9	51.0	57.2	74.0	20.0	46	XST411-36	XS411-36	ZST411-36	ZS411-36
60																XST412	XS412	ZST412	ZS412
2 7/16	2 <sup>7</sup> /16	<b>1</b> <sup>1</sup> /16	5 7/8	5 <sup>1</sup> /8	<b>4</b> <sup>1</sup> / <sub>4</sub>	7 <sup>25</sup> / <sub>32</sub>	5	15/16	4 <sup>3</sup> /8	1 <sup>3</sup> /8	1 <sup>1</sup> /4	<b>2</b> 1/2	3.205	1.252	1.953	XST413-39	XS413-39	ZST413-39	ZS413-39
<b>2</b> <sup>1</sup> / <sub>2</sub>	62	27	149	130.2	108	198	127	23.8	111	34.9	31.8	63.5	81.4	31.8	49.6	XST413-40	XS413-40	ZST413-40	ZS413-40
65																XST413	XS413	ZST413	ZS413
70																XST414	XS414	ZST414	ZS414
2 <sup>11</sup> / <sub>16</sub>																XST415-43	XS415-43	ZST415-43	ZS415-43
2 <sup>3</sup> /4	2 <sup>11</sup> /16	1 <sup>13</sup> /16	<b>6</b> <sup>11</sup> / <sub>16</sub>	5 <sup>15</sup> /16	4 7/8	8 7/8	5 <sup>3</sup> /4	1 <sup>1</sup> /8	<b>4</b> <sup>1</sup> / <sub>2</sub>	1 <sup>5</sup> /8	1 <sup>1</sup> / <sub>2</sub>	2 <sup>3</sup> /4	3.594	1.252	2.343	XST415-44	XS415-44	ZST415-44	ZS415-44
2 <sup>15</sup> /16	68	46	170	150.8	124	225.4	146.1	28.6	114.3	41.3	38.1	69.9	91.3	31.8	59.5	XST415-47	XS415-47	ZST415-47	ZS415-47
75																XST415	XS415	ZST415	ZS415
3																XST415-48	XS415-48	ZST415-48	ZS415-48
80																XST416	XS416	ZST416	ZS416
3 <sup>1</sup> / <sub>4</sub>																XST417-52	XS417-52	ZST417-52	ZS417-52
85	3 <sup>1</sup> /16	1 <sup>13</sup> /16	7 <sup>25</sup> / <sub>32</sub>	6 <sup>13</sup> / <sub>16</sub>	5 <sup>1</sup> /8	10 <sup>1</sup> / <sub>16</sub>	6 <sup>3</sup> /8	1 <sup>1</sup> /16	5 <sup>1</sup> / <sub>2</sub>	1 7/8	1 5/8	2 7/8	4.079	1.516	2.563	XST417	XS417	ZST417	ZS417
3 7/16	78	46	198	173	130	255.6	161.9	27	139.7	47.6	41.3	73	103.6	38.5	65.1	XST418-55	XS418-55	ZST418-55	ZS418-55
<b>3</b> 1/2																XST418-56	XS418-56	ZST418-56	ZS418-56
90																XST418	XS418	ZST418	ZS418







## XS4P Cylindrical bore (with set screw collar lock) d 2<sup>7</sup>/<sub>16</sub> ~ 4 inch 60 ~ 100 mm







# ZS4P Cylindrical bore (with Z-Lock) d 2<sup>7</sup>/<sub>16</sub> ~ 4 inch 60 ~ 100 mm







Shaft Dia.							Dimensior	ıs						Unit	Bearing	Unit	Bearing	Bolt
inch							inch							No.	No.	No.	No.	Size
mm							mm											inch
d	H	L	A	J	N	$N_1$	Ε	$H_1$	$H_2$	$A_0$	В	S	$S_1$					mm
60														XS4P412	XS412	ZS4P412	ZS412	
2 7/16	2 <sup>3</sup> / <sub>4</sub>	<b>9</b> <sup>1</sup> / <sub>4</sub>	3 <sup>3</sup> /8	7 <sup>1</sup> /8	<sup>19</sup> / <sub>32</sub>	<sup>13</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>4</sub>	1 5/8	5 <sup>19</sup> / <sub>32</sub>	3 <sup>21</sup> / <sub>32</sub>	3.205	1.252	1.953	XS4P413-39	XS413-39	ZS4P413-39	ZS413-39	1/2
<b>2</b> <sup>1</sup> / <sub>2</sub>	69.8	235	86	181	15	21	44	41	142	92.6	81.4	31.8	49.6	XS4P413-40	XS413-40	ZS4P413-40	ZS413-40	M12
65														XS4P413	XS413	ZS4P413	ZS413	
70														XS4P414	XS414	ZS4P414	ZS414	
2 <sup>11</sup> / <sub>16</sub>														XS4P415-43	XS415-43	ZS4P415-43	ZS415-43	
2 <sup>3</sup> /4	3 <sup>1</sup> /4	10 <sup>7</sup> / <sub>16</sub>	<b>3</b> <sup>3</sup> / <sub>4</sub>	<b>8</b> <sup>1</sup> / <sub>8</sub>	<sup>25</sup> / <sub>32</sub>	15/16	1 <sup>7</sup> /8	1 7/8	6 <sup>3</sup> /8	4 <sup>7</sup> / <sub>32</sub>	3.594	1.252	2.343	XS4P415-44	XS415-44	ZS4P415-44	ZS415-44	5/8
2 <sup>15</sup> / <sub>16</sub>	82.6	265	95	206	20	24	48	48	162	107	91.3	31.8	59.5	XS4P415-47	XS415-47	ZS4P415-47	ZS415-47	M16
75														XS4P415	XS415	ZS4P415	ZS415	
3														XS4P415-48	XS415-48	ZS4P415-48	ZS415-48	
80														XS4P416	XS416	ZS4P416	ZS416	
3 <sup>1</sup> / <sub>4</sub>														XS4P417-52	XS417-52	ZS4P417-52	ZS417-52	
85	<b>3</b> 3/4	13	4 <sup>1</sup> / <sub>8</sub>	10	<sup>15</sup> / <sub>16</sub>	<b>1</b> 1/2	2	2 <sup>1</sup> / <sub>4</sub>	7 %16	4 <sup>5</sup> /8	4.079	1.516	2.563	XS4P417	XS417	ZS4P417	ZS417	3/4
3 7/16	95.2	330	105	254	24	38	50.8	57	192	117.6	103.6	38.5	65.1	XS4P418-55	XS418-55	ZS4P418-55	ZS418-55	M20
<b>3</b> <sup>1</sup> / <sub>2</sub>														XS4P418-56	XS418-56	ZS4P418-56	ZS418-56	
90														XS4P418	XS418	ZS4P418	ZS418	
100	4 1/4	15 <sup>1</sup> /4	<b>4</b> <sup>1</sup> / <sub>2</sub>	<b>12</b> <sup>1</sup> / <sub>2</sub>	15/16	1 <sup>17</sup> /32	2 <sup>1</sup> / <sub>4</sub>	2 7/16	8 <sup>3</sup> /8	5 <sup>3</sup> / <sub>32</sub>	4.484	1.626	2.858	XS4P420	XS420	ZS4P420	ZS420	3/4
3 <sup>15</sup> / <sub>16</sub>	108	387	114	318	24	39	57	62	213	129.6	113.9	41.3	72.6	XS4P420-63	XS420-63	ZS4P420-63	ZS420-63	M20
4	100	201	114	210	24	29	57	02	215	129.0	113.9	41.5	72.0	XS4P420-64	XS420-64	ZS4P420-64	ZS420-64	11/20





#### Bolt Size



## XDS4P

Cylindrical bore (with set screw collar lock) d 2<sup>7</sup>/<sub>16</sub> ~ 4 inch

60 ~ 100 mm







ZDS4P Cylindrical bore (with Z-Lock)  $d 2^{7}/_{16} \sim 4$  inch







Shaft Dia.						Dime	nsions						Unit	Bearing	Unit	Bearing	Bolt
inch						in	ch						No.	No.	No.	No.	Size
mm						m	m										inch
d	Н	L	Α	J	N	$N_1$	Ε	$H_1$	$H_2$	$A_0$	В	$S_1$					mm
60													XDS4P412	XDS412	ZDS4P412	ZDS412	
<b>2</b> <sup>7</sup> /16	2 <sup>3</sup> /4	9 <sup>1</sup> / <sub>4</sub>	3 <sup>3</sup> /8	7 <sup>1</sup> /8	<sup>19</sup> /32	13/16	1 <sup>3</sup> /4	1 5/8	5 <sup>19</sup> / <sub>32</sub>	<b>3</b> <sup>21</sup> / <sub>32</sub>	3.906	1.953	XDS4P413-39	XDS413-39	ZDS4P413-39	ZDS413-39	1/2
<b>2</b> <sup>1</sup> / <sub>2</sub>	69.8	235	86	181	15	21	44	41	142	92.6	99.2	49.6	XDS4P413-40	XDS413-40	ZDS4P413-40	ZDS413-40	M12
65													XDS4P413	XDS413	ZDS4P413	ZDS413	
70													XDS4P414	XDS414	ZDS4P414	ZDS414	
2 11/16													XDS4P415-43	XDS415-43	ZDS4P415-43	ZDS415-43	
<b>2</b> <sup>3</sup> / <sub>4</sub>	3 <sup>1</sup> / <sub>4</sub>	10 <sup>7</sup> /16	<b>3</b> <sup>3</sup> / <sub>4</sub>	<b>8</b> <sup>1</sup> / <sub>8</sub>	<sup>25</sup> / <sub>32</sub>	15/16	1 7/8	1 7/8	6 <sup>3</sup> /8	4 <sup>7</sup> / <sub>32</sub>	4.686	2.343	XDS4P415-44	XDS415-44	ZDS4P415-44	ZDS415-44	5/8
2 <sup>15</sup> /16	82.6	265	95	206	20	24	48	48	162	107	119	59.5	XDS4P415-47	XDS415-47	ZDS4P415-47	ZDS415-47	M16
75													XDS4P415	XDS415	ZDS4P415	ZDS415	
3													XDS4P415-48	XDS415-48	ZDS4P415-48	ZDS415-48	
80													XDS4P416	XDS416	ZDS4P416	ZDS416	
3 1/4													XDS4P417-52	XDS417-52	ZDS4P417-52	ZDS417-52	
85	3 <sup>3</sup> /4	13	4 <sup>1</sup> / <sub>8</sub>	10	<sup>15</sup> /16	1 <sup>1</sup> / <sub>2</sub>	2	2 <sup>1</sup> /4	7 <sup>9</sup> /16	4 <sup>5</sup> /8	5.126	2.563	XDS4P417	XDS417	ZDS4P417	ZDS417	3/4
3 7/16	95.2	330	105	254	24	38	50.8	57	192	117.6	130.2	65.1	XDS4P418-55	XDS418-55	ZDS4P418-55	ZDS418-55	M20
<b>3</b> <sup>1</sup> / <sub>2</sub>													XDS4P418-56	XDS418-56	ZDS4P418-56	ZDS418-56	
90													XDS4P418	XDS418	ZDS4P418	ZDS418	
100	4 1/4	15 <sup>1</sup> /4	4 <sup>1</sup> / <sub>2</sub>	12 <sup>1</sup> / <sub>2</sub>	15/16	1 <sup>17</sup> / <sub>32</sub>	2 <sup>1</sup> /4	2 7/16	8 <sup>3</sup> /8	5 <sup>3</sup> / <sub>32</sub>	5.716	2.858	XDS4P420	XDS420	ZDS4P420	ZDS420	3/4
3 <sup>15</sup> /16		387	4 ·/2 114	318	24	39	2 ·74 57		213	129.6	145.2	72.6	XDS4P420-63	XDS420-63	ZDS4P420-63	ZDS420-63	M20
4	108	587	114	210	24	59	57	62	213	129.0	145.2	72.0	XDS4P420-64	XDS420-64	ZDS4P420-64	ZDS420-64	10120



## Bolt Size





Shaft Dia.			Dimensions			Bearing	Bearing
inch			inch			No.	No.
mm			mm				
d	C	D	$B_1$	s	$S_3$		
a	C	D	<b>D</b> 1	3	<b>D</b> 3		
1 <sup>3</sup> /8						XS408-22	ZS408-22
1 7/16	15/16	3 5/32	2.531	1	1.531	XS408-23	ZS408-23
1 <sup>1</sup> / <sub>2</sub>	24	80	64.3	25.4	38.9	XS408-24	ZS408-24
40						XS408	ZS408
1 <sup>11</sup> / <sub>16</sub>	15/16	3 11/32	2.657	1	1.657	XS409-27	ZS409-27
1 <sup>3</sup> /4	24	85	67.5	25.4	42.1	XS409-28	ZS409-28
45	27	05	07.5	23.4	72.1	XS409	ZS409
1 <sup>15</sup> /16	15/16	3 17/32	2.843	1	1.843	XS410-31	ZS410-31
50	24	90	72.2	25.4	46.8	XS410	ZS410
2	27	50	72.2	23.4	40.0	XS410-32	ZS410-32
55	1 1/32	3 15/16	2,937	1.126	1.811	XS411	ZS411
2 <sup>3</sup> / <sub>16</sub>	26	100	74.6	28.6	46	XS411-35	ZS411-35
2 <sup>1</sup> /4	20	100	7 1.0	20.0	10	XS411-36	ZS411-36
60						XS412	ZS412
2 <sup>7</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>4</sub>	4 <sup>23</sup> / <sub>32</sub>	3.205	1.252	1.953	XS413-39	ZS413-39
<b>2</b> <sup>1</sup> / <sub>2</sub>	32	120	81.4	31.8	49.6	XS413-40	ZS413-40
65						XS413	ZS413
70						XS414	ZS414
2 <sup>11</sup> / <sub>16</sub>						XS415-43	ZS415-43
2 <sup>3</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>8</sub>	3.594	1.252	2.343	XS415-44	ZS415-44
2 <sup>15</sup> /16	32	130	91.3	31.8	59.5	XS415-47	ZS415-47
75						XS415	ZS415
3						XS415-48	ZS415-48
80						XS416	ZS416
3 <sup>1</sup> / <sub>4</sub>						XS417-52	ZS417-52
85	1 5/8	<b>6</b> <sup>5</sup> /16	4.079	1.516	2.563	XS417	ZS417
3 <sup>7</sup> / <sub>16</sub>	41	160	103.6	38.5	65.1	XS418-55	ZS418-55
3 <sup>1</sup> / <sub>2</sub>						XS418-56	ZS418-56
90						XS418	ZS418
100	1 27/32	7 <sup>3</sup> /32	4,484	1.626	2.858	XS420	ZS420
3 <sup>15</sup> /16	47	180	113.9	41.3	72.6	XS420-63	ZS420-63
4		100	113.2	11.5	72.0	XS420-64	ZS420-64

XDS4 Cylindrical bore (with set screw collar lock (both))  $d 2^{7}/_{16} \sim 4$  inch  $60 \sim 100$  mm geodetic screw scalar lock (both) = 100 mm geodetic scalar lock (both) =

Shaft Dia.			Dimensions			Bearing	Bearing
inch			inch			No.	No.
mm			mm				
d	С	D	$B_1$	S	$S_3$		
60						XDS412	ZDS412
2 7/16	1 <sup>1</sup> / <sub>4</sub>	4 <sup>23</sup> / <sub>32</sub>	3.905	1.953	1.953	XDS413-39	ZDS413-39
<b>2</b> <sup>1</sup> / <sub>2</sub>	32	120	99.2	49.6	49.6	XDS413-40	ZDS413-40
65						XDS413	ZDS413
70						XDS414	ZDS414
2 11/16						XDS415-43	ZDS415-43
2 <sup>3</sup> / <sub>4</sub>	1 <sup>1</sup> /4	5 <sup>1</sup> /8	4.685	2.343	2.343	XDS415-44	ZDS415-44
2 <sup>15</sup> /16	32	130	119	59.5	59.5	XDS415-47	ZDS415-47
75						XDS415	ZDS415
3						XDS415-48	ZDS415-48
80						XDS416	ZDS416
3 1/4						XDS417-52	ZDS417-52
85	1 <sup>5</sup> /8	<b>6</b> <sup>5</sup> / <sub>16</sub>	5.126	2.563	2.563	XDS417	ZDS417
3 7/16	41	160	130.2	65.1	65.1	XDS418-55	ZDS418-55
<b>3</b> 1/2						XDS418-56	ZDS418-56
90						XDS418	ZDS418
100	1 <sup>27</sup> /32	<b>7</b> <sup>3</sup> / <sub>32</sub>	5,716	2.858	2.858	XDS420	ZDS420
3 <sup>15</sup> / <sub>16</sub>	47	180	145.2	72.6	72.6	XDS420-63	ZDS420-63
4	4/	180	145.2	/2.0	/2.0	XDS420-64	ZDS420-64



ZDS4 Cylindrical bore (with Z-Lock (both))







## Appendix Table (contents)

1	Simplified Chart of Ball Bearing Unit Combinations
2	Tightening Torques of Housings and Cast Iron Cover Mounting Bolts 360
3	Tightening Torques of Inner Rings and Eccentric Locking Collar Set Screws 360
4	Tightening Torques of Adapter Lock Nuts (reference)
5	Machining Dimensions of Holes of Housing Dowel Pins
6	Dimensional Tolerances of Shafts
7	Dimensional Tolerances of Housing Bores
8	Basic Tolerance Values
9	SI Unit Conversion Charts
10	Inch-meter Conversion Chart
11	Hardness Conversion Chart
12	Viscosity Conversion Chart
13	Mechanical Properties of Metal Materials (reference)
14	Hexagon Socket Head Cap Screws (abstract from JIS B 1176)
15	Hexagon Head Bolts (abstract from JIS B 1180) 376
16	Hexagon Head Nuts (abstract from JIS B 1181)
17	Ball Bearing Units Interchange Guide
18	Spherical Roller Bearing Units Interchange Guide

## Appendix Table 1 Simplified Chart of Ball Bearing Unit Combinations

					Insert bea	ring units				
			Cylindrica	I bore (with s			Tapere	d bore (with a	adapter)	
	Housing									
Туре	for units		(					KOM.		
		UC200	UCX00	UC300	Stainless steel UC200S6	Plated UC200S7	UK200	UKX00	UK300	
Pillow type	P200, PX00, P300, P300E	UCP200	UCPX00	UCP300			UKP200	UKPX200	UKP300	
	PK200 P200H4, PX00H4, P300H4	UCP200H4	UCPX00H4	UCP300H4			UKP200H4	UKPX200H4	UKP300H4	
	IP200, IP300	UCIP200		UCIP300			UKIP200		UKIP300	
	IP200H4, IP300H4 PA200	UCIP200H4 UCPA200		UCIP300H4			UKIP200H4 UKPA200		UKIP300H4	
	PA200H4	UCPA200H4					UKPA200H4			
	PAN200 PH200	UCPAN200 UCPH200					UKPH200			
	PH200H4	UCPH200H4					UKPH200H4			
	LP200 SP200H1				UCSP200H1S6					
	SPA200H1 P000, SP000				UCSPA200H1S6					
	VP200 VP200E				UCVP200S6	UCVP200ES7				
<u> </u>	PP200	1105000	11051/00						111/5000	
Square four-bolt flange type	F200, FX00, F300 F200E, FX00E NF200	UCF200 UCF200E	UCFX00 UCFX00E	UCF300			UKF200	UKFX00	UKF300	
	F200H4, FX00H4, F300H4	UCF200H4	UCFX00H4	UCF300H4			UKF200H4	UKFX00H4	UKF300H4	
	FS300 FS300H4			UCFS300 UCFS300H4					UKFS300 UKFS300H4	
	SF200H1				UCSF200H1S6					
	SF200EH1 VF200				UCSF200EH1S6 UCVF200S6					
	VF200E					UCVF200ES7				
Oval flange type	FL200, FLX00, FL300 FL200E	UCFL200 UCFL200E	UCFLX00	UCFL300			UKFL200	UKFLX00	UKFL300	
$\bullet \bullet \bullet$	FL200H4, FLX00H4, FL300H4	UCFL200H4	UCFLX00H4	UCFL300H4			UKFL200H4	UKFLX00H4	UKFL300H4	
	FL000, SFL000 SFL200H1 SFL200EH1 VFL200				UCSFL200H1S6 UCSFL200EH1S6 UCVFL200S6					
	VFL200E TFD200H4					UCVFL200ES7				
	FA200	UCFA200					UKFA200			
	FB200 PFL200	UCFB200					UKFB200			
Round flange	FC200, FCX00	UCFC200	UCFCX00				UKFC200	UKFCX00		
cartridge type	FC200H4, FCX00H4 FCX00E	UCFC200H4	UCFCX00H4 UCFCX00E				UKFC200H4	UKFCX00H4		
	FCF200 SFC200H1	UCFCF200			UCSFC200H1S6					
Stamped steel plate flange type										
	PF200									
Take-up type	T200, TX00, T300	UCT200	UCTX00	UCT300			UKT200	UKTX00	UKT300	
	T200E, TX00E	UCT200E	UCTX00E							
	T200H4, TX00H4, T300H4 ST200H1	UCT200H4	UCTX00H4	UCT300H4	UCST200H1S6		UKT200H4	UKTX00H4	UKT300H4	
	VT200 VT200E				UCVT200S6	UCVT200ES7				
	T200+H	UCTH200								
	TL200 TU200, TU300	UCTL200 UCTU200		UCTU300			(UKTL200) (UKTU200)		(UKTU300)	
	PTH200						(			<u> </u>
Cartridge type	NPTH200									
O	C200, CX00, C300	UCC200	UCCX00	UCC300			UKC200	UKCX00	UKC300	
Hanger type	HA200	UCHA200					UKHA200			
										<u> </u>

# FYH

	NU-LOC NC200 CP200 CP200 CPA200 CPA200 CPA200 CPA200 CPA200 CP200 CP200 CP200 CP200 CP200 CP200	SU000	Stainless steel SU000S6	Cylindrica WS SB200 BLP200	SA200	SA200F	NA200 NAP200 NAPK200	NA300	Housing for units P200, PX00, P300, P300E PK200 P200H4, PX00H4, P300H4 IP200, IP300 IP200H4, IP300H4	Type Pillow type
	NC200 CP200 CPA200 CPA200 CPH200 CPH200 CF200	5U000	Stainless steel SU000S6	SB200	SA200		NA200 NAP200	NA300	for units P200, PX00, P300, P300E PK200 P200H4, PX00H4, P300H4 IP200, IP300 IP200H4, IP300H4	
	CP200 CPA200 CPAN200 CPH200 CPH200		SU000S6			SA200F	NAP200		for units P200, PX00, P300, P300E PK200 P200H4, PX00H4, P300H4 IP200, IP300 IP200H4, IP300H4	
	CP200 CPA200 CPAN200 CPH200 CPH200		SU000S6			SA200F	NAP200		PK200 P200H4, PX00H4, P300H4 IP200, IP300 IP200H4, IP300H4	Pillow type
	CPA200 CPAN200 CPH200 CPH200	UP000	USP000S6	BLP200				NAP300E	PK200 P200H4, PX00H4, P300H4 IP200, IP300 IP200H4, IP300H4	Pillow type
NC NC NC NC NC	CPAN200 CPH200 CPH200 CF200	UP000	USP000S6	BLP200					P200H4, PX00H4, P300H4 IP200, IP300 IP200H4, IP300H4	
NC NC NC NC NC	CPAN200 CPH200 CPH200 CF200	UP000	USP000S6	BLP200					IP200H4, IP300H4	
NC NC NC NC NC	CPAN200 CPH200 CPH200 CF200	UP000	USP000S6	BLP200						Į.
	CPAN200 CPH200 CPH200 CF200	UP000	USP000S6	BLP200					PA200	
	CPH200 CF200	UP000	USP000S6	BLP200			1		PA200H4	
	CF200	UP000	USP000S6	BLP200	A1 8 6 6 4				PAN200 PH200	
	CF200	UP000	USP000S6	BLP200	A1 8				PH200 PH200H4	
	CF200	UP000	USP000S6		ALP200				LP200	
	CF200	UP000	USP000S6						SP200H1 SPA200H1	
									P000, SP000	
									VP200	
				SBPP200	SAPP200				VP200E PP200	
	CF200E						NAF200		F200, FX00, F300	Square four-bol
							NANF200		F200E, FX00E NF200	flange type
	I						10111 200		F200H4, FX00H4, F300H4	
									FS300 FS300H4	
									SF200H1	
									SF200EH1	
									VF200 VF200E	
	CFL200						NAFL200		FL200, FLX00, FL300	Oval flange type
	CFL200E								FL200E FL200H4, FLX00H4, FL300H4	
				BLF200	ALF200				LF200	
		UFL000	USFL000S6						FL000, SFL000	
									SFL200H1 SFL200EH1	
									VFL200	
						SATFD200FH4P9			VFL200E TFD200H4	
	CFA200								FA200	1
NC	CFB200			SBPFL200	SAPFL200				FB200 PFL200	
NC	050000			SDFFL200	SAPFL200				1	Round flange
NC	CFC200						NAFC200		FC200, FCX00 FC200H4, FCX00H4	cartridge type
									FCX00E	
									FCF200 SFC200H1	.0.
										Stamped steel
										plate flange type
				SBPF200	SAPF200				PF200	
	CT200						NAT200		T200, TX00, T300	Take-up type
NC	CT200E						NAT200E		T200E, TX00E T200H4, TX00H4, T300H4	
									ST200H1	
									VT200 VT200E	
									T200+H	
									TL200	
				SBPTH200					TU200, TU300 PTH200	
				SBNPTH200					NPTH200	<b>A</b>
										Cartridge type
NC	CC200						NAC200		C200, CX00, C300	$\bigcirc$
										Hanger type
NC	CHA200									
						1			HA200	

## Appendix Table 2 Tightening Torques of Housings and Cast Iron Cover Mounting Bolts

(1) Tightening torques of housings mounting bolts

## (recommended)

Nominal size of screws	$\frac{\text{Tightening torques}}{N \cdot m}$
M 6	2.6- 4.7
M 8	6 – 10
M10	12 – 21
M12	21 – 37
M14	34 – 60
M16	53 – 93
M18	77 – 137
M20	104 – 186
M22	143 – 256
M27	266 – 478
M30	360 – 645
M33	494 – 886
M36	631 –1,130

(2) Tightening torques of plastic housings mounting bolts (recommended)

Nominal size of screws	$\frac{\text{Tightening torques}}{N \cdot m}$
M10	17.7–24.5
M12	29.4-44.1

## (3) Tightening torques of cast iron cover mounting bolts (recommended)

Nominal size of screws	Tightening torgues, N · m	Part No. of	applicable cast (reference)	iron covers
of sciews	torques, N · m	200 series	X00 series	300 series
М3	0.3- 0.6	204, 205	_	-
M4	0.8- 1.4	204FC3 (FD3), 205FC3 (FD3), 206–215	_	305–307
M5	1.5- 2.8	216–218	X18, X20	308–324
M8	6 –10	_	_	326, 328

## Appendix Table 3 Tightening Torques of Inner Rings and Eccentric Locking Collar Set Screws

(1) Tightening torques of inner rings and eccentric locking collar set screws (metric series) (recommended)

Nominal size	Tightening			Part No. o	of applicable	bearings		
of screws	torques, $N \cdot m$	UC2, RB	UCX	UC3	NA	SB	SU	ER
M 3X0.35	0.7						08, 000, 001	
M 4X0.5	1.8	-				-	002, 003	
M 5X0.5	3	201X-203X	-	_		201–203	004–006	_
M 6X0.75	4	201–206	X05	305, 306	204, 205	204–207	_	201–206
M 8X1	8.5	207–209	X06–X08	307	206–210	208		207–209
M10X1.25	17.5	210–212	X09–X11	308, 309	211, 212	_		210–212
M12X1.5	28	213–218	X12–X17	310–314	_			-
M14X1.5	35	-	X18	315, 316				
M16X1.5	56		X20	317–319				
M18X1.5	62		_	320–324				
M20X1.5	83			326, 328				

Remarks 1) Tightening torques of set screws for UC2-S6 are identical to that of UC2. As for UC210S6, tightening torque of the set screw M8 × 1 should be applied.

2) When the application will be exposed to vibration and shock load additional tightening will be required. The maximum torque tightening should not exceed 1.5 times the normal torque tightening specifications.

## (2) Tightening torques of inner rings and eccentric locking collar set screws (inch series) (recommended)

Nominal size	Tightening	Part No.	of applicable	bearings
of screws	torques, $N \cdot m$	UC2-, ER2-, RB2-	UCX-	SB-
10-32UNF	3	_	_	201, 202
1/4-28UNF	4	201–206	X05	204–207
5/16-24UNF	8.5	207–209	X06–X08	208
3/8-24UNF	17.5	210–212	X09–X11	_
1/2-20UNF	28	213–218	X12–X18	
5/8-18UNF	56	_	X20	

Remark When the application will be exposed to vibration and shock load additional tightening will be required. The maximum torque tightening should not exceed 1.5 times the normal torque tightening specifications.

#### (3) NC concentric cap screw tightening torque

Nominal size of screws	$\begin{array}{c} \textbf{Tightening} \\ \textbf{torques}, N \cdot m \end{array}$
M4	7.4- 8.2
M5	10.2–11.2
M6	17.6–19.4
M8	41.6–46
No.8-32UNC	7.4- 8.2
No.10-24UNC	10.2–11.2
1/4-20UNC	17.6–19.4
5/16-18UNC	41.6–46

Remark When the application will be exposed to vibration and shock load additional tightening will be required. The maximum torque tightening should not exceed 1.5 times the normal torque tightening specifications.

## Appendix Table 4 Tightening Torques of Adapter Lock Nuts (reference)

				Tighte	ning torque	s, N · m					
Dere eede		UK200			UKX00		UK300				
Bore code	Standa	ird load	Heavy load	Standa	ard load	Heavy load	Standard load		Heavy load		
	min.	Max.	(Max. × 1.5)	min.	Max.	(Max. × 1.5)	min.	Max.	(Max. × 1.5)		
05	25	38	56	35	53	79	30	45	68		
06	30	45	68	40	60	90	45	68	101		
07	40	60	90	50	75	113	60	90	135		
08	50	75	113	75	113	169	80	120	180		
09	60	90	135	75	113	169	120	180	270		
10	75	113	169	110	165	248	150	225	338		
11	100	150	225	140	210	315	180	270	405		
12	130	195	293	165	248	371	225	338	506		
13	150	225	338	195	293	439	265	398	596		
15	170	255	383	215	323	484	375	563	844		
16	200	300	450	255	383	574	450	675	1,013		
17	220	330	495	295	443	664	530	795	1,193		
18	260	390	585	340	510	765	610	915	1,373		
19	-	-	-	-	-	-	710	1,065	1,598		
20	-	_	-	490	735	1,103	885	1,328	1,991		
22	_	_	_	_	-	-	1,220	1,830	2,745		
24	-	_	-	_	-	-	1,470	2,205	3,308		
26	-	_	-	-	-		1,770	2,655	3,983		
28	-	-	-	_		-	2,150	3,225	4,838		

## Appendix Table 5 Machining Dimensions of Holes of Housing Dowel Pins

(1) Machining dimensions of holes of pillow type housing (P) dowel pins (recommended)



				Unit: mm
Nominal code	а	b	$d_{\rm s}$ (reference)	Pin seat thickness
P203	6	6	4	16
P204	6	6	4	16
P205	6	6	4	16
P206	6	6	4	17
P207	8	8	5	18
P208 P209	8 8	8	5 5	18 20
P209	10	10	5	20
P211	10	10	6	23
P212	10	10	6	25
P213	10	10	6	27
P214	10	10	8	27
P215	12.5	12.5	8	28
P216	12	12	8	30
P217	12	12	8	32
P218	14	14	8	33
PX05	7	7	5	16
PX06 PX07	8 8	8	5 5	17 19
PX07	8	8	5	21
PX09	8	8	5	21
PX10	9	9	6	22
PX11	9	9	6	28
PX12	9	9	6	28
PX13	10	10	8	28
PX14 PX15	10 10	10 10	8	32 32
PX15	10	10	-	34
PX10 PX17	12	12	8	34
PX18	15	15	10	38
PX20	19	19	10	45
P305	8	8	5	16
P306	10	10	5	17
P307	10	10	5	19
P308	11	11	6	19
P309	11	11	6	21
P310	11	11	6	24
P311	12	12	8	27
P312 P313	12 12	12 12	8 8	29 32
P314	12	12	10	35
P315	14	14	10	35
P316	15	15	10	35
P317	15	15	10	40
P318	15	15	10	40
P319	15	15	10	46
P320	17	17	13	46
P321	17	17	13	46
P322 P324	17 17	17 17	13 13	50 50
P326	20	20	13	50
P328	20	20	13	60

(2) Machining dimensions of holes of square flange type housing (F) dowel pins (recommended)



				Unit: mm
Nominal code	а	b	$d_{ m s}$ (reference)	Pin seat thickness
F204	6	43	4	11
F205	6	47.5	4	13
F206 F207	7.5 7.5	54 58.5	5	13 15
F208	7.5	65	5	15
F209	7.5	68.5	5	16
F210	7.5	71.5	5	16
F211	9	81	6	18
F212	9	87.5	6	18
F213	9	93.5	6	22
F214 F215	10 10	96.5 100	8	22
F216	10	104	8	22
F217	10	110	8	24
F218	10	117.5	8	25
FX05	7.5	54	5	13
FX06 FX07	7.5	58.5	5 5	14 14
FX07	7.5 7.5	65 68.5	5	14
FX08	7.5	71.5	5	14
FX10	9	81	6	20
FX11	9	87.5	6	20
FX12	9	93.5	6	21
FX13	10	93.5	8	21
FX14 FX15	10 10	98.5 142	8	22 24
FX16	10	107	8	24
FX17	10	155	8	24
FX18	12	155	10	24
FX20	12	134	10	28
F305 F306	7.5 7.5	55 62.5	5 5	13 15
F306	7.5	67.5	5	16
F308	9	75	6	17
F309	9	80	6	18
F310	9	87.5	6	19
F311	10 10	92.5 97.5	8	20 22
F312 F313	10	97.5 104	8	22
F314	12	113	10	25
F315	12	118	10	25
F316	12	125	10	27
F317	12	130	10	27
F318 F319	12 12	140 145	10 10	30 30
F320	12	145	13	30
F321	16	155	13	32
F322	16	170	13	35
F324	16	185	13	40
F326	16	205	13	45
F328	16	225	13	55

## FYH

(3) Machining dimensions of holes of oval flange type housing (FL) dowel pins (recommended)



Unit: mm

Nominal code	а	b	$d_{\rm s}$ (reference)	Pin seat thickness
FL204	26	9	4	11
FL205	32	10	4	13
FL206	34	12	4	13
FL207	34	14	5	14
FL208	35	15	5	14
FL209	40	15	5	15
FL210	41	16	5	15
FL211	43	19	6	18
FL212	52	22	6	18
FL213	50	21	6	20
FL214	52	22	8	20
FL215	53	23	8	20
FL216	56	23	8	20
FL217	57	25	8	22
FL218	57	26	8	23
FLX05	27	12	5	13
FLX06	30	14	5	14
FLX07	32	15	5	14
FLX08	33	15	5	14
FLX09	35	16	5	14
FLX10	37	19	6	20
FL305	32	12	5	13
FL306	46	14	5	15
FL307	44	14	5	16
FL308	45	17	6	17
FL309	53	19	6	18
FL310	53	19	6	19
FL311	52	20	8	20
FL312	60	21	8	22
FL313	60	25	8	25
FL314	68	26	10	28
FL315	64	26	10	30
FL316	74	29	10	32
FL317	75	31	10	32
FL318	74	32	10	36
FL319	80	32	10	40
FL320	86	34	13	40
FL322	86	36	13	42
FL324	94	41	13	48

## Appendix Table 6 Dimensional Tolerances of Shafts

	fication ft (mm)							Tolerar	ice rang	e class	of shaft							
Over	Incl.	d 6	e 6	f6	g 5	g 6	h 5	h 6	h 7	h 8	h 9	h 10	js 5	js 6	js 7	j 5	j 6	
3	6	- 30 - 38	- 20 - 28	- 10 - 18	- 4 - 9	- 4 -12	0 - 5	0 - 8	0 -12	0 - 18	0 - 30	0 - 48	± 2.5	± 4	± 6	+ 3 - 2	+ 6 - 2	
6	10	- 40 - 49	- 25 - 34	- 13 - 22	- 5 -11	- 5 -14	0 - 6	0 - 9	0 -15	0 - 22	0 - 36	0 - 58	± 3	± 4.5	± 7.5	+ 4 - 2	+ 7 - 2	
10	18	- 50 - 61	- 32 - 43	- 16 - 27	- 6 -14	- 6 -17	0 - 8	0 -11	0 -18	0 - 27	0 - 43	0 - 70	± 4	± 5.5	± 9	+ 5 - 3	+ 8 - 3	
18	30	- 65 - 78	- 40 - 53	- 20 - 33	- 7 -16	- 7 -20	0 - 9	0 -13	0 21	0 - 33	0 - 52	0 - 84	± 4.5	± 6.5	±10.5	+ 5 - 4	+ 9 - 4	
30	50	- 80 - 96	- 50 - 66	- 25 - 41	- 9 -20	- 9 -25	0 -11	0 _16	0 -25	0 - 39	0 - 62	0 -100	± 5.5	± 8	±12.5	+ 6 - 5	+11 - 5	
50	80	-100 -119	- 60 - 79	- 30 - 49	-10 -23	-10 -29	0 -13	0 -19	0 -30	0 - 46	0 - 74	0 -120	± 6.5	± 9.5	±15	+ 6 - 7	+12 - 7	
80	120	-120 -142	- 72 - 94	- 36 - 58	-12 -27	-12 -34	0 -15	0 -22	0 -35	0 - 54	0 - 87	0 -140	± 7.5	±11	±17.5	+ 6 - 9	+13 - 9	
120	180	-145 -170	- 85 -110	- 43 - 68	-14 -32	-14 -39	0 -18	0 25	0 40	0 - 63	0 -100	0 -160	± 9	±12.5	±20	+ 7 -11	+14 -11	
180	250	-170 -199	-100 -129	- 50 - 79	-15 -35	-15 -44	0 20	0 29	0 46	0 - 72	0 -115	0 -185	±10	±14.5	±23	+ 7 -13	+16 -13	
250	315	-190 -222	-110 -142	- 56 - 88	-17 -40	-17 -49	0 –23	0 -32	0 -52	0 - 81	0 -130	0 210	±11.5	±16	±26	+ 7 -16	±16	
315	400	-210 -246	-125 -161	- 62 - 98	-18 -43	-18 -54	0 –25	0 -36	0 -57	0 - 89	0 -140	0 -230	±12.5	±18	±28.5	+ 7 -18	±18	
400	500	-230 -270	-135 -175	- 68 -108	-20 -47	-20 -60	0 -27	0 -40	0 63	0 - 97	0 -155	0 -250	±13.5	±20	±31.5	+ 7 -20	±20	
500	630	-260 -304	-145 -189	- 76 -120	-22 -54	-22 -66	0 -32	0 -44	0 -70	0 -110	0 -175	0 -280	±16	±22	±35	_	-	
630	800	-290 -340	-160 -210	- 80 -130	-24 -60	-24 -74	0 36	0 50	0 80	0 -125	0 -200	0 -320	±18	±25	±40	-	-	
800	1,000	-320 -376	-170 -226	- 86 -142	-26 -66	-26 -82	0 -40	0 56	0 -90	0 -140	0 -230	0 -360	±20	±28	±45	_	_	

\* $\varDelta_{dmp}$ : Variation of tolerance of average bore diameter in plane

# FYH

											L	Jnit: μm	(Reference)
												fication ft (mm)	⊿ <sub>dmp</sub> * of bearing
k 5	k 6	k 7	m 5	m 6	m 7	n 5	n 6	p 6	r 6	r 7	Over	Incl.	(class 0)
+ 6 + 1	+ 9 + 1	+13 + 1	+ 9 + 4	+12 + 4	+ 16 + 4	+13 + 8	+ 16 + 8	+ 20 + 12	+ 23 + 15	+ 27 + 15	3	6	0 - 8
+ 7 + 1	+10 + 1	+16 + 1	+12 + 6	+15 + 6	+ 21 + 6	+16 +10	+ 19 + 10	+ 24 + 15	+ 28 + 19	+ 34 + 19	6	10	0 - 8
+ 9 + 1	+12 + 1	+19 + 1	+15 + 7	+18 + 7	+ 25 + 7	+20 +12	+ 23 + 12	+ 29 + 18	+ 34 + 23	+ 41 + 23	10	18	- 8
+11 + 2	+15 + 2	+23 + 2	+17 + 8	+21 + 8	+ 29 + 8	+24 +15	+ 28 + 15	+ 35 + 22	+ 41 + 28	+ 49 + 28	18	30	0 - 10
+13 + 2	+18 + 2	+27 + 2	+20 + 9	+25 + 9	+ 34 + 9	+28 +17	+ 33 + 17	+ 42 + 26	+ 50 + 34	+ 59 + 34	30	50	0 - 12
+15	+21	+32	+24	+30	+ 41	+33	+ 39	+ 51	+ 60 + 41	+ 71 + 41	50	65	0
+ 2	+ 2	+ 2	+11	+11	+ 11	+20	+ 20	+ 32	+ 62 + 43	+ 73 + 43	65	80	– 15
+18	+25	+38	+28	+35	+ 48	+38	+ 45	+ 59	+ 73 + 51	+ 86 + 51	80	100	0
+ 3	+ 3	+ 3	+13	+13	+ 13	+23	+ 23	+ 37	+ 76 + 54	+ 89 + 54	100	120	- 20
									+ 88 + 63	+103 + 63	120	140	
+21 + 3	+28 + 3	+43 + 3	+33 +15	+40 +15	+ 55 + 15	+45 +27	+ 52 + 27	+ 68 + 43	+ 90 + 65	+105 + 65	140	160	0 - 25
									+ 93 + 68	+108 + 68	160	180	
									+106 + 77	+123 + 77	180	200	
+24 + 4	+33 + 4	+50 + 4	+37 +17	+46 +17	+ 63 + 17	+51 +31	+ 60 + 31	+ 79 + 50	+109 + 80	+126 + 80	200	225	0 - 30
									+113 + 84	+130 + 84	225	250	
+27	+36	+56	+43	+52	+ 72	+57	+ 66	+ 88	+126 + 94	+146 + 94	250	280	0
+ 4	+ 4	+ 4	+20	+20	+ 20	+34	+ 34	+ 56	+130 + 98	+150 + 98	280	315	- 35
+29	+40	+61	+46	+57	+ 78	+62	+ 73	+ 98	+144 +108	+165 +108	315	355	0
+ 4	+ 4	+ 4	+21	+21	+ 21	+37	+ 37	+ 62	+150 +114	+171 +114	355	400	- 40
+32	+45	+68	+50	+63	+ 86	+67	+ 80	+108	+166 +126	+189 +126	400	450	0
+ 5	+ 5	+ 5	+23	+23	+ 23	+40	+ 40	+ 68	+172 +132	+195 +132	450	500	– 45
+32	+44	+70	+58	+70	+ 96	+76	+ 88	+122	+194 +150	+220 +150	500	560	0
0	0	0	+26	+26	+ 26	+44	+ 44	+ 78	+199 +155	+225 +155	560	630	- 50
+36	+50	+80	+66	+80	+110	+86	+100	+138	+225 +175	+255 +175	630	710	0
0	0	0	+30	+30	+ 30	+50	+ 50	+ 88	+235 +185	+265 +185	710	800	– 75
+40	+56	+90	+74	+90	+124	+96	+112	+156	+266 +210	+300 +210	800	900	0
0	0	0	+34	+34	+ 34	+56	+ 56	+100	+276 +220	+310 +220	900	1,000	-100

	cation of	Tolerance range class of bore														
Over	Incl.	E 6	F 6	F 7	G 6	G 7	H 6	H 7	H 8	H 9	H 10	JS 5	JS 6	JS 7	J6	J7
10	18	+ 43 + 32	+ 27 + 16	+ 34 + 16	+17 + 6	+ 24 + 6	+11 0	+ 18 0	+ 27	+ 43	+ 70 0	± 4	± 5.5	± 9	+ 6 - 5	+10 - 8
18	30	+ 53 + 40	+ 33 + 20	+ 41 + 20	+20 + 7	+ 28 + 7	+13 0	+ 21 0	+ 33 0	+ 52 0	+ 84 0	± 4.5	± 6.5	±10.5	+ 8 - 5	+12 - 9
30	50	+ 66 + 50	+ 41 + 25	+ 50 + 25	+25 + 9	+ 34 + 9	+16 0	+ 25 0	+ 39 0	+ 62 0	+100 0	± 5.5	± 8	±12.5	+10 - 6	+14 -11
50	80	+ 79 + 60	+ 49 + 30	+ 60 + 30	+29 +10	+ 40 + 10	+19 0	+ 30 0	+ 46 0	+ 74 0	+120 0	± 6.5	± 9.5	±15	+13 - 6	+18 -12
80	120	+ 94 + 72	+ 58 + 36	+ 71 + 36	+34 +12	+ 47 + 12	+22 0	+ 35 0	+ 54 0	+ 87	+140	± 7.5	±11	±17.5	+16 - 6	+22 -13
120	180	+110 + 85	+ 68 + 43	+ 83 + 43	+39 +14	+ 54 + 14	+25 0	+ 40 0	+ 63 0	+100 0	+160 0	± 9	±12.5	±20	+18 - 7	+26 -14
180	250	+129 +100	+ 79 + 50	+ 96 + 50	+44 +15	+ 61 + 15	+29 0	+ 46 0	+ 72 0	+115 0	+185 0	±10	±14.5	±23	+22 - 7	+30 -16
250	315	+142 +110	+ 88 + 56	+108 + 56	+49 +17	+ 69 + 17	+32 0	+ 52 0	+ 81 0	+130 0	+210 0	±11.5	±16	±26	+25 - 7	+36 -16
315	400	+161 +125	+ 98 + 62	+119 + 62	+54 +18	+ 75 + 18	+36 0	+ 57 0	+ 89 0	+140 0	+230 0	±12.5	±18	±28.5	+29 - 7	+39 –18
400	500	+175 +135	+108 + 68	+131 + 68	+60 +20	+ 83 + 20	+40 0	+ 63 0	+ 97 0	+155 0	+250 0	±13.5	±20	±31.5	+33 – 7	+43 -20
500	630	+189 +145	+120 + 76	+146 + 76	+66 +22	+ 92 + 22	+44 0	+ 70 0	+110 0	+175 0	+280 0	±16	±22	±35	_	_
630	800	+210 +160	+130 + 80	+160 + 80	+74 +24	+104 + 24	+50 0	+ 80 0	+125 0	+200 0	+320 0	±18	±25	±40	_	_
800	1,000	+226 +170	+142 + 86	+176 + 86	+82 +26	+116 + 26	+56 0	+ 90 0	+140 0	+230 0	+360 0	±20	±28	±45	-	_
1,000	1,250	+261 +195	+164 + 98	+203 + 98	+94 +28	+133 + 28	+66 0	+105 0	+165 0	+260 0	+420 0	±23.5	±33	±52.5	_	_

## Appendix Table 7 Dimensional Tolerances of Housing Bores

\* $\varDelta_{Dmp}$ : Variation of tolerance of average outside diameter in plate

# FYH

												Classifi	cation of	(Reference) ⊿ <sub>Dmp</sub> * of
K 5	K 6	K 7	M 5	M 6	M 7	N 5	N 6	N 7	P 6	P 7	R 7	basic s Over	ize (mm) Incl.	bearing (class 0)
+ 2	+ 2	+ 6	- 4	- 4	0	- 9	- 9	- 5	- 15	- 11	- 16	10	18	0
- 6 + 1	- 9 + 2	- 12 + 6	-12 - 5	- 15 - 4	- 18 0	- 17 - 12	- 20 - 11	- 23 - 7	- 26 - 18	- 29 - 14	- 34 - 20	18	30	- 8 0
- 8 + 2	-11 + 3	- 15 + 7	-14 - 5	- 17 - 4	- 21 0	- 21 - 13	- 24 - 12	- 28 - 8	- 31 - 21	- 35 - 17	- 41 - 25			9
- 9	-13	- 18	-16	- 20	- 25	- 24	- 28	- 33	- 37	- 42	- 50 - 30	30	50	11
+ 3 -10	+ 4 -15	+ 9 - 21	- 6 -19	- 5 - 24	0 - 30	- 15 - 28	- 14 - 33	- 9 - 39	- 26 - 45	- 21 - 51	- 60	50	65	0 - 13
-10	-15	- 21	-19	- 24	- 30	- 20	- 33	- 39	- 45	- 51	- 32 - 62	65	80	- 15
+ 2	+ 4	+ 10	- 8	- 6	0	- 18	- 16	- 10	- 30	- 24	- 38 - 73	80	100	0
-13	-18	- 25	-23	- 28	- 35	- 33	- 38	- 45	- 52	- 59	- 41 - 76	100	120	- 15
											- 48 - 88	120	140	(150 max.) 0
+ 3 –15	+ 4 –21	+ 12 - 28	- 9 -27	- 8 - 33	0 - 40	- 21 - 39	- 20 - 45	- 12 - 52	- 36 - 61	- 28 - 68	- 50 - 90	140	160	- 18 (Over 150)
10	21	20	21		-10	00	-10	02			- 53	160	180	0 - 25
											- 93 - 60	180	200	25
+ 2	+ 5	+ 13	-11	- 8	0	- 25	- 22	- 14	- 41	- 33	-106 - 63	200	225	0
-18	-24	- 33	-31	- 37	- 46	- 45	- 51	- 60	- 70	- 79	-109 - 67			- 30
											-113 - 74	225	250	
+ 3 -20	+ 5 -27	+ 16 - 36	-13 -36	- 9 - 41	0 - 52	- 27 - 50	- 25 - 57	- 14 - 66	- 47 - 79	- 36 - 88	-126 - 78	250	280	0 - 35
											-130	280	315	
+ 3	+ 7	+ 17	-14	- 10	0	- 30	- 26	- 16	- 51	- 41	- 87 -144	315	355	0
-22	-29	- 40	-39	- 46	- 57	- 55	- 62	- 73	- 87	- 98	- 93 -150	355	400	- 40
+ 2	+ 8	+ 18	-16	- 10	0	- 33	- 27	- 17	- 55	- 45	-103 -166	400	450	0
-25	-32	- 45	-43	- 50	- 63	- 60	- 67	- 80	- 95	-108	-109 -172	450	500	- 45
		0		06	06	44	44	4.4	70	70	-150 -220	500	560	0
0 -32	0 -44	- 70	-26 -58	- 26 - 70	- 26 - 96	- 44 - 76	- 44 - 88	- 44 -114	– 78 –122	- 78 -148	-155	560	630	- 50
											-225 -175	630	710	
0 -36	0 -50	0 - 80	-30 -66	- 30 - 80	- 30 -110	- 50 - 86	- 50 -100	- 50 -130	- 88 -138	- 88 -168	-255 -185	710	800	0 - 75
											-265 -210			
0 40	0 56	0 - 90	-34 -74	- 34 - 90	- 34 -124	- 56 - 96	- 56 -112	- 56 -146	-100 -156	-100 -190	-300 -220	800	900	0 -100
											-310	900	1,000	
0	0	0	-40	- 40	- 40	- 66	- 66	- 66	-120	-120	-250 -355	1,000	1,120	0
-47	-66	-105	-87	-106	-145	-113	-132	-171	-186	-225	-260 -365	1,120	1,250	-125

Classif	ication																			
of bas (m		1	2	3	4	5	6	7	8	9	10	11	12	13	<b>14</b> <sup>1)</sup>	<b>15</b> <sup>1)</sup>	<b>16</b> <sup>1)</sup>	<b>17</b> <sup>1)</sup>	<b>18</b> <sup>1)</sup>	
Over	Incl.				Ba	sic tole	rance	/alue (µ	ım)				Basic tolerance value (mm)							
-	3	0.8	1.2	2	3	4	6	10	14	25	40	60	0.10	0.14	0.26	0.40	0.60	1.00	1.40	
3	6	1	1.5	2.5	4	5	8	12	18	30	48	75	0.12	0.18	0.30	0.48	0.75	1.20	1.80	
6	10	1	1.5	2.5	4	6	9	15	22	36	58	90	0.15	0.22	0.36	0.58	0.90	1.50	2.20	
10	18	1.2	2	3	5	8	11	18	27	43	70	110	0.18	0.27	0.43	0.70	1.10	1.80	2.70	
18	30	1.5	2.5	4	6	9	13	21	33	52	84	130	0.21	0.33	0.52	0.84	1.30	2.10	3.30	
30	50	1.5	2.5	4	7	11	16	25	39	62	100	160	0.25	0.39	0.62	1.00	1.60	2.50	3.90	
50	80	2	3	5	8	13	19	30	46	74	120	190	0.30	0.46	0.74	1.20	1.90	3.00	4.60	
80	120	2.5	4	6	10	15	22	35	54	87	140	220	0.35	0.54	0.87	1.40	2.20	3.50	5.40	
120	180	3.5	5	8	12	18	25	40	63	100	160	250	0.40	0.63	1.00	1.60	2.50	4.00	6.30	
180	250	4.5	7	10	14	20	29	46	72	115	185	290	0.46	0.72	1.15	1.85	2.90	4.60	7.20	
250	315	6	8	12	16	23	32	52	81	130	210	320	0.52	0.81	1.30	2.10	3.20	5.20	8.10	
315	400	7	9	13	18	25	36	57	89	140	230	360	0.57	0.89	1.40	2.30	3.60	5.70	8.90	
400	500	8	10	15	20	27	40	63	97	155	250	400	0.63	0.97	1.55	2.50	4.00	6.30	9.70	
500	630	-	-	-	-	-	44	70	110	175	280	440	0.70	1.10	1.75	2.80	4.40	7.00	11.00	
630	800	-	-	-	-	-	50	80	125	200	320	500	0.80	1.25	2.00	3.20	5.00	8.00	12.50	
800	1,000	-	-	-	-	-	56	90	140	230	360	560	0.90	1.40	2.30	3.60	5.60	9.00	14.00	
1,000	1,250	-	-	-	-	-	66	105	165	260	420	660	1.05	1.65	2.60	4.20	6.60	10.50	16.50	
1,250	1,600	-	-	-	-	-	78	125	195	310	500	780	1.25	1.95	3.10	5.00	7.80	12.50	19.50	
1,600	2,000	-	-	-	-	-	92	150	230	370	600	920	1.50	2.30	3.70	6.00	9.20	15.00	23.00	
2,000	2,500	-	-	-	-	-	110	175	280	440	700	1,100	1.75	2.80	4.40	7.00	11.00	17.50	28.00	
2,500	3,150	-	-	-	-	-	135	210	330	540	860	1,350	2.10	3.30	5.40	8.60	13.50	21.00	33.00	

## Appendix Table 8 Basic Tolerance Values

Note  $^{1)}$  Tolerance classes from IT14 to IT18 can not be applied to basic size 1  $\rm mm$  or less.

## Appendix Table 9 SI Unit Conversion Charts

Ν	dyn	kgf
1	1×10 <sup>5</sup>	1.019 72×10 <sup>-1</sup>
1×10 <sup>-5</sup>	1	1.019 72×10 <sup>-6</sup>
9.806 65	9.806 65×10⁵	1

#### Moment of force (torque)

N·m	$mN \cdot m$	$\mu N \cdot m$	kgf $\cdot$ m	kgf∙cm	gf⋅cm
1	1×10 <sup>3</sup>	1×10 <sup>6</sup>	1.019 72×10 <sup>-1</sup>	1.019 72×10	1.019 72×10 <sup>4</sup>
1×10 <sup>-3</sup>	1	1×10 <sup>3</sup>	1.019 72×10 <sup>-4</sup>	1.019 72×10 <sup>-2</sup>	1.019 72×10
1×10 <sup>-6</sup>	1×10 <sup>-3</sup>	1	1.019 72×10 <sup>-7</sup>	1.019 72×10 <sup>-5</sup>	1.019 72×10 <sup>-2</sup>
9.806 65	9.806 65×10 <sup>3</sup>	9.806 65×10 <sup>6</sup>	1	$1 \times 10^2$	1×10 <sup>5</sup>
9.806 65×10 <sup>-2</sup>	9.806 65×10	$9.806~65 \times 10^4$	1×10 <sup>-2</sup>	1	1×10 <sup>3</sup>
9.806 65×10 <sup>-5</sup>	9.806 65×10 <sup>-2</sup>	9.806 65×10	1×10 <sup>-5</sup>	1×10 <sup>-3</sup>	1

#### Stress

Force

Pa or N/m <sup>2</sup>	MPa or N/mm <sup>2</sup>	kgf/mm <sup>2</sup>	kgf/cm <sup>2</sup>
1	1×10 <sup>-6</sup>	1.019 72×10 <sup>-7</sup>	1.019 72×10 <sup>−5</sup>
1×10 <sup>6</sup>	1	1.019 72×10 <sup>-1</sup>	1.019 72×10
9.806 65×10 <sup>6</sup>	9.806 65	1	1×10 <sup>2</sup>
9.806 65×10 <sup>4</sup>	9.806 65×10 <sup>-2</sup>	1×10 <sup>-2</sup>	1

 $\label{eq:remark} Remark \quad 1\ Pa = 1\ N/m^2,\ 1\ MPa = 1\ N/mm^2$ 

#### Pressure

Pa	kPa	MPa	bar	kgf/cm <sup>2</sup>	atm	$\rm mmH_2O$	mmHg or Torr
1	1×10 <sup>-3</sup>	1×10 <sup>-6</sup>	1×10 <sup>-5</sup>	1.019 72×10 <sup>-5</sup>	9.869 23×10 <sup>-6</sup>	$1.019~72{ imes}10^{-1}$	7.500 62×10 <sup>-3</sup>
1×10 <sup>3</sup>	1	1×10 <sup>-3</sup>	$1 \times 10^{-2}$	1.019 72×10 <sup>-2</sup>	9.869 23×10 <sup>-3</sup>	1.019 72×10 <sup>2</sup>	7.500 62
1×10 <sup>6</sup>	1×10 <sup>3</sup>	1	1×10	1.019 72×10	9.869 23	1.019 72×10 <sup>5</sup>	7.500 62×10 <sup>3</sup>
1×10 <sup>5</sup>	1×10 <sup>2</sup>	1×10 <sup>-1</sup>	1	1.019 72	$9.869~23{ imes}10^{-1}$	1.019 72×10 <sup>4</sup>	7.500 62×10 <sup>2</sup>
9.806 65×10 <sup>4</sup>	9.806 65×10	9.806 65×10 <sup>-2</sup>	$9.806~65{ imes}10^{-1}$	1	9.678 41×10 <sup>-1</sup>	1×10 <sup>4</sup>	7.355 59×10 <sup>2</sup>
$1.013 25 \times 10^5$	1.013 25×10 <sup>2</sup>	$1.013\ 25{ imes}10^{-1}$	1.013 25	1.033 23	1	$1.033\ 23{ imes}10^4$	$7.600\ 00 \times 10^2$
9.806 65	9.806 65×10 <sup>-3</sup>	9.806 65×10 <sup>-6</sup>	9.806 65×10 <sup>-5</sup>	1×10 <sup>-4</sup>	9.678 41×10 <sup>-5</sup>	1	7.355 59×10 <sup>-2</sup>
1.333 22×10 <sup>2</sup>	1.333 22×10 <sup>-1</sup>	1.333 22×10 <sup>-4</sup>	1.333 22×10 <sup>-3</sup>	1.359 51×10 <sup>-3</sup>	1.315 79×10 <sup>-3</sup>	1.359 51×10	1

Remark 1  $Pa = 1 N/m^2$ 

#### **Kinematic viscosity**

m²/s	cSt	St
1	1×10 <sup>6</sup>	1×10 <sup>4</sup>
1×10 <sup>-6</sup>	1	1×10 <sup>-2</sup>
1×10 <sup>-4</sup>	1×10 <sup>2</sup>	1

Remark 1 cSt = 1 mm<sup>2</sup>/s, 1 St = 1 cm<sup>2</sup>/s

## Appendix Table 10 Inch-meter Conversion Chart

							Inches					
	Inch	0	1	2	3	4	5	6	7	8	9	10
							mm					
0	0	0	25.4000	50.8000	76.2000	101.6000	127.0000	152.4000	177.8000	203.2000	228.6000	254.0000
1/64 1/32	0.015625	0.3969	25.7969 26.1938	51.1969 51.5938	76.5969 76.9938	101.9969	127.3969 127.7938	152.7969 153.1938	178.1969 178.5938	203.5969 203.9938	228.9969 229.3938	254.3969 254.7938
3/64	0.03125 0.046875	0.7938 1.1906	26.1938	51.5936	77.3906	102.3936	127.7936	153.1936	178.9906	203.9938	229.3938	254.7938
1/16	0.0625	1.5875	26.9875	52.3875	77.7875	103.1875	128.5875	153.9875	179.3875	204.7875	230.1875	255.5875
5/64	0.078125	1.9844	27.3844	52.7844	78.1844	103.5844	128.9844	154.3844	179.7844	205.1844	230.5844	255.9844
3/32	0.09375	2.3812	27.7812	53.1812	78.5812	103.9812	129.3812	154.7812	180.1812	205.5812	230.9812	256.3812
7/64	0.109375	2.7781	28.1781	53.5781	78.9781	104.3781	129.7781	155.1781	180.5781	205.9781	231.3781	256.7781
1/8	0.125	3.1750	28.5750	53.9750	79.3750	104.7750	130.1750	155.5750	180.9750	206.3750	231.7750	257.1750
9/64	0.140625	3.5719	28.9719	54.3719	79.7719	105.1719	130.5719	155.9719	181.3719	206.7719	232.1719	257.5719
5/32 11/64	0.15625 0.171875	3.9688 4.3656	29.3688 29.7656	54.7688 55.1656	80.1688 80.5656	105.5688 105.9656	130.9688 131.3656	156.3688 156.7656	181.7688 182.1656	207.1688 207.5656	232.5688 232.9656	257.9688 258.3656
3/16	0.1875	4.7625	30.1625	55.5625	80.9625	106.3625	131.7625	157.1625	182.5625	207.9625	233.3625	258.7625
13/64	0.203125	5.1594	30.5594	55.9594	81.3594	106.7594	132.1594	157.5594	182.9594	208.3594	233.7594	259.1594
7/32	0.21875	5.5562	30.9562	56.3562	81.7562	107.1562	132.5562	157.9562	183.3562	208.7562	234.1562	259.5562
15/64	0.234375	5.9531	31.3531	56.7531	82.1531	107.5531	132.9531	158.3531	183.7531	209.1531	234.5531	259.9531
1/4	0.25	6.3500	31.7500	57.1500	82.5500	107.9500	133.3500	158.7500	184.1500	209.5500	234.9500	260.3500
17/64	0.265625	6.7469	32.1469	57.5469	82.9469	108.3469	133.7469	159.1469	184.5469	209.9469	235.3469 235.7438	260.7469
9/32 19/64	0.28125 0.296875	7.1438 7.5406	32.5438 32.9406	57.9438 58.3406	83.3438 83.7406	108.7438 109.1406	134.1438 134.5406	159.5438 159.9406	184.9438 185.3406	210.3438 210.7406	235.7438	261.1438 261.5406
5/16	0.3125	7.9375	33.3375	58.7375	84.1375	109.5375	134.9375	160.3375	185.7375	211.1375	236.5375	261.9375
21/64	0.328125	8.3344	33.7344	59.1344	84.5344	109.9344	135.3344	160.7344	186.1344	211.5344	236.9344	262.3344
11/32	0.34375	8.7312	34.1312	59.5312	84.9312	110.3312	135.7312	161.1312	186.5312	211.9312	237.3312	262.7312
23/64	0.359375	9.1281	34.5281	59.9281	85.3281	110.7281	136.1281	161.5281	186.9281	212.3281	237.7281	263.1281
3/8	0.375	9.5250	34.9250	60.3250	85.7250	111.1250	136.5250	161.9250	187.3250	212.7250	238.1250	263.5250
25/64 13/32	0.390625 0.40625	9.9219 10.3188	35.3219 35.7188	60.7219 61.1188	86.1219 86.5188	111.5219	136.9219 137.3188	162.3219 162.7188	187.7219 188.1188	213.1219 213.5188	238.5219 238.9188	263.9219 264.3188
27/64	0.421875	10.7156	36.1156	61.5156	86.9156	112.3156	137.7156	163.1156	188.5156	213.9156	239.3156	264.7156
7/16	0.4375	11.1125	36.5125	61.9125	87.3125	112.7125	138.1125	163.5125	188.9125	214.3125	239.7125	265.1125
29/64	0.453125	11.5094	36.9094	62.3094	87.7094	113.1094	138.5094	163.9094	189.3094	214.7094	240.1094	265.5094
15/32	0.46875	11.9062	37.3062	62.7062	88.1062	113.5062	138.9062	164.3062	189.7062	215.1062	240.5062	265.9062
31/64	0.484375	12.3031	37.7031	63.1031	88.5031	113.9031	139.3031	164.7031	190.1031	215.5031	240.9031	266.3031
1/2 33/64	0.5 0.515625	<b>12.7000</b> 13.0969	<b>38.1000</b> 38.4969	<b>63.5000</b> 63.8969	<b>88.9000</b> 89.2969	<b>114.3000</b> 114.6969	<b>139.7000</b> 140.0969	<b>165.1000</b> 165.4969	<b>190.5000</b> 190.8969	<b>215.9000</b> 216.2969	<b>241.3000</b> 241.6969	<b>266.7000</b> 267.0969
17/32	0.53125	13.4938	38.8938	64.2938	89.6938	115.0938	140.4938	165.8938	191.2938	216.6938	242.0938	267.4938
35/64	0.546875	13.8906	39.2906	64.6906	90.0906	115.4906	140.8906	166.2906	191.6906	217.0906	242.4906	267.8906
9/16	0.5625	14.2875	39.6875	65.0875	90.4875	115.8875	141.2875	166.6875	192.0875	217.4875	242.8875	268.2875
37/64	0.578125	14.6844	40.0844	65.4844	90.8844	116.2844	141.6844	167.0844	192.4844	217.8844	243.2844	268.6844
19/32 39/64	0.59375 0.609375	15.0812 15.4781	40.4812 40.8781	65.8812 66.2781	91.2812 91.6781	116.6812 117.0781	142.0812 142.4781	167.4812 167.8781	192.8812 193.2781	218.2812	243.6812 244.0781	269.0812 269.4781
5/8	0.625	15.4701 15.8750	41.2750	66.6750	92.0750	117.4750	142.8750	168.2750	193.6750	219.0750	244.4750	269.8750
41/64	0.640625	16.2719	41.6719	67.0719	92.4719	117.8719	143.2719	168.6719	194.0719	219.4719	244.8719	270.2719
21/32	0.65625	16.6688	42.0688	67.4688	92.8688	118.2688	143.6688	169.0688	194.4688	219.8688	245.2688	270.6688
43/64	0.671875	17.0656	42.4656	67.8656	93.2656	118.6656	144.0656	169.4656	194.8656	220.2656	245.6656	271.0656
11/16	0.6875	17.4625	42.8625	68.2625	93.6625	119.0625	144.4625	169.8625	195.2625	220.6625	246.0625	271.4625
45/64 23/32	0.703125 0.71875	17.8594 18.2562	43.2594 43.6562	68.6594 69.0562	94.0594 94.4562	119.4594 119.8562	144.8594 145.2562	170.2594 170.6562	195.6594 196.0562	221.0594 221.4562	246.4594 246.8562	271.8594 272.2562
47/64	0.734375	18.6531	44.0531	69.4531	94.8531	120.2531	145.6531	171.0531	196.4531	221.4502	247.2531	272.6531
3/4	0.75	19.0500	44.4500	69.8500	95.2500	120.6500	146.0500	171.4500	196.8500	222.2500	247.6500	273.0500
49/64	0.765625	19.4469	44.8469	70.2469	95.6469	121.0469	146.4469	171.8469	197.2469	222.6469	248.0469	273.4469
25/32	0.78125	19.8438	45.2438	70.6438	96.0438	121.4438	146.8438	172.2438	197.6438	223.0438	248.4438	273.8438
51/64	0.796875	20.2406	45.6406	71.0406	96.4406	121.8406	147.2406	172.6406	198.0406	223.4406	248.8406	274.2406
13/16 53/64	0.8125 0.828125	20.6375 21.0344	46.0375 46.4344	71.4375 71.8344	96.8375 97.2344	122.2375 122.6344	147.6375 148.0344	173.0375 173.4344	198.4375 198.8344	223.8375 224.2344	249.2375 249.6344	274.6375 275.0344
27/32	0.84375	21.0344 21.4312	46.8312	72.2312	97.2344 97.6312	122.0344	148.4312	173.4344	198.8344	224.2344	250.0312	275.0344 275.4312
55/64	0.859375	21.8281	47.2281	72.6281	98.0281	123.4281	148.8281	174.2281	199.6281	225.0281	250.4281	275.8281
7/8	0.875	22.2250	47.6250	73.0250	98.4250	123.8250	149.2250	174.6250	200.0250	225.4250	250.8250	276.2250
57/64	0.890625	22.6219	48.0219	73.4219	98.8219	124.2219	149.6219	175.0219	200.4219	225.8219	251.2219	276.6219
29/32	0.90625	23.0188	48.4188	73.8188	99.2188	124.6188	150.0188	175.4188	200.8188	226.2188	251.6188	277.0188
59/64	0.921875	23.4156	48.8156	74.2156	99.6156	125.0156	150.4156	175.8156	201.2156	226.6156	252.0156	277.4156
15/16 61/64	0.9375 0.953125	23.8125 24.2094	49.2125 49.6094	74.6125 75.0094	100.0125 100.4094	125.4125 125.8094	150.8125 151.2094	176.2125 176.6094	201.6125 202.0094	227.0125 227.4094	252.4125 252.8094	277.8125 278.2094
31/32	0.96875	24.6062	50.0062	75.4062	100.8062	126.2062	151.6062	177.0062	202.4062	227.8062	253.2062	278.6062
63/64	0.984375	25.0031	50.4031	75.8031	101.2031	126.6031	152.0031	177.4031	202.8031	228.2031	253.6031	279.0031

## Appendix Table 11 Hardness Conversion Chart

Rockwell		Brinell		Roc	kwell	
C scale	Vickers	Standard	Tungsten carbide	A scale	B scale	Shore
1,471.0 N (150 kgf)		steel ball	steel ball	588.4 N (60 kgf)	980.7 N (100 kgf)	
68	940			85.6		97
67 66	900 865			85.0 84.5		95 92
65	832		739	83.9		92
64	800		739	83.4		88
63	772		705	82.8		87
62	746		688	82.3		85
61	720		670	81.8		83
60	697		654	81.2		81
59	674		634	80.7		80
58	653		615	80.1		78
57 56	633 613		595 577	79.6 79.0		76 75
	595		560	79.0		75
55 54	595 577	_	543	78.5		74 72
53	560	_	525	77.4		72
52	544	500	512	76.8		69
51	528	487	496	76.3		68
50	513	475	481	75.9		67
49	498	464	469	75.2		66
48	484	451	455	74.7		64
47	471	442	443	74.1		63
46	458	432	432	73.6		62
45 44	446		21 09	73.1 72.5		60 58
44 43	434 423		00	72.0		58 57
43	412		90	71.5		56
41	402		81	70.9		55
40	392	3	71	70.4	-	54
39	382	3	62	69.9	-	52
38	372		53	69.4	-	51
37	363		44	68.9	-	50
36	354		36	68.4	(109.0)	49
35 34	345 336		27 19	67.9 67.4	(108.5)	48 47
33	327		11	66.8	(108.0) (107.5)	46
32	318		01	66.3	(107.0)	44
31	310		94	65.8	(106.0)	43
30	302		86	65.3	(105.5)	42
29	294	2	79	64.7	(104.5)	41
28	286		71	64.3	(104.0)	41
27	279		64 58	63.8	(103.0)	40
26	272		58 53	63.3	(102.5)	38
25 24	266 260		53 47	62.8 62.4	(101.5) (101.0)	38 37
24 23	254		43	62.0	100.0	36
22	248		37	61.5	99.0	35
21	243		31	61.0	98.5	35
20	238		26	60.5	97.8	34
(18)	230		19	-	96.7	33
(16)	222		12	-	95.5	32
(14)	213		03	_	93.9	31
(12)	204		94	-	92.3	29
(10) ( 8)	196 188		87 79		90.7 89.5	28 27
(6)	180		71		87.1	26
(4)	173		65		85.5	25
(2)	166	1	58		83.5	24
( 0)	160		52		81.7	24

Kinematic		bolt second)		wood cond)	Engler	
viscosity mm <sup>2</sup> /s	100 °F	210 °F	50 °C	100 °C	E (degree)	
2	32.6	32.8	30.8	31.2	1.14	
3	36.0	36.3	33.3	33.7	1.22	
4	39.1	39.4	35.9	36.5	1.31	
5	42.3	42.6	38.5	39.1	1.40	
6	45.5	45.8	41.1	41.7	1.48	
7	48.7	49.0	43.7	44.3	1.56	
8	52.0	52.4	46.3	47.0	1.65	
9	55.4	55.8	49.1	50.0	1.75	
10	58.8	59.2	52.1	52.9	1.84	
11	62.3	62.7	55.1	56.0	1.93	
12	65.9	66.4	58.2	59.1	2.02	
13	69.6	70.1	61.4	62.3	2.12	
14	73.4	73.9	64.7	65.6	2.22	
15	77.2	77.7	68.0	69.1	2.32	
16	81.1	81.7	71.5	72.6	2.43	
17	85.1	85.7	75.0	76.1	2.54	
18	89.2	89.8	78.6	79.7	2.64	
19	93.3	94.0	82.1	83.6	2.76	
20	97.5	98.2	85.8	87.4	2.87	
21	102	102	89.5	91.3	2.98	
22	106	107	93.3	95.1	3.10	
23	110	111	97.1	98.9	3.22	
24	115	115	101	103	3.34	
25	119	120	105	107	3.46	
26	123	124	109	111	3.58	
27	128	129	112	115	3.70	
28	132	133	116	119	3.82	
29	137	138	120	123	3.95	
30	141	142	124	127	4.07	
31	145	146	128	131	4.20	
32	150	150	132	135	4.32	
33	154	155	136	139	4.45	
34	159	160	140	143	4.57	

## Appendix Table 12 Viscosity Conversion Chart

Kinematic		bolt		vood	Engler
viscosity		econd)	,	cond)	E (degree)
mm²/s	100 °F	210 °F	50 °C	100 °C	(
35	163	164	144	147	4.70
36	168	170	148	151	4.83
37	172	173	153	155	4.96
38	177	178	156	159	5.08
39	181	183	160	164	5.21
40	186	187	164	168	5.34
41	190	192	168	172	5.47
42	195	196	172	176	5.59
43	199	201	176	180	5.72
44	204	205	180	185	5.85
45	208	210	184	189	5.98
46	213	215	188	193	6.11
47	218	219	193	197	6.24
48	222	224	197	202	6.37
49	227	228	201	206	6.50
50	231	233	205	210	6.63
55	254	256	225	231	7.24
60	277	279	245	252	7.90
65	300	302	266	273	8.55
70	323	326	286	294	9.21
75	346	349	306	315	9.89
80	371	373	326	336	10.5
85	394	397	347	357	11.2
90	417	420	367	378	11.8
95	440	443	387	399	12.5
100	464	467	408	420	13.2
120	556	560	490	504	15.8
140	649	653	571	588	18.4
160	742	747	653	672	21.1
180	834	840	734	757	23.7
200	927	933	816	841	26.3
250	1,159	1,167	1,020	1,051	32.9
300	1,391	1,400	1,224	1,241	39.5

Remark  $1 \text{ mm}^2/\text{s} = 1 \text{ cSt}$  (centistokes)

## Appendix Table 13 Mechanical Properties of Metal Materials (reference)

	Main componente	Crasifie	Modulus of	Electic limit	Ultir	nate strength (M	IPa)
Material	Main components and others	Specific gravity	longitudinal elasticity (GPa)	$\begin{array}{c} \text{Elastic limit} \\ \sigma_e \left( MPa \right) \end{array}$	Tensile K <sub>t</sub>	Compression Kc	Shear $K_{\rm s}$
Gray cast iron (FC150)		7.1–7.3	69	29	118	590	108
(FC200)		7.1–7.3	98	88	137– 216	740	206
(FC250)		7.1–7.3	103	88	176- 314	880	206
White heart malleable cast iron	Residual carbon: 1.6% or less	7.1–7.3	158	196	314- 392	820	382
Black heart malleable cast iron		7.2–7.6	158	196	274- 392	820	382
Carbon steel	General	7.7–7.8	196–216	176–245	314- 830	-	-
Extra mild steel	C 0.05–0.15%	7.8	196	118	Over 372	ן ו	0.8 Kt
Mild steel	C 0.15–0.25%	7.8	204	157	372- 392	Virtually	$0.75 K_{ m t}$
Middle hard steel	C 0.25–0.40%	7.8	206	245–294	490- 590	identical to tensile	0.75 <i>K</i> t
Hard steel	C 0.40-0.50%	7.8	216	343	590- 690	strength,	0.7 K <sub>t</sub>
Maximum hard steel	C 0.50–0.65%	7.8	216	372	690- 830	provided	$0.65 K_t$
Mild steel	C 0.18% hot rolling	7.8	206	176	421	buckling - can be	314
Hard steel	Oil hardening, tempering at 700 $^{\rm o}{\rm C}$	7.8	206	343	590	ignored	461
Tool steel	C 0.60-1.50% hardening	7.8	216	441	660		820
Cast steel	General	7.8–7.9	206–211	176–245	343- 600	343-600	284–382
Cast steel (mild)	C 0.15–0.22%	7.8–7.9	206	196	363- 431	363–431	284
Cast steel (middle hard)	C 0.22–0.30%	7.8–7.9	211	225	392- 490	392–490	333
Cast steel (hard)	C 0.30–0.40%	7.9	211	245	490- 590	490–590	382
Nickel steel	C 0.25–0.35% Ni 2–5%	7.85	206–216	333	640- 830	640	401
Chrome steel	C 0.13-0.48% Cr 0.9-1.2%	7.85	206–216	-	780- 980	-	-
Nickel chrome steel	C, Ni, Cr included	7.85	206–216	-	740- 980	-	382-500
Chromium molybdenum steel	C, Cr, Mo included	7.85	206–216	-	830- 980	-	-
Manganese steel	C 0.2-0.46% Mn 1-1.4%	7.85	206–216	-	440-1,080	-	-
Spring steel		7.86	216	735	1,080–1,670	1,670	-
Stainless steel	C, Cr, Ni included	7.75	206–216	-	620	-	410
Brass casting	Cu 60% Zn 40%	8.5	69	-	176- 216	108	147
Brass (forged plate)	Cu 60% Zn 40%	8.4	78- 98	-	274- 392	314	206
Brass (forged rod)	Cu 60% Zn 40%	8.4	82	-	520	314	314
Phosphor bronze casting	Cu 90% Sn 10% P 0.1%	8.8	93–103	-	196- 294	137	176
Phosphor bronze (forging)	Cu 90% Sn 10% P 0.1%	8.8	132	-	294- 980	206	382
Tin		7.28	39- 54	-	27	-	-
Lead		11.34	15- 17	-	20		-
Zinc		7.1	78–127	-	78– 176	-	-

#### (1) Modulus of longitudinal elasticity, elastic limit, and ultimate strength

#### (2) Allowable stress

Tensile K<sub>t</sub> Bending K<sub>b</sub> Torsion K<sub>d</sub> Compression K<sub>c</sub> Shear Ks Material bbba с а b a b с а с a с Cast iron (cast) 29- 34 20- 23 10-12 88- 98 59- 65 45- 59 30- 39 15–20 29-34 20-23 10-12 26- 34 18–23 88-118 Cast iron (machined) 29- 34 20- 23 88- 98 55- 71 20-23 26- 34 88–118 10-12 59- 65 29- 34 10-12 18–23 Malleable cast iron 44- 69 29-46 15-23 59- 88 39- 59 44- 98 29-46 15-23 29- 39 20-26 10- 13 Cast steel 59-118 39-78 20-39 88-147 59-98 74-118 49- 78 25-39 47-94 31-63 16-31 47-94 31-63 16- 31 Mild steel 98-157 66-105 32-52 98-157 66-105 88-147 59- 98 35-49 78-127 52-85 26-42 78-137 52-91 26-46 Middle hard steel 78–118 118-176 78-118 39-59 118–176 78-118 118–176 39–59 94-137 63–94 31-47 88-137 59-94 29- 47 29- 47 Nickel steel 118-176 78-118 39 - 59118-176 78-118 118-176 78-118 39-59 94-137 63-94 31-47 88-137 59-92 Carbon steel casting 88-118 59- 78 29-39 88-118 59-78 88-118 59- 78 29-39 71-93 47-63 24-31 35- 47 24-31 12- 16 Brass (rolled) 10- 59 26- 35 13-20 39- 59 26- 39 39- 59 26- 39 13–20 34-47 21–31 11-16 31- 47 21-31 11- 16 Bronze 29- 39 20- 26 10-13 29- 39 20- 26 29- 39 20- 26 10-13 Phosphor bronze 15-23 59- 88 39- 59 20-29 59- 88 39- 59 59- 88 39- 59 20-29 44- 69 29-46 44- 69 29-46 15- 23 Aluminum casting 10- 12 7- 8 2- 4 15- 20 10- 13 5-7

Remarks 1. a is applicable in the case of static load, b is applicable in the case of dynamic load, and c is applicable to in the case of repeated load.

2. Bending allowable stress  $K_{\rm b}$  and torsion allowable stress  $K_{\rm d}$  of cast iron are applicable when the cross section is round and safety factor is within a range from 5 to 6.

Unit: MPa

Appendix Table 14 (1) Hexagon Socket Head Cap Screws (abstract from JIS B 1176: 1988)

M 1.6 - 24

#### Allowance of bolt length ( $\ell$ )





		Unit: mm
Bolt lei	ngth $(l)$	Allowance
Over	Incl.	of length
-	3	±0.2
3	6	±0.24
6	10	±0.29
10	16	±0.35
16	30	±0.42
30	50	±0.5
50	80	±0.6
80	120	±0.7
120	180	±0.8
180	240	±0.95
240	300	±1.05

#### (1) Parts class A M 1.6-24

(1) Parts clas	(1) Parts class A M 1.6–24 Unit: mm																
Nominal size	Coarse screw	M 1.6	M 2	M 2.5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	(M 14)	M 16	(M 18)	M 20	(M 22)	M 24
of screw $d$	thread pitch	0.35	0.4	0.45	0.5	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5	2.5	2.5	3
Head dia. $d_{\rm k}$		3	3.8	4.5	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36
Head height $k$		1.6	2	2.5	3	4	5	6	8	10	12	14	16	18	20	22	24
Bearing surface of	dia. $d_{ m w}$ (min.)	2.72	3.4	4.18	5.07	6.53	8.03	9.38	12.33	15.33	17.23	20.17	23.17	25.87	28.87	31.81	34.81
Nominal size of h	exagon socket s	1.5	1.5	2	2.5	3	4	5	6	8	10	12	14	14	17	17	19
Thread length $b$	(reference)	15	16	17	18	20	22	24	28	32	36	40	44	48	52	56	60

Nominal length $\ell$	M 1.6 Body length $\ell_g$ (max.)
2.5	M 2
3	M 2.5_
4	M 3
5	M 4
6	M 5
8	M 6
10	M 8
12	M 10
16	M 2 M 12
20	4         M 2.5         M 3         (M 14)         M 16           8         7         M 4         M 5         (M 18)         M 20
25	
30	12 10 8 M 6
35	15 13 11 M8 (M22) M24
40	20 18 16 12 M 10
45	23 21 17 13 M 12
50	28 26 22 18 14
55	31 27 23 19 (M 14) M 16
60	<u>36</u> 32 28 24 20 16 (M 18)
65	37 33 29 25 21 17 M 20
70	42 38 34 30 26 22 18 <u>(M 22)</u>
80	<u>52</u> 48 44 40 36 32 28 24 M24
90	58 54 50 46 42 38 34 30
100	<u>68</u> 64 60 56 52 48 44 40
110	74 70 66 62 58 54 50
120	84 80 76 72 68 64 60
130	90 86 82 78 74 70
140	100 96 92 88 84 80
150	106 102 98 94 90
160	<u>116</u> 112 108 104 100
180	132 128 124 120
200	148 144 140

Remarks 1. Priority is given to the nominal sizes of screws without parentheses.

2. Nominal lengths ( $\ell$ ) to be recommended for the nominal sizes of screw are within the range enclosed by bold lines in the column of "Body length  $\ell_g$ ". In the column of "Body length  $\ell_g$ ", thread of the screw with length shorter than that indicated under dotted lines should be continuous. For the continuous thread stud screw, the incomplete thread portion length under the neck of the screw should be approximately three times of the thread pitch.

3. The sides of the head of screw should be single or double knurled. The  $d_k$  values in the table are the maximum values without knurls. 4. Roundness or chamfers on the bearing surface should be provided between the diameter of the head  $(d_k)$  and the diameter of bearing surface  $(d_w)$ , and the surface should be free from burrs.

## Appendix Table 14 (2) Hexagon Socket Head Cap Screws (abstract from JIS B 1176: 1988)

M 27 – 52





		Unit: mm
Bolt ler	ngth (ℓ)	Allowance
Over	Incl.	of length
-	3	±0.2
3	6	±0.24
6	10	±0.29
10	16	±0.35
16	30	±0.42
30	50	±0.5
50	80	±0.6
80	120	±0.7
120	180	±0.8
180	240	±0.95
240	300	±1.05

Allowance of bolt length ( $\ell$ )

FYH

#### (2) Parts class A M 27–52

Unit: mm

Nominal size	Coarse screw	(M 27)	M 30	(M 33)	M 36	(M 39)	M 42	(M 45)	M 48	(M 52)
of screw $d$	thread pitch	3	3.5	3.5	4	4	4.5	4.5	5	5
Head dia. $d_{ m k}$		40	45	50	54	58	63	68	72	78
Head height $k$		27	30	33	36	39	42	45	48	52
Bearing surface	dia. $d_{ m w}$ (min.)	38.61	43.61	48.61	52.54	56.34	61.34	66.34	70.34	76.34
Nominal size of h	exagon socket s	19	22	24	27	27	32	32	36	36
Thread length $b$	(reference)	66	72	78	84	90	96	102	108	116

Nominal length $\ell$	(M 27)	M 30			Body le	ngth ℓ	g (max.)	)	
45									
50			(M 33)	M 36					
55					1				
60					(M 39)	M 42			
65							1		
70							(M 45)	M 48	
80	(M 27)								(M 52)
90	24	M 30	(M 33)						
100	34	28	22						
110	44	38	32	M 36	(M 39)	M 42	_		
120	54	48	42	36	30	24	(M 45)		
130	64	58	52	46	40	34	28	M 48	
140	74	68	62	56	50	44	38	32	(M 52)
150	84	78	72	66	60	54	48	42	34
160	94	88	82	76	70	64	58	52	44
180	114	108	102	96	90	84	78	72	64
200	134	128	122	116	110	104	98	92	84
220	154	148	142	136	130	124	118	112	104
240	174	168	162	156	150	144	138	132	124
260	194	188	182	176	170	164	158	152	144
280	214	208	202	196	190	184	178	172	164
300	234	228	222	216	210	204	198	192	184

Remarks 1. Priority is given to the nominal sizes of screws without parentheses.

 Nominal lengths (l) to be recommended for the nominal sizes of screw are within the range enclosed by bold lines in the column of "Body length l<sub>g</sub>". In the column of "Body length l<sub>g</sub>", thread of the screw with length shorter than that indicated under dotted lines should be continuous. For the continuous thread stud screw, the incomplete thread portion length under the neck of the screw should be approximately three times of the thread pitch.

3. The sides of the head of screw should be single or double knurled. The  $d_k$  values in the table are the maximum values without knurls. 4. Roundness or chamfers on the bearing surface should be provided between the diameter of the head ( $d_k$ ) and the diameter of

## Appendix Table 15 (1) Hexagon Head Bolts (abstract from JIS B 1180: 1994)

Parts class A M 1.6 - 24

#### Allowance of bolt length $(\ell)$





		Unit: mm
Bolt ler	ngth $(\ell)$	Allowance
Over	Incl.	of length
-	20	±0.35
20	30	±0.42
30	50	±0.5
50	80	±0.6
80	120	±0.7
120	150	±0.8

#### (1) Parts class A M 1.6–24

(1) Parts class A M 1.6–24 Unit: mm																		
	Coarse screw	M 1.6	M 2	M 2.5	M 3	(M 3.5)	M 4	M 5	M 6	M 8	M 10	M 12	(M 14)	M 16	(M 18)	M 20	(M 22)	M 24
Nominal	thread pitch	0.35	0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5	2.5	2.5	3
size of screw	Fine thread	-	-	-	-	-	-	-	-	М 8 × 1	M 10 × 1	M 12 ×1.5	-	M 16 ×1.5	-	M 20 ×1.5	-	M 24 × 2
d	riile uliedu	-	_	-	_	-	-	-	-	_	(M 10 ×1.25)	(M 12 ×1.25)	(M 14 ×1.5)	-	(M 18 ×1.5)			-
Bearing sur	face dia. $d_{ m w}$ (min.)	2.27	3.07	4.07	4.57	5.07	5.88	6.88	8.88	11.63	14.63	16.63	19.64	22.49	25.34	28.19	31.71	33.61
Width acros	ss flats $s({ m max.})$	3.2	4	5	5.5	6	7	8	10	13	16	18	21	24	27	30	34	36
Width acros	ss corners <i>e</i> (min.)	3.41	4.32	5.45	6.01	6.58	7.66	8.79	11.05	14.38	17.77	20.03	23.36	26.75	30.14	33.53	37.72	39.98
Head heigh	t $k$ (basic)	1.1	1.4	1.7	2	2.4	2.8	3.5	4	5.3	6.4	7.5	8.8	10	11.5	12.5	14	15
Thread length	<b>ℓ</b> ≤ 125	9	10	11	12	13	14	16	18	22	26	30	34	38	42	46	50	54
(reference)	$125 < \boldsymbol{\ell} \leq 150$	-	-	-	-	-	-	-	-	-	-	-	40	44	48	52	56	60

Nominal length $\ell$	M 1.6	-						Bod	ly leng	th ℓg (n	ıax.)						
12	3	M 2	M 2.5														
16	7	6	5	M 3	(M 3.5)	_											
20		10	9	8	7	M 4	M 5	_						nal lengi hread st			
25			14	13	12	11	9	M 6	_					d be obs		ayon ne	au
30				18	17	16	14	12		201	. (pa. to	0.0007.	,		00		
35					22	21	19	17	M 8	_							
40						26	24	22	18	M 10	_						
45							29	27	23	19	M 12	_					
50							34	32	28	24	20	]					
55								37	33	29	25	(M 14)	_				
60								42	38	34	30	26	M 16	_			
65									43	39	35	31	27	(M 18)			
70									48	44	40	36	32	28	M 20	_	
80									58	54	50	46	42	38	34	(M 22)	M 24
90										64	60	56	52	48	44	40	36
100										74	70	66	62	58	54	50	46
110											80	76	72	68	64	60	56
120											90	86	82	78	74	70	66
130												90	86	82	78	74	70
140												100	96	92	88	84	80
150													106	102	98	94	90

Remarks 1. Priority is given to the nominal sizes of screws without parentheses. 2. Nominal lengths ( $\ell$ ) to be recommended for the nominal sizes of screw are within the range enclosed by bold lines. 3. Body length  $\ell_g$  (maximum) should be found by the following formula :  $\ell_g$  (maximum) = Nominal length ( $\ell$ ) – Thread length (b)

## Appendix Table 15 (2) Hexagon Head Bolts (abstract from JIS B 1180: 1994)

Parts class B M 16 - 64

#### Allowance of bolt length ( $\ell$ )





		Unit: mm
Bolt ler	ngth (ℓ)	Allowance
Over	Incl.	of length
-	80	±1.5
80	90	±1.7
90	120	±1.75
120	180	±2
180	240	±2.3
240	300	±2.6
300	400	±2.85
400	500	±3.15

#### (2) Parts class B M 16-64

. . . . .

(2) Parts class B M 16–64 Unit: mm																		
	Coarse screw	M 16	(M 18)	M 20	(M 22)	M 24	(M 27)	M 30	(M 33)	M 36	(M 39)	M 42	(M 45)	M 48	(M 52)	M 56	(M 60)	M 64
Nominal	thread pitch	2	2.5	2.5	2.5	3	3	3.5	3.5	4	4	4.5	4.5	5	5	5.5	5.5	6
size of screw	Fine thread	M 16 ×1.5	-	M 20 ×1.5	-	M 24 × 2	-	M 30 × 2	-	M 36 × 3	-	M 42 × 3	-	M 48 × 3	-	M 56 × 4	-	M 64 × 4
d	Fille ulledu	Ι	(M 18 ×1.5)	$\begin{pmatrix} M & 20 \\ x & 2 \end{pmatrix}$	$\begin{pmatrix} M 22 \\ \times 1.5 \end{pmatrix}$	-	$\begin{pmatrix} M & 27 \\ x & 2 \end{pmatrix}$	-	$\begin{pmatrix} M & 33 \\ \times & 2 \end{pmatrix}$	-	(M 39 × 3)	-	$\begin{pmatrix} M & 45 \\ \times & 3 \end{pmatrix}$	-	$\begin{pmatrix} M 52 \\ x 4 \end{pmatrix}$	-	$\begin{pmatrix} M & 60 \\ \times & 4 \end{pmatrix}$	-
Bearing sur	face dia. $d_{ m w}$ (min.)	22	24.85	27.7	31.35	33.25	38	42.75	46.55	51.11	55.86	59.95	64.7	69.45	74.2	78.66	83.41	88.16
Width acros	is flats $s$ (max.)	24	27	30	34	36	41	46	50	55	60	65	70	75	80	85	90	95
Width acros	s corners <i>e</i> (min.)	26.17	29.56	32.95	37.29	39.55	45.2	50.85	55.37	60.79	66.44	71.3	76.95	82.6	88.25	93.56	99.21	104.86
Head height	t $k$ (basic)	10	11.5	12.5	14	15	17	18.7	21	22.5	25	26	28	30	33	35	38	40
Thread	$\ell \le 125$	38	42	46	50	54	60	66	-	-	-	-	-	-	-	-	-	-
length	$125 < \ell \leq 200$	44	48	52	56	60	66	72	78	84	90	96	102	108	116	-	-	-
(reference)	$200 < \ell \leq 500$	-	-	-	69	73	79	85	91	97	103	109	115	121	129	137	145	153
(IEIEIEIICE)	$200 < k \leq 300$				00	70	10	00	01	57	100	100	110	121	120	107	140	100

Nominal length $\ell$	M 16	M 16 Body length $\ell_g$ (max.)															
65		(M 18)	-														
70			M 20	_													
80				(M 22)	M 24	_											
90						(M 27)				As for t standa				length w			
100						40	M 30	_						e observ		meau	bon
110				th nomir	nal	50	44	]		M		- / -					
120			in this a	area, arts clas	22	60	54	(M 33)	_								
130			e obsei			64	58	52	M 36	_							
140						74	68	62	56	(M 39)							
150						84	78	72	66	60	M 42	_					
160	116	112	108	104	100	94	88	82	76	70	64	(M 45)	M 48	_			
180		132	128	124	120	114	108	102	96	90	84	78	72	(M 52)	_		
200			148	144	140	134	128	122	116	110	104	98	92	84	M 56	_	
220				151	147	141	135	129	123	117	111	105	99	91	83	(M 60)	
240					167	161	155	149	143	137	131	125	119	111	103	95	M 64
260						181	175	169	163	157	151	145	139	131	123	115	107
280							195	189	183	177	171	165	159	151	143	135	127
300							215	209	203	197	191	185	179	171	163	155	147
320								229	223	217	211	205	199	191	183	175	167
340									243	237	231	225	219	211	203	195	187
360									263	257	251	245	239	231	223	215	207
380										277	271	265	259	251	243	235	227
400											291	285	279	271	263	255	247
420											311	305	299	291	283	275	267
440												325	319	311	303	295	287
460													339	331	323	315	307
480													359	351	343	335	327
500														371	363	355	347

Remarks 1. Priority is given to the nominal sizes of screws without parentheses.

3. Body length  $\ell_g$  (maximum) should be found by the following formula :  $\ell_g$  (maximum) = Nominal length ( $\ell$ ) – Thread length (b)

## Appendix Table 16 Hexagon Head Nuts (abstract from JIS B 1181: 1993)









Low nut

#### (1) Parts class A M 1.6–16

	Coarse screw	M 1.6	M 2	M 2.5	M 3	(M 3.5)	M 4	M 5	M 6	M 8	M 10	M 12	(M 14)	M 16
Nominal	thread pitch	0.35	0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75	2	2
size of screw	Fine thread	-	-	-	-	-	-	-	-	M 8 × 1	M 10 × 1	M 12 × 1.5	-	M 16 × 1.5
d	Fille tilleau	-	-	-	-	-	-	-	-	-	( M 10 ×1.25 )	( M 12 ×1.25 )	$\left(\begin{array}{c} M & 14 \\ \times & 1.5 \end{array}\right)$	-
Bearing s	urface dia. $d_{ m w}$ (min.)	2.27	3.07	4.07	4.57	5.07	5.88	6.88	8.88	11.63	14.63	16.63	19.64	22.49
Width acr	oss flats <i>s</i> (max.)	3.2	4	5	5.5	6	7	8	10	13	16	18	21	24
Width acr	oss corners <i>e</i> (min.)	3.41	4.32	5.45	6.01	6.58	7.66	8.79	11.05	14.38	17.77	20.03	23.36	26.75
	$m_1$ (max.)	1.3	1.6	2	2.4	2.8	3.2	4.7	5.2	6.8	8.4	10.8	12.8	14.8
Height	m2 (max.)	-	-	-	-	-	-	5.1	5.7	7.5	9.3	12	14.1	16.4
	$m_3$ (max.)	1	1.2	1.6	1.8	2	2.2	2.7	3.2	4	5	6	7	8

Remark Priority is given to the nominal sizes of screws without parentheses.

#### (2) Parts class B M 18-64

Unit: mm

Unit: mm

	Coarse screw	(M 18)	M 20	(M 22)	M 24	(M 27)	M 30	(M 33)	M 36	(M 39)	M 42	(M 45)	M 48	(M 52)	M 56	(M 60)	M 64
Nominal	thread pitch	2.5	2.5	2.5	3	3	3.5	3.5	4	4	4.5	4.5	5	5	5.5	5.5	6
size of screw	Fine thread	-	M 20 ×1.5	-	M 24 × 2	-	M 30 × 2	-	M 36 × 3	-	M 42 × 3	-	M 48 × 3	-	M 56 × 4	-	M 64 × 4
d	Fille tilledu	$\left( \begin{matrix} M \ 18 \\ \times 1.5 \end{matrix} \right)$	$\begin{pmatrix} M & 20 \\ x & 2 \end{pmatrix}$	(M 22 ×1.5)	-	$\begin{pmatrix} M & 27 \\ \times & 2 \end{pmatrix}$	_	$ \begin{pmatrix} M 33 \\ \times 2 \end{pmatrix} $	_	$\begin{pmatrix} M & 39 \\ \times & 3 \end{pmatrix}$	-	$\begin{pmatrix} M 45 \\ x 3 \end{pmatrix}$	-	$\begin{pmatrix} M 52 \\ \times 4 \end{pmatrix}$	-	$\begin{pmatrix} M & 60 \\ x & 4 \end{pmatrix}$	-
Bearing s	urface dia. $d_{ m w}$ (min.)	24.85	27.7	31.35	33.25	38	42.75	46.55	51.11	55.86	59.95	64.7	69.45	74.2	78.66	83.41	88.16
Width acr	oss flats <i>s</i> (max.)	27	30	34	36	41	46	50	55	60	65	70	75	80	85	90	95
Width acr	oss corners <i>e</i> (min.)	29.56	32.95	37.29	39.55	45.2	50.85	55.37	60.79	66.44	71.3	76.95	82.6	88.25	93.56	99.21	104.86
	$m_1$ (max.)	15.8	18	19.4	21.5	23.8	25.6	28.7	31	33.4	34	36	38	42	45	48	51
Height	$m_2$ (max.)	17.6	20.3	21.8	23.9	26.7	28.6	32.5	34.7	-	-	-	-	-	-	-	-
	<i>m</i> <sub>3</sub> (max.)	9	10	11	12	13.5	15	16.5	18	19.5	21	22.5	24	26	28	30	32

Remark Priority is given to the nominal sizes of screws without parentheses.

## Appendix Table 17 Ball Bearing Units Interchange Guide

## 17.1 Pillow Block Units

	FYH · JTEKT	ASAHI	NTN
With pressed steel cover	UCP2··C	UCP2··C	S-UCP2··D1
	UCP2··CD	UCP2··E	SM-UCP2··D1
With cast iron cover	UCP2··FC	CUCP2··C	C-UCP2··D1
	UCP2··FCD	CUCP2··CE	CM-UCP2··D1
	UCP3··C	CUCP3··C	C-UCP3··D1
	UCP3··CD	CUCP3CE	CM-UCP3··D1
Thick Pillow Block Units	UCIP2··	UCIP2··	UCIP2··
	UCIP3··	UCIP3··	UCIP3··
Tapped-Base Pillow Block Units	UCPA2··	UCPA2··	UCUP2··D1
High-Base Pillow Block Units	UCPH2··	UCPH2··	UCHP2··D1
Light Pillow Block Units	BLP2··	BLLP··	ASPB2··
	ALP2··		AELPB2··
Compact Pillow Block Units	UP0··	UP0··	
Corrosion resistant series	UCSP2-H1S6	MUCP2··	
Pillow Block Units	UCSPA2··H1S6	MUCPA2	
	USP0··S6		
Stamped Steel Pillow Block Units	SBPP2··	BPP··	ASPP2
	SAPP2		AELPP2

## 17.2 Flange Units

	<b>FYH</b> · <b>JTEKT</b>	ASAHI	NTN
With pressed steel cover	UCF2··C	UCF2··C	S-UCF2··D1
	UCF2··D	UCF2··E	SM-UCF2··D1
	UCFC2··C	UCFC2··C	S-UCFC2··D1
	UCFC2··D	UCFC2··E	SM-UCFC2··D1
	UCFL2··C	UCFL2··C	S-UCFL2··D1
	UCFL2··D	UCFL2··E	SM-UCFL2-D1
With cast iron cover	UCF2··FC	CUCF2··C	C-UCF2··D1
	UCF2··FD	CUCF2CE	CM-UCF2··D1
	UCF3··C	CUCF3C	C-UCF3··D1
	UCF3··D	CUCF3CE	CM-UCF3··D1
	UCFC2··FC	CUCFC2··C	C-UCFC2··D1
	UCFC2··FD	CUCFC2··CE	CM-UCFC2-D1
	UCFS3··C	CUCFS3C	C-UCFS3··D1
	UCFS3··D	CUCFS3CE	CM-UCFS3··D1
	UCFL2··FC	CUCFL2··C	C-UCFL2··D1
	UCFL2··FD	CUCFL2··CE	CM-UCFL2··D1
	UCFL3··C	CUCFL3··C	C-UCFL3··D1
	UCFL3··D	CUCFL3CE	CM-UCFL3··D1
Adjustable 2-Bolt Flange Units	UCFA2··	UCFA2··	UCFA2··D1
3-Bolt Flange Units	UCFB2··	UCFK2··	UCFH2··D1
Light 2-Bolt Flange Units	BLF2··	BLFL.	ASFB2··
	ALF2··		AELFB2··
Compact 2-Bolt Flange Units	UFL0··	UFL0··	
Corrosion resistant series 4-Bolt Flange Units	UCSF2··H1S6	MUCF2	
Corrosion resistant series 2-Bolt Flange Units	UCSFL2··H1S6	MUCFL2··	
Stamped steel plate Flange	SBPF2··	BPF··	ASPF2··
	SAPF2··		AELPF2
	SBPFL2··	BPFL··	ASPFL2.
	SAPFL2··		AELPFL2··

## 17.3 Take-Up Units

	FYH · JTEKT	ASAHI	NTN
With pressed steel cover	UCT2··C	UCT2··C	S-UCT2-D1
	UCT2··CD	UCT2··E	SM-UCT2··D1
With cast iron cover	UCT2FC	CUCT2··C	C-UCT2··D1
	UCT2FCD	CUCT2CE	CM-UCT2··D1
	UCT3··C	CUCT3··C	C-UCT3··D1
	UCT3··CD	CUCT3CE	CM-UCT3··D1
Corrosion resistant series Take-Up Units	UCST2··H1S6	MUCT2	
Take-Up Units with frame	UCTH2·····	UCT2WB	UCT2D1
	UCTL2·····	UCTL2··+WL··	UCL2··D1
	UCTU2·····	UCTU2··+WU··	UCM2··D1
	UCTU3·····	UCTU3··+WU··	UCM3··D1
Steel Plate Frame Take-Up Units	SBPTH2·····		
	SBNPTH2·····	BTAW201,X	ASPT2·····

#### 17.4 Other Units

	FYH · JTEKT	ASAHI	NTN
Hanger Units	UCHA2··	UCECH2··	UCHB2··D1

## 17.5 Ball Bearing Inserts

	FYH · JTEKT	ASAHI	NTN
Ball bearing inserts	UC2··	UC2··	UC2D1
	UK2··	UK2··	UK2··D1
	NA2··	UG2··+ER	UEL2··D1
	SB2··	B··	AS2··
	SA2··		AEL2··
Cylindrical O. D.	RB2··	UR2++ *1	
	ER2··	SER2·· *1	UCS2··LN *1

<sup>\*1</sup> Width of the outer ring for these items differs from that of others.

## 17.6 Special Specification Items

	FYH · JTEKT	ASAHI	NTN
Grease (heat temperature) D1K2		HR5	HT2
(cold temperature)	D2K2	CR2A	CT1
(heat temperature)	D9K2	HR23	
Non-contact Seal	K3		U
Ductile cast iron	H4		N1
Lubricated type			D1
Non-lubricated type	E4	GOO	



## Appendix Table 18 Spherical Roller Bearing Units Interchange Guide

F	YH	DODGE	REXNORD	LB	TIMKEN
UNIT NO.	SHAFT SIZE		PART N	PART NUMBERS	
XSE2P408-22	1 <sup>3</sup> /8	P2B-S2-106R &	_	_	_
		EP2B-S2-106R			
XSE2P408-23	<b>1</b> <sup>7</sup> / <sub>16</sub>	P2B-S2-107R &	ZA2107 &	PB22423H &	-
		EP2B-S2-107R	ZEP2107	PEB22423H	
XSE2P408-24	1 <sup>1</sup> / <sub>2</sub>	P2B-S2-108R	ZA2108	PB22424H	-
XSE2P408	40MM	-	-	-	-
XSE2P409-27	<b>1</b> <sup>11</sup> / <sub>16</sub>	P2B-S2-111R & EP2B-S2-111R	ZA2111 & ZEP2111	PB22427H & PEB22427H	-
XSE2P409-28	1 <sup>3</sup> / <sub>4</sub>	P2B-S2-111R	ZA2112	PEB22427F1 PB22428H	
AGE2F409-20	1 74	F2D-02-112h	ZAZIIZ	FD22420FI	_
XSE2P409	45MM	_	_	_	_
XSE2P410-31	1 <sup>15</sup> / <sub>16</sub>	P2B-S2-115R &	ZA2115 &	PB22431H &	QAP10A115S &
		EP2B-S2-115R	ZEP2115	PEB22431H	QAPL10A115S
XSE2P410-32	2	P2B-S2-200R &	ZA2200 &	PB22432H &	QAP10A200S &
		EP2B-S2-200R	ZEP2200	PEB22432H	QAPL10A200S
XSE2P410	50MM	-	ZA2050MM	PB224M50H &	QAP10A050S &
VOED			7400000	PEB224M50H	QAPL10A050S
XSE2P411-35	2 <sup>3</sup> / <sub>16</sub>	P2B-S2-203R &	ZA2203 &	PB22435H &	QAP11A203S &
XSE2P411	55MM	EP2B-S2-203R	ZEP2203 ZA2055MM	PEB22435H PB224M55H &	QAPL11A203S QAP11A055S &
X5E2P411	IVIIVICC	_	ZAZUSSIVIIVI	PEB224M55H	QAPL11A055S &
XSE2P413-39	2 <sup>7</sup> / <sub>16</sub>	P2B-S2-207R &	ZA2207 &	PB22439H &	QAP13A207S &
X0221 410 00	2 /10	EP2B-S2-207R	ZEP2207	PEB22439H	QAPL13A207S
XSE2P413-40	$2^{1/2}$	_	ZA2208 &	PB22440H &	QAP13A208S &
			ZEP2208	PEB22440H	QAPL13A208S
XSE2P413	65MM	_	ZA2065MMF &	_	QAP13A065S &
			ZEP2065MM		QAPL13A065S
XSE2P415-43	2 <sup>11</sup> / <sub>16</sub>	-	ZEP2211	PEB22443H	QAP15A211S
XSE2P415-44	2 <sup>3</sup> / <sub>4</sub>	-	ZEP2212	PEB22444H	QAP15A212S
XSE2P415-47	2 <sup>15</sup> / <sub>16</sub>	_	ZEP2215	PEB22447H	QAP15A215S
XSE2P415-48	3	-	ZEP2300	PEB22448H	QAP15A300S
XSE2P415 XS2P415-43	75MM 2 <sup>11</sup> / <sub>16</sub>	– P2B-S2-211R &	 ZA2211	PEB224M75H PB22443H	QAP15A075S QAPL15A211S
A32F413-43	2 /16	EP2B-S2-211R &	ZAZZII	F DZ2443N	QAFLIJAZIIJ
XS2P415-44	2 <sup>3</sup> / <sub>4</sub>	_	ZA2212	PB22444H	QAPL15A212S
	2 /4				G/ (1 210/ 2120
XS2P415-47	2 <sup>15</sup> / <sub>16</sub>	P2B-S2-215R &	ZA2215	PB22447H	QAPL15A215S
		EP2B-S2-215R	-		
XS2P415-48	3	P2B-S2-300R &	ZA2300	PB22448H	QAPL15A300S
		EP2B-S2-300R			
XS2P415	75MM	_	-	PB224M75H	QAPL15A075S
XSE2P418-55	3 <sup>7</sup> / <sub>16</sub>	P2B-S2-307R &	ZA2307 &	PB22455H &	QAP18A307S &
	0.1/	EP2B-S2-307R	ZEP2307	PEB22455H	QAPL18A307S
XSE2P418-56	3 <sup>1</sup> / <sub>2</sub>	_	ZA2308 & ZEP2308	PB22456H & PEB22456H	QAP18A308S & QAPL18A308S
XSE2P418	90MM	_		-	QAP18A090S &
	- CONTRACT	_	_	_	QAPL18A090S
XSE2P420-63	3 <sup>15</sup> / <sub>16</sub>	_	ZA2315	_	QAP20A315S
XSE2P420-64	4	-	ZA2400	-	QAP20A400S
XSE2P420	100MM	_	-	-	QAP20A100S
XS2P420-63	3 <sup>15</sup> / <sub>16</sub>	P2B-S2-315R	_	PB22463H	QAPL20A315S
XS2P420-64	4	-	-	PB22464H	QAPL20A400S
XS2P420	100MM		-	PB224M100H	QAPL20A100S

## Set Screw Collar Lock 2-Bolt Pillow Block

#### Set Screw Collar Lock 2-Bolt Pillow Block

F	YH	SEALMASTER	BROWNING	MOLINE
UNIT NO.	SHAFT SIZE	PART NUMBERS		
XSE2P408-22	1 <sup>3</sup> /8	USRB5000-106	SPB1000 1 <sup>3</sup> /8	_
XSE2P408-23	<b>1</b> <sup>7</sup> / <sub>16</sub>	USRB5000-107	SPB1000 1 7/16	19121107 &
				19221107
XSE2P408-24	<b>1</b> <sup>1</sup> / <sub>2</sub>	USRB5000-108	SPB1000 1 <sup>1</sup> / <sub>2</sub>	19121108 &
	10101			19221108
XSE2P408	40MM		 SPB1000 1 <sup>11</sup> / <sub>16</sub>	-
XSE2P409-27	<b>1</b> <sup>11</sup> / <sub>16</sub>	USRB5000-111	SPB1000 1 1/16	19121111 & 19221111
XSE2P409-28	<b>1</b> <sup>3</sup> / <sub>4</sub>	USRB5000-112	SPB1000 1 <sup>3</sup> /4	19121112 &
XOL21 400 20	1 /4		01 01 000 1 74	19221112
XSE2P409	45MM	_	_	_
XSE2P410-31	<b>1</b> <sup>15</sup> / <sub>16</sub>	USRB5000-115 &	SPB1100 1 <sup>15</sup> /16	19121115 &
		USRBE5000-115		19221115
XSE2P410-32	2	USRB5000-200 &	SPB1100 2	19121200 &
		USRBE5000-200		19221200
XSE2P410	50MM	-	-	-
XSE2P411-35	2 <sup>3</sup> / <sub>16</sub>	USRB5000-203 &	SPB1100 2 <sup>3</sup> / <sub>16</sub>	19121203 &
AGE21 411-55	2 /16	USRBE5000-203 &	01011002 716	19121203 &
XSE2P411	55MM	_	_	
XSE2P413-39	2 <sup>7</sup> / <sub>16</sub>	USRB5000-207 &	SPB1100 2 7/16	19121207 &
		USRBE5000-207		19221207
XSE2P413-40	2 <sup>1</sup> / <sub>2</sub>	USRB5000-208 &	SPB1100 2 <sup>1</sup> /2	19121208 &
	051414	USRBE5000-208		19221208
XSE2P413	65MM	-	_	_
XSE2P415-43	2 <sup>11</sup> / <sub>16</sub>	USRBE5000-211	-	_
XSE2P415-44	2 <sup>3</sup> / <sub>4</sub>	USRBE5000-212	-	-
XSE2P415-47	2 <sup>15</sup> / <sub>16</sub>	USRBE5000-215	-	-
XSE2P415-48	3	USRBE5000-300	-	-
XSE2P415	75MM	-	-	_
XS2P415-43	2 <sup>11</sup> / <sub>16</sub>	USRB5000-211	SPB1000 2 <sup>11</sup> / <sub>16</sub>	19121211 &
XS2P415-44	2 <sup>3</sup> / <sub>4</sub>	USRB5000-212	SPB1000 2 <sup>3</sup> /4	19221211 19121212 &
X32F41J-44	Z 14	031103000-212	SI DI000 Z 74	19221212
XS2P415-47	2 <sup>15</sup> /16	USRB5000-215	SPB1000 2 <sup>15</sup> /16	19121215 &
				19221215
XS2P415-48	3	USRB5000-300	SPB1000 3	19121300 &
				19221300
XS2P415	75MM	-		-
XSE2P418-55	3 <sup>7</sup> / <sub>16</sub>	USRB5000-307 &	SPB1100 3 7/16	19121307 &
XSE2P418-56	3 <sup>1</sup> / <sub>2</sub>	USRBE5000-307 USRB5000-308 &	SPB1100 3 <sup>1</sup> /2	19221307 19121308 &
AGE21-410-30	5 72	USRBE5000-308	51511003 /2	19121308 &
XSE2P418	90MM	_	_	_
XSE2P420-63	3 <sup>15</sup> / <sub>16</sub>	USRB5000-315 &	SPB1100 3 <sup>15</sup> / <sub>16</sub>	19121315 &
		USRBE5000-315		19221315
XSE2P420-64	4	USRB5000-400 &	SPB1100 4	19121400 &
	1001414	USRBE5000-400		19221400
XSE2P420 XS2P420-63	100MM 3 <sup>15</sup> / <sub>16</sub>		_	-
XS2P420-63	4		_	_
XS2P420	100MM	_	_	_
		1	1	1



## \_\_\_\_\_ FYH



## NIPPON PILLOW BLOCK CO., LTD.

#### **HEAD OFFICE**

2306 Hirao Mihara-ku Sakai Osaka 587-0022 Japan FAX: +81-72-361-4173 TEL: +81-72-361-3750 www.fyhbearings.com

E-mail: info@fyhbearings.com

#### **INTERNATIONAL DIVISION**

E-mail: exports@fyh.co.jp

## FYH BEARING UNITS USA INC.

13201 FYH Drive Huntley, Illinois 60142, USA TEL: +1-847-487-9111 FAX: +1-847-487-9222

## DOMESTIC BRANCHES IN JAPAN

Tokyo

Nagoya

Sapporo

Fukuoka Hiroshima Kase Building 116-5 F 1-3-49 Katsushima Shinagawa Tokyo 140-0012 Japan TEL: +81-3-5767-7270 FAX: +81-3-5767-7280 2-1-2 Niban Atsuta-ku Nagoya Aichi 456-0052 Japan TEL: +81-52-652-1211 FAX: +81-52-652-0744 E-mail: sapporo@fyh.co.jp E-mail: kyusyu@fyh.co.jp E-mail: fukuyama@fyh.co.jp

E-mail: sales@fyhusa.com

E-mail:tokyo@fyh.co.jp

E-mail: nagoya@fyh.co.jp





CAT.No.3320 2015.02.20000DS